
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3763201/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Associations between dietary patterns and the metabolic syndrome in older adults in New Zealand: the REACH study. British Journal of Nutrition, 2022, 128, 1806-1816. | 2.3 | 6 |
| 2 | Bioequivalence of long-chain omega-3 polyunsaturated fatty acids from foods enriched with a novel vegetable-based omega-3 delivery system compared to gel capsules: a randomized controlled cross-over acute trial. European Journal of Nutrition, 2022, 61, 2129-2141. | 3.9 | 1 |
| 3 | Dietary patterns and cognitive function in older New Zealand adults: the REACH study. European Journal of Nutrition, 2022, 61, 1943-1956. | 3.9 | 6 |
| 4 | Dietary Patterns and Associations with Macronutrients, Body Fat Percentage and BMI in Older New Zealand Adults: The REACH Study. , 2022, 9, . | | 0 |
| 5 | Almond consumption affects fecal microbiota composition, stool pH, and stool moisture in overweight and obese adults with elevated fasting blood glucose: A randomized controlled trial. Nutrition Research, 2021, 85, 47-59. | 2.9 | 19 |
| 6 | Eucaloric diets enriched in palm olein, cocoa butter, and soybean oil did not differentially affect liver fat concentration in healthy participants: a 16-week randomized controlled trial. American Journal of Clinical Nutrition, 2021, 113, 324-337. | 4.7 | 9 |
| 7 | Fatty acid regio-specificity of triacylglycerol molecules may affect plasma lipid responses to dietary fats—a randomised controlled cross-over trial. European Journal of Clinical Nutrition, 2020, 74, 268-277. | 2.9 | 8 |
| 8 | Dietary Patterns, Their Nutrients, and Associations with Socio-Demographic and Lifestyle Factors in Older New Zealand Adults. Nutrients, 2020, 12, 3425. | 4.1 | 12 |
| 9 | Exploring In Vivo Dynamics of Bovine Milk Derived Gangliosides. Nutrients, 2020, 12, 711. | 4.1 | 4 |
| 10 | Inflammation (IL-1β) Modifies the Effect of Vitamin D and Omega-3 Long Chain Polyunsaturated Fatty Acids on Core Symptoms of Autism Spectrum Disorder—An Exploratory Pilot Study. Nutrients, 2020, 12, 661. | 4.1 | 16 |
| 11 | Dietary Patterns in New Zealand Women: Evaluating Differences in Body Composition and Metabolic Biomarkers. Nutrients, 2019, 11, 1643. | 4.1 | 13 |
| 12 | Effects on plasma carotenoids and consumer acceptance of a functional carrot-based product to supplement vegetable intake: A randomized clinical trial. Journal of Functional Foods, 2019, 60, 103421. | 3.4 | 4 |
| 13 | Study protocol: associations between dietary patterns, cognitive function and metabolic syndrome in older adults – a cross-sectional study. BMC Public Health, 2019, 19, 535. | 2.9 | 23 |
| 14 | Effects of almond consumption on metabolic function and liver fat in overweight and obese adults with elevated fasting blood glucose: A randomised controlled trial. Clinical Nutrition ESPEN, 2019, 30, 10-18. | 1.2 | 36 |
| 15 | Dietary Patterns and Associations with Socio-Demographic Factors in Older New Zealand Adults: The REACH Study. Proceedings (mdpi), 2019, 37, . | 0.2 | 0 |
| 16 | A Randomised-Controlled Trial of Vitamin D and Omega-3 Long Chain Polyunsaturated Fatty Acids in the Treatment of Core Symptoms of Autism Spectrum Disorder in Children. Journal of Autism and Developmental Disorders, 2019, 49, 1778-1794. | 2.7 | 33 |
| 17 | A randomised controlled trial of vitamin D and omega-3 long chain polyunsaturated fatty acids in the treatment of irritability and hyperactivity among children with autism spectrum disorder. Journal of Steroid Biochemistry and Molecular Biology, 2019, 187, 9-16. | 2.5 | 54 |
| 18 | Oral vitamin D ₃ supplementation for chronic plaque psoriasis: a randomized, double-blind, placebo-controlled trial. Journal of Dermatological Treatment, 2018, 29, 648-657. | 2.2 | 33 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Impact of phenolic-rich olive leaf extract on blood pressure, plasma lipids and inflammatory markers: a randomised controlled trial. European Journal of Nutrition, 2017, 56, 1421-1432. | 3.9 | 168 |
| 20 | Predictors of vitamin D status in New Zealand preschool children. Maternal and Child Nutrition, 2017, 13, . | 3.0 | 20 |
| 21 | Relationship between Long Chain n-3 Polyunsaturated Fatty Acids and Autism Spectrum Disorder: Systematic Review and Meta-Analysis of Case-Control and Randomised Controlled Trials. Nutrients, 2017, 9, 155. | 4.1 | 95 |
| 22 | The Relationship between Vitamin D Status and Allergic Diseases in New Zealand Preschool Children. Nutrients, 2016, 8, 326. | 4.1 | 16 |
| 23 | Exploring the Relationship between Body Composition and Eating Behavior Using the Three Factor Eating Questionnaire (TFEQ) in Young New Zealand Women. Nutrients, 2016, 8, 386. | 4.1 | 27 |
| 24 | Dairy Intake Enhances Body Weight and Composition Changes during Energy Restriction in 18–50-Year-Old Adults—A Meta-Analysis of Randomized Controlled Trials. Nutrients, 2016, 8, 394. | 4.1 | 46 |
| 25 | Vitamin D and omega-3 fatty acid supplements in children with autism spectrum disorder: a study protocol for a factorial randomised, double-blind, placebo-controlled trial. Trials, 2016, 17, 295. | 1.6 | 11 |
| 26 | Role of food processing in food and nutrition security. Trends in Food Science and Technology, 2016, 56, 115-125. | 15.1 | 180 |
| 27 | Short term effects of palm-tocotrienol and palm-carotenes on vascular function and cardiovascular disease risk: A randomised controlled trial. Atherosclerosis, 2016, 254, 205-214. | 0.8 | 32 |
| 28 | Validity and reliability of bioelectrical impedance analysis to estimate body fat percentage against air displacement plethysmography and dualâ€energy Xâ€ray absorptiometry. Nutrition and Dietetics, 2016, 73, 197-204. | 1.8 | 61 |
| 29 | A survey of consumer attitude towards nutrition and health statements on food labels in South Australia. Functional Foods in Health and Disease, 2016, 6, 809. | 0.6 | 6 |
| 30 | Effects of Medium-Chain Triglycerides on Weight Loss and Body Composition: A Meta-Analysis of Randomized Controlled Trials. Journal of the Academy of Nutrition and Dietetics, 2015, 115, 249-263. | 0.8 | 127 |
| 31 | Palmolein and olive oil consumed within a high protein test meal have similar effects on postprandial endothelial function in overweight and obese men: A randomized controlled trial. Atherosclerosis, 2015, 239, 178-185. | 0.8 | 13 |
| 32 | Predictors and risks of body fat profiles in young New Zealand European, MÄori and Pacific women: study protocol for the women's EXPLORE study. SpringerPlus, 2015, 4, 128. | 1.2 | 12 |
| 33 | The effect of monthly 50 000 IU or 100 000 IU vitamin D supplements on vitamin D status in premenopausal Middle Eastern women living in Auckland. European Journal of Clinical Nutrition, 2015, 69, 367-372. | 2.9 | 20 |
| 34 | Does Consumption of LC Omega-3 PUFA Enhance Cognitive Performance in Healthy School-Aged Children and throughout Adulthood? Evidence from Clinical Trials. Nutrients, 2014, 6, 2730-2758. | 4.1 | 81 |
| 35 | <i>TaqlB</i> polymorphism in the cholesteryl ester transfer protein (<i>CETP</i>) gene influences lipid responses to the consumption of kiwifruit in hypercholesterolaemic men. British Journal of Nutrition, 2014, 111, 1077-1084. | 2.3 | 14 |
| 36 | Inflammatory status modulates plasma lipid and inflammatory marker responses to kiwifruit consumption in hypercholesterolaemic men. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 91-99 | 2.6 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Daily kiwifruit consumption did not improve blood pressure and markers of cardiovascular function in men with hypercholesterolemia. Nutrition Research, 2014, 34, 235-240. | 2.9 | 10 |
| 38 | Kiwifruit: our daily prescription for health. Canadian Journal of Physiology and Pharmacology, 2013, 91, 442-447. | 1.4 | 70 |
| 39 | Kiwifruit consumption favourably affects plasma lipids in a randomised controlled trial in hypercholesterolaemic men. British Journal of Nutrition, 2013, 109, 2208-2218. | 2.3 | 33 |
| 40 | The New Zealand PUFA Semiquantitative Food Frequency Questionnaire Is a Valid and Reliable Tool to Assess PUFA Intakes in Healthy New Zealand Adults. Journal of Nutrition, 2012, 142, 1968-1974. | 2.9 | 13 |
| 41 | Iron Status and Self-Perceived Health, Well-Being, and Fatigue in Female University Students Living in New Zealand. Journal of the American College of Nutrition, 2012, 31, 45-53. | 1.8 | 11 |
| 42 | The Relative Validity and Reproducibility of an Iron Food Frequency Questionnaire for Identifying Iron-Related Dietary Patterns in Young Women. Journal of the Academy of Nutrition and Dietetics, 2012, 112, 1177-1187. | 0.8 | 33 |
| 43 | Combining food records with inâ€depth probing interviews improves quality of dietary intake reporting in a group of South Asian women. Australian and New Zealand Journal of Public Health, 2012, 36, 135-140. | 1.8 | 8 |
| 44 | Association of vitamin D receptor gene polymorphisms with insulin resistance and response to vitamin D. Metabolism: Clinical and Experimental, 2012, 61, 293-301. | 3.4 | 51 |
| 45 | Vegetarianism, vitamin B12 status, and insulin resistance in a group of predominantly overweight/obese South Asian women. Nutrition, 2012, 28, 20-24. | 2.4 | 38 |
| 46 | Consumption of salmon <i>v.</i> salmon oil capsules: effects on <i>n</i> -3 PUFA and selenium status. British Journal of Nutrition, 2011, 106, 1231-1239. | 2.3 | 17 |
| 47 | Bone density, calcium intake and vitamin D status in South Asian women living in Auckland, New Zealand. Nutrition and Dietetics, 2010, 67, 150-154. | 1.8 | 1 |
| 48 | Vitamin D status and attitudes towards sun exposure in South Asian women living in Auckland, New Zealand. Public Health Nutrition, 2010, 13, 531-536. | 2.2 | 30 |
| 49 | Plasma polyunsaturated fatty acids and liver enzymes in HIV-infected subjects: the Prospective Urban and Rural Epidemiology (PURE) Study. American Journal of Clinical Nutrition, 2010, 91, 729-735. | 4.7 | 9 |
| 50 | Vitamin D supplementation reduces insulin resistance in South Asian women living in New Zealand who are insulin resistant and vitamin D deficient – a randomised, placebo-controlled trial. British Journal of Nutrition, 2010, 103, 549-555. | 2.3 | 551 |
| 51 | Vitamin D supplementation suppresses age-induced bone turnover in older women who are vitamin D deficient. Journal of Steroid Biochemistry and Molecular Biology, 2010, 121, 293-296. | 2.5 | 29 |
| 52 | Contribution of Nutrition to the Health Transition in Developing Countries: A Framework for Research and Intervention. Nutrition Reviews, 2009, 57, 341-349. | 5.8 | 54 |
| 53 | P-112 Is waist circumference a useful indicator of markers of metabolic syndrome in South Asian women living in New Zealand?. Diabetes Research and Clinical Practice, 2008, 79, S96-S97. | 2.8 | 0 |
| 54 | Beliefs of South Africans regarding food and cardiovascular health. Public Health Nutrition, 2008, 11, 946-954. | 2.2 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Overfatness, stunting and physical inactivity are determinants of plasminogen activator inhibitor-1activity, fibrinogen and thrombin–antithrombin complex in African adolescents. Blood Coagulation and Fibrinolysis, 2008, 19, 361-368. | 1.0 | 18 |
| 56 | Effects of a high walnut and high cashew nut diet on selected markers of the metabolic syndrome: a controlled feeding trial. British Journal of Nutrition, 2007, 97, 1144-1153. | 2.3 | 115 |
| 57 | Differences in the association of PAI-1 activity with the metabolic syndrome between African and Caucasian women. Nutrition, Metabolism and Cardiovascular Diseases, 2007, 17, 499-507. | 2.6 | 15 |
| 58 | Phytosterols/Stanols Lower Cholesterol Concentrations in Familial Hypercholesterolemic Subjects: A Systematic Review with Meta-Analysis. Journal of the American College of Nutrition, 2006, 25, 41-48. | 1.8 | 122 |
| 59 | Modulation of Baroreflex Sensitivity by Walnuts Versus Cashew Nuts in Subjects With Metabolic Syndrome. American Journal of Hypertension, 2006, 19, 629-636. | 2.0 | 44 |
| 60 | Polyunsaturated fatty acid intake is adversely related to liver function in HIV-infected subjects: the THUSA study. American Journal of Clinical Nutrition, 2006, 83, 1193-1198. | 4.7 | 10 |
| 61 | Effects of a policosanol supplement on serum lipid concentrations in hypercholesterolaemic and heterozygous familial hypercholesterolaemic subjects. British Journal of Nutrition, 2006, 95, 968-975. | 2.3 | 64 |
| 62 | A Systematic Review of the Effects of Nuts on Blood Lipid Profiles in Humans. Journal of Nutrition, 2005, 135, 2082-2089. | 2.9 | 168 |
| 63 | Clustering of haemostatic variables and the effect of high cashew and walnut diets on these variables in metabolic syndrome patients. Blood Coagulation and Fibrinolysis, 2005, 16, 429-437. | 1.0 | 20 |
| 64 | Substitution of high monounsaturated fatty acid avocado for mixed dietary fats during an energy-restricted diet: Effects on weight loss, serum lipids, fibrinogen, and vascular function. Nutrition, 2005, 21, 67-75. | 2.4 | 55 |
| 65 | Actions of black tea and Rooibos on iron status of primary school children. Nutrition Research, 2005, 25, 983-994. | 2.9 | 15 |
| 66 | Cardiovascular Effects of Oral Supplementation of Vitamin C, E and Folic Acid in Young Healthy Males. International Journal for Vitamin and Nutrition Research, 2004, 74, 285-293. | 1.5 | 25 |
| 67 | The effect of red palm olein and refined palm olein on lipids and haemostatic factors in hyperfibrinogenaemic subjects. Thrombosis Research, 2004, 113, 13-25. | 1.7 | 24 |
| 68 | Meta-analysis of the health effects of using the glycaemic index in meal-planning. British Journal of Nutrition, 2004, 92, 367-381. | 2.3 | 163 |
| 69 | Foodstate vitamin C complex may beneficially affect haemostasis and fibrin network structure in hyperlipidaemic patients. Blood Coagulation and Fibrinolysis, 2004, 15, 677-685. | 1.0 | 8 |
| 70 | Extruded dry beans and serum lipoprotein and plasma haemostatic factors in hyperlipidaemic men. European Journal of Clinical Nutrition, 2000, 54, 373-379. | 2.9 | 34 |
| 71 | Possible Mechanisms through Which Dietary Pectin Influences Fibrin Network Architecture in Hypercholesterolaemic Subjects. Thrombosis Research, 1999, 93, 253-264. | 1.7 | 25 |
| 72 | Lecithin has no effect on serum lipoprotein, plasma fibrinogen and macro molecular protein complex levels in hyperlipidaemic men in a double-blind controlled study. European Journal of Clinical Nutrition, 1998, 52, 419-424. | 2.9 | 20 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Soluble-fibre concentrate lowers plasminogen activator inhibitor-1 in baboons (Papio ursinus). British Journal of Nutrition, 1997, 78, 625-637. | 2.3 | 5 |
| 74 | DIETARY PECTIN INFLUENCES FIBRIN NETWORK STRUCTURE IN HYPERCHOLESTEROLAEMIC SUBJECTS. Thrombosis Research, 1997, 86, 183-196. | 1.7 | 25 |
| 75 | Effect of simvastatin, a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, on the haemostatic balance of familial hypercholesterolaemic subjects. Fibrinolysis and Proteolysis, 1997, 11, 91-96. | 1.1 | 6 |