

Jos-Antonio Fernandez-Lpez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3763315/jose-antonio-fernandez-lopez-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

1,526
citations

21
h-index

30
g-index

117
ext. papers

1,636
ext. citations

4.3
avg, IF

4.49
L-index

#	Paper	IF	Citations
116	Circulating oestradiol determines liver lipid deposition in rats fed standard diets partially unbalanced with higher lipid or protein proportions. <i>British Journal of Nutrition</i> , 2021 , 1-24	3.6	0
115	Estrogens and the regulation of glucose metabolism. <i>World Journal of Diabetes</i> , 2021 , 12, 1622-1654	4.7	1
114	Dietary Energy Partition: The Central Role of Glucose. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
113	Unconnected Body Accrual of Dietary Lipid and Protein in Rats Fed Diets with Different Lipid and Protein Content. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e2000265	5.9	3
112	Modulation of Food Intake by Differential TAS2R Stimulation in Rat. <i>Nutrients</i> , 2020 , 12,	6.7	8
111	Higher lactate production from glucose in cultured adipose nucleated stromal cells than for rat adipocytes. <i>Adipocyte</i> , 2019 , 8, 61-76	3.2	4
110	Insulin Controls Triacylglycerol Synthesis through Control of Glycerol Metabolism and Despite Increased Lipogenesis. <i>Nutrients</i> , 2019 , 11,	6.7	4
109	The Food Energy/Protein Ratio Regulates the Rat Urea Cycle but Not Total Nitrogen Losses. <i>Nutrients</i> , 2019 , 11,	6.7	5
108	The Anomeric Nature of Glucose and Its Implications on Its Analyses and the Influence of Diet: Are Routine Glycaemia Measurements Reliable Enough?. <i>Journal of Endocrinology and Metabolism</i> , 2019 , 9, 63-70	2.8	4
107	Use of C-glucose by primary cultures of mature rat epididymal adipocytes. Marked release of lactate and glycerol, but limited lipogenesis in the absence of external stimuli. <i>Adipocyte</i> , 2018 , 7, 204-217	3.2	4
106	Effect of sex on glucose handling by adipocytes isolated from rat subcutaneous, mesenteric and perigonadal adipose tissue. <i>PeerJ</i> , 2018 , 6, e5440	3.1	5
105	Modulation of SHBG binding to testosterone and estradiol by sex and morbid obesity. <i>European Journal of Endocrinology</i> , 2017 , 176, 393-404	6.5	14
104	Glycerol is synthesized and secreted by adipocytes to dispose of excess glucose, via glycerogenesis and increased acyl-glycerol turnover. <i>Scientific Reports</i> , 2017 , 7, 8983	4.9	33
103	In rats fed high-energy diets, taste, rather than fat content, is the key factor increasing food intake: a comparison of a cafeteria and a lipid-supplemented standard diet. <i>PeerJ</i> , 2017 , 5, e3697	3.1	15
102	Modulation of rat liver urea cycle and related ammonium metabolism by sex and cafeteria diet. <i>RSC Advances</i> , 2016 , 6, 11278-11288	3.7	8
101	Stable isotope analysis of dietary arginine accrual and disposal efficiency in male rats fed diets with different protein content. <i>RSC Advances</i> , 2016 , 6, 69177-69184	3.7	1
100	A method for the measurement of lactate, glycerol and fatty acid production from ¹⁴ C-glucose in primary cultures of rat epididymal adipocytes. <i>Analytical Methods</i> , 2016 , 8, 7873-7885	3.2	5

99	White adipose tissue urea cycle activity is not affected by one-month treatment with a hyperlipidic diet in female rats. <i>Food and Function</i> , 2016 , 7, 1554-63	6.1	3
98	Cafeteria diet induce changes in blood flow that are more related with heat dissipation than energy accretion. <i>PeerJ</i> , 2016 , 4, e2302	3.1	2
97	Quantitative analysis of rat adipose tissue cell recovery, and non-fat cell volume, in primary cell cultures. <i>PeerJ</i> , 2016 , 4, e2725	3.1	10
96	The urea cycle of rat white adipose tissue. <i>RSC Advances</i> , 2015 , 5, 93403-93414	3.7	9
95	Evidences of basal lactate production in the main white adipose tissue sites of rats. Effects of sex and a cafeteria diet. <i>PLoS ONE</i> , 2015 , 10, e0119572	3.7	28
94	Glycerol Production from Glucose and Fructose by 3T3-L1 Cells: A Mechanism of Adipocyte Defense from Excess Substrate. <i>PLoS ONE</i> , 2015 , 10, e0139502	3.7	15
93	Influence of a hyperlipidic diet on the composition of the non-membrane lipid pool of red blood cells of male and female rats. <i>PeerJ</i> , 2015 , 3, e1083	3.1	4
92	Marked increase in rat red blood cell membrane protein glycosylation by one-month treatment with a cafeteria diet. <i>PeerJ</i> , 2015 , 3, e1101	3.1	12
91	Effects of sex and site on amino acid metabolism enzyme gene expression and activity in rat white adipose tissue. <i>PeerJ</i> , 2015 , 3, e1399	3.1	6
90	Cultured 3T3L1 adipocytes dispose of excess medium glucose as lactate under abundant oxygen availability. <i>Scientific Reports</i> , 2014 , 4, 3663	4.9	35
89	Long-term increased carnitine palmitoyltransferase 1A expression in ventromedial hypothalamus causes hyperphagia and alters the hypothalamic lipidomic profile. <i>PLoS ONE</i> , 2014 , 9, e97195	3.7	19
88	Altered nitrogen balance and decreased urea excretion in male rats fed cafeteria diet are related to arginine availability. <i>BioMed Research International</i> , 2014 , 2014, 959420	3	14
87	Treatment of rats with a self-selected hyperlipidic diet, increases the lipid content of the main adipose tissue sites in a proportion similar to that of the lipids in the rest of organs and tissues. <i>PLoS ONE</i> , 2014 , 9, e90995	3.7	19
86	The use of Transwells improves the rates of differentiation and growth of cultured 3T3L1 cells. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 5605-10	4.4	6
85	Adjustment to dietary energy availability: from starvation to overnutrition. <i>RSC Advances</i> , 2013 , 3, 1636-1651	3.6	5
84	Relationship between energy dense diets and white adipose tissue inflammation in metabolic syndrome. <i>Nutrition Research</i> , 2013 , 33, 1-11	4	21
83	Purging behavior modulates the relationships of hormonal and behavioral parameters in women with eating disorders. <i>Neuropsychobiology</i> , 2013 , 67, 230-40	4	3
82	Modulation in Wistar rats of blood corticosterone compartmentation by sex and a cafeteria diet. <i>PLoS ONE</i> , 2013 , 8, e57342	3.7	5

81	Oleoyl-estrone. <i>Medicinal Research Reviews</i> , 2012 , 32, 1263-91	14.4	5
80	Do the interactions between glucocorticoids and sex hormones regulate the development of the metabolic syndrome?. <i>Frontiers in Endocrinology</i> , 2012 , 3, 27	5.7	28
79	Steroid hormones interrelationships in the metabolic syndrome: an introduction to the ponderostat hypothesis. <i>Hormones</i> , 2012 , 11, 272-89	3.1	12
78	Regulation of adipose tissue energy availability through blood flow control in the metabolic syndrome. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 2108-19	7.8	24
77	The problem of nitrogen disposal in the obese. <i>Nutrition Research Reviews</i> , 2012 , 25, 18-28	7	20
76	Effect of sex and prior exposure to a cafeteria diet on the distribution of sex hormones between plasma and blood cells. <i>PLoS ONE</i> , 2012 , 7, e34381	3.7	6
75	Oleoyl-estrone is a precursor of an estrone-derived ponderostat signal. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2011 , 124, 99-111	5.1	8
74	Different effects of hyperlipidic diets in human lactation and adulthood: growth versus the development of obesity. <i>Reproductive Biology and Endocrinology</i> , 2011 , 9, 101	5	3
73	Utilization of dietary glucose in the metabolic syndrome. <i>Nutrition and Metabolism</i> , 2011 , 8, 74	4.6	13
72	The defense of adipose tissue against excess substrate-induced hypertrophy: immune system cell infiltration and arrested metabolic activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 66-8	5.6	16
71	Gene expression modulation of rat liver cholesterol metabolism by oleoyl-estrone. <i>Obesity Research and Clinical Practice</i> , 2010 , 4, e1-e82	5.4	2
70	Oleoyl-estrone increases adrenal corticosteroid synthesis gene expression in overweight male rats. <i>Steroids</i> , 2010 , 75, 20-6	2.8	4
69	Site-specific modulation of white adipose tissue lipid metabolism by oleoyl-estrone and/or rosiglitazone in overweight rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010 , 381, 339-48	3.4	6
68	Comparative effects of oleoyl-estrone and a specific beta3-adrenergic agonist (CL316, 243) on the expression of genes involved in energy metabolism of rat white adipose tissue. <i>Nutrition and Metabolism</i> , 2010 , 7, 15	4.6	5
67	Gene expression modulation of liver energy metabolism by oleoyl-estrone in overweight rats. <i>Bioscience Reports</i> , 2009 , 30, 81-9	4.1	8
66	Oleoyl-estrone inhibits lipogenic, but maintains thermogenic, gene expression of brown adipose tissue in overweight rats. <i>Bioscience Reports</i> , 2009 , 29, 237-43	4.1	8
65	Site-related white adipose tissue lipid-handling response to oleoyl-estrone treatment in overweight male rats. <i>European Journal of Nutrition</i> , 2009 , 48, 291-9	5.2	15
64	Different modulation by dietary restriction of adipokine expression in white adipose tissue sites in the rat. <i>Cardiovascular Diabetology</i> , 2009 , 8, 42	8.7	21

63	Short-term oral oleoyl-estrone decreases the expression of ghrelin in the rat stomach. <i>Regulatory Peptides</i> , 2009 , 152, 79-81		4
62	Oleoyl-estrone affects lipid metabolism in adrenalectomized rats treated with corticosterone through modulation of SREBP1c expression. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2009 , 117, 15-22	5.1	5
61	Semiquantitative RT-PCR measurement of gene expression in rat tissues including a correction for varying cell size and number. <i>Nutrition and Metabolism</i> , 2007 , 4, 26	4.6	31
60	In rats, oral oleoyl-DHEA is rapidly hydrolysed and converted to DHEA-sulphate. <i>BMC Pharmacology</i> , 2007 , 7, 4		2
59	The conjugated linoleic acid ester of estrone induces the mobilisation of fat in male Wistar rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2007 , 375, 283-90	3.4	3
58	Estimation of the metabolizable energy equivalence of dietary proteins. <i>European Journal of Nutrition</i> , 2007 , 46, 1-11	5.2	15
57	Corticosterone inhibits the lipid-mobilizing effects of oleoyl-estrone in adrenalectomized rats. <i>Endocrinology</i> , 2007 , 148, 4056-63	4.8	12
56	Effects of combined oleoyl-estrone and rimonabant on overweight rats. <i>Journal of Pharmacological Sciences</i> , 2007 , 104, 176-82	3.7	5
55	Adipose Tissue: Something More than Just Adipocytes. <i>Current Nutrition and Food Science</i> , 2006 , 2, 141-159	1.9	11
54	Combined effects of oleoyl-estrone and a beta3-adrenergic agonist (CL316,243) on lipid stores of diet-induced overweight male Wistar rats. <i>Life Sciences</i> , 2005 , 77, 2051-8	6.8	24
53	Effects of oral estrone on rat energy balance. <i>Steroids</i> , 2005 , 70, 667-72	2.8	10
52	Short-term oral oleoyl-estrone treatment increases plasma cholesterol turnover in the rat. <i>International Journal of Obesity</i> , 2005 , 29, 534-9	5.5	13
51	Effects of oleoyl-estrone with dexfenfluramine, sibutramine or phentermine on overweight rats. <i>European Journal of Pharmacology</i> , 2005 , 513, 243-8	5.3	13
50	Tamoxifen does not prevent the mobilization of body lipids elicited by oleoyl-estrone. <i>Steroids</i> , 2004 , 69, 661-5	2.8	4
49	Effect of oral oleoyl-estrone on the energy balance of diabetic rats. <i>Hormone and Metabolic Research</i> , 2003 , 35, 471-8	3.1	4
48	Zucker obese rats store less acyl-estrone than lean controls. <i>International Journal of Obesity</i> , 2003 , 27, 428-32	5.5	9
47	Effect of oral oleoyl-estrone on adipose tissue composition in male rats. <i>International Journal of Obesity</i> , 2002 , 26, 1092-102	5.5	32
46	Effect of oral oleoyl-estrone treatment on plasma lipoproteins and tissue lipase activities of Zucker lean and obese female rats. <i>International Journal of Obesity</i> , 2002 , 26, 618-26	5.5	26

45	Pharmacological approaches for the treatment of obesity. <i>Drugs</i> , 2002 , 62, 915-44	12.1	30
44	Effect of 24-h food deprivation on lipoprotein composition and oleoyl-estrone content of lean and obese Zucker rats. <i>European Journal of Nutrition</i> , 2001 , 40, 155-60	5.2	9
43	Anomalous lipoproteins in obese Zucker rats. <i>Diabetes, Obesity and Metabolism</i> , 2001 , 3, 259-70	6.7	8
42	Oral gavage of oleoyl-oestrone has a stronger effect on body weight in male Zucker obese rats than in female. <i>Diabetes, Obesity and Metabolism</i> , 2001 , 3, 203-8	6.7	21
41	Modulation by leptin, insulin and corticosterone of oleoyl-estrone synthesis in cultured 3T3 L1 cells. <i>Bioscience Reports</i> , 2001 , 21, 755-63	4.1	9
40	Effect of oleoyl-estrone treatment on the expression of beta1- beta2- and beta3-adrenoreceptors in rat adipose tissues. <i>Molecular and Cellular Biochemistry</i> , 2001 , 221, 109-15	4.2	8
39	Corticosteroid-binding globulin synthesis and distribution in rat white adipose tissue. <i>Molecular and Cellular Biochemistry</i> , 2001 , 228, 25-31	4.2	15
38	Daily oral oleoyl-estrone gavage induces a dose-dependent loss of fat in Wistar rats. <i>Obesity</i> , 2001 , 9, 202-9		38
37	Lipoprotein lipase and cholesterol transfer activities of lean and obese Zucker rats. <i>Hormone and Metabolic Research</i> , 2001 , 33, 458-62	3.1	5
36	Modulation of corticosterone availability to white adipose tissue of lean and obese Zucker rats by corticosteroid-binding globulin. <i>Hormone and Metabolic Research</i> , 2001 , 33, 407-11	3.1	16
35	Urinary free cortisol excretion pattern in morbid obese women. <i>Endocrine Research</i> , 2001 , 27, 261-8	1.9	4
34	Oleoyl-estrone does not have direct estrogenic effects on rats. <i>Life Sciences</i> , 2001 , 69, 749-61	6.8	19
33	Intestinal handling of an oral oleoyl-estrone gavage by the rat. <i>Life Sciences</i> , 2001 , 69, 763-77	6.8	13
32	Oleoyl-estrone induces the massive loss of body weight in Zucker fa/fa rats fed a high-energy hyperlipidic diet. <i>Journal of Nutritional Biochemistry</i> , 2000 , 11, 530-535	6.3	13
31	Short-term treatment with estrone oleate in liposomes (Merlin-2) does not affect the expression of the ob gene in Zucker obese rats. <i>Molecular and Cellular Biochemistry</i> , 1999 , 197, 109-15	4.2	9
30	Leptin enhances the synthesis of oleoyl-estrone from estrone in white adipose tissue. <i>European Journal of Nutrition</i> , 1999 , 38, 99-104	5.2	14
29	Estrone in food: a factor influencing the development of obesity?. <i>European Journal of Nutrition</i> , 1999 , 38, 247-53	5.2	49
28	Effect of dietary protein content on tissue protein synthesis rates in Zucker lean rats. <i>Nutrition Research</i> , 1999 , 19, 1017-1026	4	16

27	Hind leg heat balance in obese Zucker rats during exercise. <i>Pflugers Archiv European Journal of Physiology</i> , 1998 , 435, 454-64	4.6	12
26	During intense exercise, obese women rely more than lean women on aerobic energy. <i>Pflugers Archiv European Journal of Physiology</i> , 1998 , 435, 495-502	4.6	8
25	Oleoyl-estrone does not alter hypothalamic neuropeptide Y in Zucker lean and obese rats. <i>Peptides</i> , 1998 , 19, 1631-5	3.8	7
24	Zucker obese rats are insensitive to the CRH-increasing effect of oleoyl-estrone. <i>Brain Research Bulletin</i> , 1998 , 46, 529-34	3.9	16
23	Effect of oleoyl-estrone administration on corticosterone binding to tissues of lean and obese Zucker rats. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1998 , 66, 165-9	5.1	6
22	Structural determinants of oleoyl-estrone slimming effects. <i>Life Sciences</i> , 1998 , 62, 1349-59	6.8	17
21	Formaldehyde derived from dietary aspartame binds to tissue components in vivo. <i>Life Sciences</i> , 1998 , 63, 337-49	6.8	86
20	Rats receiving the slimming agent oleoyl-estrone in liposomes (Merlin-2) decrease food intake but maintain thermogenesis. <i>Archives of Physiology and Biochemistry</i> , 1997 , 105, 663-72	2.2	42
19	Effect of the slimming agent oleoyl-estrone in liposomes on the body weight of rats fed a cafeteria diet. <i>Archives of Physiology and Biochemistry</i> , 1997 , 105, 487-95	2.2	21
18	Short-term treatment with oleoyl-oestrone in liposomes (Merlin-2) strongly reduces the expression of the ob gene in young rats. <i>Biochemical Journal</i> , 1997 , 326 (Pt 2), 357-60	3.8	42
17	Amino acid nitrogen handling by hind leg muscle of the rat during exercise. <i>Archives of Physiology and Biochemistry</i> , 1997 , 105, 478-86	2.2	0
16	Is leptin an insulin counter-regulatory hormone?. <i>FEBS Letters</i> , 1997 , 402, 9-11	3.8	47
15	Muscle blood flow during intense exercise in the obese rat. <i>Archives of Physiology and Biochemistry</i> , 1996 , 104, 337-43	2.2	5
14	Hind-leg heat losses in cold-exposed rats. <i>Journal of Thermal Biology</i> , 1995 , 20, 343-348	2.9	2
13	Effect of genetic and dietary obesity on sodium, potassium, calcium and magnesium handling by the rat. <i>International Journal of Food Sciences and Nutrition</i> , 1994 , 45, 191-201	3.7	1
12	The effect of cafeteria feeding on energy balance in lean and obese zucker rats. <i>Nutrition Research</i> , 1994 , 14, 1077-1088	4	4
11	Effect of a cafeteria diet on energy intake and balance in Wistar rats. <i>Physiology and Behavior</i> , 1994 , 56, 65-71	3.5	18
10	Whole-rat protein content estimation: applicability of the N x 6.25 factor. <i>British Journal of Nutrition</i> , 1994 , 72, 199-209	3.6	31

9	Water balance in Zucker obese rats. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1993 , 104, 813-8		8
8	Intestinal and hepatic nitrogen balance in the rat after the administration of an oral protein load. <i>British Journal of Nutrition</i> , 1993 , 69, 733-42	3.6	6
7	Methodological evaluation of indirect calorimetry data in lean and obese rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1993 , 20, 731-42	3	7
6	A radio-enzymatic method for the estimation of L-leucine-specific radioactivity. <i>Journal of Proteomics</i> , 1993 , 26, 291-7		1
5	Cooling rates of tissue samples during freezing with liquid nitrogen. <i>Journal of Proteomics</i> , 1993 , 27, 77-86		10
4	An enzymatic method for the estimation of L-leucine in rat blood. <i>Journal of Proteomics</i> , 1992 , 24, 39-44		3
3	Fatty acid utilization by young Wistar rats fed a cafeteria diet. <i>Molecular and Cellular Biochemistry</i> , 1992 , 118, 67-74	4.2	9
2	Is there a role for lymph in intestinal glucose absorption?. <i>Medical Hypotheses</i> , 1990 , 33, 169-71	3.8	3
1	Glutamine synthetase activity in the organs of fed and 24-hours fasted rats. <i>Hormone and Metabolic Research</i> , 1981 , 13, 199-202	3.1	40