

Asad Zeidan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3764226/asad-zeidan-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

1,563
citations

25
h-index

38
g-index

61
ext. papers

1,786
ext. citations

5.5
avg, IF

4.5
L-index

#	Paper	IF	Citations
60	Enteric Pathogens Modulate Metabolic Homeostasis in the <i>Drosophila melanogaster</i> host.. <i>Microbes and Infection</i> , 2022 , 104946	9.3	
59	Between Inflammation and Autophagy: The Role of Leptin-Adiponectin Axis in Cardiac Remodeling. <i>Journal of Inflammation Research</i> , 2021 , 14, 5349-5365	4.8	4
58	L5 Spinal Nerve Axotomy Induces Distinct Electrophysiological Changes in Axotomized L5- and Adjacent L4-Dorsal Root Ganglion Neurons in Rats. <i>Journal of Neurotrauma</i> , 2021 , 38, 330-341	5.4	1
57	Sestrin2 suppression aggravates oxidative stress and apoptosis in endothelial cells subjected to pharmacologically induced endoplasmic reticulum stress. <i>European Journal of Pharmacology</i> , 2021 , 907, 174247	5.3	3
56	Involvement of caveolae in hyperglycemia-induced changes in adiponectin and leptin expressions in vascular smooth muscle cells.. <i>European Journal of Pharmacology</i> , 2021 , 174701	5.3	
55	Endoplasmic Reticulum (ER) Stress-Generated Extracellular Vesicles (Microparticles) Self-Perpetuate ER Stress and Mediate Endothelial Cell Dysfunction Independently of Cell Survival. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 584791	5.4	5
54	EGFR Inhibitor Gefitinib Induces Cardiotoxicity through the Modulation of Cardiac PTEN/Akt/FoxO3a Pathway and Reactive Metabolites Formation: and Rat Studies. <i>Chemical Research in Toxicology</i> , 2020 , 33, 1719-1728	4	7
53	Cutaneous Aδ Non-nociceptive, but Not C-Nociceptive, Dorsal Root Ganglion Neurons Exhibit Spontaneous Activity in the Streptozotocin Rat Model of Painful Diabetic Neuropathy. <i>Frontiers in Neuroscience</i> , 2020 , 14, 530	5.1	8
52	Molecular Mechanisms of Adiponectin-Induced Attenuation of Mechanical Stretch-Mediated Vascular Remodeling. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 6425782	6.7	6
51	BCL-2 Inhibitor Venetoclax Induces Autophagy-Associated Cell Death, Cell Cycle Arrest, and Apoptosis in Human Breast Cancer Cells. <i>OncoTargets and Therapy</i> , 2020 , 13, 13357-13370	4.4	13
50	Epigenetic Regulation of Cancer Stem Cells by the Aryl Hydrocarbon Receptor Pathway. <i>Seminars in Cancer Biology</i> , 2020 ,	12.7	6
49	Advances in Cardiovascular Biomarker Discovery. <i>Biomedicines</i> , 2020 , 8,	4.8	11
48	Changes in expression of Kv7.5 and Kv7.2 channels in dorsal root ganglion neurons in the streptozotocin rat model of painful diabetic neuropathy. <i>Neuroscience Letters</i> , 2020 , 736, 135277	3.3	1
47	Interplay between Endoplasmic Reticulum Stress and Large Extracellular Vesicles (Microparticles) in Endothelial Cell Dysfunction. <i>Biomedicines</i> , 2020 , 8,	4.8	4
46	Endoplasmic Reticulum Stress: A Critical Molecular Driver of Endothelial Dysfunction and Cardiovascular Disturbances Associated with Diabetes. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	55
45	Activation of K7 channels with the anticonvulsant retigabine alleviates neuropathic pain behaviour in the streptozotocin rat model of diabetic neuropathy. <i>Journal of Drug Targeting</i> , 2019 , 27, 1118-1126	5.4	8
44	The Role of Protein Tyrosine Phosphatase (PTP)-1B in Cardiovascular Disease and Its Interplay with Insulin Resistance. <i>Biomolecules</i> , 2019 , 9,	5.9	43

43	Characterization and assessment of potential microRNAs involved in phosphate-induced aortic calcification. <i>Journal of Cellular Physiology</i> , 2018 , 233, 4056-4067	7	17
42	Water-pipe smoking promotes epithelial-mesenchymal transition and invasion of human breast cancer cells via ERK1/ERK2 pathways. <i>Cancer Cell International</i> , 2018 , 18, 180	6.4	6
41	Signaling pathways activated by PACAP in MCF-7 breast cancer cells. <i>Cellular Signalling</i> , 2018 , 50, 37-47	4.9	8
40	Myocardial proteases and cardiac remodeling. <i>Journal of Cellular Physiology</i> , 2017 , 232, 3244-3250	7	16
39	ROS mediates interferon gamma induced phosphorylation of Src, through the Raf/ERK pathway, in MCF-7 human breast cancer cell line. <i>Journal of Cell Communication and Signaling</i> , 2017 , 11, 57-67	5.2	22
38	Acute Exposure to Cigarette Smoking Followed by Myocardial Infarction Aggravates Renal Damage in an Mouse Model. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 5135241	6.7	7
37	Assessment of Basilar Artery Reactivity in Stroke and Subarachnoid Hemorrhage Using Wire Myograph. <i>Methods in Molecular Biology</i> , 2016 , 1462, 625-43	1.4	4
36	Emerging importance of chemokine receptor CXCR3 and its ligands in cardiovascular diseases. <i>Clinical Science</i> , 2016 , 130, 463-78	6.5	42
35	Cigarette Smoking-Induced Cardiac Hypertrophy, Vascular Inflammation and Injury Are Attenuated by Antioxidant Supplementation in an Animal Model. <i>Frontiers in Pharmacology</i> , 2016 , 7, 397	5.6	27
34	Adiponectin Attenuates Angiotensin II-Induced Vascular Smooth Muscle Cell Remodeling through Nitric Oxide and the RhoA/ROCK Pathway. <i>Frontiers in Pharmacology</i> , 2016 , 7, 86	5.6	35
33	Calcineurin/NFAT Activation-Dependence of Leptin Synthesis and Vascular Growth in Response to Mechanical Stretch. <i>Frontiers in Physiology</i> , 2016 , 7, 433	4.6	11
32	Neuroproteomics and microRNAs studies in multiple sclerosis: transforming research and clinical knowledge in biomarker research. <i>Expert Review of Proteomics</i> , 2015 , 12, 637-50	4.2	5
31	Mechanical stretch-induced vascular hypertrophy occurs through modulation of leptin synthesis-mediated ROS formation and GATA-4 nuclear translocation. <i>Frontiers in Pharmacology</i> , 2015 , 6, 240	5.6	20
30	Nanotheragnostic applications for ischemic and hemorrhagic strokes: improved delivery for a better prognosis. <i>Current Neurology and Neuroscience Reports</i> , 2015 , 15, 505	6.6	10
29	An aortic arch flow loop for the study of hemodynamic-induced endothelial cell injury and inflammation 2014 ,		2
28	Prevention of RhoA activation and cofilin-mediated actin polymerization mediates the antihypertrophic effect of adenosine receptor agonists in angiotensin II- and endothelin-1-treated cardiomyocytes. <i>Molecular and Cellular Biochemistry</i> , 2014 , 385, 239-48	4.2	16
27	Essential role of calcineurin/NFAT and ROS in mediating mechanical stretch-induced leptin synthesis and vascular smooth muscle remodeling. <i>FASEB Journal</i> , 2013 , 27, 922.8	0.9	
26	The ability of phosphodiesterase-5 inhibitors sildenafil and ordonafil to reverse L-NAME induced cardiac hypertrophy in the rabbit: possible role of calcineurin and p38. <i>Canadian Journal of Physiology and Pharmacology</i> , 2012 , 90, 1247-55	2.4	5

25	Ginseng (<i>Panax quinquefolius</i>) attenuates leptin-induced cardiac hypertrophy through inhibition of p115Rho guanine nucleotide exchange factor-RhoA/Rho-associated, coiled-coil containing protein kinase-dependent mitogen-activated protein kinase pathway activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 339, 746-56	4.7	15
24	mTOR mediates RhoA-dependent leptin-induced cardiomyocyte hypertrophy. <i>Molecular and Cellular Biochemistry</i> , 2011 , 352, 99-108	4.2	31
23	Expression of mitochondrial fusion-fission proteins during post-infarction remodeling: the effect of NHE-1 inhibition. <i>Basic Research in Cardiology</i> , 2011 , 106, 99-109	11.8	68
22	Cyclophilin A promotes cardiac hypertrophy in apolipoprotein E-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 1116-23	9.4	66
21	Ginseng inhibits cardiomyocyte hypertrophy and heart failure via NHE-1 inhibition and attenuation of calcineurin activation. <i>Circulation: Heart Failure</i> , 2011 , 4, 79-88	7.6	51
20	A novel chimeric natriuretic peptide reduces cardiomyocyte hypertrophy through the NHE-1-calcineurin pathway. <i>Cardiovascular Research</i> , 2010 , 88, 434-42	9.9	25
19	Anti-hypertrophic effect of NHE-1 inhibition involves GSK-3beta-dependent attenuation of mitochondrial dysfunction. <i>Journal of Molecular and Cellular Cardiology</i> , 2009 , 46, 998-1007	5.8	52
18	Nitric oxide inhibits endothelin-1-induced neonatal cardiomyocyte hypertrophy via a RhoA-ROCK-dependent pathway. <i>Journal of Molecular and Cellular Cardiology</i> , 2009 , 47, 810-8	5.8	30
17	RhoA links PI3K/Akt/mTOR signaling to p38 MAPK/GATA-4 activation in leptin-induced cardiomyocyte hypertrophy. <i>FASEB Journal</i> , 2009 , 23, 577.7	0.9	
16	Signalling mechanisms underlying the metabolic and other effects of adipokines on the heart. <i>Cardiovascular Research</i> , 2008 , 79, 279-86	9.9	83
15	A neutralizing leptin receptor antibody mitigates hypertrophy and hemodynamic dysfunction in the postinfarcted rat heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H441-6	5.6	43
14	Leptin-induced cardiomyocyte hypertrophy involves selective caveolae and RhoA/ROCK-dependent p38 MAPK translocation to nuclei. <i>Cardiovascular Research</i> , 2008 , 77, 64-72	9.9	72
13	NHE-1 inhibition-induced cardioprotection against ischaemia/reperfusion is associated with attenuation of the mitochondrial permeability transition. <i>Cardiovascular Research</i> , 2008 , 77, 416-24	9.9	73
12	Leptin Signaling in the Cardiovascular System 2008 , 377-395		1
11	Leptin as a cardiac hypertrophic factor: a potential target for therapeutics. <i>Trends in Cardiovascular Medicine</i> , 2007 , 17, 206-11	6.9	49
10	Actin cytoskeleton dynamics promotes leptin-induced vascular smooth muscle hypertrophy via RhoA/ROCK- and phosphatidylinositol 3-kinase/protein kinase B-dependent pathways. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 322, 1110-6	4.7	39
9	Essential role of Rho/ROCK-dependent processes and actin dynamics in mediating leptin-induced hypertrophy in rat neonatal ventricular myocytes. <i>Cardiovascular Research</i> , 2006 , 72, 101-11	9.9	76
8	NHE-1 inhibition improves cardiac mitochondrial function through regulation of mitochondrial biogenesis during postinfarction remodeling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H1722-30	5.2	34

7	Antihypertrophic effect of Na ⁺ /H ⁺ exchanger isoform 1 inhibition is mediated by reduced mitogen-activated protein kinase activation secondary to improved mitochondrial integrity and decreased generation of mitochondrial-derived reactive oxygen species. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 317, 1036-43	4.7	57
6	Leptin and vascular smooth muscle. <i>Current Vascular Pharmacology</i> , 2006 , 4, 383-93	3.3	9
5	Role of Rho-mediated processes and intact actin cytoskeleton in leptin induced cardiomyocytes hypertrophy. <i>FASEB Journal</i> , 2006 , 20, A691	0.9	
4	Leptin induces vascular smooth muscle cell hypertrophy through angiotensin II- and endothelin-1-dependent mechanisms and mediates stretch-induced hypertrophy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 315, 1075-84	4.7	85
3	Ablation of SM22alpha decreases contractility and actin contents of mouse vascular smooth muscle. <i>FEBS Letters</i> , 2004 , 562, 141-6	3.8	41
2	Stretch-induced contractile differentiation of vascular smooth muscle: sensitivity to actin polymerization inhibitors. <i>American Journal of Physiology - Cell Physiology</i> , 2003 , 284, C1387-96	5.4	79
1	Cholesterol dependence of vascular ERK1/2 activation and growth in response to stretch: role of endothelin-1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 1528-34	9.4	56