

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/3764484/dan-li-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193 papers	29,932 citations	61 h-index	172 g-index
198 ext. papers	31,959 ext. citations	8 avg, IF	7.38 L-index

#	Paper	IF	Citations
193	Conjugative electrospinning towards Janus-type nanofibers array membrane concurrently displaying dual-functionality of improved red luminescence and tuneable superparamagnetism. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 4438	2.1	1
192	Designed formation of Prussian Blue/CuS Janus nanostructure with enhanced NIR-I and NIR-II dual window response for tumor phototherapy.. <i>Journal of Colloid and Interface Science</i> , 2022 , 613, 671-680	9.3	2
191	Up-/Downconversion Fluorescence Dual-Channel Probe Based on NaYF ₄ : Yb/Er/Eu Nanoparticles for the Determination of Cu(II). <i>ACS Applied Nano Materials</i> , 2022 , 5, 3333-3341	5.6	0
190	Distinctive Sandwich-Type Composite Film and Deuterogenic Three-Dimensional Triwall Tubes Affording Concurrent Aeolotropic Conduction, Magnetism, and Up-/Down-Conversion Luminescence.. <i>ACS Omega</i> , 2022 , 7, 14332-14344	3.9	0
189	Peculiar Sandwich-Typed Composite Membrane Endowed with Concurrent Tunable Electrically Conductive Anisotropism, Tailored Superparamagnetism, and Improved Green Luminescence. <i>Russian Journal of Physical Chemistry A</i> , 2022 , 96, 884-893	0.7	
188	Flexible electrospun fluorescent anisotropic conductive Janus-typed nanoribbon membrane. <i>European Polymer Journal</i> , 2022 , 111265	5.2	0
187	An innovative and facile strategy to construct GdF ₃ :Eu ³⁺ @Void@SiO ₂ nanowire-in-nanotube structured nanofibers with photoluminescence-magnetism Bi-functionality. <i>Journal of Luminescence</i> , 2022 , 119040	3.8	0
186	A strategy towards MF ₂ :Yb ³⁺ , Er ³⁺ /SiO ₂ (M=Ba, Sr, Ca) yolk-shell nanofibers and yolk-shell nanobelts with up-conversion fluorescence. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 648, 129338	5.1	0
185	Moisture-resistant Nb-based fluoride KNbF ₃ :Mn and oxyfluoride phosphor K(NbOF)(HF):Mn: synthesis, improved luminescence performance and application in warm white LEDs. <i>Dalton Transactions</i> , 2021 , 50, 17290-17300	4.3	2
184	Simultaneous Visual Detection and Removal of Cu with Electrospun Self-Supporting Flexible Amidated Polyacrylonitrile/Branched Polyethyleneimine Nanofiber Membranes. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 49288-49300	9.5	15
183	A fluorescent triboelectric nanogenerator manufactured with a flexible janus nanobelt array concurrently acting as a charge-generating layer and charge-trapping layer. <i>Nanoscale</i> , 2021 , 13, 19144-19154	7.7	3
182	Modular multifunctional Janus-structure film offering multiple anisotropic conduction, polychromatic luminescence and tuned magnetism. <i>European Physical Journal Plus</i> , 2021 , 136, 1	3.1	0
181	Graphene Elastomer Electrodes for Medical Sensing Applications: Combining High Sensitivity, Low Noise and Excellent Skin Compatibility to Enable Continuous Medical Monitoring. <i>IEEE Sensors Journal</i> , 2021 , 21, 13967-13975	4	7
180	Ultrafast water evaporation through graphene membranes with subnanometer pores for desalination. <i>Journal of Membrane Science</i> , 2021 , 621, 118934	9.6	15
179	Rapid Hard-Tissue-Embedding Method for Embedding Graphene Nanomaterials: A Multilayered Graphene Hydrogel Membrane. <i>Macromolecular Materials and Engineering</i> , 2021 , 306, 2000535	3.9	
178	Sandwich-shape composite film displaying conductive aeolotropy, magnetism and fluorescence and derived 3D tri-wall tube. <i>European Physical Journal Plus</i> , 2021 , 136, 1	3.1	0
177	Enhanced UV-Vis-NIR composite photocatalysis of NaBiF ₄ :Yb ³⁺ , Tm ³⁺ upconversion nanoparticles loaded on Bi ₂ WO ₆ microspheres. <i>Journal of Solid State Chemistry</i> , 2021 , 300, 122248	3.3	4

176	White light emission and energy transfer mechanism of LaOCl:Tb ³⁺ /Sm ³⁺ with 3D umbrella-like structure. <i>Journal of Luminescence</i> , 2021 , 238, 118277	3.8	2
175	Modification of indium oxide nanofibers by polyoxometalate electron acceptor doping for enhancement of gas sensing at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130227	8.5	19
174	Novel photosensitive dual-anisotropic conductive Janus film endowed with magnetic-luminescent properties and derivative 3D structures. <i>Journal of Colloid and Interface Science</i> , 2021 , 601, 899-914	9.3	3
173	Tricolor flag-shaped nanobelt array and derivant 3D structures display concurrent conductive anisotropy, up-conversion fluorescence and magnetism. <i>Materials and Design</i> , 2021 , 211, 110121	8.1	1
172	Polyoxometalate electron acceptor incorporated improved properties of Cu ₂ ZnSnS ₄ -based room temperature NO ₂ gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 348, 130683	8.5	4
171	Free-standing graphene oxide mid-infrared polarizers. <i>Nanoscale</i> , 2020 , 12, 11480-11488	7.7	4
170	A new concept of a pseudo-Janus structure: employing a Yin-Yang fish structure film with up/down conversion fluorescence and bi-anisotropic conduction to represent the pseudo-Janus structure as a case study. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 8676-8688	7.1	3
169	Electrospun polyfunctional conductive anisotropic Janus-shaped film, derivative 3D Janus tube and 3D plus 2D complete flag-shaped structures. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 6565-6576	7.1	9
168	Electrolyte gating in graphene-based supercapacitors and its use for probing nanoconfined charging dynamics. <i>Nature Nanotechnology</i> , 2020 , 15, 683-689	28.7	25
167	Superhydrophilic MoS ₂ /Ni ₃ S ₂ nanoflake heterostructures grown on 3D Ni foam as an efficient electrocatalyst for overall water splitting. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 6607-6617	2.1	6
166	Solvation-Involved Nanoionics: New Opportunities from 2D Nanomaterial Laminar Membranes. <i>Advanced Materials</i> , 2020 , 32, e1904562	24	30
165	Prussian Blue@Polyacrylic Acid/Au Aggregate Janus Nanoparticles for CT Imaging-guided Chemotherapy and Enhanced Photothermal Therapy. <i>Advanced Therapeutics</i> , 2020 , 3, 2000091	4.9	7
164	A facile one-step synthesis of super-hydrophilic (NH ₄) _{0.33} WO ₃ /WS ₂ composites: a highly efficient adsorbent for methylene blue. <i>New Journal of Chemistry</i> , 2020 , 44, 10418-10427	3.6	3
163	A Novel Strategy to Fabricate CuS, Cu ₇ 2S ₄ , and Cu ₂ Se Nanofibers via Inheriting the Morphology of Electrospun CuO Nanofibers. <i>Russian Journal of Physical Chemistry A</i> , 2019 , 93, 730-735	0.7	2
162	Assembling 1D and Janus Nanobelts into 2D Aeolotropic Conductive Janus Membranes and 3D Double-Walled Janus Tubes. <i>ChemNanoMat</i> , 2019 , 5, 820-830	3.5	10
161	3D nitrogen-doped hierarchical porous carbon framework for protecting sulfur cathode in lithium-sulfur batteries. <i>New Journal of Chemistry</i> , 2019 , 43, 9641-9651	3.6	15
160	Flexible sandwich-shaped composite film with simultaneous double electrically conductive anisotropy, magnetism and dual-color fluorescence. <i>New Journal of Chemistry</i> , 2019 , 43, 7984-7996	3.6	6
159	Preparation of Janus microfibers with magnetic and fluorescence functionality via conjugate electro-spinning. <i>Materials and Design</i> , 2019 , 170, 107701	8.1	24

158	Electrochemically-derived graphene oxide membranes with high stability and superior ionic sieving. <i>Chemical Communications</i> , 2019 , 55, 4075-4078	5.8	15
157	A neoteric sandwich-configurational composite film offering synchronous conductive aeolotropy, superparamagnetism and dual-color fluorescence. <i>Nanoscale Advances</i> , 2019 , 1, 1497-1509	5.1	6
156	Modularization design philosophy for multifunctional materials: a case study of a Janus film affording concurrent electrically conductive anisotropic-magnetic-fluorescent multifunctionality. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 9075-9086	7.1	16
155	Anisotropic Conductive Membrane with Superparamagnetism and Color-Tunable Luminescence. <i>Russian Journal of Physical Chemistry A</i> , 2019 , 93, 2444-2451	0.7	2
154	Novel sandwich-structured composite pellicle displays high and tuned electrically conductive anisotropy, magnetism and photoluminescence. <i>Chemical Engineering Journal</i> , 2019 , 361, 713-724	14.7	26
153	Employing novel Janus nanobelts to achieve anisotropic conductive array pellicle functionalized by superparamagnetism and green fluorescence. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 4219-4230	2.1	1
152	Conjugate Electrospinning Construction of Microyarns with Synchronous Color-Tuned Photoluminescence and Tunable Electrical Conductivity. <i>Journal of Electronic Materials</i> , 2019 , 48, 1511-1521	1.9	1
151	Dandelion Derived Nitrogen-Doped Hollow Carbon Host for Encapsulating Sulfur in Lithium Sulfur Battery. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3042-3051	8.3	52
150	Up/down conversion luminescence and energy transfer of Er/Tb activated NaGd(WO) green emitting phosphors. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 201, 88-97	4.4	4
149	Electrospinning assembly of 1D peculiar Janus nanofiber into 2D anisotropic electrically conductive array membrane synchronously endowed with tuned superparamagnetism and color-tunable luminescence. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 10284-10300	2.1	8
148	Peculiarly Structured Janus Nanofibers Display Synchronous and Tuned Trifunctionality of Enhanced Luminescence, Electrical Conduction, and Superparamagnetism. <i>ChemPlusChem</i> , 2018 , 83, 108-116	2.8	7
147	Flexible special-structured Janus nanofiber synchronously endowed with tunable trifunctionality of enhanced photoluminescence, electrical conductivity and superparamagnetism. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 7119-7129	2.1	13
146	Realizing white light emitting in single phased LaOCl based on energy transfer from Tm ³⁺ to Eu ³⁺ . <i>Ceramics International</i> , 2018 , 44, 6754-6761	5.1	8
145	Engineering graphene for high-performance supercapacitors: Enabling role of colloidal chemistry. <i>Journal of Energy Chemistry</i> , 2018 , 27, 1-5	12	16
144	An equivalent 1D nanochannel model to describe ion transport in multilayered graphene membranes. <i>Progress in Natural Science: Materials International</i> , 2018 , 28, 246-250	3.6	8
143	Room-temperature synthesis, controllable morphology and optical characteristics of narrow-band red phosphor K ₂ LiGaF ₆ :Mn ⁴⁺ . <i>CrystEngComm</i> , 2018 , 20, 2183-2192	3.3	15
142	Integrating photoluminescence, magnetism and thermal conversion for potential photothermal therapy and dual-modal bioimaging. <i>Journal of Colloid and Interface Science</i> , 2018 , 510, 292-301	9.3	16
141	Ion-Transport Experiments to Probe the Nanostructure of Graphene/Polymer Membranes. <i>Small Methods</i> , 2018 , 2, 1800187	12.8	3

140	Multifunctional PVP-Ba ₂ GdF ₇ :Yb ³⁺ , Ho ³⁺ coated on Ag nanospheres for bioimaging and tumor photothermal therapy. <i>Applied Surface Science</i> , 2018 , 458, 931-939	6.7	16
139	Conjugate electrospinning-fabricated nanofiber yarns simultaneously endowed with bifunctionality of magnetism and enhanced fluorescence. <i>Journal of Materials Science</i> , 2018 , 53, 2290-2302	4.3	20
138	Multifunctional Cellular Materials Based on 2D Nanomaterials: Prospects and Challenges. <i>Advanced Materials</i> , 2018 , 30, 1704850	24	30
137	Assembling exceptionally-structured Janus nanoribbons into a highly anisotropic electrically conductive array film that exhibits red fluorescence and superparamagnetism. <i>New Journal of Chemistry</i> , 2018 , 42, 18708-18716	3.6	8
136	Low-voltage electrostatic modulation of ion diffusion through layered graphene-based nanoporous membranes. <i>Nature Nanotechnology</i> , 2018 , 13, 685-690	28.7	134
135	A novel strategy to achieve NaGdF ₄ :Eu ³⁺ nanofibers with color-tailorable luminescence and paramagnetic performance. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 2034-2044	3.8	11
134	Emerging La ₂ O ₂ CN ₂ matrix with controllable 3D morphology for photoluminescence applications. <i>CrystEngComm</i> , 2017 , 19, 6498-6505	3.3	4
133	Hydrothermal synthesis of narrow-band red emitting K ₂ NaAlF ₆ :Mn ⁴⁺ phosphor for warm-white LED applications. <i>RSC Advances</i> , 2017 , 7, 45834-45842	3.7	29
132	Dual-mode blue emission, paramagnetic properties of Yb ³⁺ /Tm ³⁺ co-doped GdOCl difunctional nanostructures. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 19038-19050	2.1	2
131	Novel nanofiber yarns synchronously endowed with tri-functional performance of superparamagnetism, electrical conductivity and enhanced fluorescence prepared by conjugate electrospinning. <i>RSC Advances</i> , 2017 , 7, 48702-48711	3.7	12
130	La ₂ O ₂ CN ₂ :Yb ³⁺ /Tm ³⁺ nanofibers and nanobelts: novel fabrication technique, structure and upconversion luminescence. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 16282-16291	2.1	1
129	Super-carbon spring: a biomimetic design. <i>Science China Materials</i> , 2017 , 60, 186-187	7.1	1
128	Facile electrochemical approach for the production of graphite oxide with tunable chemistry. <i>Carbon</i> , 2017 , 112, 185-191	10.4	48
127	Graphene/titanium carbide composites prepared by sol-gel infiltration and spark plasma sintering. <i>Ceramics International</i> , 2016 , 42, 122-131	5.1	33
126	Assembly of 1D nanofibers into a 2D bi-layered composite nanofibrous film with different functionalities at the two layers via layer-by-layer electrospinning. <i>Physical Chemistry Chemical Physics</i> , 2016 , 19, 118-126	3.6	9
125	Mechanically-Assisted Electrochemical Production of Graphene Oxide. <i>Chemistry of Materials</i> , 2016 , 28, 8429-8438	9.6	67
124	A new scheme to acquire BaY ₂ F ₈ :Er ³⁺ nanofibers with upconversion luminescence. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 9152-9158	2.1	9
123	A new route to fabricate PbS nanofibers and PbSe nanofibers via electrospinning combined with double-crucible technique. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 9772-9779	2.1	1

122	Molecular dynamics simulations of the electric double layer capacitance of graphene electrodes in mono-valent aqueous electrolytes. <i>Nano Research</i> , 2016 , 9, 174-186	10	58
121	Ultrafast Dynamic Piezoresistive Response of Graphene-Based Cellular Elastomers. <i>Advanced Materials</i> , 2016 , 28, 194-200	24	142
120	Ion transport in complex layered graphene-based membranes with tuneable interlayer spacing. <i>Science Advances</i> , 2016 , 2, e1501272	14.3	167
119	Er ³⁺ doped BaYF ₅ nanofibers: facile construction technique, structure and upconversion luminescence. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 5277-5283	2.1	9
118	Graphene Functionalized Scaffolds Reduce the Inflammatory Response and Supports Endogenous Neuroblast Migration when Implanted in the Adult Brain. <i>PLoS ONE</i> , 2016 , 11, e0151589	3.7	61
117	Robust Vacuum-/Air-Dried Graphene Aerogels and Fast Recoverable Shape-Memory Hybrid Foams. <i>Advanced Materials</i> , 2016 , 28, 1510-6	24	154
116	High-Rate and High-Volumetric Capacitance of Compact Graphene/Polyaniline Hydrogel Electrodes. <i>Advanced Energy Materials</i> , 2016 , 6, 1600185	21.8	79
115	Fabrication of novel Ba ₄ Y ₃ F ₁₇ :Er ³⁺ nanofibers with upconversion fluorescence via combination of electrospinning with fluorination. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 11666-11673	11.1	7
114	Multilayered Graphene Hydrogel Membranes for Guided Bone Regeneration. <i>Advanced Materials</i> , 2016 , 28, 4025-31	24	104
113	Tunable multicolor luminescence and white light emission realized in Eu ³⁺ mono-activated GdF ₃ nanofibers with paramagnetic performance. <i>RSC Advances</i> , 2016 , 6, 113045-113052	3.7	13
112	Giant third-order nonlinearity from low-loss electrochemical graphene oxide film with a high power stability. <i>Applied Physics Letters</i> , 2016 , 109, 221105	3.4	33
111	NaGdF ₄ :Dy nanofibers and nanobelts: facile construction technique, structure and bifunctionality of luminescence and enhanced paramagnetic performances. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 27536-27544	3.6	28
110	Novel electrospun bilayered composite fibrous membrane endowed with tunable and simultaneous quadrifunctionality of electricity-magnetism at one layer and upconversion luminescence-photocatalysis at the other layer. <i>RSC Advances</i> , 2016 , 6, 96084-96092	3.7	6
109	Novel Electrospun Dual-Layered Composite Nanofibrous Membrane Endowed with Electricity-Magnetism Bifunctionality at One Layer and Photoluminescence at the Other Layer. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 26226-26234	9.5	32
108	Mechanical properties and microstructure of a graphene oxide/cement composite. <i>Cement and Concrete Composites</i> , 2015 , 58, 140-147	8.6	416
107	Dynamic configuration of reduced graphene oxide in aqueous dispersion and its effect on thin film properties. <i>Chemical Communications</i> , 2015 , 51, 17760-3	5.8	2
106	Tuning the oxygen functional groups in reduced graphene oxide papers to enhance the electromechanical actuation. <i>RSC Advances</i> , 2015 , 5, 68052-68060	3.7	9
105	On-chip energy storage integrated with solar cells using a laser scribed graphene oxide film. <i>Applied Physics Letters</i> , 2015 , 107, 031105	3.4	35

104	Enhanced optical nonlinearities of hybrid graphene oxide films functionalized with gold nanoparticles. <i>Applied Physics Letters</i> , 2015 , 107, 031112	3.4	30
103	Graphene-Directed Supramolecular Assembly of Multifunctional Polymer Hydrogel Membranes. <i>Advanced Functional Materials</i> , 2015 , 25, 126-133	15.6	62
102	Fabrication of Y2O2S:Eu3+ hollow nanofibers by sulfurization of Y2O3:Eu3+ hollow nanofibers. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 677-684	2.1	24
101	Reinforcing Effects of Graphene Oxide on Portland Cement Paste. <i>Journal of Materials in Civil Engineering</i> , 2015 , 27,	3	214
100	Scalable production of graphene via wet chemistry: progress and challenges. <i>Materials Today</i> , 2015 , 18, 73-78	21.8	209
99	A Novel Scheme to Obtain Y2O2S:Er3+ Upconversion Luminescent Hollow Nanofibers via Precursor Templating. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2817-2822	3.8	9
98	Tuning Rheological Performance of Silica Concentrated Shear Thickening Fluid by Using Graphene Oxide. <i>Advances in Condensed Matter Physics</i> , 2015 , 2015, 1-5	1	29
97	A new tactic to achieve Y2O2S:Yb3+/Er3+ up-conversion luminescent hollow nanofibers. <i>CrystEngComm</i> , 2015 , 17, 2529-2535	3.3	23
96	Electrospinning: A Simple and Versatile Technique for Producing Ceramic Nanofibers and Nanotubes 2014 , 341-349		2
95	Optical Characterisation of Non-Covalent Interactions between Non-Conjugated Polymers and Chemically Converted Graphene. <i>Australian Journal of Chemistry</i> , 2014 , 67, 168	1.2	3
94	Mechanically robust, electrically conductive and stimuli-responsive binary network hydrogels enabled by superelastic graphene aerogels. <i>Advanced Materials</i> , 2014 , 26, 3333-7	24	157
93	Direct patterning of C-shape arrays on graphene oxide thin films using direct laser printing 2014 ,		2
92	Synthesis and upconversion luminescence properties of YF3:Yb3+/Er3+ hollow nanofibers derived from Y2O3:Yb3+/Er3+ hollow nanofibers. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	23
91	Dynamic electrosorption analysis: a viable liquid-phase characterization method for porous carbon?. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 9332	13	8
90	Fabrication and luminescence properties of YF3:Eu3+ hollow nanofibers via coaxial electrospinning combined with fluorination technique. <i>Journal of Materials Science</i> , 2013 , 48, 5930-5937	4.3	29
89	Fabrication and luminescence of YF3:Tb3+ hollow nanofibers. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 3041-3048	2.1	21
88	Bio-inspired two-dimensional nanofluidic generators based on a layered graphene hydrogel membrane. <i>Advanced Materials</i> , 2013 , 25, 6064-8	24	191
87	Significantly enhanced water flux in forward osmosis desalination with polymer-graphene composite hydrogels as a draw agent. <i>RSC Advances</i> , 2013 , 3, 887-894	3.7	85

86	Dynamic electrosorption analysis as an effective means to characterise the structure of bulk graphene assemblies. <i>Chemistry - A European Journal</i> , 2013 , 19, 3082-9	4.8	16
85	Liquid-mediated dense integration of graphene materials for compact capacitive energy storage. <i>Science</i> , 2013 , 341, 534-7	33.3	1473
84	UV-assisted production of ferromagnetic graphitic quantum dots from graphite. <i>Carbon</i> , 2013 , 57, 346-356	16.4	25
83	Controlling the assembly of graphene oxide by an electrolyte-assisted approach. <i>Nanoscale</i> , 2013 , 5, 6458-63	7.7	10
82	Effect of cationic polyacrylamides on the aggregation and SERS performance of gold nanoparticles-treated paper. <i>Journal of Colloid and Interface Science</i> , 2013 , 392, 237-246	9.3	52
81	Formation of polyelectrolyte-gold nanoparticle necklaces on paper. <i>Journal of Colloid and Interface Science</i> , 2013 , 405, 71-7	9.3	7
80	Effect of cationic polyacrylamide dissolution on the adsorption state of gold nanoparticles on paper and their Surface Enhanced Raman Scattering properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 420, 46-52	5.1	14
79	Self-Supporting Graphene Hydrogel Film as an Experimental Platform to Evaluate the Potential of Graphene for Bone Regeneration. <i>Advanced Functional Materials</i> , 2013 , 23, 3494-3502	15.6	100
78	In situ synthesis and properties of reduced graphene oxide/Bi nanocomposites: as an electroactive material for analysis of heavy metals. <i>Biosensors and Bioelectronics</i> , 2013 , 43, 293-6	11.8	144
77	Revisiting the capacitance of polyaniline by using graphene hydrogel films as a substrate: the importance of nano-architecturing. <i>Energy and Environmental Science</i> , 2013 , 6, 477-481	35.4	178
76	Facile fabrication of nanoparticles confined in graphene films and their electrochemical properties. <i>Chemistry - A European Journal</i> , 2013 , 19, 7631-6	4.8	19
75	Formation of regular stripes of chemically converted graphene on hydrophilic substrates. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 6176-81	9.5	3
74	Solvated graphenes: an emerging class of functional soft materials. <i>Advanced Materials</i> , 2013 , 25, 13-30	24	192
73	Novel composite graphene/platinum electro-catalytic electrodes prepared by electrophoretic deposition from colloidal solutions. <i>Electrochimica Acta</i> , 2012 , 60, 213-223	6.7	44
72	Biomimetic superelastic graphene-based cellular monoliths. <i>Nature Communications</i> , 2012 , 3, 1241	17.4	933
71	Multilayered graphene membrane as an experimental platform to probe nano-confined electrosorption. <i>Progress in Natural Science: Materials International</i> , 2012 , 22, 668-672	3.6	9
70	Growth of zeolite crystals with graphene oxide nanosheets. <i>Chemical Communications</i> , 2012 , 48, 2249-51	15.8	34
69	Gold nanoparticle-paper as a three-dimensional surface enhanced Raman scattering substrate. <i>Langmuir</i> , 2012 , 28, 8782-90	4	190

68	Stitching chemically converted graphene on solid surfaces by solvent evaporation. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 6443-9	9.5	10
67	Method to impart electro- and biofunctionality to neural scaffolds using graphene-polyelectrolyte multilayers. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 4524-31	9.5	74
66	Assembling of graphene oxide in an isolated dissolving droplet. <i>Soft Matter</i> , 2012 , 8, 11249	3.6	14
65	Controllable corrugation of chemically converted graphene sheets in water and potential application for nanofiltration. <i>Chemical Communications</i> , 2011 , 47, 5810-2	5.8	277
64	Direct electro-deposition of graphene from aqueous suspensions. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 9187-93	3.6	172
63	Bioinspired effective prevention of restacking in multilayered graphene films: towards the next generation of high-performance supercapacitors. <i>Advanced Materials</i> , 2011 , 23, 2833-8	24	888
62	Ordered Gelation of Chemically Converted Graphene for Next-Generation Electroconductive Hydrogel Films. <i>Angewandte Chemie</i> , 2011 , 123, 7463-7466	3.6	21
61	Ordered gelation of chemically converted graphene for next-generation electroconductive hydrogel films. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 7325-8	16.4	260
60	Interfacing colloidal graphene oxide sheets with gold nanoparticles. <i>Chemistry - A European Journal</i> , 2011 , 17, 5958-64	4.8	61
59	Paper surfaces functionalized by nanoparticles. <i>Advances in Colloid and Interface Science</i> , 2011 , 163, 23-38	14.3	141
58	Evaporation-induced flattening and self-assembly of chemically converted graphene on a solid surface. <i>Soft Matter</i> , 2011 , 7, 8745	3.6	22
57	Synthesis, characterization, and multilayer assembly of pH sensitive graphene-polymer nanocomposites. <i>Langmuir</i> , 2010 , 26, 10068-75	4	183
56	Nonlinear Optical Transmission of Nanographene and Its Composites. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 12517-12523	3.8	80
55	Graphene/Polyaniline Nanocomposite for Hydrogen Sensing. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 16168-16173	3.8	387
54	Capillary zone electrophoresis of graphene oxide and chemically converted graphene. <i>Journal of Chromatography A</i> , 2010 , 1217, 7593-7	4.5	44
53	Dispersing carbon nanotubes with graphene oxide in water and synergistic effects between graphene derivatives. <i>Chemistry - A European Journal</i> , 2010 , 16, 10653-8	4.8	327
52	Thermosensitive graphene nanocomposites formed using pyrene-terminal polymers made by RAFT polymerization. <i>Journal of Polymer Science Part A</i> , 2010 , 48, 425-433	2.5	193
51	One-Dimensional Conducting Polymer Nanostructures: Bulk Synthesis and Applications. <i>Advanced Materials</i> , 2009 , 21, 1487-1499	24	422

50	Comparative studies on electrochemical activity of graphene nanosheets and carbon nanotubes. <i>Electrochemistry Communications</i> , 2009 , 11, 1892-1895	5.1	135
49	A facile method for preparation of graphene film electrodes with tailor-made dimensions with Vaseline as the insulating binder. <i>Electrochemistry Communications</i> , 2009 , 11, 1912-1915	5.1	50
48	Polyaniline nanofibers: a unique polymer nanostructure for versatile applications. <i>Accounts of Chemical Research</i> , 2009 , 42, 135-45	24.3	832
47	Electrochemical Properties of Graphene Paper Electrodes Used in Lithium Batteries. <i>Chemistry of Materials</i> , 2009 , 21, 2604-2606	9.6	514
46	Processable aqueous dispersions of graphene nanosheets. <i>Nature Nanotechnology</i> , 2008 , 3, 101-5	28.7	7729
45	Materials science. Graphene-based materials. <i>Science</i> , 2008 , 320, 1170-1	33.3	1257
44	Mechanically Strong, Electrically Conductive, and Biocompatible Graphene Paper. <i>Advanced Materials</i> , 2008 , 20, 3557-3561	24	1665
43	How nucleation affects the aggregation of nanoparticles. <i>Journal of Materials Chemistry</i> , 2007 , 17, 2279		72
42	Capturing electrified nanodroplets under Rayleigh instability by coupling electrospray with a sol-gel reaction. <i>Chemical Physics Letters</i> , 2007 , 445, 271-275	2.5	25
41	Shape and aggregation control of nanoparticles: not shaken, not stirred. <i>Journal of the American Chemical Society</i> , 2006 , 128, 968-75	16.4	437
40	Uniaxial Alignment of Electrospun Nanofibers. <i>ACS Symposium Series</i> , 2006 , 319-329	0.4	4
39	Electrospinning: A Simple and Versatile Technique for Producing Ceramic Nanofibers and Nanotubes. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 1861-1869	3.8	400
38	Electrospinning of polycrystalline barium titanate nanofibers with controllable morphology and alignment. <i>Chemical Physics Letters</i> , 2006 , 424, 162-166	2.5	75
37	V2O5 nanorods on TiO2 nanofibers: a new class of hierarchical nanostructures enabled by electrospinning and calcination. <i>Nano Letters</i> , 2006 , 6, 1297-302	11.5	259
36	Processable stabilizer-free polyaniline nanofiber aqueous colloids. <i>Chemical Communications</i> , 2005 , 3286-8	5.8	134
35	Electrospinning of nanofibers with core-sheath, hollow, or porous structures. <i>Journal of Materials Chemistry</i> , 2005 , 15, 735		359
34	Electrospun Nanofibers of Blends of Conjugated Polymers: Morphology, Optical Properties, and Field-Effect Transistors. <i>Macromolecules</i> , 2005 , 38, 4705-4711	5.5	213
33	Collecting electrospun nanofibers with patterned electrodes. <i>Nano Letters</i> , 2005 , 5, 913-6	11.5	343

32	Use of electrospinning to directly fabricate hollow nanofibers with functionalized inner and outer surfaces. <i>Small</i> , 2005 , 1, 83-6	11	237
31	Direct fabrication of enzyme-carrying polymer nanofibers by electrospinning. <i>Journal of Materials Chemistry</i> , 2005 , 15, 3241		102
30	Photocatalytic deposition of gold nanoparticles on electrospun nanofibers of titania. <i>Chemical Physics Letters</i> , 2004 , 394, 387-391	2.5	123
29	Direct Fabrication of Composite and Ceramic Hollow Nanofibers by Electrospinning. <i>Nano Letters</i> , 2004 , 4, 933-938	11.5	1049
28	Highly dispersed CuO nanoparticles prepared by a novel quick-precipitation method. <i>Materials Letters</i> , 2004 , 58, 3324-3327	3.3	207
27	Electrospinning of Polymeric and Ceramic Nanofibers as Uniaxially Aligned Arrays. <i>Nano Letters</i> , 2003 , 3, 1167-1171	11.5	1256
26	Study on the synthesis and ion-exchange properties of layered titanate Na ₂ Ti ₃ O ₇ powders with different sizes. <i>Journal of Materials Science</i> , 2003 , 38, 2907-2911	4.3	36
25	Synthesis of ultrafine Fe ₂ O ₃ powders by decomposition of organic precursors and structural control by doping. <i>Journal of Materials Science Letters</i> , 2003 , 22, 931-933		3
24	Dispersion of carbon nanotubes in aqueous solutions containing poly(diallyldimethylammonium chloride). <i>Journal of Materials Science Letters</i> , 2003 , 22, 253-255		19
23	Preparation and performance of high-impact polystyrene (HIPS)/nano-TiO ₂ nanocomposites. <i>Journal of Applied Polymer Science</i> , 2003 , 87, 381-385	2.9	83
22	Magnetic nanofibers of nickel ferrite prepared by electrospinning. <i>Applied Physics Letters</i> , 2003 , 83, 4586-4588	5.4	212
21	Fabrication of Titania Nanofibers by Electrospinning. <i>Nano Letters</i> , 2003 , 3, 555-560	11.5	1090
20	Rapid fabrication of titania nanofibers by electrospinning 2003 ,		4
19	Rapid Synthesis of Nanocrystalline TiO ₂ /SnO ₂ Binary Oxides and Their Photoinduced Decomposition of Methyl Orange. <i>Journal of Solid State Chemistry</i> , 2002 , 165, 193-198	3.3	115
18	Synthesis and microstructural control of nanocrystalline titania powders via a stearic acid method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 328, 108-112	5.3	16
17	Fabrication and characterization of polyaniline-based gas sensor by ultra-thin film technology. <i>Sensors and Actuators B: Chemical</i> , 2002 , 81, 158-164	8.5	192
16	In situ electron microscope study on the formation and morphological evolution of carbon aggregates. <i>Carbon</i> , 2002 , 40, 2117-2124	10.4	5
15	Synthesis and intercalation properties of nanoscale layered tetratitanate. <i>Journal of Materials Chemistry</i> , 2002 , 12, 1796-1799		20

14	Modifying substrate surfaces with self-assembled polyelectrolyte layers to promote the formation of uniform polypyrrole films. <i>Applied Surface Science</i> , 2001 , 183, 259-263	6.7	4
13	A simple approach to enhance the deposition of polyaniline films with self-assembled polyelectrolyte layers. <i>Journal of Materials Science Letters</i> , 2001 , 20, 1925-1928		4
12	Fabrication of polyaniline/phthalocyanine hybrid ultrathin films via electrostatic attraction and doping reaction. <i>Journal of Materials Science Letters</i> , 2001 , 20, 233-235		
11	Rapid preparation of porous Fe ₂ O ₃ /SiO ₂ nanocomposites via an organic precursor. <i>Materials Research Bulletin</i> , 2001 , 36, 2437-2442	5.1	11
10	Effect of particle size of starting material TiO ₂ on morphology and properties of layered titanates. <i>Materials Letters</i> , 2001 , 50, 230-234	3.3	6
9	Fabrication of self-assembled polyaniline films by doping-induced deposition. <i>Thin Solid Films</i> , 2000 , 360, 24-27	2.2	29
8	Self-assembly of polyaniline ultrathin films based on doping-induced deposition effect and applications for chemical sensors. <i>Sensors and Actuators B: Chemical</i> , 2000 , 66, 125-127	8.5	54
7	Morphology and gas-sensitive properties of polymer based composite films. <i>Sensors and Actuators B: Chemical</i> , 2000 , 66, 37-39	8.5	21
6	Fabrication of a prototype humidity-sensitive capacitor via layer-by-layer self-assembling technique. <i>Materials Science and Engineering C</i> , 2000 , 11, 117-119	8.3	17
5	A novel technique to prepare ultrafine Fe ₂ O ₃ via hydrated iron(III) nitrate. <i>Journal of Materials Science Letters</i> , 1997 , 16, 493-495		7
4	The preparation of barium ferrite nanocrystalline powders by a stearic acid gel method. <i>Materials Letters</i> , 1996 , 28, 203-206	3.3	7
3	Synthesis of substituted M- and W-type barium ferrite nanostructured powders by stearic acid gel method. <i>Journal of Alloys and Compounds</i> , 1996 , 237, 45-48	5.7	25
2	A 3D Z-Scheme Heterojunction Photocatalyst: Flower-Like Ag/AgBr/Zn ₃ V ₂ O ₇ (OH) ₂ ·2H ₂ O and its Enhanced Visible-Light Photocatalytic Activities. <i>Journal of Electronic Materials</i> , 1	1.9	0
1	New Structural Insights into Densely Assembled Reduced Graphene Oxide Membranes. <i>Advanced Functional Materials</i> , 2201535	15.6	4