

Yeong-Shiau Pu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3764590/yeong-shiau-pu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

212
papers

4,841
citations

34
h-index

57
g-index

228
ext. papers

5,473
ext. citations

4.1
avg, IF

5.04
L-index

#	Paper	IF	Citations
212	The comparison of efficacy between the connaught and TICE strains of bacillus calmette-guerin in patients with non-muscle-invasive bladder cancer in Taiwan. <i>Urological Science</i> , 2022 ,	0.3	0
211	Enzalutamide in Chemotherapy-Naïve Metastatic Castration-Resistant Prostate Cancer: An Asian Multiregional, Randomized Study.. <i>Advances in Therapy</i> , 2022 , 1	4.1	0
210	Prostate Health Index Density Outperforms Prostate Health Index in Clinically Significant Prostate Cancer Detection. <i>Frontiers in Oncology</i> , 2021 , 11, 772182	5.3	1
209	Additive Effects of Arsenic and Aristolochic Acid in Chemical Carcinogenesis of Upper Urinary Tract Urothelium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 317-325	4	0
208	Effect of plasma selenium, red blood cell cadmium, total urinary arsenic levels, and eGFR on renal cell carcinoma. <i>Science of the Total Environment</i> , 2021 , 750, 141547	10.2	3
207	Tumor location on MRI determines outcomes of patients with prostate cancer after total prostate cryoablation. <i>Cryobiology</i> , 2021 , 98, 39-45	2.7	0
206	Outcomes of stratified transurethral resection of bladder tumor: A propensity score-matched analysis. <i>Journal of the Formosan Medical Association</i> , 2021 , 121, 73-73	3.2	1
205	Polymorphism of nucleotide binding domain-like receptor protein 3 (NLRP3) increases susceptibility of total urinary arsenic to renal cell carcinoma. <i>Scientific Reports</i> , 2020 , 10, 6640	4.9	5
204	Preoperative %p2PSA and Prostate Health Index Predict Pathological Outcomes in Patients with Prostate Cancer Undergoing Radical Prostatectomy. <i>Scientific Reports</i> , 2020 , 10, 776	4.9	3
203	United in Fight against prOstate cancer (UFO) registry: first results from a large, multi-centre, prospective, longitudinal cohort study of advanced prostate cancer in Asia. <i>BJU International</i> , 2020 , 125, 541-552	5.6	9
202	Effect of diabetes mellitus and glycemic control on the prognosis of non-muscle invasive bladder cancer: a retrospective study. <i>BMC Urology</i> , 2020 , 20, 117	2.2	5
201	The application of p2PSA% and prostate health index in prostate cancer detection: A prospective cohort in a Tertiary Medical Center. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 260-267	3.2	5
200	Management of patients with advanced prostate cancer in the Asia Pacific region: A real-world consideration of results from the Advanced Prostate Cancer Consensus Conference (APCCC) 2017. <i>BJU International</i> , 2019 , 123, 22-34	5.6	20
199	The impact of primary location and age at orchiopexy on testicular atrophy for congenital undescended testis. <i>Scientific Reports</i> , 2019 , 9, 9489	4.9	6
198	Practice pattern of non-muscle invasive bladder cancer in Japan, Korea and Taiwan: A Web-based survey. <i>International Journal of Urology</i> , 2019 , 26, 1121-1127	2.3	9
197	Programmed death-1 and programmed death ligand-1 blockade for advanced urothelial carcinoma. <i>Urological Science</i> , 2019 , 30, 2	0.3	0
196	Expression of human leukocyte antigen-a and b2-microglobulin in prostate cancer.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e16550-e16550	2.2	0

195	Comparative efficacy and safety of new surgical treatments for benign prostatic hyperplasia: systematic review and network meta-analysis. <i>BMJ, The</i> , 2019 , 367, l5919	5.9	36
194	Nuclear Factor-B Overexpression is Correlated with Poor Outcomes after Multimodality Bladder-Preserving Therapy in Patients with Muscle-Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	1
193	Trifecta outcome of ureteral reconstruction in iatrogenic injury and non-iatrogenic ureteral lesions: a 10-year experience at a tertiary referral center. <i>World Journal of Urology</i> , 2019 , 37, 1949-1957	4	4
192	Adjuvant androgen-deprivation therapy following prostate total cryoablation in high-risk localized prostate cancer patients - Open-labeled randomized clinical trial. <i>Cryobiology</i> , 2018 , 82, 88-92	2.7	2
191	Adiponectin gene polymorphisms and obesity increase the susceptibility to arsenic-related renal cell carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2018 , 350, 11-20	4.6	10
190	Polymorphisms of Arsenic (+3 Oxidation State) Methyltransferase and Arsenic Methylation Capacity Affect the Risk of Bladder Cancer. <i>Toxicological Sciences</i> , 2018 , 164, 328-338	4.4	17
189	Development of a chitosan-based tissue-engineered renal proximal tubule conduit. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018 , 106, 9-20	3.5	4
188	Oncological outcomes of high-risk prostate cancer patients between robot-assisted laparoscopic radical prostatectomy and laparoscopic radical prostatectomy in Taiwan. <i>Urological Science</i> , 2018 , 29, 43	0.3	0
187	Comparative analysis between radical cystectomy and trimodality therapy for clinical Stage II Bladder Cancer: Experience from a tertiary referral center. <i>Urological Science</i> , 2018 , 29, 25	0.3	
186	Long-term outcomes of nephrectomy and inferior vena cava thrombectomy in patients with advanced renal cell carcinoma: A single-center experience. <i>Urological Science</i> , 2018 , 29, 49	0.3	1
185	Impact of high-volume disease in Asian population with newly diagnosed metastatic prostate cancer. <i>Urological Science</i> , 2018 , 29, 136	0.3	1
184	Outcomes of prostate atypical small acinar proliferation and high-grade prostate intraepithelial neoplasm patients. <i>Urological Science</i> , 2018 , 29, 161	0.3	1
183	Comparison of arsenic methylation capacity and polymorphisms of arsenic methylation genes between bladder cancer and upper tract urothelial carcinoma. <i>Toxicology Letters</i> , 2018 , 295, 64-73	4.4	19
182	Polymorphisms of TNF- -308 G/A and IL-8 -251 T/A Genes Associated with Urothelial Carcinoma: A Case-Control Study. <i>BioMed Research International</i> , 2018 , 2018, 3148137	3	4
181	Non-invasive detection of urothelial cancer through the analysis of driver gene mutations and aneuploidy. <i>ELife</i> , 2018 , 7,	8.9	72
180	Association between ischaemic bowel syndromes and androgen deprivation therapy in patients with prostate cancer: a retrospective cohort study. <i>BMJ Open</i> , 2017 , 7, e012950	3	1
179	Levels of plasma selenium and urinary total arsenic interact to affect the risk for prostate cancer. <i>Food and Chemical Toxicology</i> , 2017 , 107, 167-175	4.7	17
178	Analysis of transrectal and suprapubic ultrasonography for prostate size evaluation. <i>Urological Science</i> , 2017 , 28, 166-168	0.3	2

177	MiR-193b Mediates CEBPD-Induced Cisplatin Sensitization Through Targeting ETS1 and Cyclin D1 in Human Urothelial Carcinoma Cells. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 1563-1573	4.7	18
176	Antagonistic effect of N-ethylmaleimide on arsenic-mediated oxidative stress-induced poly(ADP-ribosyl)ation and cytotoxicity. <i>Journal of Applied Toxicology</i> , 2017 , 37, 573-582	4.1	
175	A role of multimodality bladder-preserving therapy in patients with muscle-invasive bladder cancer plus hydronephrosis with or without pelvic nodal involvement. <i>Journal of the Formosan Medical Association</i> , 2017 , 116, 689-696	3.2	4
174	Increased Risk of New-Onset Hypertension After Shock Wave Lithotripsy in Urolithiasis: A Nationwide Cohort Study. <i>Hypertension</i> , 2017 , 70, 721-728	8.5	1
173	Far infrared radiation promotes rabbit renal proximal tubule cell proliferation and functional characteristics, and protects against cisplatin-induced nephrotoxicity. <i>PLoS ONE</i> , 2017 , 12, e0180872	3.7	5
172	The effectiveness and durability of ureteral tumor stent, the National Taiwan University Hospital experience. <i>Urological Science</i> , 2017 ,	0.3	1
171	The polymorphism XRCC1 Arg194Trp and 8-hydroxydeoxyguanosine increased susceptibility to arsenic-related renal cell carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2017 , 332, 1-7	4.6	6
170	Preliminary evidence of polymorphisms of cell cycle regulatory genes and their roles in urinary tract urothelial cancer susceptibility and prognosis in a Taiwan population. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 543.e7-543.e16	2.8	10
169	Advantage of early orchiopexy for undescended testis: Analysis of testicular growth percentage ratio in patients with unilateral undescended testicle. <i>Scientific Reports</i> , 2017 , 7, 17476	4.9	8
168	Promoter hypermethylation of LGALS4 correlates with poor prognosis in patients with urothelial carcinoma. <i>Oncotarget</i> , 2017 , 8, 23787-23802	3.3	11
167	Aristolochic Acid in the Etiology of Renal Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1600-1608	4	46
166	Combined effects of DNA methyltransferase 1 and 3A polymorphisms and urinary total arsenic levels on the risk for clear cell renal cell carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2016 , 305, 1034-110	4.6	8
165	Recommended Initial Antimicrobial Therapy for Emphysematous Pyelonephritis: 51 Cases and 14-Year-Experience of a Tertiary Referral Center. <i>Medicine (United States)</i> , 2016 , 95, e3573	1.8	25
164	The joint effects of arsenic and risk diplotypes of insulin-like growth factor binding protein-3 in renal cell carcinoma. <i>Chemosphere</i> , 2016 , 154, 90-98	8.4	3
163	Perioperative changes in TGF- β levels predict the oncological outcome of cryoablation-receiving patients with localized prostate cancer. <i>Cryobiology</i> , 2016 , 73, 63-8	2.7	4
162	The efficacy of abiraterone acetate in treating Taiwanese chemo-refractory metastatic castration-resistant prostate cancer patients. <i>Urological Science</i> , 2016 , 27, 218-222	0.3	1
161	The effect of tumor location on oncologic outcomes in patients with upper urinary tract urothelial carcinoma stratified by pathologic stage. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 4.e19-25	2.8	14
160	Recurrence pattern and TP53 mutation in upper urinary tract urothelial carcinoma. <i>Oncotarget</i> , 2016 , 7, 45225-45236	3.3	13

159	Polymorphisms of human 8-oxoguanine DNA glycosylase 1 and 8-hydroxydeoxyguanosine increase susceptibility to arsenic methylation capacity-related urothelial carcinoma. <i>Archives of Toxicology</i> , 2016 , 90, 1917-27	5.8	4
158	Volume alteration of undescended testes: Before and after orchiopexy. <i>Urological Science</i> , 2016 , 27, 161-165	0.3	4
157	Differences in toxicity and outcome associated with circadian variations between patients undergoing daytime and evening radiotherapy for prostate adenocarcinoma. <i>Chronobiology International</i> , 2016 , 33, 210-9	3.6	24
156	Prognostic value of saturated prostate cryoablation for localized prostate cancer. <i>World Journal of Urology</i> , 2015 , 33, 1487-94	4	3
155	Characteristics of arsenic-related bladder cancer: A study from Nationwide Cancer Registry Database in Taiwan. <i>Urological Science</i> , 2015 , 26, 103-108	0.3	4
154	Effectiveness of different diagnostic tools for upper urinary tract urothelial carcinoma. <i>Urological Science</i> , 2015 , 26, 57-60	0.3	2
153	Synergistic Blockade of EGFR and HER2 by New-Generation EGFR Tyrosine Kinase Inhibitor Enhances Radiation Effect in Bladder Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 810-20	6.1	19
152	Diabetes mellitus with poor glycemic control increases bladder cancer recurrence risk in patients with upper urinary tract urothelial carcinoma. <i>Diabetes/Metabolism Research and Reviews</i> , 2015 , 31, 307-314	7.4	29
151	EGFR mediates docetaxel resistance in human castration-resistant prostate cancer through the Akt-dependent expression of ABCB1 (MDR1). <i>Archives of Toxicology</i> , 2015 , 89, 591-605	5.8	29
150	Paragangliomas of the urinary bladder: A report of 6 cases and review of the literature. <i>Urological Science</i> , 2015 , 26, 111-114	0.3	4
149	MLN4924 Synergistically Enhances Cisplatin-induced Cytotoxicity via JNK and Bcl-xL Pathways in Human Urothelial Carcinoma. <i>Scientific Reports</i> , 2015 , 5, 16948	4.9	29
148	The outcome and prognostic factors for lymph node recurrence after node-sparing definitive external beam radiotherapy for localized prostate cancer. <i>World Journal of Surgical Oncology</i> , 2015 , 13, 312	3.4	4
147	Ureteral involvement and diabetes increase the risk of subsequent bladder recurrence after nephroureterectomy for upper urinary tract urothelial carcinoma. <i>BioMed Research International</i> , 2015 , 2015, 527976	3	5
146	XRCC1 Polymorphisms and Urinary 8-Hydroxydeoxyguanine Levels Are Associated with Urothelial Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0124066	3.7	1
145	Joint Effect of Urinary Total Arsenic Level and VEGF-A Genetic Polymorphisms on the Recurrence of Renal Cell Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0145410	3.7	9
144	Robot-Assisted Laparoscopic Nephroureterectomy versus Hand-Assisted Laparoscopic Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma: A Matched Comparison Study. <i>BioMed Research International</i> , 2015 , 2015, 918486	3	10
143	MLN4924, a novel protein neddylation inhibitor, suppresses proliferation and migration of human urothelial carcinoma: In vitro and in vivo studies. <i>Cancer Letters</i> , 2015 , 363, 127-36	9.9	41
142	Malignant Ureteral Obstruction: Functional Duration of Metallic versus Polymeric Ureteral Stents. <i>PLoS ONE</i> , 2015 , 10, e0135566	3.7	23

141	MLN4924, a Novel NEDD8-activating enzyme inhibitor, exhibits antitumor activity and enhances cisplatin-induced cytotoxicity in human cervical carcinoma: in vitro and in vivo study. <i>American Journal of Cancer Research</i> , 2015 , 5, 3350-62	4.4	9
140	Emphysematous pyelonephritis: clinical characteristics and prognostic factors. <i>International Journal of Urology</i> , 2014 , 21, 277-82	2.3	24
139	Long-term low-dose exposure of human urothelial cells to sodium arsenite activates lipocalin-2 via promoter hypomethylation. <i>Archives of Toxicology</i> , 2014 , 88, 1549-59	5.8	16
138	Metallic ureteral stents in malignant ureteral obstruction: short-term results and radiological features predicting stent failure in patients with non-urological malignancies. <i>World Journal of Urology</i> , 2014 , 32, 729-36	4	17
137	Proactive rectal warming during total-gland prostate cryoablation. <i>Cryobiology</i> , 2014 , 68, 431-5	2.7	6
136	Comparison of genome-wide DNA methylation in urothelial carcinomas of patients with and without arsenic exposure. <i>Environmental Research</i> , 2014 , 128, 57-63	7.9	25
135	Predictors of failure of conservative treatment among patients with emphysematous pyelonephritis. <i>BMC Infectious Diseases</i> , 2014 , 14, 418	4	30
134	Robot-assisted nephroureterectomy for upper tract urothelial carcinoma: the Taiwan Robot Urological Surgery Team (TRUST) experience. <i>World Journal of Surgical Oncology</i> , 2014 , 12, 219	3.4	11
133	Metallic ureteral stents in malignant ureteral obstruction: clinical factors predicting stent failure. <i>Journal of Endourology</i> , 2014 , 28, 729-34	2.7	17
132	XRCC1 Arg194Trp and Arg399Gln polymorphisms and arsenic methylation capacity are associated with urothelial carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2014 , 279, 373-379	4.6	15
131	Anti-cancer effects of ursane triterpenoid as a single agent and in combination with cisplatin in bladder cancer. <i>European Journal of Pharmacology</i> , 2014 , 740, 742-51	5.3	13
130	Chalcone derivatives inhibit human platelet aggregation and inhibit growth in human bladder cancer cells. <i>Biological and Pharmaceutical Bulletin</i> , 2014 , 37, 1191-8	2.3	12
129	Predictive clinical indicators of biochemical progression in advanced prostate cancer patients receiving Leuplin depot as androgen deprivation therapy. <i>PLoS ONE</i> , 2014 , 9, e105091	3.7	3
128	Increased risk of urinary tract cancer in ESRD patients associated with usage of Chinese herbal products suspected of containing aristolochic acid. <i>PLoS ONE</i> , 2014 , 9, e105218	3.7	17
127	Laparoscopic radical prostatectomy monotherapy, a more aggressive yet less invasive option, is oncologically effective in selected men with high-risk prostate cancer having only one D'Amico risk factor: experience from an Asian tertiary referral center. <i>Journal of Endourology</i> , 2014 , 28, 165-71	2.7	6
126	Clinical outcomes in patients undergoing laparoscopic adrenalectomy for unilateral aldosterone producing adenoma: partial versus total adrenalectomy. <i>Journal of Endourology</i> , 2014 , 28, 1103-6	2.7	28
125	Increased upper and lower tract urothelial carcinoma in patients with end-stage renal disease: a nationwide cohort study in Taiwan during 1997-2008. <i>BioMed Research International</i> , 2014 , 2014, 149750 ³		21
124	Involvement of p38 mitogen-activated protein kinase in acquired gemcitabine-resistant human urothelial carcinoma sublines. <i>Kaohsiung Journal of Medical Sciences</i> , 2014 , 30, 323-30	2.4	10

123	The effect of cigarette smoke and arsenic exposure on urothelial carcinoma risk is modified by glutathione S-transferase M1 gene null genotype. <i>Toxicology and Applied Pharmacology</i> , 2013 , 266, 254-9	4.6	22
122	Environmental tobacco smoke and arsenic methylation capacity are associated with urothelial carcinoma. <i>Journal of the Formosan Medical Association</i> , 2013 , 112, 554-60	3.2	11
121	Mutational signature of aristolochic acid exposure as revealed by whole-exome sequencing. <i>Science Translational Medicine</i> , 2013 , 5, 197ra102	17.5	178
120	Pretreatment prostate specific antigen (PSA) and 2-year PSA dynamics: Early predictors of prostate cancer prognosis with external radiation therapy. <i>Urological Science</i> , 2013 , 24, 120-123	0.3	2
119	Targeting epidermal growth factor receptor/human epidermal growth factor receptor 2 signalling pathway by a dual receptor tyrosine kinase inhibitor afatinib for radiosensitisation in murine bladder carcinoma. <i>European Journal of Cancer</i> , 2013 , 49, 1458-66	7.5	25
118	Comparing the joint effect of arsenic exposure, cigarette smoking and risk genotypes of vascular endothelial growth factor on upper urinary tract urothelial carcinoma and bladder cancer. <i>Journal of Hazardous Materials</i> , 2013 , 262, 1139-46	12.8	34
117	Polymorphism of inflammatory genes and arsenic methylation capacity are associated with urothelial carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2013 , 272, 30-6	4.6	23
116	4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK) metabolism-related enzymes gene polymorphisms, NNK metabolites levels and urothelial carcinoma. <i>Toxicology Letters</i> , 2013 , 216, 16-22	4.4	8
115	Prognostic significance of cyclin D1 polymorphisms on prostate-specific antigen recurrence after radical prostatectomy. <i>Annals of Surgical Oncology</i> , 2013 , 20 Suppl 3, S492-9	3.1	16
114	Reply to S. Vale. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2634-5	2.2	2
113	Aristolochic acid-induced upper tract urothelial carcinoma in Taiwan: clinical characteristics and outcomes. <i>International Journal of Cancer</i> , 2013 , 133, 14-20	7.5	81
112	Using age-referenced prostate-specific antigen percentile to predict survival outcomes in screened Taiwanese men. <i>International Journal of Cancer</i> , 2013 , 132, 1927-32	7.5	4
111	Active tuberculosis during temsirolimus and bevacizumab treatment. <i>Journal of Clinical Oncology</i> , 2013 , 31, e18-20	2.2	6
110	2-methoxyestradiol induces mitotic arrest, apoptosis, and synergistic cytotoxicity with arsenic trioxide in human urothelial carcinoma cells. <i>PLoS ONE</i> , 2013 , 8, e68703	3.7	24
109	Prediabetes is associated with an increased risk of testosterone deficiency, independent of obesity and metabolic syndrome. <i>PLoS ONE</i> , 2013 , 8, e74173	3.7	25
108	Celecoxib-induced cytotoxic effect is potentiated by inhibition of autophagy in human urothelial carcinoma cells. <i>PLoS ONE</i> , 2013 , 8, e82034	3.7	16
107	Significant associations of prostate cancer susceptibility variants with survival in patients treated with androgen-deprivation therapy. <i>International Journal of Cancer</i> , 2012 , 130, 876-84	7.5	20
106	A cocktail regimen of intravesical mitomycin-C, doxorubicin, and cisplatin (MDP) for non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 421-7	2.8	32

105	Ketoconazole in Taiwanese castration-resistant prostate cancer patients: Evaluation of response rates, durations, and predictors. <i>Urological Science</i> , 2012 , 23, 48-51	0.3	1
104	Prognostic significance of genetic polymorphisms on prostate-specific antigen recurrence after a radical prostatectomy. <i>Urological Science</i> , 2012 , 23, 35-41	0.3	
103	Significant associations of prostate-specific antigen nadir and time to prostate-specific antigen nadir with survival in prostate cancer patients treated with androgen-deprivation therapy. <i>Aging Male</i> , 2012 , 15, 34-41	2.1	17
102	Biomonitoring of aristolactam-DNA adducts in human tissues using ultra-performance liquid chromatography/ion-trap mass spectrometry. <i>Chemical Research in Toxicology</i> , 2012 , 25, 1119-31	4	72
101	Urinary total arsenic and 8-hydroxydeoxyguanosine are associated with renal cell carcinoma in an area without obvious arsenic exposure. <i>Toxicology and Applied Pharmacology</i> , 2012 , 262, 349-54	4.6	15
100	Long-term oncologic outcomes of hand-assisted retroperitoneoscopic radical nephrectomy to treat clinically localized renal cell carcinoma. <i>Journal of the Formosan Medical Association</i> , 2012 , 111, 41-5	3.2	
99	Cytotoxic and antioxidant constituents from <i>Garcinia subelliptica</i> . <i>Food Chemistry</i> , 2012 , 135, 851-9	8.5	25
98	Down-regulation of PKC η in renal cell carcinoma and its clinicopathological implications. <i>Journal of Biomedical Science</i> , 2012 , 19, 39	13.3	12
97	Joint effect of arsenic methylation profile and NNK metabolites on urothelial carcinoma. <i>Journal of Urology</i> , 2012 , 188, 1701-5	2.5	6
96	Washout gradient in dynamic contrast-enhanced MRI is associated with tumor aggressiveness of prostate cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 36, 912-9	5.6	58
95	Aristolochic acid-associated urothelial cancer in Taiwan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 8241-6	11.5	280
94	Pneumopelvis, pneumoureter and pneumobladder. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2012 , 105, 199-200	2.7	2
93	Down-regulation of glucose-regulated protein (GRP) 78 potentiates cytotoxic effect of celecoxib in human urothelial carcinoma cells. <i>PLoS ONE</i> , 2012 , 7, e33615	3.7	29
92	An Unusual Presentation of Prostate Adenocarcinoma Metastatic to the Oral Cavity. <i>Urological Science</i> , 2011 , 22, 83-85	0.3	
91	Effect of urinary total arsenic level and estimated glomerular filtration rate on the risk of renal cell carcinoma in a low arsenic exposure area. <i>Journal of Urology</i> , 2011 , 185, 2040-4	2.5	29
90	The polymorphisms of P53 codon 72 and MDM2 SNP309 and renal cell carcinoma risk in a low arsenic exposure area. <i>Toxicology and Applied Pharmacology</i> , 2011 , 257, 349-55	4.6	22
89	Gene polymorphisms of glutathione S-transferase omega 1 and 2, urinary arsenic methylation profile and urothelial carcinoma. <i>Science of the Total Environment</i> , 2011 , 409, 465-70	10.2	29
88	Protective effects of plasma alpha-tocopherols on the risk of inorganic arsenic-related urothelial carcinoma. <i>Science of the Total Environment</i> , 2011 , 409, 1039-45	10.2	11

87	Low ratio of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol-glucuronides (NNAL-Gluc)/free NNAL increases urothelial carcinoma risk. <i>Science of the Total Environment</i> , 2011 , 409, 1638-42	10.2	9
86	UBE2M-mediated p27(Kip1) degradation in gemcitabine cytotoxicity. <i>Biochemical Pharmacology</i> , 2011 , 82, 35-42	6	12
85	Anthraquinone derivatives induce G2/M cell cycle arrest and apoptosis in NTUB1 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 5670-8	3.4	14
84	A Cullin3-KLHL20 Ubiquitin ligase-dependent pathway targets PML to potentiate HIF-1 signaling and prostate cancer progression. <i>Cancer Cell</i> , 2011 , 20, 214-28	24.3	124
83	Impact of prostate-specific antigen (PSA) nadir and time to PSA nadir on disease progression in prostate cancer treated with androgen-deprivation therapy. <i>Prostate</i> , 2011 , 71, 1189-97	4.2	41
82	Diffusion MRI predicts transrectal ultrasound biopsy results in prostate cancer detection. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 356-63	5.6	9
81	Xanthine oxidase inhibitory triterpenoid and phloroglucinol from guttiferaceous plants inhibit growth and induced apoptosis in human NTUB1 cells through a ROS-dependent mechanism. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 407-14	5.7	21
80	18EGlycyrrhetic acid derivatives induced mitochondrial-mediated apoptosis through reactive oxygen species-mediated p53 activation in NTUB1 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 4274-85	3.4	32
79	Antioxidant xanthone derivatives induce cell cycle arrest and apoptosis and enhance cell death induced by cisplatin in NTUB1 cells associated with ROS. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 1222-31	6.8	32
78	Polymorphisms inside microRNAs and microRNA target sites predict clinical outcomes in prostate cancer patients receiving androgen-deprivation therapy. <i>Clinical Cancer Research</i> , 2011 , 17, 928-36	12.9	56
77	Arsenics and Urothelial Carcinoma 2011 , 51-64		1
76	Clinical outcome of Taiwanese men with clinically localized prostate cancer post-radical prostatectomy: a comparison with other ethnic groups. <i>Aging Male</i> , 2010 , 13, 10-7	2.1	9
75	Ling-Zhi polysaccharides potentiate cytotoxic effects of anticancer drugs against drug-resistant urothelial carcinoma cells. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 8798-805	5.7	39
74	Podocalyxin EBP50 ezrin molecular complex enhances the metastatic potential of renal cell carcinoma through recruiting Rac1 guanine nucleotide exchange factor ARHGEF7. <i>American Journal of Pathology</i> , 2010 , 176, 3050-61	5.8	71
73	Polymorphisms in one-carbon metabolism pathway genes, urinary arsenic profile, and urothelial carcinoma. <i>Cancer Causes and Control</i> , 2010 , 21, 1605-13	2.8	37
72	Transcriptional up-regulation of SOD1 by CEBPD: a potential target for cisplatin resistant human urothelial carcinoma cells. <i>Biochemical Pharmacology</i> , 2010 , 80, 325-34	6	51
71	Xanthine oxidase inhibitory terpenoids of <i>Amentotaxus formosana</i> protect cisplatin-induced cell death by reducing reactive oxygen species (ROS) in normal human urothelial and bladder cancer cells. <i>Phytochemistry</i> , 2010 , 71, 2140-6	4	12
70	Synthesis and biological evaluation of 2,6-dimethoxychalcone derivatives as microtubule-targeted anticancer agents. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 2089-2098	3.4	26

69	Long-term outcome of hand-assisted laparoscopic nephroureterectomy for pathologic T3 upper urinary tract urothelial carcinoma. <i>Journal of Endourology</i> , 2009 , 23, 75-80	2.7	8
68	Arsenic methylation capability, myeloperoxidase and sulfotransferase genetic polymorphisms, and the stage and grade of urothelial carcinoma. <i>Urologia Internationalis</i> , 2009 , 82, 227-34	1.9	9
67	Comparison of 6- and 12-core prostate biopsy in Taiwanese men: impact of total prostate-specific antigen, prostate-specific antigen density and prostate volume on prostate cancer detection. <i>Urologia Internationalis</i> , 2009 , 82, 270-5	1.9	7
66	Choosing the ideal length of a double-pigtail ureteral stent according to body height: study based on a Chinese population. <i>Urologia Internationalis</i> , 2009 , 83, 70-4	1.9	18
65	Ursolic acid derivatives induce cell cycle arrest and apoptosis in NTUB1 cells associated with reactive oxygen species. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 7265-74	3.4	72
64	Characterization of membranous and cytoplasmic EGFR expression in human normal renal cortex and renal cell carcinoma. <i>Journal of Biomedical Science</i> , 2009 , 16, 82	13.3	29
63	Lymphovascular invasion predicts poor outcome of urothelial carcinoma of renal pelvis after nephroureterectomy. <i>BJU International</i> , 2009 , 103, 1047-51	5.6	12
62	Induction cisplatin and fluorouracil-based chemotherapy followed by concurrent chemoradiation for muscle-invasive bladder cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 442-8	4	20
61	Phloroglucinols inhibit chemical mediators and xanthine oxidase, and protect cisplatin-induced cell death by reducing reactive oxygen species in normal human urothelial and bladder cancer cells. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 8782-7	5.7	10
60	Expression of stathmin in localized upper urinary tract urothelial carcinoma: correlations with prognosis. <i>Urology</i> , 2009 , 74, 1264-9	1.6	29
59	Diagnostic value of finger-guided prostate nodule biopsy combined with systemic random biopsy. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 713-8	3.2	4
58	Radical cystectomy in the treatment of bladder cancer: oncological outcome and survival predictors. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 872-8	3.2	8
57	Clinicopathological characteristics and survival outcome of arsenic related bladder cancer in taiwan. <i>Journal of Urology</i> , 2009 , 181, 547-52; discussion 553	2.5	32
56	Systemic therapy for metastatic urothelial carcinoma. <i>BJU International</i> , 2008 , 101, 795-803	5.6	4
55	Urinary 8-hydroxydeoxyguanosine and urothelial carcinoma risk in low arsenic exposure area. <i>Toxicology and Applied Pharmacology</i> , 2008 , 226, 14-21	4.6	61
54	Comparative genomic hybridization study of arsenic-exposed and non-arsenic-exposed urinary transitional cell carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2008 , 227, 229-38	4.6	11
53	Polymorphisms in cell cycle regulatory genes, urinary arsenic profile and urothelial carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2008 , 232, 203-9	4.6	22
52	Primary mucinous adenocarcinoma of renal pelvis with carcinoembryonic antigen production. <i>Urology</i> , 2008 , 71, 984.e7-8	1.6	9

51	Characteristics of female non-muscle-invasive bladder cancer in Taiwan: association with upper tract urothelial carcinoma and end-stage renal disease. <i>Urology</i> , 2008 , 71, 1155-60	1.6	13
50	Clinical outcome of Taiwanese men with metastatic prostate cancer compared with other ethnic groups. <i>Urology</i> , 2008 , 72, 1287-92	1.6	19
49	Acute encephalopathy following arsenic trioxide for metastatic urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2008 , 26, 659-61	2.8	8
48	Plasma folate level, urinary arsenic methylation profiles, and urothelial carcinoma susceptibility. <i>Food and Chemical Toxicology</i> , 2008 , 46, 929-38	4.7	42
47	Arsenic methylation capability, heme oxygenase-1 and NADPH quinone oxidoreductase-1 genetic polymorphisms and the stage and grade of urothelial carcinomas. <i>Urologia Internationalis</i> , 2008 , 80, 405-12	1.9	9
46	Correlation between the urine profile of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone metabolites and N7-methylguanine in urothelial carcinoma patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3390-5	4	17
45	Comparison between hand-assisted laparoscopic and retroperitoneoscopic nephroureterectomy for the management of upper urinary tract urothelial carcinoma: analysis of an intermediate follow-up period. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008 , 18, 49-53	1.3	5
44	Androgen receptor gene polymorphism may affect the risk of urothelial carcinoma. <i>Journal of Biomedical Science</i> , 2008 , 15, 261-9	13.3	10
43	Long-term outcome of hand-assisted laparoscopic radical nephroureterectomy for upper-tract urothelial carcinoma: comparison with open surgery. <i>Journal of Endourology</i> , 2007 , 21, 595-9	2.7	28
42	Phase II trial of weekly paclitaxel, cisplatin plus infusional high dose 5-fluorouracil and leucovorin for metastatic urothelial carcinoma. <i>Journal of Urology</i> , 2007 , 177, 84-9; discussion 89	2.5	24
41	Stopping smoking might reduce tumour recurrence in nonmuscle-invasive bladder cancer. <i>BJU International</i> , 2007 , 100, 281-6; discussion 286	5.6	76
40	Clinical and pathological data of 10 malignant pheochromocytomas: long-term follow up in a single institute. <i>International Journal of Urology</i> , 2007 , 14, 181-5	2.3	26
39	Urinary arsenic profile affects the risk of urothelial carcinoma even at low arsenic exposure. <i>Toxicology and Applied Pharmacology</i> , 2007 , 218, 99-106	4.6	107
38	CKD as a risk factor for bladder recurrence after nephroureterectomy for upper urinary tract urothelial carcinoma. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 743-53	7.4	44
37	8-Oxoguanine DNA glycosylase and MutY homolog are involved in the incision of arsenite-induced DNA adducts. <i>Toxicological Sciences</i> , 2007 , 95, 376-82	4.4	12
36	Prognostic significance of p53 and X-ray repair cross-complementing group 1 polymorphisms on prostate-specific antigen recurrence in prostate cancer post radical prostatectomy. <i>Clinical Cancer Research</i> , 2007 , 13, 6632-8	12.9	29
35	Gemcitabine and ifosfamide as a second-line treatment for cisplatin-refractory metastatic urothelial carcinoma: a phase II study. <i>Anti-Cancer Drugs</i> , 2007 , 18, 487-91	2.4	29
34	Prognostic factors for metastatic urothelial carcinoma treated with cisplatin and 5-fluorouracil-based regimens. <i>Urology</i> , 2007 , 69, 479-84	1.6	22

33	Long-term follow-up of hand-assisted laparoscopic radical nephrectomy for organ-confined renal cell carcinoma. <i>Urology</i> , 2007 , 69, 652-5	1.6	20
32	Intermediate follow-up of hand-assisted retroperitoneoscopic nephroureterectomy for management of upper urinary tract urothelial carcinoma: comparison with open nephroureterectomy. <i>Urology</i> , 2007 , 69, 1030-4	1.6	14
31	Weekly paclitaxel and high-dose 5-fluorouracil plus leucovorin in hormone-refractory prostate cancer: in vitro combined effects and a phase II trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007 , 25, 207-13	2.8	2
30	Set-up errors due to endorectal balloon positioning in intensity modulated radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2007 , 84, 177-84	5.3	17
29	Major complications and associated risk factors of transrectal ultrasound guided prostate needle biopsy: a retrospective study of 1875 cases in taiwan. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 929-34	3.2	56
28	Epidermal growth factor receptor inhibitor (PD168393) potentiates cytotoxic effects of paclitaxel against androgen-independent prostate cancer cells. <i>Biochemical Pharmacology</i> , 2006 , 71, 751-60	6	33
27	Weekly cisplatin plus infusional high-dose 5-fluorouracil and leucovorin (P-HDFL) for metastatic urothelial carcinoma: an effective regimen with low toxicity. <i>Cancer</i> , 2006 , 106, 1269-75	6.4	22
26	Association of vitamin D receptor FokI polymorphism with prostate cancer risk, clinicopathological features and recurrence of prostate specific antigen after radical prostatectomy. <i>International Journal of Cancer</i> , 2006 , 119, 1902-7	7.5	45
25	High incidence of and risk factors for metachronous bilateral upper tract urothelial carcinoma in Taiwan. <i>International Journal of Urology</i> , 2006 , 13, 864-9	2.3	18
24	Differential expression of molecular markers in arsenic- and non-arsenic-related urothelial cancer. <i>Anticancer Research</i> , 2006 , 26, 375-8	2.3	5
23	Resistance to paclitaxel is proportional to cellular total antioxidant capacity. <i>Cancer Research</i> , 2005 , 65, 8455-60	10.1	226
22	Changing trends of prostate cancer in Asia. <i>Aging Male</i> , 2004 , 7, 120-32	2.1	94
21	Negative modulation of androgen receptor transcriptional activity by Daxx. <i>Molecular and Cellular Biology</i> , 2004 , 24, 10529-41	4.8	94
20	RBMV, a male germ cell-specific RNA-binding protein, activated in human liver cancers and transforms rodent fibroblasts. <i>Oncogene</i> , 2004 , 23, 5815-22	9.2	33
19	Interleukin-6 is responsible for drug resistance and anti-apoptotic effects in prostatic cancer cells. <i>Prostate</i> , 2004 , 60, 120-9	4.2	70
18	Characterization of molecular events in a series of bladder urothelial carcinoma cell lines with progressive resistance to arsenic trioxide. <i>Anti-Cancer Drugs</i> , 2004 , 15, 779-85	2.4	22
17	Curcumin enhances cytotoxicity of chemotherapeutic agents in prostate cancer cells by inducing p21(WAF1/CIP1) and C/EBPbeta expressions and suppressing NF-kappaB activation. <i>Prostate</i> , 2002 , 51, 211-8	4.2	108
16	Arsenic trioxide as a novel anticancer agent against human transitional carcinoma--characterizing its apoptotic pathway. <i>Anti-Cancer Drugs</i> , 2002 , 13, 293-300	2.4	35

15	Enhanced suppression of prostate tumor growth by combining C-CAM1 gene therapy and angiogenesis inhibitor TNP-470. <i>Anti-Cancer Drugs</i> , 2002 , 13, 743-9	2.4	3
14	Cytotoxicity of arsenic trioxide to transitional carcinoma cells. <i>Urology</i> , 2002 , 60, 346-50	1.6	23
13	CROSS-RESISTANCE AND COMBINED CYTOTOXIC EFFECTS OF PACLITAXEL AND CISPLATIN IN BLADDER CANCER CELLS. <i>Journal of Urology</i> , 2001 , 165, 2082-2085	2.5	12
12	Cross-resistance and combined cytotoxic effects of paclitaxel and cisplatin in bladder cancer cells. <i>Journal of Urology</i> , 2001 , 165, 2082-5	2.5	5
11	Prostate cancer in Taiwan: epidemiology and risk factors. <i>Journal of Developmental and Physical Disabilities</i> , 2000 , 23 Suppl 2, 34-6		38
10	Expression and androgen regulation of C-CAM cell adhesion molecule isoforms in rat dorsal and ventral prostate. <i>Oncogene</i> , 1999 , 18, 3252-60	9.2	6
9	Risk factors for prostate carcinoma in Taiwan. <i>Cancer</i> , 1999 , 86, 484-491	6.4	69
8	Differential expression of C-CAM cell adhesion molecule in prostate carcinogenesis in a transgenic mouse model. <i>Journal of Urology</i> , 1999 , 162, 892-6	2.5	28
7	Antiandrogen hepatotoxicity in patients with chronic viral hepatitis. <i>European Urology</i> , 1999 , 36, 293-7	10.2	19
6	Megestrol acetate antagonizes cisplatin cytotoxicity. <i>Anti-Cancer Drugs</i> , 1998 , 9, 733-8	2.4	3
5	Expression of MDR-1 Gene in Transitional Cell Carcinoma and its Correlation with Chemotherapy Response. <i>Journal of Urology</i> , 1996 , 156, 271-275	2.5	26
4	Quantitative analysis of messenger ribonucleic acid encoding natriuretic peptide receptors in aldosterone-producing adenoma. <i>Molecular and Cellular Endocrinology</i> , 1995 , 111, 139-46	4.4	2
3	Tamoxifen Enhances the Chemosensitivity of Bladder Carcinoma Cells. <i>Journal of Urology</i> , 1995 , 154, 601-605	2.5	27
2	Expressions of E-Cadherin and Exon V6-Containing Isoforms of CD44 and their Prognostic Values in Human Transitional Cell Carcinoma. <i>Journal of Urology</i> , 1995 , 153, 2025-2028	2.5	47
1	Correlation of expression of CD44 isoforms and E-cadherin with differentiation in human urothelial cell lines and transitional cell carcinoma. <i>Cancer Letters</i> , 1995 , 89, 81-7	9.9	26