

Maria ClÁudia M Young

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3765188/publications.pdf>

Version: 2024-02-01

125
papers

4,035
citations

101384
36
h-index

149479
56
g-index

130
all docs

130
docs citations

130
times ranked

4606
citing authors

#	ARTICLE	IF	CITATIONS
1	Acetylcholinesterase inhibition and antifungal activity of cyclohexanoids from the endophytic fungus <i>Saccharicola</i> sp.. <i>Phytochemistry Letters</i> , 2020, 39, 116-123.	0.6	14
2	The new koninginins T-U from <i>Phomopsis stipata</i> , an endophytic fungus isolated from <i>Styrax camporum</i> Pohl. <i>Phytochemistry Letters</i> , 2020, 36, 106-110.	0.6	8
3	Hedyosulide, a novel trypanosomicidal sesterterpene lactone from <i>Hedyosmum brasiliense</i> Mart. ex Miq. <i>Phytochemistry Letters</i> , 2019, 33, 6-11.	0.6	7
4	Chemical composition and biological properties of <i>Ipomoea procumbens</i> . <i>Revista Brasileira De Farmacognosia</i> , 2019, 29, 191-197.	0.6	7
5	Diketopiperazines and arylethylamides produced by <i>Schizophyllum commune</i> , an endophytic fungus in <i>Alchornea glandulosa</i> . <i>Ecletica Quimica</i> , 2019, 44, 36-42.	0.2	4
6	Acetylenic fatty acids from <i>Porcelia macrocarpa</i> (Annonaceae) against trypomastigotes of <i>Trypanosoma cruzi</i> : Effect of octadec-9-yneic acid in plasma membrane electric potential. <i>Bioorganic Chemistry</i> , 2018, 78, 307-311.	2.0	23
7	Chemical composition and biological activities of <i>< i>Guatteria elliptica</i></i> R. E. Fries (Annonaceae) essential oils. <i>Journal of Essential Oil Research</i> , 2018, 30, 69-76.	1.3	7
8	Griseofulvin, Diketopiperazines and Cytochalasins from Endophytic Fungi <i>Colletotrichum crassipes</i> and <i>Xylaria</i> sp., and Their Antifungal, Antioxidant and Anticholinesterase Activities. <i>Journal of the Brazilian Chemical Society</i> , 2018, ,.	0.6	3
9	Antifungal piperamides from <i>Piper mollicomum</i> Kunth (Piperaceae). <i>Ecletica Quimica</i> , 2018, 43, 33.	0.2	6
10	Lactone Derivatives Produced by a <i>< i>Phaeoacremonium</i></i> sp., an Endophytic Fungus from <i>< i>Senna spectabilis</i></i> . <i>Journal of Natural Products</i> , 2017, 80, 1674-1678.	1.5	26
11	Chemical Composition, Antifungal and Antioxidant Activities of <i>Hedyosmum brasiliense</i> Mart. ex Miq. (Chloranthaceae) Essential Oils. <i>Medicines (Basel, Switzerland)</i> , 2017, 4, 55.	0.7	12
12	Chemical Composition and <i>< i>in Vitro</i></i> Biological Activities of Essential Oils from <i>< i>Conchocarpus</i></i> <i>&lt;i>fontanesianus</i></i> (A. <i>< scp>St</scp></i> . <i>&lt; scp>Hil</scp></i> .) <i>< scp>Kallunki</scp></i> & <i>< scp>Pirani</scp></i> (Rutaceae). <i>Chemistry and Biodiversity</i> , 2016, 13, 1273-1280.	1.0	7
13	Targeted Isolation of Indolopyridoquinazoline Alkaloids from <i>< i>Conchocarpus fontanesianus</i></i> Based on Molecular Networks. <i>Journal of Natural Products</i> , 2016, 79, 2270-2278.	1.5	34
14	Rearranged Sesquiterpenes and Branched Polyketides Produced by the Endophyte <i>Camarops</i> sp.. <i>Phytochemistry Letters</i> , 2016, 17, 251-257.	0.6	12
15	Antistaphylococcal Prenylated Acylphoroglucinol and Xanthones from <i>< i>Kielmeyera variabilis</i></i> . <i>Journal of Natural Products</i> , 2016, 79, 470-476.	1.5	20
16	The Genus <i>Psychotria</i> : Phytochemistry, Chemotaxonomy, Ethnopharmacology and Biological Properties. <i>Journal of the Brazilian Chemical Society</i> , 2016, ,.	0.6	12
17	The Invisible Beauty of the Biodiversity: The Rubiaceae Taxon. <i>Revista Virtual De Quimica</i> , 2016, 8, .	0.1	1
18	Rearranged sesquiterpenes produced by <i>Camarops</i> sp. an endophytic fungus in <i>Alibertia macrophylla</i> (Rubiaceae). <i>Planta Medica</i> , 2016, 81, S1-S381.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Two new compounds produced by <i>Xylaria</i> sp. an endophytic fungus from <i>Casearia sylvestris</i> (Flacourtiaceae). <i>Planta Medica</i> , 2016, 81, S1-S381.	0.7	0
20	Antibacterial, antifungal and cytotoxic activities exhibited by endophytic fungi from the Brazilian marine red alga <i>Bostrychia tenella</i> (Ceramiales). <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 641-650.	0.6	53
21	Evaluation of acetylcholinesterase inhibitory activity of Brazilian red macroalgae organic extracts. <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 657-662.	0.6	35
22	Antifungal potential of <i>Avicennia schaueriana</i> Staph & Leech. (Acanthaceae) against <i>Cladosporium</i> and <i>Colletotrichum</i> species. <i>Letters in Applied Microbiology</i> , 2015, 61, 50-57.	1.0	17
23	Chemical characterization of the volatile compounds of the flowers of <i>Bidens segetum</i> Martius ex Colla (Asteraceae). <i>Journal of Essential Oil Research</i> , 2015, 27, 70-75.	1.3	2
24	Differentiation of two <i>Porophyllum ruderale</i> (Jacq.) Cass. subspecies by the essential oil composition. <i>Journal of Essential Oil Research</i> , 2015, 27, 30-33.	1.3	4
25	Bioactive Secondary Metabolites from <i>Phomopsis</i> sp., an Endophytic Fungus from <i>Senna spectabilis</i> . <i>Molecules</i> , 2014, 19, 6597-6608.	1.7	49
26	Antifungal Compounds Produced by <i>Colletotrichum gloeosporioides</i> , an Endophytic Fungus from <i>Michelia champaca</i> . <i>Molecules</i> , 2014, 19, 19243-19252.	1.7	64
27	Comparative chemical analysis and antifungal activity of <i>Ochtodes secundiramea</i> (Rhodophyta) extracts obtained using different biomass processing methods. <i>Journal of Applied Phycology</i> , 2014, 26, 2029-2035.	1.5	8
28	Antifungal and Cytotoxic 2-Acylcyclohexane-1,3-diones from <i>Peperomia alata</i> and <i>P. trineura</i> . <i>Journal of Natural Products</i> , 2014, 77, 1377-1382.	1.5	14
29	Chemical Composition and Antimicrobial Activity of Essential Oils from <i>Chromolaena laevigata</i> during Flowering and Fruiting Stages. <i>Chemistry and Biodiversity</i> , 2013, 10, 621-627.	1.0	16
30	Antifungal Constituents from the Roots of <i>Piper dilatatum</i> Rich.. <i>Journal of Chemistry</i> , 2013, 2013, 1-5.	0.9	4
31	A new minor dimmeric ester from seeds of <i>Cassia fistula</i> L. (Leguminosae). <i>Natural Product Research</i> , 2012, 26, 36-41.	1.0	7
32	Secondary metabolites isolated from <i>Piper chimonanthifolium</i> and their antifungal activity. <i>Natural Product Research</i> , 2012, 26, 770-773.	1.0	10
33	Pyridine Alkaloids from <i>Senna multijuga</i> As Acetylcholinesterase Inhibitors. <i>Journal of Natural Products</i> , 2012, 75, 408-413.	1.5	23
34	Anticholinesterase activity evaluation of alkaloids and coumarin from stems of <i>Conchocarpus fontanesianus</i> . <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 374-380.	0.6	22
35	Sesquiterpenos produzidos pelo fungo endofítico <i>Phomopsis cassiae</i> com atividade antifúngica e inibidora de acetilcolinesterase. <i>Química Nova</i> , 2012, 35, 2233-2236.	0.3	4
36	Trypanocidal activity of Brazilian plants against epimastigote forms from Y and Bolivia strains of <i>Trypanosoma cruzi</i> . <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 528-534.	0.6	10

#	ARTICLE	IF	CITATIONS
37	Effects of ($\hat{\alpha}$) mammea A/BB isolated from <i>Calophyllum brasiliense</i> leaves and derivatives on mitochondrial membrane of <i>Leishmania amazonensis</i> . <i>Phytomedicine</i> , 2012, 19, 223-230.	2.3	37
38	Isoswertisin flavones and other constituents from <i>Peperomia obtusifolia</i> . <i>Natural Product Research</i> , 2011, 25, 1-7.	1.0	20
39	Antifungal activity of <i>Piper diospyrifolium</i> Kunth (Piperaceae) essential oil. <i>Brazilian Journal of Microbiology</i> , 2011, 42, 1001-1006.	0.8	11
40	Chemical Profile and Biological Potential of Non-Polar Fractions from <i>Centroceras clavulatum</i> (C.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 E	1.7	18
41	Interconverting flavanone glucosides and other phenolic compounds in <i>Lippia salviaefolia</i> Cham. ethanol extracts. <i>Phytochemistry</i> , 2011, 72, 2052-2061.	1.4	33
42	Dihydroisocoumarins produced by <i>Xylaria</i> sp. and <i>Penicillium</i> sp., endophytic fungi associated with <i>Piper aduncum</i> and <i>Alibertia macrophylla</i> . <i>Phytochemistry Letters</i> , 2011, 4, 93-96.	0.6	60
43	Antifungal activity of <i>Piper diospyrifolium</i> Kunth (Piperaceae) essential oil. <i>Brazilian Journal of Microbiology</i> , 2011, 42, 1001-6.	0.8	6
44	Chemical composition and acetylcholinesterase inhibitory activity of essential oils of <i>Myrceugenia myrcioides</i> (Cambess.) O. Berg and <i>Eugenia riedeliana</i> O. Berg, Myrtaceae. <i>Revista Brasileira De Farmacognosia</i> , 2010, 20, 175-179.	0.6	19
45	Sesquiterpenes from <i>Xylaria</i> sp., an endophytic fungus associated with <i>Piper aduncum</i> (Piperaceae). <i>Phytochemistry Letters</i> , 2010, 3, 164-167.	0.6	68
46	Trypanocidal, leishmanicidal and antifungal potential from marine red alga <i>Bostrychia tenella</i> J. Agardh (Rhodomelaceae, Ceramiales). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 52, 763-769.	1.4	68
47	Citocalasinas produzidas por <i>Xylaria</i> sp., um fungo endofítico de <i>Piper aduncum</i> (piperaceae). <i>Química Nova</i> , 2010, 33, 2038-2041.	0.3	16
48	Alkaloids from Stems of <i>Esenbeckia leiocarpa</i> Engl. (Rutaceae) as Potential Treatment for Alzheimer Disease. <i>Molecules</i> , 2010, 15, 9205-9213.	1.7	65
49	Antifungal activity of natural and synthetic amides from <i>Piper</i> species. <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 1807-1813.	0.6	33
50	Chemical Composition and Antifungal Activity of Essential Oil from Brazilian Propolis. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2010, 13, 633-637.	0.7	18
51	Anti-inflammatory activity of essential oil from leaves of <i>Myrciaria tenella</i> and <i>Calycorectes sellowianus</i> . <i>Pharmaceutical Biology</i> , 2010, 48, 433-438.	1.3	34
52	Acetylcholinesterase Inhibitory Pyridine Alkaloids of the Leaves of <i>Senna multijuga</i> . <i>Journal of Natural Products</i> , 2010, 73, 482-484.	1.5	16
53	Spectaline, cassine and semi-synthetic analogues as potential candidate drugs for the treatment of Alzheimer disease. <i>Revista Virtual De Química</i> , 2010, 2, .	0.1	2
54	Isolamento e avaliação da atividade biológica dos alcalóides majoritários de <i>Tabernaemontana angulata</i> Mart. ex Miquill. Arg., Apocynaceae. <i>Revista Brasileira De Farmacognosia</i> , 2009, 19, 626-631.	0.6	7

#	ARTICLE	IF	CITATIONS
55	Chemical Composition and Antimicrobial Properties of <i>Piper ovatum</i> Vahl. <i>Molecules</i> , 2009, 14, 1171-1182.	1.7	36
56	Chemical Composition and Antimicrobial Activity of the Essential Oil from <i>< i> Croton heterocalyx </i></i> Baill. (Euphorbiaceae s.s.) Leaves. <i>Journal of Essential Oil Research</i> , 2009, 21, 190-192.	1.3	16
57	Constituents of Leaves Essential Oil of <i>Talauma ovata</i> A. St.-Hil. (Magnoliaceae). <i>Journal of Essential Oil Research</i> , 2009, 21, 52-53.	1.3	7
58	QUANTITATIVE AND QUALITATIVE ANALYSIS OF (-) MAMMEA A/BB COUMARIN IN EXTRACTS OF <i>< i> CALOPHYLLUM BRASILIENSE </i></i> CAMBESS (CLUSIACEAE) BY HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2009, 33, 283-295.	0.5	5
59	Prenylated benzoic acid derivatives from <i>Piper aduncum</i> L. and <i>P. hostmannianum</i> C. DC. (Piperaceae). <i>Phytochemistry Letters</i> , 2009, 2, 96-98.	0.6	22
60	Caldensinic acid, a prenylated benzoic acid from <i>Piper caldense</i> . <i>Phytochemistry Letters</i> , 2009, 2, 119-122.	0.6	8
61	Cytotoxic Guanidine Alkaloids from <i>Pterogyne nitens</i> . <i>Journal of Natural Products</i> , 2009, 72, 473-476.	1.5	40
62	Chemical Composition and Antimicrobial Activities of the Essential Oil of <i>Hypericum cordatum</i> (Vell.). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.3	
63	Flavonols from <i>Pterogyne nitens</i> and their evaluation as myeloperoxidase inhibitors. <i>Phytochemistry</i> , 2008, 69, 1739-1744.	1.4	67
64	Structure-activity relationship of ($\hat{\alpha}$) mammea A/BB derivatives against <i>Leishmania amazonensis</i> . <i>Biomedicine and Pharmacotherapy</i> , 2008, 62, 651-658.	2.5	40
65	Constituintes químicos das flores de <i>Pterogyne nitens</i> (Caesalpinoideae). <i>Química Nova</i> , 2008, 31, 802-806.	0.3	24
66	Indole monoterpenoid alkaloids from <i>Chimarrhis turbinata</i> DC Prodr.: a contribution to the chemotaxonomic studies of the Rubiaceae family. <i>Revista Brasileira De Farmacognosia</i> , 2008, 18, .	0.6	14
67	Saponinas antifúngicas de <i>Swartzia langsdorffii</i> . <i>Química Nova</i> , 2008, 31, 828-831.	0.3	8
68	Evaluation of Antifungal and DNA-Damaging Activities of Alkaloids from Branches of <i>Porcelia macrocarpa</i> . <i>Planta Medica</i> , 2007, 73, 292-295.	0.7	35
69	Antifungal Amides from <i>< i> Piper scutifolium </i></i> and <i>< i> Piper hoffmanseggianum </i></i> . <i>Journal of Natural Products</i> , 2007, 70, 2036-2039.	1.5	53
70	Antifungal derivatives from <i>Piper mollicomum</i> and <i>P. lhotzkyanum</i> (Piperaceae). <i>Química Nova</i> , 2007, 30, 1222-1224.	0.3	19
71	Essential oil composition of fruit colour varieties of <i>Eugenia brasiliensis</i> Lam.. <i>Scientia Agricola</i> , 2007, 64, 428-432.	0.6	28
72	Antileishmanial activity of crude extract and coumarin from <i>Calophyllum brasiliense</i> leaves against <i>Leishmania amazonensis</i> . <i>Parasitology Research</i> , 2007, 101, 715-722.	0.6	78

#	ARTICLE	IF	CITATIONS
73	Oleanane and Taraxerane Glycosides from the Roots of <i>Comphrenamacrocephala</i> . <i>Journal of Natural Products</i> , 2006, 69, 1606-1610.	1.5	16
74	Composition and antifungal activity of essential oils from <i>Piper aduncum</i> , <i>Piper arboreum</i> and <i>Piper tuberculatum</i> . <i>Quimica Nova</i> , 2006, 29, 467-470.	0.3	76
75	Aspectos químicos, biológicos e etnofarmacológicos do gênero Cassia. <i>Quimica Nova</i> , 2006, 29, 1279-1286.	0.3	36
76	New Oleanane Glycosides from the Roots of < i>Comphrena macrocephala</i>. <i>Natural Product Communications</i> , 2006, 1, 1934578X0600100.	0.2	0
77	Cadinane sesquiterpenoids of <i>Phomopsis cassiae</i> , an endophytic fungus associated with <i>Cassia spectabilis</i> (Leguminosae). <i>Phytochemistry</i> , 2006, 67, 1964-1969.	1.4	122
78	Chromenes from <i>Peperomia serpens</i> (Sw.) Loudon (Piperaceae). <i>Phytochemistry</i> , 2006, 67, 2398-2402.	1.4	62
79	Aromatic compounds produced by <i>Periconia atropurpurea</i> , an endophytic fungus associated with <i>Xylopia aromatica</i> . <i>Phytochemistry</i> , 2006, 67, 2686-2690.	1.4	59
80	Antifungal metabolites from <i>Colletotrichum gloeosporioides</i> , an endophytic fungus in <i>Cryptocarya mandiocana</i> Nees (Lauraceae). <i>Biochemical Systematics and Ecology</i> , 2006, 34, 822-824.	0.6	36
81	Chromenes of polyketide origin from <i>Peperomia villipetiola</i> . <i>Phytochemistry</i> , 2005, 66, 573-579.	1.4	34
82	Benzopyrans from <i>Curvularia</i> sp., an endophytic fungus associated with <i>Ocotea corymbosa</i> (Lauraceae). <i>Phytochemistry</i> , 2005, 66, 2363-2367.	1.4	46
83	Phenylpropanoid glucosides from leaves of <i>Coussarea hydrangeifolia</i> (Rubiaceae). <i>Phytochemistry</i> , 2005, 66, 1927-1932.	1.4	39
84	New selective acetylcholinesterase inhibitors designed from natural piperidine alkaloids. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 4184-4190.	1.4	48
85	Saponinas triterpenicas de <i>Tocoyena brasiliensis</i> Mart. (Rubiaceae). <i>Quimica Nova</i> , 2005, 28, 601-604.	0.3	8
86	Antifungal piperolides from <i>Piper malacophyllum</i> (Prels) C. DC.. <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 153-156.	0.6	25
87	Substâncias antifúngicas de <i>Xylaria</i> sp., um fungo endofítico isolado de <i>Palicourea marcgravii</i> (Rubiaceae). <i>Quimica Nova</i> , 2005, 28, 991-995.	0.3	44
88	Electrospray ionization mass spectrometry screening of piperidine alkaloids from <i>Senna spectabilis</i> (Fabaceae) extracts: fast identification of new constituents and co-metabolites. <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 1431-1438.	0.6	31
89	New bioactive metabolites produced by <i>Phomopsis cassiae</i> , an endophytic fungus in <i>Cassia spectabilis</i> . <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 1463-1466.	0.6	56
90	Cytotoxic lignans from the stems of < i>Styrax camporum</i> (Styracaceae). <i>Natural Product Research</i> , 2005, 19, 319-323.	1.0	49

#	ARTICLE	IF	CITATIONS
91	Biological Activities of Constituents from <i>Psychotria spectabilis</i> . <i>Pharmaceutical Biology</i> , 2005, 42, 565-569.	1.3	18
92	Flavonoids from <i>Chiococca braquiata</i> (Rubiaceae). <i>Journal of the Brazilian Chemical Society</i> , 2004, 15, 468-471.	0.6	12
93	Determinação por RMN das configurações relativas e conformações de alcaloides oxindólicos isolados de <i>Uncaria guianensis</i> . <i>Química Nova</i> , 2004, 27, 878-881.	0.3	11
94	Screening of Brazilian plants for antimicrobial and DNA damaging activities: I. Atlantic rain forest . Ecological station Juraci-Itatins. <i>Biota Neotropica</i> , 2004, 4, 1-15.	0.2	16
95	Further Bioactive Piperidine Alkaloids from the Flowers and Green Fruits of <i>Cassia spectabilis</i> . <i>Journal of Natural Products</i> , 2004, 67, 908-910.	1.5	104
96	Benzoic Acid Derivatives from <i>Piper</i> Species and Their Fungitoxic Activity against <i>Cladosporium cladosporioides</i> and <i>C. sphaerospermum</i> . <i>Journal of Natural Products</i> , 2004, 67, 1783-1788.	1.5	166
97	secoiridoids from <i>Calycophyllum spruceanum</i> (Rubiaceae). <i>Phytochemistry</i> , 2003, 64, 549-553.	1.4	26
98	Antifungal flavanones and prenylated hydroquinones from <i>Piper crassinervium</i> Kunth. <i>Phytochemistry</i> , 2003, 64, 555-559.	1.4	96
99	New Antioxidant C-Glucosylxanthones from the Stems of <i>Arrabidaea samydoides</i> . <i>Journal of Natural Products</i> , 2003, 66, 1384-1387.	1.5	53
100	Turbinatine, a Potential Key Intermediate in the Biosynthesis of Corynanthean-Type Indole Alkaloids. <i>Journal of Natural Products</i> , 2003, 66, 1017-1021.	1.5	25
101	Constituintes químicos de <i>Arrabidaea samydoides</i> (Bignoniaceae). <i>Química Nova</i> , 2003, 26, 641-643.	0.3	22
102	Antifungal aromadendrane sesquiterpenoids from the leaves of <i>Xylopia brasiliensis</i> . <i>Journal of the Brazilian Chemical Society</i> , 2003, 14, 828-831.	0.6	62
103	Antibacterial xanthones from <i>Kielmeyera variabilis</i> Mart. (Clusiaceae). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003, 98, 549-552.	0.8	18
104	Estudo fitoquímico e avaliação da atividade moluscicida da <i>Kielmeyera variabilis</i> Mart (Clusiaceae). <i>Química Nova</i> , 2003, 26, 157-160.	0.3	13
105	Foliar epicuticular wax of <i>Arrabidaea brachypoda</i> : flavonoids and antifungal activity. <i>Biochemical Systematics and Ecology</i> , 2002, 30, 677-683.	0.6	76
106	Antifungal amides from <i>Piper arboreum</i> and <i>Piper tuberculatum</i> . <i>Phytochemistry</i> , 2002, 59, 521-527.	1.4	129
107	Antifungal polysulphides from <i>Petiveria alliacea</i> L.. <i>Phytochemistry</i> , 2001, 57, 743-747.	1.4	59
108	New tetra-acetylated oligosaccharide diterpene from <i>Cupania vernalis</i> . <i>Journal of the Brazilian Chemical Society</i> , 2001, 12, 413-416.	0.6	9

#	ARTICLE	IF	CITATIONS
109	nor-Lignans from the leaves of <i>Styrax ferrugineus</i> (Styracaceae) with antibacterial and antifungal activity. <i>Phytochemistry</i> , 2000, 55, 597-601.	1.4	95
110	Antifungal amides from <i>Piper hispidum</i> and <i>Piper tuberculatum</i> . <i>Phytochemistry</i> , 2000, 55, 621-626.	1.4	185
111	Iridoid and seco-iridoid glucosides from <i>Chioccoca alba</i> (Rubiaceae). <i>Phytochemistry</i> , 1999, 51, 781-785.	1.4	23
112	A chromene and prenylated benzoic acid from <i>Piper aduncum</i> . <i>Phytochemistry</i> , 1999, 51, 899-902.	1.4	76
113	Xanthones, triterpenes and a biphenyl from <i>Kielmeyera coriacea</i> . <i>Phytochemistry</i> , 1998, 47, 1367-1374.	1.4	66
114	Acetylated DNA-damaging clerodane diterpenes from <i>Casearia sylvestris</i> Part 3 in the series "Search for bioactive compounds from Brazilian plant species". For part 2 see [2]. Based on the M.Sc. thesis submitted by P.R.F. de C. to Universidade Estadual Paulista (1997). Sponsored by CNPq. <i>Phytochemistry</i> , 1998, 49, 1659-1662.	1.4	67
115	Antifungal Amide from Leaves of <i>Piper hispidum</i> . <i>Journal of Natural Products</i> , 1998, 61, 637-639.	1.5	75
116	¹³ C NMR analysis of monodesmosidic saponins from <i>Gomphrena macrocephala</i> . <i>Phytochemistry</i> , 1997, 46, 1267-1270.	1.4	17
117	Antifungal Iridoids from the Stems of <i>Tocoyena formosa</i> . <i>Journal of the Brazilian Chemical Society</i> , 1996, 7, 157-160.	0.6	4
118	Steroidal prosapogenins from <i>Dioscorea olfersiana</i> . <i>Phytochemistry</i> , 1994, 36, 1005-1008.	1.4	15
119	Oligostilbenoids from <i>Gnetum venosum</i> . <i>Phytochemistry</i> , 1993, 34, 1403-1407.	1.4	23
120	Fungitoxic non-glycosidic iridoids from <i>Alibertia macrophylla</i> . <i>Phytochemistry</i> , 1992, 31, 3433-3435.	1.4	24
121	Caffeic acid esters and triterpenes of <i>Alibertia macrophylla</i> . <i>Phytochemistry</i> , 1991, 30, 2089-2091.	1.4	31
122	Phytoalexin induction in rubiaceae. <i>Journal of Chemical Ecology</i> , 1991, 17, 1079-1090.	0.9	16
123	Phytoalexin induction in plants of tropical environment. <i>Biochemical Systematics and Ecology</i> , 1986, 14, 507-514.	0.6	15
124	Screening for antifungal, DNA-damaging and anticholinesterasic activities of Brazilian plants from the Atlantic Rainforest: Ilha do Cardoso State Park. <i>Revista Brasileira De Farmacognosia</i> , 0, 18, 655-660.	0.6	16
125	Cyclo-(TRP-PHE) diketopiperazines from the endophytic fungus <i>Aspergillus versicolor</i> isolated from <i>Piper aduncum</i> . <i>Quimica Nova</i> , 0, . .	0.3	3