

# Yuichi Sekine

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3765648/publications.pdf>

Version: 2024-02-01

85  
papers

2,478  
citations

172207

29  
h-index

233125

45  
g-index

89  
all docs

89  
docs citations

89  
times ranked

3253  
citing authors

#	ARTICLE	IF	CITATIONS
1	A pyridinium-type fullerene derivative suppresses primary effusion lymphoma cell viability via the downregulation of the Wnt signaling pathway through the destabilization of $\beta$ -catenin. <i>Oncology Reports</i> , 2022, 47, .	1.2	2
2	A novel intramolecular negative regulation of mouse Jak3 activity by tyrosine 820. <i>International Immunology</i> , 2022, .	1.8	3
3	Rabphilin3A reduces integrin-dependent growth cone signaling to restrict axon regeneration after trauma. <i>Experimental Neurology</i> , 2022, 353, 114070.	2.0	5
4	STAP-2 Is a Novel Positive Regulator of TCR-Proximal Signals. <i>Journal of Immunology</i> , 2022, 209, 57-68.	0.4	6
5	Optic nerve regeneration screen identifies multiple genes restricting adult neural repair. <i>Cell Reports</i> , 2021, 34, 108777.	2.9	34
6	Kaposi's Sarcoma-Associated Herpesvirus ORF7 Is Essential for Virus Production. <i>Microorganisms</i> , 2021, 9, 1169.	1.6	7
7	A proteolytic C-terminal fragment of Nogo-A (reticulon-4A) is released in exosomes and potently inhibits axon regeneration. <i>Journal of Biological Chemistry</i> , 2020, 295, 2175-2183.	1.6	23
8	UBE1a Suppresses Herpes Simplex Virus-1 Replication. <i>Viruses</i> , 2020, 12, 1391.	1.5	3
9	The stress-responsive gene <i>GDPGP1/mcp-1</i> regulates neuronal glycogen metabolism and survival. <i>Journal of Cell Biology</i> , 2020, 219, .	2.3	11
10	Limiting Neuronal Nogo Receptor 1 Signaling during Experimental Autoimmune Encephalomyelitis Preserves Axonal Transport and Abrogates Inflammatory Demyelination. <i>Journal of Neuroscience</i> , 2019, 39, 5562-5580.	1.7	16
11	STAP-2 positively regulates Fc $\gamma$ RI-mediated basophil activation and basophil-dependent allergic inflammatory reactions. <i>International Immunology</i> , 2019, 31, 349-356.	1.8	8
12	Plexina2 and CRMP2 Signaling Complex Is Activated by Nogo-A-Liganded Ngr1 to Restrict Corticospinal Axon Sprouting after Trauma. <i>Journal of Neuroscience</i> , 2019, 39, 3204-3216.	1.7	23
13	The nociceptin receptor inhibits axonal regeneration and recovery from spinal cord injury. <i>Science Signaling</i> , 2018, 11, .	1.6	21
14	Functional Genome-wide Screen Identifies Pathways Restricting Central Nervous System Axonal Regeneration. <i>Cell Reports</i> , 2018, 23, 415-428.	2.9	43
15	Human neuroepithelial stem cell regional specificity enables spinal cord repair through a relay circuit. <i>Nature Communications</i> , 2018, 9, 3419.	5.8	60
16	STAP-2 interacts with Pyk2 and enhances Pyk2 activity in T-cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 488, 81-87.	1.0	11
17	STAP-2 protein promotes prostate cancer growth by enhancing epidermal growth factor receptor stabilization. <i>Journal of Biological Chemistry</i> , 2017, 292, 19392-19399.	1.6	22
18	Inhibiting poly(ADP-ribosylation) improves axon regeneration. <i>ELife</i> , 2016, 5, .	2.8	38

#	ARTICLE	IF	CITATIONS
19	A New STAT3-binding Partner, ARL3, Enhances the Phosphorylation and Nuclear Accumulation of STAT3. <i>Journal of Biological Chemistry</i> , 2016, 291, 11161-11171.	1.6	11
20	Inhibition of Poly-ADP-Ribosylation Fails to Increase Axonal Regeneration or Improve Functional Recovery after Adult Mammalian CNS Injury. <i>ENeuro</i> , 2016, 3, ENEURO.0270-16.2016.	0.9	22
21	STAP-2 Protein Expression in B16F10 Melanoma Cells Positively Regulates Protein Levels of Tyrosinase, Which Determines Organs to Infiltrate in the Body. <i>Journal of Biological Chemistry</i> , 2015, 290, 17462-17473.	1.6	10
22	CCR7 is involved in BCR-ABL/STAP-2-mediated cell growth in hematopoietic Ba/F3 cells. <i>Biochemical and Biophysical Research Communications</i> , 2015, 463, 825-831.	1.0	5
23	Signal transducer and activator of transcription 3 regulation by novel binding partners. <i>World Journal of Biological Chemistry</i> , 2015, 6, 324.	1.7	17
24	Signal-transducing adaptor protein-2 regulates macrophage migration into inflammatory sites during dextran sodium sulfate induced colitis. <i>European Journal of Immunology</i> , 2014, 44, 1791-1801.	1.6	13
25	Tyk2 is a therapeutic target for psoriasis-like skin inflammation. <i>International Immunology</i> , 2014, 26, 257-267.	1.8	62
26	Signal-Transducing Adaptor Protein-2 Controls the IgE-Mediated, Mast Cell-Mediated Anaphylactic Responses. <i>Journal of Immunology</i> , 2014, 192, 3488-3495.	0.4	18
27	The Nogo Receptor NgR1 Mediates Infection by Mammalian Reovirus. <i>Cell Host and Microbe</i> , 2014, 15, 681-691.	5.1	71
28	Adaptor Protein STAP-2 Modulates Cellular Signaling in Immune Systems. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 185-194.	0.6	10
29	Y14 positively regulates TNF-induced NF- $\kappa$ B transcriptional activity via interacting RIP1 and TRADD beyond an exon junction complex protein (1012.8). <i>FASEB Journal</i> , 2014, 28, 1012.8.	0.2	0
30	Y14 Positively Regulates TNF-Induced NF- $\kappa$ B Transcriptional Activity via Interacting RIP1 and TRADD Beyond an Exon Junction Complex Protein. <i>Journal of Immunology</i> , 2013, 191, 1436-1444.	0.4	15
31	Signal-Transducing Adaptor Protein-2 Modulates Fas-Mediated T Cell Apoptosis by Interacting with Caspase-8. <i>Journal of Immunology</i> , 2012, 188, 6194-6204.	0.4	21
32	STAP-2 interacts with and modulates BCR-ABL-mediated tumorigenesis. <i>Oncogene</i> , 2012, 31, 4384-4396.	2.6	24
33	STAP-2 interacts with and modulates BCR-ABL-mediated tumorigenesis. <i>FASEB Journal</i> , 2012, 26, 1b182.	0.2	0
34	Involvement of STAP-2 in Brk-mediated phosphorylation and activation of STAT5 in breast cancer cells. <i>Cancer Science</i> , 2011, 102, 756-761.	1.7	33
35	PDLIM2 Inhibits T Helper 17 Cell Development and Granulomatous Inflammation Through Degradation of STAT3. <i>Science Signaling</i> , 2011, 4, ra85.	1.6	70
36	Tyk2 deficiency protects joints against destruction in anti-type II collagen antibody-induced arthritis in mice. <i>International Immunology</i> , 2011, 23, 575-582.	1.8	23

#	ARTICLE	IF	CITATIONS
37	Kräppel-Associated Box-Associated Protein 1 Negatively Regulates TNF- $\alpha$ -Induced NF- $\kappa$ B Transcriptional Activity by Influencing the Interactions among STAT3, p300, and NF- $\kappa$ B/p65. <i>Journal of Immunology</i> , 2011, 187, 2476-2483.	0.4	37
38	Involvement of Tyrosine Kinase-2 in Both the IL-12/Th1 and IL-23/Th17 Axes In Vivo. <i>Journal of Immunology</i> , 2011, 187, 181-189.	0.4	90
39	Zipper-interacting Protein Kinase (ZIPK) Modulates Canonical Wnt/ $\beta$ -Catenin Signaling through Interaction with Nemo-like Kinase and T-cell Factor 4 (NLK/TCF4). <i>Journal of Biological Chemistry</i> , 2011, 286, 19170-19177.	1.6	27
40	BS69 cooperates with TRAF3 in the regulation of Epstein-Barr virus-derived LMP1/CTAR1-induced NF- $\kappa$ B activation. <i>FEBS Letters</i> , 2010, 584, 865-872.	1.3	14
41	Functional involvement of Daxx in gp130-mediated cell growth and survival in BaF3 cells. <i>European Journal of Immunology</i> , 2010, 40, 3570-3580.	1.6	8
42	Interactions of STAP-2 with Brk and STAT3 Participate in Cell Growth of Human Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 38093-38103.	1.6	43
43	BS69 negatively regulates the canonical NF- $\kappa$ B activation induced by Epstein-Barr virus-derived LMP1. <i>FASEB Journal</i> , 2010, 24, 861.2.	0.2	0
44	KAP1 regulates TNF-induced NF- $\kappa$ B transcriptional activity by influencing the interactions between p300 and NF- $\kappa$ B. <i>FASEB Journal</i> , 2010, 24, 705.4.	0.2	0
45	Signal-Transducing Adaptor Protein-2 Regulates Stromal Cell-Derived Factor-1 $\alpha$ -Induced Chemotaxis in T Cells. <i>Journal of Immunology</i> , 2009, 183, 7966-7974.	0.4	33
46	BS69 negatively regulates the canonical NF- $\kappa$ B activation induced by Epstein-Barr virus-derived LMP1. <i>FEBS Letters</i> , 2009, 583, 1567-1574.	1.3	31
47	The exon-junction complex proteins, Y14 and MAGOH regulate STAT3 activation. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 63-68.	1.0	25
48	STAP-2 is phosphorylated at tyrosine-250 by Brk and modulates Brk-mediated STAT3 activation. <i>Biochemical and Biophysical Research Communications</i> , 2009, 384, 71-75.	1.0	46
49	The protein content of an adaptor protein, STAP-2 is controlled by E3 ubiquitin ligase Cbl. <i>Biochemical and Biophysical Research Communications</i> , 2009, 384, 187-192.	1.0	13
50	Silencing Mediator of Retinoic Acid and Thyroid Hormone Receptor Regulates Enhanced Activation of Signal Transducer and Activator of Transcription 3 by Epstein-Barr Virus-Derived Epstein-Barr Nuclear Antigen 2. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1283-1285.	0.6	2
51	Physical and functional interactions between STAT3 and KAP1. <i>Oncogene</i> , 2008, 27, 3054-3059.	2.6	65
52	KAP1 regulates type I interferon/STAT1-mediated IRF-1 gene expression. <i>Biochemical and Biophysical Research Communications</i> , 2008, 370, 366-370.	1.0	50
53	Sumoylation of Smad3 stimulates its nuclear export during PIASy-mediated suppression of TGF- $\beta$ signaling. <i>Biochemical and Biophysical Research Communications</i> , 2008, 370, 359-365.	1.0	43
54	The IL-6 family of cytokines modulates STAT3 activation by desumoylation of PML through SENP1 induction. <i>Biochemical and Biophysical Research Communications</i> , 2008, 371, 823-828.	1.0	21

#	ARTICLE	IF	CITATIONS
55	An RNA binding protein, Y14 interacts with and modulates STAT3 activation. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 475-479.	1.0	22
56	Physical and functional interactions between ZIP kinase and Ubch5. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 708-712.	1.0	4
57	BART is essential for nuclear retention of STAT3. <i>International Immunology</i> , 2008, 20, 395-403.	1.8	33
58	STAP-2 Negatively Regulates both Canonical and Noncanonical NF- $\kappa$ B Activation Induced by Epstein-Barr Virus-Derived Latent Membrane Protein 1. <i>Molecular and Cellular Biology</i> , 2008, 28, 5027-5042.	1.1	31
59	Enhanced c-Fms/M-CSF Receptor Signaling and Wound-Healing Process in Bone Marrow-Derived Macrophages of Signal-Transducing Adaptor Protein-2 (STAP-2) Deficient Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1790-1793.	0.6	13
60	STAP-2 regulates integrin-mediated T cell adhesion through protein degradation of FAK. <i>FASEB Journal</i> , 2008, 22, 1071.10.	0.2	0
61	Signal-Transducing Adaptor Protein-2 Regulates Integrin-Mediated T Cell Adhesion through Protein Degradation of Focal Adhesion Kinase. <i>Journal of Immunology</i> , 2007, 179, 2397-2407.	0.4	54
62	LIF- and IL-6-Induced Acetylation of STAT3 at Lys-685 through PI3K/Akt Activation. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 1860-1864.	0.6	49
63	Leukemia inhibitory factor-induced phosphorylation of STAP-2 on tyrosine-250 is involved in its STAT3-enhancing activity. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 517-522.	1.0	16
64	STAP-2 regulates c-Fms/M-CSF receptor signaling in murine macrophage Raw 264.7 cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 358, 931-937.	1.0	21
65	DUSP22/LMW-DSP2 regulates estrogen receptor- $\alpha$ -mediated signaling through dephosphorylation of Ser-118. <i>Oncogene</i> , 2007, 26, 6038-6049.	2.6	64
66	Physical and functional interactions between Daxx and STAT3. <i>Oncogene</i> , 2006, 25, 2131-2136.	2.6	22
67	Regulation of STAT3-mediated signaling by LMW-DSP2. <i>Oncogene</i> , 2006, 25, 5801-5806.	2.6	68
68	Phosphorylation of threonine-265 in Zipper-interacting protein kinase plays an important role in its activity and is induced by IL-6 family cytokines. <i>Immunology Letters</i> , 2006, 103, 127-134.	1.1	23
69	Sumoylation of Daxx Regulates IFN-Induced Growth Suppression of B Lymphocytes and the Hormone Receptor-Mediated Transactivation. <i>Journal of Immunology</i> , 2006, 177, 1160-1170.	0.4	38
70	Modulation of TLR4 Signaling by a Novel Adaptor Protein Signal-Transducing Adaptor Protein-2 in Macrophages. <i>Journal of Immunology</i> , 2006, 176, 380-389.	0.4	88
71	Physical and Functional interactions between Daxx and STAT3. <i>FASEB Journal</i> , 2006, 20, A533.	0.2	0
72	A Novel Mutation in the Juxtamembrane Intracellular Sequence of the Granulocyte Colony-Stimulating Factor (G-CSF) Receptor Gene in a Patient with Severe Congenital Neutropenia Augments G-CSF Proliferation Activity but Not through the MAP Kinase Cascade. <i>International Journal of Hematology</i> , 2005, 82, 28-34.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Physical and Functional Interactions between STAP-2/BKS and STAT5. <i>Journal of Biological Chemistry</i> , 2005, 280, 8188-8196.	1.6	56
74	Physical and functional interactions between STAT3 and ZIP kinase. <i>International Immunology</i> , 2005, 17, 1543-1552.	1.8	51
75	Nuclear retention of STAT3 through the coiled-coil domain regulates its activity. <i>Biochemical and Biophysical Research Communications</i> , 2005, 336, 617-624.	1.0	21
76	Roles for lysine residues of the MH2 domain of Smad3 in transforming growth factor- $\beta^2$ signaling. <i>FEBS Letters</i> , 2005, 579, 2853-2862.	1.3	7
77	Tyrosine Kinase 2 Interacts with and Phosphorylates Receptor for Activated C Kinase-1, a WD Motif-Containing Protein. <i>Journal of Immunology</i> , 2004, 173, 1151-1157.	0.4	9
78	Involvement of NF- $\kappa$ B in TGF- $\beta^2$ -mediated suppression of IL-4 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2004, 313, 627-634.	1.0	15
79	Cross-talk between endocrine-disrupting chemicals and cytokine signaling through estrogen receptors. <i>Biochemical and Biophysical Research Communications</i> , 2004, 315, 692-698.	1.0	24
80	Determination of the transphosphorylation sites of Jak2 kinase. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 586-594.	1.0	43
81	Daxx enhances Fas-mediated apoptosis in a murine pro-B cell line, BAF3. <i>FEBS Letters</i> , 2003, 540, 223-228.	1.3	13
82	Involvement of heat-shock protein 90 in the interleukin-6-mediated signaling pathway through STAT3. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 847-852.	1.0	85
83	Molecular interactions between STAT3 and protein inhibitor of activated STAT3, and androgen receptor. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 610-615.	1.0	19
84	Regulation of Fc $\gamma$ RI-mediated signaling by an adaptor protein STAP-2/BSK in rat basophilic leukemia RBL-2H3 cells. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 767-773.	1.0	29
85	The nuclear isoform of protein-tyrosine phosphatase TC-PTP regulates interleukin-6-mediated signaling pathway through STAT3 dephosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 2002, 297, 811-817.	1.0	233