

Mariangela Freitas da Silveira

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/3765700/mariangela-freitas-da-silveira-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

3,377
citations

23
h-index

55
g-index

157
ext. papers

4,520
ext. citations

4.7
avg, IF

5.1
L-index

#	Paper	IF	Citations
128	Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. <i>Lancet, The</i> , 2013 , 382, 417-425	40	452
127	National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. <i>The Lancet Global Health</i> , 2013 , 1, e26-36	13.6	404
126	Congenital Zika virus syndrome in Brazil: a case series of the first 1501 livebirths with complete investigation. <i>Lancet, The</i> , 2016 , 388, 891-7	40	394
125	The challenge of reducing neonatal mortality in middle-income countries: findings from three Brazilian birth cohorts in 1982, 1993, and 2004. <i>Lancet, The</i> , 2005 , 365, 847-54	40	173
124	SARS-CoV-2 antibody prevalence in Brazil: results from two successive nationwide serological household surveys. <i>The Lancet Global Health</i> , 2020 , 8, e1390-e1398	13.6	170
123	Estimates of burden and consequences of infants born small for gestational age in low and middle income countries with INTERGROWTH-21 standard: analysis of CHERG datasets. <i>BMJ, The</i> , 2017 , 358, j3677	5.9	145
122	Population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil. <i>Nature Medicine</i> , 2020 , 26, 1196-1199	50.5	97
121	Short Maternal Stature Increases Risk of Small-for-Gestational-Age and Preterm Births in Low- and Middle-Income Countries: Individual Participant Data Meta-Analysis and Population Attributable Fraction. <i>Journal of Nutrition</i> , 2015 , 145, 2542-50	4.1	81
120	Cohort Profile: The 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Epidemiology</i> , 2018 , 47, 1048-1048h	7.8	80
119	Increase in preterm births in Brazil: review of population-based studies. <i>Revista De Saude Publica</i> , 2008 , 42, 957-64	2.4	72
118	Preterm births, low birth weight, and intrauterine growth restriction in three birth cohorts in Southern Brazil: 1982, 1993 and 2004. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S390-8	3.2	55
117	Maternal complications and cesarean section without indication: systematic review and meta-analysis. <i>Revista De Saude Publica</i> , 2017 , 51, 105	2.4	54
116	Contraceptive use in Latin America and the Caribbean with a focus on long-acting reversible contraceptives: prevalence and inequalities in 23 countries. <i>The Lancet Global Health</i> , 2019 , 7, e227-e235	13.6	53
115	Associated factors and consequences of late preterm births: results from the 2004 Pelotas birth cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2008 , 22, 350-9	2.7	48
114	Remarkable variability in SARS-CoV-2 antibodies across Brazilian regions: nationwide serological household survey in 27 states		38
113	Antenatal depressive symptoms among pregnant women: Evidence from a Southern Brazilian population-based cohort study. <i>Journal of Affective Disorders</i> , 2017 , 209, 140-146	6.6	36
112	A randomized controlled trial of exercise during pregnancy on maternal and neonatal outcomes: results from the PAMELA study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 175	8.4	33

111	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i46-i53	7.8	29
110	Prenatal and postnatal maternal depression and infant hospitalization and mortality in the first year of life: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019 , 243, 201-208	6.6	28
109	Reasons for nonuse of contraceptive methods by women with demand for contraception not satisfied: an assessment of low and middle-income countries using demographic and health surveys. <i>Reproductive Health</i> , 2019 , 16, 148	3.5	24
108	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i4-i15	7.8	23
107	Caesarean sections and the prevalence of preterm and early-term births in Brazil: secondary analyses of national birth registration. <i>BMJ Open</i> , 2018 , 8, e021538	3	23
106	Determinants of preterm birth: Pelotas, Rio Grande do Sul State, Brazil, 2004 birth cohort. <i>Cadernos De Saude Publica</i> , 2010 , 26, 185-94	3.2	23
105	The emergence of vaccine hesitancy among upper-class Brazilians: Results from four birth cohorts, 1982-2015. <i>Vaccine</i> , 2020 , 38, 482-488	4.1	22
104	Disrespect and abuse of women during the process of childbirth in the 2015 Pelotas birth cohort. <i>Reproductive Health</i> , 2018 , 15, 54	3.5	21
103	The association between disrespect and abuse of women during childbirth and postpartum depression: Findings from the 2015 Pelotas birth cohort study. <i>Journal of Affective Disorders</i> , 2019 , 256, 441-447	6.6	20
102	Repeated population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil		19
101	Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. <i>BMJ Open</i> , 2016 , 6, e010127	3	19
100	Is intrauterine exposure to acetaminophen associated with emotional and hyperactivity problems during childhood? Findings from the 2004 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2018 , 18, 368	4.2	19
99	Prevalence of weight-loss strategies and use of substances for weight-loss among adults: a population study. <i>Cadernos De Saude Publica</i> , 2012 , 28, 1439-49	3.2	18
98	Blood donation prevalence and associated factors in Pelotas, Southern Brazil. <i>Revista De Saude Publica</i> , 2010 , 44, 112-20	2.4	18
97	Prevalence of antibodies against SARS-CoV-2 according to socioeconomic and ethnic status in a nationwide Brazilian survey. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2020 , 44, e135	4.1	18
96	Short communication: UGT1A1*28 variant allele is a predictor of severe hyperbilirubinemia in HIV-infected patients on HAART in southern Brazil. <i>AIDS Research and Human Retroviruses</i> , 2012 , 28, 1015-8	1.6	17
95	Missed childhood immunizations during the COVID-19 pandemic in Brazil: Analyses of routine statistics and of a national household survey. <i>Vaccine</i> , 2021 , 39, 3404-3409	4.1	17
94	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i37-i45	7.8	16

93	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i80-i88	7.8	15
92	Infant sleep hygiene counseling (sleep trial): protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016 , 16, 307	4.2	15
91	Efficacy of Regular Exercise During Pregnancy on the Prevention of Postpartum Depression: The PAMELA Randomized Clinical Trial. <i>JAMA Network Open</i> , 2019 , 2, e186861	10.4	15
90	Assisted reproductive technology: prevalence and associated factors in Southern Brazil. <i>Revista De Saude Publica</i> , 2019 , 53, 13	2.4	14
89	Genetic polymorphisms in estrogen receptors and sexual dimorphism in fat redistribution in HIV-infected patients on HAART. <i>Aids</i> , 2012 , 26, 19-26	3.5	14
88	Impact of an educational intervention to promote condom use among the male partners of HIV positive women. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 102-11	2.5	14
87	Vaccine coverage within the first year of life and associated factors with incomplete immunization in a Brazilian birth cohort. <i>Archives of Public Health</i> , 2020 , 78, 21	2.6	14
86	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i26-i36	7.8	13
85	Prenatal care and child growth and schooling in four low- and medium-income countries. <i>PLoS ONE</i> , 2017 , 12, e0171299	3.7	12
84	Maternal and congenital syphilis in selected Latin America and Caribbean countries: a multi-country analysis using data from the Perinatal Information System. <i>Sexual Health</i> , 2015 , 12, 164-9	2	10
83	Factors associated with risk behaviors for sexually transmitted disease/AIDS among urban Brazilian women: a population-based study. <i>Sexually Transmitted Diseases</i> , 2002 , 29, 536-41	2.4	10
82	Sensitivity and specificity of a rapid test for assessment of exposure to SARS-CoV-2 in a community-based setting in Brazil		10
81	LBW and IUGR temporal trend in 4 population-based birth cohorts: the role of economic inequality. <i>BMC Pediatrics</i> , 2016 , 16, 115	2.6	10
80	Prevalence of <i>Trypanosoma cruzi</i> /HIV coinfection in southern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017 , 21, 180-184	2.8	9
79	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i54-i62	7.8	9
78	Factors associated with condom use in women from an urban area in southern Brazil. <i>Cadernos De Saude Publica</i> , 2005 , 21, 1557-64	3.2	9
77	EPICOVID19 protocol: repeated serological surveys on SARS-CoV-2 antibodies in Brazil. <i>Ciencia E Saude Coletiva</i> , 2020 , 25, 3573-3578	2.2	9
76	RPS Brazilian Birth Cohorts Consortium (Ribeirão Preto, Pelotas and São Luís): history, objectives and methods. <i>Cadernos De Saude Publica</i> , 2021 , 37, e00093320	3.2	9

75	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i16-i25	7.8	8
74	Repeat cesarean section in subsequent gestation of women from a birth cohort in Brazil. <i>Reproductive Health</i> , 2017 , 14, 102	3.5	8
73	High-risk papillomavirus infection among women living with human Immunodeficiency virus: Brazilian multicentric study. <i>Journal of Medical Virology</i> , 2017 , 89, 2217-2223	19.7	8
72	Maternal Chlamydia trachomatis Infections and Preterm Births in a University Hospital in Vitoria, Brazil. <i>PLoS ONE</i> , 2015 , 10, e0141367	3.7	8
71	Estimativas corrigidas da prevalência de nascimentos pr ^o termo no Brasil, 2000 a 2011. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2013 , 22, 557-564	1.2	8
70	Quality assessment indicators in antenatal care worldwide: a systematic review. <i>International Journal for Quality in Health Care</i> , 2019 , 31, 497-505	1.9	8
69	Prevalence of Chlamydia trachomatis and Neisseria gonorrhoea and associated factors among women living with Human Immunodeficiency Virus in Brazil: a multicenter study. <i>Brazilian Journal of Infectious Diseases</i> , 2017 , 21, 402-407	2.8	7
68	Trajectories of maternal depressive symptoms from the antenatal period to 24-months postnatal follow-up: findings from the 2015 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2020 , 20, 233	4.2	7
67	Phase II trial evaluating the clinical efficacy of cefixime for treatment of active syphilis in non-pregnant women in Brazil (CeBra). <i>BMC Infectious Diseases</i> , 2020 , 20, 405	4	7
66	Poor maternal nutritional status before and during pregnancy is associated with suspected child developmental delay in 2-year old Brazilian children. <i>Scientific Reports</i> , 2020 , 10, 1851	4.9	7
65	Chlamydia trachomatis infection in young pregnant women in Southern Brazil: a cross-sectional study. <i>Cadernos De Saude Publica</i> , 2017 , 33, e00067415	3.2	7
64	Perfil de pessoas idosas vivendo com HIV/aids em Pelotas, sul do Brasil, 1998 a 2013. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2015 , 24, 79-86	1.2	7
63	Physical Activity and Sitting Time From 16 to 24 Weeks of Pregnancy to 12, 24, and 48 Months Postpartum: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Physical Activity and Health</i> , 2021 , 18, 587-593	2.5	7
62	Aptima assay elucidates significant underdiagnosis of trichomoniasis among women in Brazil according to an observational study. <i>Sexually Transmitted Infections</i> , 2019 , 95, 129-132	2.8	7
61	Maternal perinatal depression and infant sleep problems at 1 year of age: Subjective and actigraphy data from a population-based birth cohort study. <i>Journal of Sleep Research</i> , 2021 , 30, e13047	5.8	7
60	Prevalence and associated factors of supine sleep position in 3-month-old infants: findings from the 2015 Pelotas (Brazil) Birth Cohort. <i>BMC Pediatrics</i> , 2019 , 19, 165	2.6	6
59	Quality of Life of Pregnant Women Living with HIV/AIDS. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016 , 38, 246-52	1.1	6
58	Uncommon non-oncogenic HPV genotypes, TP53 and MDM2 genes polymorphisms in HIV-infected women in Southern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2014 , 18, 643-50	2.8	6

57	Effect of Parental Counseling on Infants' Healthy Sleep Habits in Brazil: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2019 , 2, e1918062	10.4	6
56	Maternal and child-health outcomes in pregnancies following Assisted Reproductive Technology (ART): a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 106	3.2	5
55	The use of folic acid, iron salts and other vitamins by pregnant women in the 2015 Pelotas birth cohort: is there socioeconomic inequality?. <i>BMC Public Health</i> , 2019 , 19, 889	4.1	5
54	The effects of two early parenting interventions on child aggression and risk for violence in Brazil (The PICTrial): protocol for a randomised controlled trial. <i>Trials</i> , 2019 , 20, 253	2.8	4
53	Medication Use among Pregnant Women from the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
52	Associations of acetaminophen use during pregnancy and the first year of life with neurodevelopment in early childhood. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 267-277	2.7	4
51	Serological diagnosis of Chagas disease in HIV-infected patients. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015 , 48, 331-3	1.5	4
50	Evidence for an epistatic effect between TP53 R72P and MDM2 T309G SNPs in HIV infection: a cross-sectional study in women from South Brazil. <i>PLoS ONE</i> , 2014 , 9, e89489	3.7	4
49	Hypertensive Disorders of Pregnancy and Medication Use in the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
48	Trends and inequalities in unplanned pregnancy in three population-based birth cohorts in Pelotas, Brazil. <i>International Journal of Public Health</i> , 2020 , 65, 1635-1645	4	4
47	Chronic non-communicable diseases and COVID-19: EPICOV-19 Brazil results. <i>Revista De Saude Publica</i> , 2021 , 55, 38	2.4	4
46	High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2. <i>Scientific Reports</i> , 2021 , 11, 13279	4.9	4
45	Lockdown-type containment measures for COVID-19 prevention and control: a descriptive ecological study with data from South Africa, Germany, Brazil, Spain, United States, Italy and New Zealand, February - August 2020. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2021 , 30, e2020513	1.2	4
44	Time-dependent decay of detectable antibodies against SARS-CoV-2: A comparison of ELISA with two batches of a lateral-flow test. <i>Brazilian Journal of Infectious Diseases</i> , 2021 , 25, 101601	2.8	4
43	Slow Spread of SARS-CoV-2 in Southern Brazil Over a 6-Month Period: Report on 8 Sequential Statewide Serological Surveys Including 35 611 Participants. <i>American Journal of Public Health</i> , 2021 , 111, 1542-1550	5.1	4
42	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. <i>International Journal of Epidemiology</i> , 2019 , 48, i63-i71	7.8	3
41	Maternal adverse childhood experiences (ACEs) and their associations with intimate partner violence and child maltreatment: Results from a Brazilian birth cohort.. <i>Preventive Medicine</i> , 2021 , 155, 106928	4.3	3
40	Gestational weight gain charts: results from the Brazilian Maternal and Child Nutrition Consortium. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1351-1360	7	3

39	COVID-19 and social distancing among children and adolescents in Brazil. <i>Revista De Saude Publica</i> , 2021 , 55, 42	2.4	3
38	Social Distancing, Mask Use, and Transmission of Severe Acute Respiratory Syndrome Coronavirus 2, Brazil, April-June 2020. <i>Emerging Infectious Diseases</i> , 2021 , 27, 2135-2143	10.2	3
37	COVID-19 and outpatient care: a nationwide household survey.. <i>Cadernos De Saude Publica</i> , 2022 , 38, e00194121	3.2	3
36	Illicit drug use among students of a university in Southern Brazil. <i>Revista De Saude Publica</i> , 2020 , 54, 57	2.4	2
35	Introduction to complementary feeding in the first year of life and risk of overweight at 24 months of age: changes from 2004 to 2015 Pelotas (Brazil) Birth Cohorts. <i>British Journal of Nutrition</i> , 2020 , 124, 620-630	3.6	2
34	Use of Medications by Breastfeeding Women in the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
33	Lessons about the reliability of congenital syphilis and vertical HIV transmission data learned from case reviews in Uruguay: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 400	3.2	2
32	Agreement of antenatal care indicators from self-reported questionnaire and the antenatal care card of women in the 2015 Pelotas birth cohort, Rio Grande do Sul, Brazil. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 410	3.2	2
31	Assessment of sexual risk behaviors and perception of vulnerability to sexually transmitted diseases/acquired immunodeficiency syndrome in women, 1999-2012: a population based survey in a medium-sized Brazilian city. <i>Brazilian Journal of Infectious Diseases</i> , 2014 , 18, 414-20	2.8	2
30	Population-level seropositivity trend for SARS-Cov-2 in Rio Grande do Sul, Brazil. <i>Revista De Saude Publica</i> , 2021 , 55, 78	2.4	2
29	Quality of antenatal care and its sociodemographic determinants: results of the 2015 Pelotas birth cohort, Brazil. <i>BMC Health Services Research</i> , 2021 , 21, 1070	2.9	2
28	Combining serological assays and official statistics to describe the trajectory of the COVID-19 pandemic: results from the EPICOVID19-RS study in Rio Grande do Sul (Southern Brazil)		2
27	Characteristics and outcomes of pregnant women with SARS-CoV-2 infection and other severe acute respiratory infections (SARI) in Brazil from January to November 2020. <i>Brazilian Journal of Infectious Diseases</i> , 2021 , 25, 101620	2.8	2
26	Fetal, neonatal, and post-neonatal mortality in the 2015 Pelotas (Brazil) birth cohort and associated factors. <i>Cadernos De Saude Publica</i> , 2019 , 35, e00072918	3.2	1
25	Prevalence of erectile dysfunction oral drugs use in a city of southern Brazil. <i>Ciencia E Saude Coletiva</i> , 2017 , 22, 2763-2770	2.2	1
24	Physical Activity During Pregnancy and Preterm Birth: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 1065-1074	2.5	1
23	The associations that income, education, and ethnicity have with birthweight and prematurity: how close are they?. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2018 , 42, e92	4.1	1
22	High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2: a nationwide household survey		1

21	Missed childhood immunizations during the COVID-19 pandemic in Brazil: analyses of routine statistics and of a national household survey		1
20	Periodontal disease and preterm birth: Findings from the 2015 Pelotas birth cohort study. <i>Oral Diseases</i> , 2021 , 27, 1519-1527	3.5	1
19	Use of antibiotics in the health care unit: 2015 Pelotas Birth Cohort. <i>Revista De Saude Publica</i> , 2019 , 53, 92	2.4	1
18	Antenatal and Postnatal Maternal Depressive Symptoms and Trajectories and Child Hospitalization up to 24 Months of Life: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Pediatrics: X</i> , 2021 , 6, 100065	0.9	1
17	Drug use in delivery hospitalization: Pelotas births cohort, 2015. <i>Revista De Saude Publica</i> , 2019 , 53, 51	2.4	0
16	Female infants are more susceptible to the effects of maternal antenatal depression; findings from the Pelotas (Brazil) Birth Cohort Study. <i>Journal of Affective Disorders</i> , 2020 , 267, 315-324	6.6	0
15	Day care attendance during the first 12 months of life and occurrence of infectious morbidities and symptoms. <i>Jornal De Pediatria (Versão Em Português)</i> , 2019 , 95, 657-666	0.2	0
14	Prevalence and inequalities in contraceptive use among adolescents and young women: data from a birth cohort in Brazil. <i>Cadernos De Saude Publica</i> , 2021 , 37, e00335720	3.2	0
13	Influence of center-based child care on development of two-year-olds in a Brazilian cohort. <i>Revista De Saude Publica</i> , 2021 , 55, 32	2.4	0
12	Brazilian Protocol for Sexually Transmitted Infections 2020: human papillomavirus (HPV) infection. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021 , 54, e2020790	1.5	0
11	Combined hormonal contraceptives use among women with contraindications according to the WHO criteria: A systematic review. <i>Sexual and Reproductive Healthcare</i> , 2021 , 27, 100587	2.4	0
10	The challenge of conducting epidemiological research in times of pandemic and denialism: 1-year anniversary of the EPICOID-19 project in Brazil. <i>International Journal of Epidemiology</i> , 2021 , 50, 1049-1052	7.8	0
9	Social inequalities in maternal depressive symptomatology after childbirth: Comparison across birth cohorts in Brazil. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100247	1.4	
8	Analysis of early and late maternal complications associated with delivery using propensity score. <i>Revista Brasileira De Epidemiologia</i> , 2021 , 24, e210027	1.3	
7	Brazilian Protocol for Sexually Transmitted Infections, 2020: infections that cause cervicitis. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021 , 54, e2020587	1.5	
6	Influence of maternal excess weight before pregnancy on breast-feeding and weaning: pooled analyses of four population-based cohorts born between 1982 and 2015. <i>British Journal of Nutrition</i> , 2021 , 1-7	3.6	
5	Breastfeeding and risk classification of medications used during hospitalization for delivery: 2015 Pelotas Birth Cohort. <i>Revista Brasileira De Epidemiologia</i> , 2020 , 23, e200026	1.3	
4	Sociodemographic profile of primiparous mothers from nine birth cohorts in three Brazilian cities. <i>Cadernos De Saude Publica</i> , 2021 , 37, e00057520	3.2	

- 3 Wich factors influencing the number of teeth at 12 months of age: a birth cohort study. *Brazilian Oral Research*, **2021**, 35, e059 2.6
- 2 Medication use in children from the 2015 Pelotas (Brazil) birth cohort aged between three months and four years.. *Cadernos De Saude Publica*, **2022**, 38, e00117221 3.2
- 1 Prevalence of symptoms of COVID-19 in the state of Rio Grande do Sul: results of a population-based study with 18,000 participants. *Revista De Saude Publica*, **2021**, 55, 82 2.4