Giovanni Stallone

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3766276/giovanni-stallone-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118 61 30 3,931 h-index g-index citations papers 128 4,671 5.05 5.5 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 118 | mTOR inhibitors improve both humoral and cellular response to SARS-CoV-2 messenger RNA BNT16b2 Vaccine in kidney transplant recipients <i>American Journal of Transplantation</i> , 2022 , | 8.7 | 2 |
| 117 | Telemedicine monitoring in the follow-up of kidney transplant recipients: consensus indications from an Italian panel of surgeons and nephrologists after the COVID-19 experience <i>Journal of Nephrology</i> , 2022 , 35, 725 | 4.8 | О |
| 116 | Pre-Transplant Expression of CCR-2 in Kidney Transplant Recipients Is Associated With the Development of Delayed Graft Function <i>Frontiers in Immunology</i> , 2022 , 13, 804762 | 8.4 | O |
| 115 | Oxidative Stress and Ischemia/Reperfusion Injury in Kidney Transplantation: Focus on Ferroptosis, Mitophagy and New Antioxidants <i>Antioxidants</i> , 2022 , 11, | 7:1 | 2 |
| 114 | Case Report: Tocilizumab for Acute Kidney Graft Dysfunction in Patient Affected by COVID-19 <i>Frontiers in Medicine</i> , 2021 , 8, 732792 | 4.9 | 1 |
| 113 | Treatment of COVID-19 atypical pneumonia by early Tocilizumab administration in "non-critically-ill" patients on hemodialysis. <i>Journal of Nephrology</i> , 2021 , 34, 259-262 | 4.8 | 2 |
| 112 | On-line hemodiafiltration modulates atherosclerosis signaling in peripheral lymphomonocytes of hemodialysis patients. <i>Journal of Nephrology</i> , 2021 , 34, 1989-1997 | 4.8 | 1 |
| 111 | Prospective Validation of Pentraxin-3 as a Novel Serum Biomarker to Predict the Risk of Prostate Cancer in Patients Scheduled for Prostate Biopsy. <i>Cancers</i> , 2021 , 13, | 6.6 | 6 |
| 110 | Targeting Premature Renal Aging: from Molecular Mechanisms of Cellular Senescence to Senolytic Trials. <i>Frontiers in Pharmacology</i> , 2021 , 12, 630419 | 5.6 | 2 |
| 109 | Pentraxin-3-mediated complement activation in a swine model of renal ischemia/reperfusion injury. <i>Aging</i> , 2021 , 13, 10920-10933 | 5.6 | 3 |
| 108 | PMMA-Based Continuous Hemofiltration Modulated Complement Activation and Renal Dysfunction in LPS-Induced Acute Kidney Injury. <i>Frontiers in Immunology</i> , 2021 , 12, 605212 | 8.4 | 4 |
| 107 | The Ambivalent Role of miRNAs in Carcinogenesis: Involvement in Renal Cell Carcinoma and Their Clinical Applications. <i>Pharmaceuticals</i> , 2021 , 14, | 5.2 | 4 |
| 106 | Inhibition of Lysine 63 Ubiquitination Prevents the Progression of Renal Fibrosis in Diabetic DBA/2J Mice. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 1 |
| 105 | Iliac Pseudoaneurysm, Only a Manifestation With More Causes: A Case Report. <i>Journal of Endovascular Therapy</i> , 2021 , 28, 642-645 | 2.5 | |
| 104 | Everolimus for BKV nephropathy in kidney transplant recipients: a prospective, controlled study. <i>Journal of Nephrology</i> , 2021 , 34, 531-538 | 4.8 | 5 |
| 103 | DelCFHR3-1 influences graft survival in transplant patients with IgA nephropathy via complement-mediated cellular senescence. <i>American Journal of Transplantation</i> , 2021 , 21, 838-845 | 8.7 | 3 |
| 102 | Development and testing of an artificial intelligence tool for predicting end-stage kidney disease in patients with immunoglobulin A nephropathy. <i>Kidney International</i> , 2021 , 99, 1179-1188 | 9.9 | 12 |

(2020-2021)

| 101 | Management of patients with a failed kidney transplant: what should we do?. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 98-106 | 4.5 | 4 |
|-----|--|-----|----|
| 100 | Rapamycin Inhibitors for Eye Squamous Cell Carcinoma after Renal Transplantation: A Case Report. <i>Kidney and Blood Pressure Research</i> , 2021 , 46, 121-125 | 3.1 | 1 |
| 99 | Pathological diagnosis of Coronavirus-related nephropathy: insight from postmortem studies. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2021 , 58, 563-575 | 9.4 | 1 |
| 98 | mTOR-Inhibition and COVID-19 in Kidney Transplant Recipients: Focus on Pulmonary Fibrosis. <i>Frontiers in Pharmacology</i> , 2021 , 12, 710543 | 5.6 | 2 |
| 97 | The Pathogenic Role of PI3K/AKT Pathway in Cancer Onset and Drug Resistance: An Updated Review. <i>Cancers</i> , 2021 , 13, | 6.6 | 16 |
| 96 | Rapamycin promotes autophagy cell death of Kaposiß sarcoma cells through P75NTR activation. <i>Experimental Dermatology</i> , 2021 , | 4 | 3 |
| 95 | Role of Complement in Regulating Inflammation Processes in Renal and Prostate Cancers. <i>Cells</i> , 2021 , 10, | 7.9 | 2 |
| 94 | Emerging biomarkers of delayed graft function in kidney transplantation. <i>Transplantation Reviews</i> , 2021 , 35, 100629 | 3.3 | 4 |
| 93 | Nutrition-Based Management of Inflammaging in CKD and Renal Replacement Therapies. <i>Nutrients</i> , 2021 , 13, | 6.7 | 4 |
| 92 | The Use of Immune Checkpoint Inhibitors in Oncology and the Occurrence of AKI: Where Do We Stand?. <i>Frontiers in Immunology</i> , 2020 , 11, 574271 | 8.4 | 24 |
| 91 | Tocilizumab and liver injury in patients with COVID-19. <i>Therapeutic Advances in Gastroenterology</i> , 2020 , 13, 1756284820959183 | 4.7 | 13 |
| 90 | Molecular Mechanisms of Premature Aging in Hemodialysis: The Complex Interplay Between Innate and Adaptive Immune Dysfunction. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 12 |
| 89 | Inflammaging and Complement System: A Link Between Acute Kidney Injury and Chronic Graft Damage. <i>Frontiers in Immunology</i> , 2020 , 11, 734 | 8.4 | 34 |
| 88 | Low C3 Serum Levels Predict Severe Forms of STEC-HUS With Neurologic Involvement. <i>Frontiers in Medicine</i> , 2020 , 7, 357 | 4.9 | 4 |
| 87 | PTX3 modulates the immunoflogosis in tumor microenvironment and is a prognostic factor for patients with clear cell renal cell carcinoma. <i>Aging</i> , 2020 , 12, 7585-7602 | 5.6 | 28 |
| 86 | Nocturnal haemodialysis is associated with a reduced occurrence of low triiodothyronine serum levels in haemodialysed patients. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 450-460 | 4.5 | 1 |
| 85 | Double Labeling of PDGFR-land ESMA in Swine Models of Acute Kidney Injury to Detect Pericyte-to-Myofibroblast Transdifferentation as Early Marker of Fibrosis. <i>Bio-protocol</i> , 2020 , 10, e3779 | 0.9 | 1 |
| 84 | The Role of Natural Killer Cells in the Immune Response in Kidney Transplantation. <i>Frontiers in Immunology</i> , 2020 , 11, 1454 | 8.4 | 13 |

| 83 | Molecular Mechanisms of AKI in the Elderly: From Animal Models to Therapeutic Intervention. Journal of Clinical Medicine, 2020 , 9, | 5.1 | 7 |
|---------------------------------|---|---------------------------------|--------------------------|
| 82 | Modulation of complement activation by pentraxin-3 in prostate cancer. <i>Scientific Reports</i> , 2020 , 10, 18 | 34 @ @ | 6 |
| 81 | Recurrence of immunoglobulin A nephropathy after kidney transplantation: a narrative review of the incidence, risk factors, pathophysiology and management of immunosuppressive therapy. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 758-767 | 4.5 | 6 |
| 80 | IgE-Mediated Immune Response and Antibody-Mediated Rejection. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1474-1483 | 6.9 | 2 |
| 79 | Coagulation and Fibrinolysis in Kidney Graft Rejection. Frontiers in Immunology, 2020, 11, 1807 | 8.4 | 4 |
| 78 | Recurrent Glomerulonephritis after Renal Transplantation: The Clinical Problem. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 4 |
| 77 | SARS-CoV-2 and Viral Sepsis: Immune Dysfunction and Implications in Kidney Failure. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 16 |
| 76 | Glomerulonephritis in AKI: From Pathogenesis to Therapeutic Intervention. <i>Frontiers in Medicine</i> , 2020 , 7, 582272 | 4.9 | 6 |
| 75 | Everolimus in kidney transplant recipients at high cardiovascular risk: a narrative review. <i>Journal of Nephrology</i> , 2020 , 33, 69-82 | 4.8 | 4 |
| | | | |
| 74 | Acute kidney injury in SARS-CoV-2 infected patients. <i>Critical Care</i> , 2020 , 24, 155 | 10.8 | 117 |
| 7473 | Acute kidney injury in SARS-CoV-2 infected patients. <i>Critical Care</i> , 2020 , 24, 155 To discard or not to discard: transplantation and the art of scoring. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 564-568 | 10.8 | 117 |
| | To discard or not to discard: transplantation and the art of scoring. CKJ: Clinical Kidney Journal, | | <u> </u> |
| 73 | To discard or not to discard: transplantation and the art of scoring. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 564-568 Recurrent urinary tract infections in kidney transplant recipients during the first-year influence long-term graft function: a single-center retrospective cohort study. <i>Journal of Nephrology</i> , 2019 , | 4.5 | 12 |
| 73 72 | To discard or not to discard: transplantation and the art of scoring. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 564-568 Recurrent urinary tract infections in kidney transplant recipients during the first-year influence long-term graft function: a single-center retrospective cohort study. <i>Journal of Nephrology</i> , 2019 , 32, 661-668 Comparative transcriptome analysis of peripheral blood mononuclear cells in renal transplant recipients in everolimus- and tacrolimus-based immunosuppressive therapy. <i>European Journal of</i> | 4.5 | 12 |
| 73 72 71 | To discard or not to discard: transplantation and the art of scoring. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 564-568 Recurrent urinary tract infections in kidney transplant recipients during the first-year influence long-term graft function: a single-center retrospective cohort study. <i>Journal of Nephrology</i> , 2019 , 32, 661-668 Comparative transcriptome analysis of peripheral blood mononuclear cells in renal transplant recipients in everolimus- and tacrolimus-based immunosuppressive therapy. <i>European Journal of Pharmacology</i> , 2019 , 859, 172494 | 4.5 4.8 5.3 | 12 |
| 73 72 71 70 | To discard or not to discard: transplantation and the art of scoring. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 564-568 Recurrent urinary tract infections in kidney transplant recipients during the first-year influence long-term graft function: a single-center retrospective cohort study. <i>Journal of Nephrology</i> , 2019 , 32, 661-668 Comparative transcriptome analysis of peripheral blood mononuclear cells in renal transplant recipients in everolimus- and tacrolimus-based immunosuppressive therapy. <i>European Journal of Pharmacology</i> , 2019 , 859, 172494 mTOR and Aging: An Old Fashioned Dress. <i>International Journal of Molecular Sciences</i> , 2019 , 20, Interleukin-27 is a potential marker for the onset of post-transplant malignancies. <i>Nephrology</i> | 4.5 4.8 5.3 6.3 | 12 12 3 |
| 73 72 71 70 69 | To discard or not to discard: transplantation and the art of scoring. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 564-568 Recurrent urinary tract infections in kidney transplant recipients during the first-year influence long-term graft function: a single-center retrospective cohort study. <i>Journal of Nephrology</i> , 2019 , 32, 661-668 Comparative transcriptome analysis of peripheral blood mononuclear cells in renal transplant recipients in everolimus- and tacrolimus-based immunosuppressive therapy. <i>European Journal of Pharmacology</i> , 2019 , 859, 172494 mTOR and Aging: An Old Fashioned Dress. <i>International Journal of Molecular Sciences</i> , 2019 , 20, Interleukin-27 is a potential marker for the onset of post-transplant malignancies. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 157-166 Complement component C5a induces aberrant epigenetic modifications in renal tubular epithelial cells accelerating senescence by Wnt4/Batenin signaling after ischemia/reperfusion injury. <i>Aging</i> , | 4.5 4.8 5.3 6.3 4.3 | 12 12 3 37 7 |

| 65 | mTOR Inhibition Role in Cellular Mechanisms. <i>Transplantation</i> , 2018 , 102, S3-S16 | 1.8 | 17 |
|----|---|----------------------|----|
| 64 | Complement Activation During Ischemia/Reperfusion Injury Induces Pericyte-to-Myofibroblast Transdifferentiation Regulating Peritubular Capillary Lumen Reduction Through pERK Signaling. <i>Frontiers in Immunology</i> , 2018 , 9, 1002 | 8.4 | 30 |
| 63 | FP109PROSTATE CANCER IS CHARACTERIZED BY A DYSREGULATION OF THE IMMUNE RESPONSE. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i14-i14 | 4.3 | |
| 62 | FP691GENE EXPRESSION PROFILES IN CD8+ T CELLS IN CHRONIC ANTIBODY-MEDIATED REJECTION (CAMR) OF KIDNEY TRANSPLANTATION. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i27 | 79 -12 79 | |
| 61 | Updated genetic testing of Italian patients referred with a clinical diagnosis of primary hyperoxaluria. <i>Journal of Nephrology</i> , 2017 , 30, 219-225 | 4.8 | 5 |
| 60 | It is the time to rethink the criteria to define transplantable kidneys. Should we combine histological and clinical evaluation?. <i>Transplant International</i> , 2017 , 30, 969-971 | 3 | 1 |
| 59 | Rapamycin Treatment for Benign Multicystic Peritoneal Mesothelioma: A Rare Disease with a Difficult Management. <i>American Journal of Case Reports</i> , 2017 , 18, 632-636 | 1.3 | 10 |
| 58 | Semaphorin 3F expression is reduced in pregnancy complicated by preeclampsia. An observational clinical study. <i>PLoS ONE</i> , 2017 , 12, e0174400 | 3.7 | 8 |
| 57 | Urinary RKIP/p-RKIP is a potential diagnostic and prognostic marker of clear cell renal cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 40412-40424 | 3.3 | 36 |
| 56 | mTOR inhibitors effects on regulatory T cells and on dendritic cells. <i>Journal of Translational Medicine</i> , 2016 , 14, 152 | 8.5 | 39 |
| 55 | Sirolimus and Everolimus Pathway: Reviewing Candidate Genes Influencing Their Intracellular Effects. <i>International Journal of Molecular Sciences</i> , 2016 , 17, | 6.3 | 26 |
| 54 | Management and prevention of post-transplant malignancies in kidney transplant recipients. <i>CKJ: Clinical Kidney Journal</i> , 2015 , 8, 637-44 | 4.5 | 37 |
| 53 | Thrombin may modulate dendritic cell activation in kidney transplant recipients with delayed graft function. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1480-7 | 4.3 | 13 |
| 52 | A type I interferon signature characterizes chronic antibody-mediated rejection in kidney transplantation. <i>Journal of Pathology</i> , 2015 , 237, 72-84 | 9.4 | 30 |
| 51 | Post-void residual urinary volume is an independent predictor of biopsy results in men at risk for prostate cancer. <i>Anticancer Research</i> , 2015 , 35, 2175-82 | 2.3 | 11 |
| 50 | Pentraxin 3: a novel biomarker for predicting progression from prostatic inflammation to prostate cancer. <i>Cancer Research</i> , 2014 , 74, 4230-8 | 10.1 | 63 |
| 49 | A single-center cohort study to define the role of pretransplant biopsy score in the long-term outcome of kidney transplantation. <i>Transplantation</i> , 2014 , 97, 934-9 | 1.8 | 12 |
| 48 | Rapamycin induces ILT3(high)ILT4(high) dendritic cells promoting a new immunoregulatory pathway. <i>Kidney International</i> , 2014 , 85, 888-97 | 9.9 | 37 |

| 47 | Complement-dependent NADPH oxidase enzyme activation in renal ischemia/reperfusion injury. <i>Free Radical Biology and Medicine</i> , 2014 , 74, 263-73 | 7.8 | 56 |
|----|--|-----|-----|
| 46 | Exposure to low- vs iso-osmolar contrast agents reduces NADPH-dependent reactive oxygen species generation in a cellular model of renal injury. <i>Free Radical Biology and Medicine</i> , 2014 , 68, 35-42 | 7.8 | 21 |
| 45 | Branchio-Oto-Renal Syndrome (BOR) associated with focal glomerulosclerosis in a patient with a novel EYA1 splice site mutation. <i>BMC Nephrology</i> , 2013 , 14, 60 | 2.7 | 19 |
| 44 | Renal angiomyolipomatosis and Kaposiß sarcoma: a possible link disrupted by sirolimus. <i>Internal and Emergency Medicine</i> , 2012 , 7 Suppl 2, S127-9 | 3.7 | 1 |
| 43 | A 79 year old man with chronic lymphocytic leukemia and nephrotic syndrome. <i>Internal and Emergency Medicine</i> , 2012 , 7, 153-7 | 3.7 | 1 |
| 42 | Leptin-induced mTOR activation defines a specific molecular and transcriptional signature controlling CD4+ effector T cell responses. <i>Journal of Immunology</i> , 2012 , 189, 2941-53 | 5.3 | 100 |
| 41 | Rapamycin for treatment of type I autosomal dominant polycystic kidney disease (RAPYD-study): a randomized, controlled study. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 3560-7 | 4.3 | 41 |
| 40 | Acute kidney injury in the elderly population. <i>Journal of Nephrology</i> , 2012 , 25 Suppl 19, S58-66 | 4.8 | 3 |
| 39 | Sirolimus and proteinuria in renal transplant patients: evidence for a dose-dependent effect on slit diaphragm-associated proteins. <i>Transplantation</i> , 2011 , 91, 997-1004 | 1.8 | 48 |
| 38 | High pretransplant serum levels of CXCL9 are associated with increased risk of acute rejection and graft failure in kidney graft recipients. <i>Transplant International</i> , 2010 , 23, 465-75 | 3 | 30 |
| 37 | Waist-to-height ratio is the best anthropometric index in association with adverse cardiorenal outcomes in type 2 diabetes mellitus patients. <i>American Journal of Nephrology</i> , 2009 , 29, 615-9 | 4.6 | 19 |
| 36 | ID2-VEGF-related pathways in the pathogenesis of Kaposiß sarcoma: a link disrupted by rapamycin. <i>American Journal of Transplantation</i> , 2009 , 9, 558-66 | 8.7 | 15 |
| 35 | Complete renal allograft calcification. <i>Urology</i> , 2009 , 74, 1019 | 1.6 | |
| 34 | Management of side effects of sirolimus therapy. <i>Transplantation</i> , 2009 , 87, S23-6 | 1.8 | 105 |
| 33 | There is a choice for immunosuppressive drug nephrotoxicity: Is it time to change?. <i>Journal of Nephrology</i> , 2009 , 22, 326-32 | 4.8 | 3 |
| 32 | Occult HBV infection in hemodialysis setting is marked by presence of isolated antibodies to HBcAg and HCV. <i>Journal of Nephrology</i> , 2009 , 22, 381-6 | 4.8 | 27 |
| 31 | Kaposiß sarcoma and mTOR: a crossroad between viral infection neoangiogenesis and immunosuppression. <i>Transplant International</i> , 2008 , 21, 825-32 | 3 | 31 |
| 30 | Waist circumference is strongly associated with renal resistive index in normoalbuminuric patients with type 2 diabetes. <i>American Journal of Nephrology</i> , 2008 , 28, 54-8 | 4.6 | 9 |

(2004-2008)

| 29 | Rapamycin inhibits PAI-1 expression and reduces interstitial fibrosis and glomerulosclerosis in chronic allograft nephropathy. <i>Transplantation</i> , 2008 , 85, 125-34 | 1.8 | 44 |
|----|--|---------------|-----|
| 28 | Percutaneous ultrasound-guided renal biopsy in supine antero-lateral position: a new approach for obese and non-obese patients. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 971-6 | 4.3 | 28 |
| 27 | Ischemia-reperfusion injury-induced abnormal dendritic cell traffic in the transplanted kidney with delayed graft function. <i>Kidney International</i> , 2007 , 72, 994-1003 | 9.9 | 39 |
| 26 | The treatment of chronic hepatitis C with peginterferon alfa-2a (40 kDa) plus ribavirin in haemodialysed patients awaiting renal transplant. <i>Journal of Hepatology</i> , 2007 , 46, 768-74 | 13.4 | 136 |
| 25 | Sirolimus therapy after early cyclosporine withdrawal reduces the risk for cancer in adult renal transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 581-9 | 12.7 | 407 |
| 24 | A search for antibodies to HHV-8 in hemodialysis patients from South-Eastern Italy argues against HHV-8 spread in hemodialysis units. <i>Journal of Clinical Virology</i> , 2006 , 37, 75-6 | 14.5 | 3 |
| 23 | Sirolimus interferes with iron homeostasis in renal transplant recipients. <i>Transplantation</i> , 2006 , 82, 908- | 1í 2 8 | 54 |
| 22 | Double J stent with antireflux device in the prevention of short-term urological complications after cadaveric kidney transplantation: single-center prospective randomized study. <i>Transplantation Proceedings</i> , 2005 , 37, 2525-6 | 1.1 | 13 |
| 21 | Sirolimus for Kaposiß sarcoma in renal-transplant recipients. <i>New England Journal of Medicine</i> , 2005 , 352, 1317-23 | 59.2 | 802 |
| 20 | Early cyclosporine withdrawal from a sirolimus-based regimen results in better renal allograft survival and renal function at 48 months after transplantation. <i>Transplant International</i> , 2005 , 18, 22-8 | 3 | 191 |
| 19 | Rapamycin for treatment of chronic allograft nephropathy in renal transplant patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 3755-62 | 12.7 | 99 |
| 18 | Ischemia-reperfusion induces glomerular and tubular activation of proinflammatory and antiapoptotic pathways: differential modulation by rapamycin. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2675-86 | 12.7 | 84 |
| 17 | Addition of sirolimus to cyclosporine delays the recovery from delayed graft function but does not affect 1-year graft function. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 228-33 | 12.7 | 8o |
| 16 | Cyclosporin exposure correlates with 1 year graft function and histological damage in renal transplanted patients. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2107-12 | 4.3 | 18 |
| 15 | Sirolimus and angiotensin-converting enzyme inhibitors together induce tongue oedema in renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2906-8 | 4.3 | 17 |
| 14 | Kidney transplants from infected donors: our experience. <i>Transplantation Proceedings</i> , 2004 , 36, 491-2 | 1.1 | 24 |
| 13 | Medical and surgical complications after kidney transplantation from "suboptimal donors": one centreß experience. <i>Transplantation Proceedings</i> , 2004 , 36, 493-4 | 1.1 | 10 |
| 12 | Conversion to C2 monitoring of cyclosporine A exposure in maintenance kidney transplant recipients: results at 3 years. <i>American Journal of Kidney Diseases</i> , 2004 , 44, 886-92 | 7.4 | 7 |

| 11 | Early withdrawal of cyclosporine A improves 1-year kidney graft structure and function in sirolimus-treated patients. <i>Transplantation</i> , 2003 , 75, 998-1003 | 1.8 | 67 |
|----|--|-----|-----|
| 10 | Increased placental expression of tissue factor is associated with abnormal uterine and umbilical Doppler waveforms in severe preeclampsia with fetal growth restriction. <i>Journal of Nephrology</i> , 2003 , 16, 650-7 | 4.8 | 22 |
| 9 | Placental imbalance of vasoactive factors does not affect pregnancy outcome in patients treated with Cyclosporine A after transplantation. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 776-83 | 7.4 | 7 |
| 8 | Captopril enhances transforming growth factor (TGF)-beta1 expression in peripheral blood mononuclear cells: a mechanism independent from angiotensin converting enzyme inhibition? A study in cyclosporine-treated kidney-transplanted patients. <i>Transplantation</i> , 2002 , 74, 1710-5 | 1.8 | 14 |
| 7 | Hypertension is an independent predictor of delayed graft function and worse renal function only in kidneys with chronic pathological lesions. <i>Transplantation</i> , 2002 , 73, 623-7 | 1.8 | 29 |
| 6 | Pregnancy in renal transplantation: immunologic evaluation of neonates from mothers with transplanted kidney. <i>Transplant Immunology</i> , 2002 , 9, 161-4 | 1.7 | 19 |
| 5 | Protease-activated receptor 1 and plasminogen activator inhibitor 1 expression in chronic allograft nephropathy: the role of coagulation and fibrinolysis in renal graft fibrosis. <i>Transplantation</i> , 2001 , 72, 1437-43 | 1.8 | 47 |
| 4 | Are lipid-dependent indicators of cardiovascular risk affected by renal transplantation?. <i>Clinical Transplantation</i> , 2000 , 14, 139-46 | 3.8 | 7 |
| 3 | Immunologic evaluation during the first year of life of infants born to cyclosporine-treated female kidney transplant recipients: analysis of lymphocyte subpopulations and immunoglobulin serum levels. <i>Transplantation</i> , 2000 , 69, 2049-54 | 1.8 | 69 |
| 2 | Monocyte chemotactic peptide-1 expression and monocyte infiltration in acute renal transplant rejection. <i>Transplantation</i> , 1997 , 63, 414-20 | 1.8 | 101 |
| 1 | Interference of angiotensin-converting enzyme inhibitors on erythropoiesis in kidney transplant recipients: role of growth factors and cytokines. <i>Transplantation</i> , 1997 , 64, 913-8 | 1.8 | 65 |