Grace Lai-Hung Wong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3766779/publications.pdf

Version: 2024-02-01

419 papers

26,517 citations

4658 85 h-index 146 g-index

422 all docs 422 docs citations

times ranked

422

20555 citing authors

#	Article	IF	CITATIONS
1	Diagnosis of fibrosis and cirrhosis using liver stiffness measurement in nonalcoholic fatty liver disease. Hepatology, 2010, 51, 454-462.	7.3	1,052
2	Gut microbiota composition reflects disease severity and dysfunctional immune responses in patients with COVID-19. Gut, 2021, 70, 698-706.	12.1	818
3	Individual patient data meta-analysis of controlled attenuation parameter (CAP) technology for assessing steatosis. Journal of Hepatology, 2017, 66, 1022-1030.	3.7	734
4	Lengthening and shortening of plasma DNA in hepatocellular carcinoma patients. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E1317-25.	7.1	543
5	Disease progression of non-alcoholic fatty liver disease: a prospective study with paired liver biopsies at 3 years. Gut, 2010, 59, 969-974.	12.1	538
6	Clinical Scoring System to Predict Hepatocellular Carcinoma in Chronic Hepatitis B Carriers. Journal of Clinical Oncology, 2010, 28, 1660-1665.	1.6	424
7	Prevalence of non-alcoholic fatty liver disease and advanced fibrosis in Hong Kong Chinese: a population study using proton-magnetic resonance spectroscopy and transient elastography. Gut, 2012, 61, 409-415.	12.1	423
8	Entecavir treatment reduces hepatic events and deaths in chronic hepatitis B patients With liver cirrhosis. Hepatology, 2013, 58, 1537-1547.	7.3	408
9	Noninvasive biomarkers in NAFLD and NASH â€" current progress and future promise. Nature Reviews Gastroenterology and Hepatology, 2018, 15, 461-478.	17.8	400
10	Screening diabetic patients for non-alcoholic fatty liver disease with controlled attenuation parameter and liver stiffness measurements: a prospective cohort study. Gut, 2016, 65, 1359-1368.	12.1	386
11	Alanine aminotransferaseâ€based algorithms of liver stiffness measurement by transient elastography (Fibroscan) for liver fibrosis in chronic hepatitis B. Journal of Viral Hepatitis, 2009, 16, 36-44.	2.0	363
12	Asia–Pacific Working Party on Nonâ€alcoholic Fatty Liver Disease guidelines 2017—Part 1: Definition, risk factors and assessment. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 70-85.	2.8	358
13	Serum Hepatitis B Surface Antigen Quantitation Can Reflect Hepatitis B Virus in the Liver and Predict Treatment Response. Clinical Gastroenterology and Hepatology, 2007, 5, 1462-1468.	4.4	320
14	Systematic review with metaâ€analysis: nonâ€invasive assessment of nonâ€alcoholic fatty liver disease – the role of transient elastography and plasma cytokeratinâ€18 fragments. Alimentary Pharmacology and Therapeutics, 2014, 39, 254-269.	3.7	320
15	Combination of a cyclo-oxygenase-2 inhibitor and a proton-pump inhibitor for prevention of recurrent ulcer bleeding in patients at very high risk: a double-blind, randomised trial. Lancet, The, 2007, 369, 1621-1626.	13.7	297
16	Liver Stiffness Measurement Using XL Probe in Patients With Nonalcoholic Fatty Liver Disease. American Journal of Gastroenterology, 2012, 107, 1862-1871.	0.4	292
17	High Viral Load and Hepatitis B Virus Subgenotype Ce Are Associated With Increased Risk of Hepatocellular Carcinoma. Journal of Clinical Oncology, 2008, 26, 177-182.	1.6	278
18	Quantitative Elastography of Liver Fibrosis and Spleen Stiffness in Chronic Hepatitis B Carriers: Comparison of Shear-Wave Elastography and Transient Elastography with Liver Biopsy Correlation. Radiology, 2013, 269, 910-918.	7.3	267

#	Article	IF	Citations
19	Molecular Characterization of the Fecal Microbiota in Patients with Nonalcoholic Steatohepatitis – A Longitudinal Study. PLoS ONE, 2013, 8, e62885.	2.5	266
20	Histological severity and clinical outcomes of nonalcoholic fatty liver disease in nonobese patients. Hepatology, 2017, 65, 54-64.	7.3	260
21	Community-based lifestyle modification programme for non-alcoholic fatty liver disease: A randomized controlled trial. Journal of Hepatology, 2013, 59, 536-542.	3.7	254
22	Treatment of nonalcoholic steatohepatitis with probiotics. A proof-of-concept study. Annals of Hepatology, 2013, 12, 256-262.	1.5	252
23	Coronary artery disease and cardiovascular outcomes in patients with non-alcoholic fatty liver disease. Gut, 2011, 60, 1721-1727.	12.1	248
24	Prevalence and Severity of Nonalcoholic Fatty Liver Disease in Non-Obese Patients: A Population Study Using Proton-Magnetic Resonance Spectroscopy. American Journal of Gastroenterology, 2015, 110, 1306-1314.	0.4	240
25	Hepatitis B Virus: Advances in Prevention, Diagnosis, and Therapy. Clinical Microbiology Reviews, 2020, 33, .	13.6	239
26	Liver stiffness-based optimization of hepatocellular carcinoma risk score in patients with chronic hepatitis B. Journal of Hepatology, 2014, 60, 339-345.	3.7	227
27	A longitudinal study on the natural history of serum hepatitis B surface antigen changes in chronic hepatitis B. Hepatology, 2010, 52, 1232-1241.	7.3	226
28	High prevalence of colorectal neoplasm in patients with non-alcoholic steatohepatitis. Gut, 2011, 60, 829-836.	12.1	219
29	Diagnosis of liver fibrosis and cirrhosis using liver stiffness measurement: Comparison between M and XL probe of FibroScan®. Journal of Hepatology, 2012, 56, 833-839.	3.7	218
30	Prognostic Nutritional Index (PNI) Predicts Tumor Recurrence of Very Early/Early Stage Hepatocellular Carcinoma After Surgical Resection. Annals of Surgical Oncology, 2015, 22, 4138-4148.	1.5	206
31	Bacterial Microbiota Profiling in Gastritis without Helicobacter pylori Infection or Non-Steroidal Anti-Inflammatory Drug Use. PLoS ONE, 2009, 4, e7985.	2,5	204
32	International incidence and mortality trends of liver cancer: a global profile. Scientific Reports, 2017, 7, 45846.	3.3	199
33	Metabolic syndrome increases the risk of liver cirrhosis in chronic hepatitis B. Gut, 2009, 58, 111-117.	12.1	198
34	Non-invasive diagnosis of non-alcoholic steatohepatitis by combined serum biomarkers. Journal of Hepatology, 2012, 56, 1363-1370.	3.7	198
35	Beneficial effects of lifestyle intervention in non-obese patients with non-alcoholic fatty liver disease. Journal of Hepatology, 2018, 69, 1349-1356.	3.7	198
36	High serum interleukinâ€6 level predicts future hepatocellular carcinoma development in patients with chronic hepatitis B. International Journal of Cancer, 2009, 124, 2766-2770.	5.1	197

#	Article	IF	Citations
37	Hepatitis B virus infection and fatty liver in the general population. Journal of Hepatology, 2012, 56, 533-540.	3.7	196
38	Fatty Pancreas, Insulin Resistance, and \hat{l}^2 -Cell Function: A Population Study Using Fat-Water Magnetic Resonance Imaging. American Journal of Gastroenterology, 2014, 109, 589-597.	0.4	194
39	Treatment cessation of entecavir in Asian patients with hepatitis B e antigen negative chronic hepatitis B: a multicentre prospective study. Gut, 2015, 64, 667-672.	12.1	185
40	Metabolic and Adipokine Profile of Chinese Patients With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2006, 4, 1154-1161.	4.4	181
41	Improved noninvasive prediction of liver fibrosis by liver stiffness measurement in patients with nonalcoholic fatty liver disease accounting for controlled attenuation parameter values. Hepatology, 2017, 65, 1145-1155.	7.3	177
42	HBsAg seroclearance further reduces hepatocellular carcinoma risk after complete viral suppression with nucleos(t)ide analogues. Journal of Hepatology, 2019, 70, 361-370.	3.7	173
43	Polymorphisms Near IL28B and Serologic Response to Peginterferon in HBeAg-Positive Patients With Chronic Hepatitis B. Gastroenterology, 2012, 142, 513-520.e1.	1.3	171
44	Long-Term Follow-Up of Patients with Obscure Gastrointestinal Bleeding After Negative Capsule Endoscopy. American Journal of Gastroenterology, 2006, 101, 1224-1228.	0.4	166
45	Meta-analysis: the efficacy of anti-viral therapy in prevention of recurrence after curative treatment of chronic hepatitis B-related hepatocellular carcinoma. Alimentary Pharmacology and Therapeutics, 2011, 33, 1104-1112.	3.7	159
46	Tenofovir Is Associated With Lower Risk of Hepatocellular Carcinoma Than Entecavir in Patients With Chronic HBV Infection in China. Gastroenterology, 2020, 158, 215-225.e6.	1.3	156
47	Accuracy of Risk Scores for Patients With Chronic Hepatitis B Receiving Entecavir Treatment. Gastroenterology, 2013, 144, 933-944.	1.3	155
48	Pathogenesis and novel treatment options for non-alcoholic steatohepatitis. The Lancet Gastroenterology and Hepatology, 2016, 1, 56-67.	8.1	152
49	Concurrent fatty liver increases risk of hepatocellular carcinoma among patients with chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 667-676.	2.8	152
50	Controlled attenuation parameter for the diagnosis of steatosis in nonâ€alcoholic fatty liver disease. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 848-855.	2.8	151
51	Incidence of non-alcoholic fatty liver disease in Hong Kong: A population study with paired proton-magnetic resonance spectroscopy. Journal of Hepatology, 2015, 62, 182-189.	3.7	147
52	Assessment of Fibrosis by Transient Elastography Compared With Liver Biopsy and Morphometry in Chronic Liver Diseases. Clinical Gastroenterology and Hepatology, 2008, 6, 1027-1035.	4.4	143
53	Serial combination of nonâ€invasive tools improves the diagnostic accuracy of severe liver fibrosis in patients with <scp>NAFLD</scp> . Alimentary Pharmacology and Therapeutics, 2017, 46, 617-627.	3.7	134
54	Laboratory parameterâ€based machine learning model for excluding nonâ€alcoholic fatty liver disease (<scp>NAFLD</scp>) in the general population. Alimentary Pharmacology and Therapeutics, 2017, 46, 447-456.	3.7	132

#	Article	IF	CITATIONS
55	Assessment of hepatic steatosis by controlled attenuation parameter using the M and XL probes: an individual patient data meta-analysis. The Lancet Gastroenterology and Hepatology, 2021, 6, 185-198.	8.1	130
56	High Incidence of Mortality and Recurrent Bleeding in Patients With Helicobacter pylori–Negative Idiopathic Bleeding Ulcers. Gastroenterology, 2009, 137, 525-531.	1.3	128
57	Factors associated with unreliable liver stiffness measurement and its failure with transient elastography in the Chinese population. Journal of Gastroenterology and Hepatology (Australia), 2011, 26, 300-305.	2.8	127
58	Efficacy of Cap-Assisted Colonoscopy in Comparison With Regular Colonoscopy: A Randomized Controlled Trial. American Journal of Gastroenterology, 2009, 104, 41-46.	0.4	125
59	<i><scp>PNPLA</scp>3</i> gene polymorphism and response to lifestyle modification in patients with nonalcoholic fatty liver disease. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 139-146.	2.8	125
60	Entecavir treatment in patients with severe acute exacerbation of chronic hepatitis B. Journal of Hepatology, 2011, 54, 236-242.	3.7	122
61	Liver injury is independently associated with adverse clinical outcomes in patients with COVID-19. Gut, 2021, 70, 733-742.	12.1	121
62	Development of a scoring system to predict hepatocellular carcinoma in Asians on antivirals for chronic hepatitis B. Journal of Hepatology, 2018, 69, 278-285.	3.7	120
63	Impact of the New Definition of Metabolic Associated Fatty Liver Disease on the Epidemiology of the Disease. Clinical Gastroenterology and Hepatology, 2021, 19, 2161-2171.e5.	4.4	119
64	The Asiaâ€"Pacific Working Party on Nonâ€alcoholic Fatty Liver Disease guidelines 2017â€"Part 2: Management and special groups. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 86-98.	2.8	117
65	On-treatment alpha-fetoprotein is a specific tumor marker for hepatocellular carcinoma in patients with chronic hepatitis B receiving entecavir. Hepatology, 2014, 59, 986-995.	7.3	114
66	Coincidental metabolic syndrome increases the risk of liver fibrosis progression in patients with chronic hepatitis B $\hat{a} \in \hat{a}$ a prospective cohort study with paired transient elastography examinations. Alimentary Pharmacology and Therapeutics, 2014, 39, 883-893.	3.7	113
67	Unified interpretation of liver stiffness measurement by M and XL probes in non-alcoholic fatty liver disease. Gut, 2019, 68, 2057-2064.	12.1	113
68	Impact of age and gender on risk of hepatocellular carcinoma after hepatitis B surface antigen seroclearance. Journal of Hepatology, 2017, 67, 902-908.	3.7	112
69	Development of a nonâ€invasive algorithm with transient elastography (Fibroscan) and serum test formula for advanced liver fibrosis in chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2010, 31, 1095-1103.	3.7	110
70	Viral Determinants of Hepatitis B Surface Antigen Seroclearance in Hepatitis B e Antigen–Negative Chronic Hepatitis B Patients. Journal of Infectious Diseases, 2011, 204, 408-414.	4.0	110
71	Validity criteria for the diagnosis of fatty liver by M probe-based controlled attenuation parameter. Journal of Hepatology, 2017, 67, 577-584.	3.7	110
72	Metabolic and histological features of nonâ€alcoholic fatty liver disease patients with different serum alanine aminotransferase levels. Alimentary Pharmacology and Therapeutics, 2009, 29, 387-396.	3.7	108

#	Article	IF	Citations
73	Surveillance programme for hepatocellular carcinoma improves the survival of patients with chronic viral hepatitis. Liver International, 2008, 28, 79-87.	3.9	105
74	Histone Deacetylase HDAC8 Promotes Insulin Resistance and \hat{l}^2 -Catenin Activation in NAFLD-Associated Hepatocellular Carcinoma. Cancer Research, 2015, 75, 4803-4816.	0.9	105
75	Increased liver stiffness measurement by transient elastography in severe acute exacerbation of chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2009, 24, 1002-1007.	2.8	104
76	Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. Journal of Hepatology, 2019, 71, 1141-1151.	3.7	104
77	Validation of the NAFLD Fibrosis Score in a Chinese Population With Low Prevalence of Advanced Fibrosis. American Journal of Gastroenterology, 2008, 103, ???-???.	0.4	101
78	Longâ€term clinical outcomes after fatty liver screening in patients undergoing coronary angiogram: A prospective cohort study. Hepatology, 2016, 63, 754-763.	7.3	101
79	Durability of peginterferon alfa-2b treatment at 5 years in patients with hepatitis B e antigen-positive chronic hepatitis B. Hepatology, 2010, 51, 1945-1953.	7.3	100
80	Prediction of off-Treatment Response to Lamivudine by Serum Hepatitis B Surface Antigen Quantification in Hepatitis B E Antigen-Negative Patients. Antiviral Therapy, 2011, 16, 1249-1257.	1.0	100
81	Serum HBsAg quantification to predict response to peginterferon therapy of e antigen positive chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2010, 32, 1323-1331.	3.7	98
82	Liver Stiffness Measurement by Transient Elastography as a Predictor on Posthepatectomy Outcomes. Annals of Surgery, 2013, 257, 922-928.	4.2	96
83	<i><scp>PNPLA</scp>3</i> gene polymorphism accounts for fatty liver in community subjects without metabolic syndrome. Alimentary Pharmacology and Therapeutics, 2014, 39, 532-539.	3.7	95
84	New simple prognostic score for primary biliary cirrhosis: Albuminâ€bilirubin score. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 1391-1396.	2.8	95
85	Modelling NAFLD disease burden in four Asian regions—2019â€2030. Alimentary Pharmacology and Therapeutics, 2020, 51, 801-811.	3.7	92
86	Metaâ€analysis: the association of hepatitis B virus genotypes and hepatocellular carcinoma. Alimentary Pharmacology and Therapeutics, 2013, 37, 517-526.	3.7	89
87	Prevalence of undiagnosed diabetes and postchallenge hyperglycaemia in Chinese patients with non-alcoholic fatty liver disease. Alimentary Pharmacology and Therapeutics, 2006, 24, 1215-1222.	3.7	88
88	Evaluation of Alanine Transaminase and Hepatitis B Virus DNA to Predict Liver Cirrhosis in Hepatitis B e Antigen-Negative Chronic Hepatitis B Using Transient Elastography. American Journal of Gastroenterology, 2008, 103, 3071-3081.	0.4	83
89	Albumin-to-Alkaline Phosphatase Ratio: A Novel Prognostic Index for Hepatocellular Carcinoma. Disease Markers, 2015, 2015, 1-10.	1.3	83
90	Statin and the risk of hepatocellular carcinoma and death in a hospital-based hepatitis B-infected population: A propensity score landmark analysis. Journal of Hepatology, 2015, 63, 1190-1197.	3.7	83

#	Article	IF	CITATIONS
91	Gastrointestinal safety of celecoxib versus naproxen in patients with cardiothrombotic diseases and arthritis after upper gastrointestinal bleeding (CONCERN): an industry-independent, double-blind, double-dummy, randomised trial. Lancet, The, 2017, 389, 2375-2382.	13.7	83
92	On-Treatment Monitoring of Liver Fibrosis with Transient Elastography in Chronic Hepatitis B Patients. Antiviral Therapy, 2011, 16, 165-172.	1.0	82
93	Management of patients with liver derangement during the COVID-19 pandemic: an Asia-Pacific position statement. The Lancet Gastroenterology and Hepatology, 2020, 5, 776-787.	8.1	82
94	Update of liver fibrosis and steatosis with transient elastography (Fibroscan). Gastroenterology Report, 2013, 1, 19-26.	1.3	80
95	Low Accuracy of FIB-4 and NAFLD Fibrosis Scores for Screening for Liver Fibrosis in the Population. Clinical Gastroenterology and Hepatology, 2022, 20, 2567-2576.e6.	4.4	80
96	Normal on-treatment ALT during antiviral treatment is associated with a lower risk of hepatic events in patients with chronic hepatitis B. Journal of Hepatology, 2018, 69, 793-802.	3.7	79
97	Longâ€ŧerm safety of oral nucleos(t)ide analogs for patients with chronic hepatitis B: A cohort study of 53,500 subjects. Hepatology, 2015, 62, 684-693.	7. 3	77
98	Durability of hepatitis B surface antigen seroclearance in untreated and nucleos(t)ide analogue-treated patients. Journal of Hepatology, 2018, 68, 63-72.	3.7	77
99	Diet-Quality Scores and Prevalence of Nonalcoholic Fatty Liver Disease: A Population Study Using Proton-Magnetic Resonance Spectroscopy. PLoS ONE, 2015, 10, e0139310.	2.5	77
100	Transient elastography: Kill two birds with one stone?. World Journal of Hepatology, 2013, 5, 264.	2.0	77
101	Hepatitis B Virus Genotype C Is Associated With More Severe Liver Fibrosis Than Genotype B. Clinical Gastroenterology and Hepatology, 2009, 7, 1361-1366.	4.4	75
102	Liver stiffness measurement predicts longâ€term survival and complications in nonâ€alcoholic fatty liver disease. Liver International, 2020, 40, 581-589.	3.9	75
103	Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. Journal of Hepatology, 2018, 68, 147-156.	3.7	72
104	Tenofovir Versus Entecavir for Hepatocellular Carcinoma Prevention in an International Consortium of Chronic Hepatitis B. American Journal of Gastroenterology, 2020, 115, 271-280.	0.4	72
105	Clinical Factors Associated With Liver Stiffness in Hepatitis B e Antigen–Positive Chronic Hepatitis B Patients. Clinical Gastroenterology and Hepatology, 2009, 7, 227-233.	4.4	70
106	Application of transient elastography in nonalcoholic fatty liver disease. Clinical and Molecular Hepatology, 2020, 26, 128-141.	8.9	70
107	Prevalence of the TM6SF2 variant and non-alcoholic fatty liver disease in Chinese. Journal of Hepatology, 2014, 61, 708-709.	3.7	69
108	How to achieve functional cure of HBV: Stopping NUCs, adding interferon or new drug development?. Journal of Hepatology, 2022, 76, 1249-1262.	3.7	69

#	Article	IF	Citations
109	Changes in Crohn $\hat{E}^{1}\!/\!4$ s disease phenotype over time in the Chinese population: Validation of the Montreal classification system. Inflammatory Bowel Diseases, 2008, 14, 536-541.	1.9	68
110	Controlled attenuation parameter using the FibroScan® XL probe for quantification of hepatic steatosis for nonâ€alcoholic fatty liver disease in an Asian population. United European Gastroenterology Journal, 2017, 5, 76-85.	3.8	67
111	Prognostic Value of Controlled Attenuation Parameter by Transient Elastography. American Journal of Gastroenterology, 2017, 112, 1812-1823.	0.4	67
112	Lymphoepithelioma-like Hepatocellular Carcinoma. American Journal of Surgical Pathology, 2015, 39, 304-312.	3.7	66
113	An inflammatory-CCRK circuitry drives mTORC1-dependent metabolic and immunosuppressive reprogramming in obesity-associated hepatocellular carcinoma. Nature Communications, 2018, 9, 5214.	12.8	66
114	Association Between Anthropometric Parameters and Measurements of Liver Stiffness by Transient Elastography. Clinical Gastroenterology and Hepatology, 2013, 11, 295-302.e3.	4.4	64
115	Quantification of Liver Fat Content with Ultrasound: A WFUMB Position Paper. Ultrasound in Medicine and Biology, 2021, 47, 2803-2820.	1.5	63
116	Inter-observer variations on interpretation of capsule endoscopies. European Journal of Gastroenterology and Hepatology, 2006, 18, 283-286.	1.6	62
117	Interaction of Adipokines and Hepatitis B Virus on Histological Liver Injury in the Chinese. American Journal of Gastroenterology, 2010, 105, 132-138.	0.4	62
118	Assessment of nonâ€alcoholic fatty liver disease using serum total cell death and apoptosis markers. Alimentary Pharmacology and Therapeutics, 2012, 36, 1057-1066.	3.7	61
119	Nonâ€invasive algorithm of enhanced liver fibrosis and liver stiffness measurement with transient elastography for advanced liver fibrosis in chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2014, 39, 197-208.	3.7	61
120	Poor adherence to hepatocellular carcinoma surveillance: A systematic review and metaâ€analysis of a complex issue. Liver International, 2018, 38, 503-514.	3.9	61
121	Genetic polymorphisms of adiponectin and tumor necrosis factorâ€elpha and nonalcoholic fatty liver disease in Chinese people. Journal of Gastroenterology and Hepatology (Australia), 2008, 23, 914-921.	2.8	60
122	Review article: longâ€term safety of oral antiâ€viral treatment for chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2018, 47, 730-737.	3.7	60
123	Liver- and Colon-Specific DNA Methylation Markers in Plasma for Investigation of Colorectal Cancers with or without Liver Metastases. Clinical Chemistry, 2018, 64, 1239-1249.	3.2	60
124	Risks of Bleeding Recurrence and Cardiovascular Events With Continued Aspirin Use After Lower Gastrointestinal Hemorrhage. Gastroenterology, 2016, 151, 271-277.	1.3	59
125	Chronic kidney disease progression in patients with chronic hepatitis B on tenofovir, entecavir, or no treatment. Alimentary Pharmacology and Therapeutics, 2018, 48, 984-992.	3.7	59
126	Serial Transient Elastography Examinations to Monitor Patients With Type 2 Diabetes: A Prospective Cohort Study. Hepatology, 2020, 72, 1230-1241.	7.3	59

#	Article	IF	CITATIONS
127	Asian perspective on NAFLD-associated HCC. Journal of Hepatology, 2022, 76, 726-734.	3.7	59
128	Significant positive association of endotoxemia with histological severity in 237 patients with nonâ€alcoholic fatty liver disease. Alimentary Pharmacology and Therapeutics, 2017, 46, 175-182.	3.7	58
129	Real-World Effectiveness From the Asia Pacific Rim Liver Consortium for HBV Risk Score for the Prediction of Hepatocellular Carcinoma in Chronic Hepatitis B Patients Treated With Oral Antiviral Therapy. Journal of Infectious Diseases, 2020, 221, 389-399.	4.0	58
130	Bacterial endotoxin and nonâ€alcoholic fatty liver disease in the general population: a prospective cohort study. Alimentary Pharmacology and Therapeutics, 2015, 42, 731-740.	3.7	57
131	Impact of Obesity and Alanine Aminotransferase Levels on the Diagnostic Accuracy for Advanced Liver Fibrosis of Noninvasive Tools in Patients With Nonalcoholic Fatty Liver Disease. American Journal of Gastroenterology, 2019, 114, 916-928.	0.4	57
132	An extension of STARD statements for reporting diagnostic accuracy studies on liver fibrosis tests: The Liver-FibroSTARD standards. Journal of Hepatology, 2015, 62, 807-815.	3.7	54
133	Tenofovir disoproxil fumarate reduces hepatocellular carcinoma, decompensation and death in chronic hepatitis B patients with cirrhosis. Alimentary Pharmacology and Therapeutics, 2019, 50, 1037-1048.	3.7	54
134	Risk of hepatitis B surface antigen seroreversion after corticosteroid treatment in patients with previous hepatitis B virus exposure. Journal of Hepatology, 2020, 72, 57-66.	3.7	54
135	Performance of the new MELD-Na score in predicting 3-month and 1-year mortality in chinese patients with chronic hepatitis B. Liver Transplantation, 2007, 13, 1228-1235.	2.4	53
136	Adverse Effects of Vitamin D Deficiency on Outcomes of Patients With Chronic Hepatitis B. Clinical Gastroenterology and Hepatology, 2015, 13, 783-790.e1.	4.4	52
137	An Aging Population of Chronic Hepatitis B With Increasing Comorbidities: A Territoryâ€Wide Study From 2000 to 2017. Hepatology, 2020, 71, 444-455.	7.3	52
138	Liver Injury Is Common Among Chronic Abusers of Ketamine. Clinical Gastroenterology and Hepatology, 2014, 12, 1759-1762.e1.	4.4	51
139	Antiviral therapy improves postâ€hepatectomy survival in patients with hepatitis B virusâ€related hepatocellular carcinoma: a prospectiveâ€retrospective study. Alimentary Pharmacology and Therapeutics, 2015, 41, 199-208.	3.7	51
140	Liver fibrosis and fatty liver in Asian HIVâ€infected patients. Alimentary Pharmacology and Therapeutics, 2016, 44, 411-421.	3.7	51
141	Reassessing the accuracy of PAGE-B-related scores to predict hepatocellular carcinoma development in patients with chronic hepatitis B. Journal of Hepatology, 2020, 72, 847-854.	3.7	49
142	Undetectable <scp>HBV DNA</scp> at month 12 of entecavir treatment predicts maintained viral suppression and <scp>HB</scp> e <scp>A</scp> gâ€seroconversion in chronic hepatitis <scp>B</scp> patients at 3Âyears. Alimentary Pharmacology and Therapeutics, 2012, 35, 1326-1335.	3.7	48
143	Statins reduce the risk of liver decompensation and death in chronic viral hepatitis: a propensity score weighted landmark analysis. Alimentary Pharmacology and Therapeutics, 2017, 46, 1001-1010.	3.7	48
144	Effects of Diabetes and Glycemic Control on Risk of Hepatocellular Carcinoma After Seroclearance of Hepatitis B Surface Antigen. Clinical Gastroenterology and Hepatology, 2018, 16, 765-773.e2.	4.4	48

#	Article	IF	CITATIONS
145	DATA-GRU: Dual-Attention Time-Aware Gated Recurrent Unit for Irregular Multivariate Time Series. Proceedings of the AAAI Conference on Artificial Intelligence, 2020, 34, 930-937.	4.9	48
146	Unmet need in chronic hepatitis B management. Clinical and Molecular Hepatology, 2019, 25, 172-180.	8.9	48
147	Metaâ€analysis: reduction in hepatic events following interferonâ€alfa therapy of chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2010, 32, 1059-1068.	3.7	47
148	Impact of controlled attenuation parameter on detecting fibrosis using liver stiffness measurement. Alimentary Pharmacology and Therapeutics, 2018, 47, 989-1000.	3.7	47
149	Type 2 Diabetes and Metformin Use Associate WithÂOutcomes of Patients With Nonalcoholic Steatohepatitis–Related, Child–Pugh A Cirrhosis. Clinical Gastroenterology and Hepatology, 2021, 19, 136-145.e6.	4.4	47
150	Surrogate End Points and Long-Term Outcome in Patients With Chronic Hepatitis B. Clinical Gastroenterology and Hepatology, 2009, 7, 1113-1120.	4.4	46
151	Management of chronic hepatitis B patients in immunetolerant phase: what latest guidelines recommend. Clinical and Molecular Hepatology, 2018, 24, 108-113.	8.9	46
152	Oneâ€stop clinic for ketamineâ€associated uropathy: report on service delivery model, patients' characteristics and nonâ€invasive investigations at baseline by a crossâ€sectional study in a prospective cohort of 318 teenagers and young adults. BJU International, 2014, 114, 754-760.	2.5	45
153	Current Knowledge of Occult Hepatitis B Infection and Clinical Implications. Seminars in Liver Disease, 2019, 39, 249-260.	3.6	45
154	Repeat-Screening Colonoscopy 5 Years After Normal Baseline-Screening Colonoscopy in Average-Risk Chinese: A Prospective Study. American Journal of Gastroenterology, 2009, 104, 2028-2034.	0.4	44
155	Application of the combined FibroMeter vibrationâ€controlled transient elastography algorithm in Chinese patients with nonâ€alcoholic fatty liver disease. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 1363-1369.	2.8	44
156	Diagnostic Accuracy of Noninvasive Fibrosis Scores in a Population of Individuals With a Low Prevalence of Fibrosis. Clinical Gastroenterology and Hepatology, 2017, 15, 1453-1460.e1.	4.4	42
157	Machine learning model to predict recurrent ulcer bleeding in patients with history of idiopathic gastroduodenal ulcer bleeding. Alimentary Pharmacology and Therapeutics, 2019, 49, 912-918.	3.7	41
158	Current and Past Infections of HBV Do Not Increase Mortality in Patients With COVIDâ€19. Hepatology, 2021, 74, 1750-1765.	7.3	41
159	Prediction of fibrosis progression in chronic viral hepatitis. Clinical and Molecular Hepatology, 2014, 20, 228.	8.9	41
160	Angiotensinâ€converting enzyme inhibitors prevent liverâ€related events in nonalcoholic fatty liver disease. Hepatology, 2022, 76, 469-482.	7.3	41
161	Predictors of Treatment Response in Chronic Hepatitis B. Drugs, 2009, 69, 2167-2177.	10.9	40
162	HCV Genotype 6 Increased the Risk for Hepatocellular Carcinoma Among Asian Patients With Liver Cirrhosis. American Journal of Gastroenterology, 2017, 112, 1111-1119.	0.4	40

#	Article	IF	CITATIONS
163	Can the same controlled attenuation parameter cutâ€offs be used for M and XL probes for diagnosing hepatic steatosis?. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 1787-1794.	2.8	40
164	Loss of tumor suppressor IGFBP4 drives epigenetic reprogramming in hepatic carcinogenesis. Nucleic Acids Research, 2018, 46, 8832-8847.	14.5	40
165	Positive Hepatitis B Core Antibody Is Associated With Cirrhosis and Hepatocellular Carcinoma in Nonalcoholic Fatty Liver Disease. American Journal of Gastroenterology, 2020, 115, 867-875.	0.4	40
166	Artificial intelligence in prediction of nonâ€alcoholic fatty liver disease and fibrosis. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 543-550.	2.8	40
167	Incidences and Determinants of Functional Cure During Entecavir or Tenofovir Disoproxil Fumarate for Chronic Hepatitis B. Journal of Infectious Diseases, 2021, 224, 1890-1899.	4.0	40
168	Oral nucleos(t)ide analogues reduce recurrence and death in chronic hepatitis Bâ€related hepatocellular carcinoma. Alimentary Pharmacology and Therapeutics, 2016, 43, 802-813.	3.7	39
169	Liver stiffness measurement predicts highâ€grade postâ€hepatectomy liver failure: A prospective cohort study. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 506-514.	2.8	39
170	Chronic Hepatitis B Increases Liver-Related Mortality of Patients With Acute Hepatitis E: A Territorywide Cohort Study From 2000 to 2016. Clinical Infectious Diseases, 2018, 67, 1278-1284.	5.8	39
171	Early virological suppression is associated with good maintained response to adefovir dipivoxil in lamivudine resistant chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2007, 25, 891-898.	3.7	38
172	Cost-effectiveness analysis of roadmap models in chronic hepatitis B using tenofovir as the rescue therapy. Antiviral Therapy, 2010, 15, 145-155.	1.0	38
173	Gastroprotective Therapy Does Not Improve Outcomes of Patients With Helicobacter pylori–Negative Idiopathic Bleeding Ulcers. Clinical Gastroenterology and Hepatology, 2012, 10, 1124-1129.	4.4	38
174	Risk prediction of hepatitis B virus-related hepatocellular carcinoma in the era of antiviral therapy. World Journal of Gastroenterology, 2013, 19, 6515.	3.3	38
175	HCC risk post-SVR with DAAs in East Asians: findings from the REAL-C cohort. Hepatology International, 2020, 14, 1023-1033.	4.2	38
176	Modelling the economic and clinical burden of nonâ€alcoholic steatohepatitis in East Asia: Data from Hong Kong. Hepatology Research, 2020, 50, 1024-1031.	3.4	38
177	Hepatitis Flare During Immunotherapy in Patients With Current or Past Hepatitis B Virus Infection. American Journal of Gastroenterology, 2021, 116, 1274-1283.	0.4	37
178	Current developments in nucleoside/nucleotide analogues for hepatitis B. Expert Review of Gastroenterology and Hepatology, 2014, 8, 607-622.	3.0	36
179	Liver fibrosis progression is uncommon in patients with inactive chronic hepatitis <scp>B</scp> : A prospective cohort study with paired transient elastography examination. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 1842-1848.	2.8	35
180	Initial experience of real-time capsule endoscopy in monitoring progress of the videocapsule through the upper GI tract. Gastrointestinal Endoscopy, 2007, 66, 1211-1214.	1.0	34

#	Article	IF	CITATIONS
181	Non-alcoholic fatty liver disease: Spectral patterns observed from an in vivo phosphorus magnetic resonance spectroscopy study. Journal of Hepatology, 2014, 60, 809-815.	3.7	34
182	A new screening strategy for varices by liver and spleen stiffness measurement (<scp>LSSM</scp>) in cirrhotic patients: AÂrandomized trial. Liver International, 2018, 38, 636-644.	3.9	34
183	A review of the natural history of chronic hepatitis B in the era of transient elastography. Antiviral Therapy, 2009, 14, 489-499.	1.0	34
184	Low Risk of Variceal Bleeding in Patients With Cirrhosis After Variceal Screening Stratified by Liver/Spleen Stiffness. Hepatology, 2019, 70, 971-981.	7.3	33
185	Association of genetic variations with NAFLD in lean individuals. Liver International, 2022, 42, 149-160.	3.9	33
186	Long-Term follow-up of Lamivudine Treatment in Patients with Severe Acute Exacerbation of Hepatitis B e Antigen (HBeAg)-Positive Chronic Hepatitis B. Antiviral Therapy, 2008, 13, 571-579.	1.0	33
187	Combination therapy of interferon and nucleotide/nucleoside analogues for chronic hepatitis <scp>B</scp> . Journal of Viral Hepatitis, 2014, 21, 825-834.	2.0	32
188	Nonâ€invasive assessments for liver fibrosis: The crystal ball we long for. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 1009-1015.	2.8	32
189	Unhealthy lifestyle habits and physical inactivity among Asian patients with nonâ€alcoholic fatty liver disease. Liver International, 2020, 40, 2719-2731.	3.9	32
190	The effect of caffeine and alcohol consumption on liver fibrosis - a study of 1045 Asian hepatitis B patients using transient elastography. Liver International, 2011, 31, 1047-1053.	3.9	31
191	Measuring spleen stiffness to predict varices in chronic hepatitis B cirrhotic patients with or without receiving nonâ€selective betaâ€blockers. Journal of Digestive Diseases, 2016, 17, 538-546.	1.5	31
192	Serum interferonâ€inducible protein 10 levels predict hepatitis B s antigen seroclearance in patients with chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2016, 43, 145-153.	3.7	30
193	A Retrospective Study on Clinical Features and Prognostic Factors of Biopsy-Proven Primary Biliary Cirrhosis in Chinese Patients. American Journal of Gastroenterology, 2005, 100, 2205-2211.	0.4	29
194	Personalized management of cirrhosis by non-invasive tests of liver fibrosis. Clinical and Molecular Hepatology, 2015, 21, 200.	8.9	29
195	Non-invasive assessment of liver fibrosis with transient elastography (FibroScan®): applying the cut-offs of M probe to XL probe. Annals of Hepatology, 2013, 12, 402-412.	1.5	28
196	Targeted hepatitis <scp>C</scp> screening among exâ€injection drug users in the community. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 116-120.	2.8	28
197	Repeating measurements by transient elastography in nonâ€alcoholic fatty liver disease patients with high liver stiffness. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 241-248.	2.8	28
198	Development of a Novel Inflammation-Based Index for Hepatocellular Carcinoma. Liver Cancer, 2020, 9, 167-181.	7.7	28

#	Article	IF	CITATIONS
199	Fatty Pancreas Is Independently Associated With Subsequent Diabetes Mellitus Development: A 10-Year Prospective Cohort Study. Clinical Gastroenterology and Hepatology, 2022, 20, 2014-2022.e4.	4.4	28
200	Higher Estimated Net Endogenous Acid Production May Be Associated with Increased Prevalence of Nonalcoholic Fatty Liver Disease in Chinese Adults in Hong Kong. PLoS ONE, 2015, 10, e0122406.	2.5	28
201	Long-Term Lamivudine Treatment is Associated with a Good Maintained Response in Severe Acute Exacerbation of Chronic Hbeag-Negative Hepatitis B. Antiviral Therapy, 2006, 11, 465-471.	1.0	28
202	Virological Response to Different Combination Regimes of Peginterferon \hat{l}_{\pm} -2b and Lamivudine in Hepatitis B e Antigen Positive Chronic Hepatitis B. Antiviral Therapy, 2007, 12, 815-823.	1.0	28
203	Soluble CD163 and mannose receptor associate with chronic hepatitis B activity and fibrosis and decline with treatment. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 484-491.	2.8	27
204	Direct-acting antivirals in East Asian hepatitis C patients: real-world experience from the REAL-C Consortium. Hepatology International, 2019, 13, 587-598.	4.2	27
205	Quantifying and monitoring fibrosis in non-alcoholic fatty liver disease using dual-photon microscopy. Gut, 2020, 69, 1116-1126.	12.1	27
206	Significantly Lower Case-fatality Ratio of Coronavirus Disease 2019 (COVID-19) than Severe Acute Respiratory Syndrome (SARS) in Hong Kongâ€"A Territory-Wide Cohort Study. Clinical Infectious Diseases, 2021, 72, e466-e475.	5.8	26
207	Concomitant irritable bowel syndrome is associated with failure of step-down on-demand proton pump inhibitor treatment in patients with gastro-esophageal reflux disease. Neurogastroenterology and Motility, 2011, 23, 155-e31.	3.0	25
208	Efficient Shapelet Discovery for Time Series Classification. IEEE Transactions on Knowledge and Data Engineering, 2022, 34, 1149-1163.	5.7	25
209	A Sequential Algorithm Combining ADAPT and Liver Stiffness Can Stage Metabolic-Associated Fatty Liver Disease in Hospital-Based and Primary Care Patients. American Journal of Gastroenterology, 2021, 116, 984-993.	0.4	25
210	Early Hepatitis B Virus DNA Suppression Can Predict Virologic Response to Peginterferon and Lamivudine Treatment. Clinical Gastroenterology and Hepatology, 2008, 6, 1022-1026.	4.4	24
211	On-Treatment Improvement of MELD Score Reduces Death and Hepatic Events in Patients With Hepatitis B-Related Cirrhosis. American Journal of Gastroenterology, 2018, 113, 1629-1638.	0.4	24
212	Risk of liverâ€related events by age and diabetes duration in patients with diabetes and nonalcoholic fatty liver disease. Hepatology, 2022, 76, 1409-1422.	7. 3	24
213	Evaluation of Model for End Stage Liver Disease (MELD)â€based systems as prognostic index for hepatocellular carcinoma. Journal of Gastroenterology and Hepatology (Australia), 2009, 24, 63-69.	2.8	23
214	Treatment of nonâ€alcoholic steatohepatitis with <i><scp>P</scp>hyllanthus urinaria</i> i>: A randomized trial. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 57-62.	2.8	23
215	Metabolic syndrome increases cardiovascular events but not hepatic events and death in patients with chronic hepatitis B. Hepatology, 2016, 64, 1507-1517.	7.3	23
216	Longâ€ŧerm use of oral nucleos(t)ide analogues for chronic hepatitis B does not increase cancer risk – a cohort study of 44 494 subjects. Alimentary Pharmacology and Therapeutics, 2017, 45, 1213-1224.	3.7	23

#	Article	IF	Citations
217	Impact of dose and duration of corticosteroid on the risk of hepatitis flare in patients with chronic hepatitis B. Liver International, 2019, 39, 271-279.	3.9	23
218	Similarly low risk of hepatocellular carcinoma after either spontaneous or nucleos(t)ide analogueâ€induced hepatitis B surface antigen loss. Alimentary Pharmacology and Therapeutics, 2021, 53, 321-331.	3.7	23
219	Evaluation of Impact of Serial Hepatitis B Virus DNA Levels on Development of Hepatocellular Carcinoma. Journal of Clinical Microbiology, 2009, 47, 1830-1836.	3.9	22
220	Liver fibrosis progression in chronic hepatitis <scp>B</scp> patients positive for hepatitis <scp>B</scp> e antigen: A prospective cohort study with paired transient elastography examination. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 1762-1769.	2.8	22
221	Four-year Outcomes After Cessation of Tenofovir in Immune-tolerant Chronic Hepatitis B Patients. Journal of Clinical Gastroenterology, 2018, 52, 347-352.	2.2	22
222	Risks of post-colonoscopic polypectomy bleeding and thromboembolism with warfarin and direct oral anticoagulants: a population-based analysis. Gut, 2022, 71, 100-110.	12.1	22
223	Single-Molecule Sequencing Enables Long Cell-Free DNA Detection and Direct Methylation Analysis for Cancer Patients. Clinical Chemistry, 2022, 68, 1151-1163.	3.2	22
224	Lamivudine monoprophylaxis and adefovir salvage for liver transplantation in chronic hepatitis B: A sevenâ€year followâ€up study. Journal of Medical Virology, 2009, 81, 224-229.	5.0	21
225	Steatotic hepatocellular carcinoma: a variant associated with metabolic factors and late tumour relapse. Histopathology, 2016, 69, 971-984.	2.9	21
226	Genome-wide Association Study Identifies Genetic Variants Associated With Early and Sustained Response to (Pegylated) Interferon in Chronic Hepatitis B Patients: The GIANT-B Study. Clinical Infectious Diseases, 2019, 69, 1969-1979.	5.8	21
227	Performance of Simple Fibrosis Scores in Nonobese Patients With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2020, 18, 2843-2845.e2.	4.4	21
228	Metabolic syndrome delays <scp>HB</scp> eAg seroclearance in Chinese patients with hepatitis B. Alimentary Pharmacology and Therapeutics, 2014, 40, 716-726.	3.7	20
229	Evaluation of histological staging systems for primary biliary cirrhosis: correlation with clinical and biochemical factors and significance of pathological parameters in prognostication. Histopathology, 2014, 65, 174-186.	2.9	20
230	ABIDE: An Accurate Predictive Model of Liver Decompensation in Patients With Nonalcoholic Fatty Liverâ€Related Cirrhosis. Hepatology, 2021, 73, 2238-2250.	7.3	20
231	Aspirin Reduces the Incidence of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B Receiving Oral Nucleos(t)ide Analog. Clinical and Translational Gastroenterology, 2021, 12, e00324.	2.5	20
232	Rate and Factors Affecting Treatment Uptake of Patients with Chronic Hepatitis C in a Tertiary Referral Hospital. Digestive Diseases and Sciences, 2010, 55, 3541-3547.	2.3	19
233	Elevated testosterone increases risk of hepatocellular carcinoma in men with chronic hepatitis B and diabetes mellitus. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 2210-2219.	2.8	19
234	Screening for compensated advanced chronic liver disease using refined Baveno VI elastography cutoffs in Asian patients with nonalcoholic fatty liver disease. Alimentary Pharmacology and Therapeutics, 2021, 54, 470-480.	3.7	19

#	Article	lF	CITATIONS
235	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. Clinical Gastroenterology and Hepatology, 2021, 19, 1950-1958.e7.	4.4	18
236	Collateral Effect of Coronavirus Disease 2019 Pandemic on Hospitalizations and Clinical Outcomes in Gastrointestinal and Liver Diseases: A Territory-wide Observational Study in Hong Kong. Gastroenterology, 2020, 159, 1979-1981.e3.	1.3	18
237	Increasing antiviral treatment uptake improves survival in patients with HBV-related HCC. JHEP Reports, 2020, 2, 100152.	4.9	18
238	Serum hepatitis B core-related antigen predicts hepatocellular carcinoma in hepatitis B e antigen-negative patients. Journal of Gastroenterology, 2020, 55, 899-908.	5.1	18
239	Continuous Positive Airway Pressure Does Not Improve Nonalcoholic Fatty Liver Disease in Patients with Obstructive Sleep Apnea. A Randomized Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2021, 203, 493-501.	5.6	18
240	Among simple non-invasive scores, Pro-C3 and ADAPT best exclude advanced fibrosis in Asian patients with MAFLD. Metabolism: Clinical and Experimental, 2022, 128, 154958.	3.4	18
241	Consolidation therapy for HBeAg-positive Asian chronic hepatitis B patients receiving lamivudine treatment: a multicentre study. Journal of Antimicrobial Chemotherapy, 2013, 68, 2332-8.	3.0	17
242	Impact of antiviral therapy on post-hepatectomy outcome for hepatitis B-related hepatocellular carcinoma. World Journal of Gastroenterology, 2014, 20, 6006.	3.3	17
243	Eliminating hepatitis B virus as a global health threat. Lancet Infectious Diseases, The, 2016, 16, 1313-1314.	9.1	17
244	Switching to peginterferon for chronic hepatitis B patients with hepatitis B e antigen seroconversion on entecavir $\hat{a} \in A$ prospective study. Journal of Viral Hepatitis, 2019, 26, 126-135.	2.0	17
245	Explainable Uncertainty-Aware Convolutional Recurrent Neural Network for Irregular Medical Time Series. IEEE Transactions on Neural Networks and Learning Systems, 2021, 32, 4665-4679.	11.3	17
246	Thiazolidinediones reduce the risk of hepatocellular carcinoma and hepatic events in diabetic patients with chronic hepatitis B. Journal of Viral Hepatitis, 2020, 27, 904-914.	2.0	17
247	Epidemiology and Clinical Outcomes of Metabolic (Dysfunction)-associated Fatty Liver Disease. Journal of Clinical and Translational Hepatology, 2021, 000, 000-000.	1.4	17
248	Advances in the diagnosis and treatment of liver fibrosis. Hepatoma Research, 2017, 3, 156.	1.5	17
249	Glucose-lowering drugs and outcome from COVID-19 among patients with type 2 diabetes mellitus: a population-wide analysis in Hong Kong. BMJ Open, 2021, 11, e052310.	1.9	17
250	Non-invasive tests of non-alcoholic fatty liver disease. Chinese Medical Journal, 2022, 135, 532-546.	2.3	17
251	Management of hepatitis B virus reactivation due to treatment of COVID-19. Hepatology International, 2022, 16, 257-268.	4.2	17
252	Use of antiviral therapy in surveillance: impact on outcome of hepatitis Bâ€related hepatocellular carcinoma. Liver International, 2012, 32, 271-278.	3.9	16

#	Article	IF	CITATIONS
253	Realâ€life efficacy and safety of paritaprevir/ritonavir, ombitasvir, and dasabuvir in chronic hepatitis C patients in Hong Kong. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 1230-1233.	2.8	16
254	Residual risk of HCC during long-term oral nucleos(t)ide analogues (NUCs) in patients with CHB – Is one NUC better than the other?. Journal of Hepatology, 2019, 71, 453-455.	3.7	16
255	Antiviral Therapy for Hepatitis B Prevents Liver Injury in Patients With Tuberculosis and Hepatitis B Coinfection. Clinical Infectious Diseases, 2019, 70, 660-666.	5.8	16
256	Risks of AKI and Major Adverse Clinical Outcomes in Patients with Severe Acute Respiratory Syndrome or Coronavirus Disease 2019. Journal of the American Society of Nephrology: JASN, 2021, 32, 961-971.	6.1	16
257	Management options for lamivudine-resistant chronic hepatitis B patients with suboptimal virological suppression by adefovir. Alimentary Pharmacology and Therapeutics, 2011, 34, 972-981.	3.7	15
258	Territoryâ€wide populationâ€based study of chronic hepatitis C infection and implications for hepatitis elimination in Hong Kong. Liver International, 2018, 38, 1911-1919.	3.9	15
259	Differential Impacts of Multimorbidity on COVID-19 Severity across the Socioeconomic Ladder in Hong Kong: A Syndemic Perspective. International Journal of Environmental Research and Public Health, 2021, 18, 8168.	2.6	15
260	Healthâ€related quality of life in Chinese patients with primary biliary cirrhosis. Journal of Gastroenterology and Hepatology (Australia), 2008, 23, 592-598.	2.8	14
261	Improvement in enhanced liver fibrosis score and liver stiffness measurement reflects lower risk of hepatocellular carcinoma. Alimentary Pharmacology and Therapeutics, 2019, 49, 1509-1517.	3.7	14
262	Prevention of recurrent idiopathic gastroduodenal ulcer bleeding: a double-blind, randomised trial. Gut, 2020, 69, 652-657.	12.1	14
263	Pattern and impact of hepatic adverse events encountered during immune checkpoint inhibitors – A territoryâ€wide cohort study. Cancer Medicine, 2020, 9, 7052-7061.	2.8	14
264	2018 Kidney Disease: Improving Global Outcomes (KDIGO) Hepatitis C in Chronic Kidney Disease Guideline Implementation: Asia Summit Conference Report. Kidney International Reports, 2020, 5, 1129-1138.	0.8	14
265	Transition rates to cirrhosis and liver cancer by age, gender, disease and treatment status in Asian chronic hepatitis B patients. Hepatology International, 2021, 15, 71-81.	4.2	14
266	Serum fibrosis index-based risk score predicts hepatocellular carcinoma in untreated patients with chronic hepatitis B. Clinical and Molecular Hepatology, 2021, 27, 499-509.	8.9	14
267	Methodological challenges of performing meta-analyses to compare the risk of hepatocellular carcinoma between chronic hepatitis B treatments. Journal of Hepatology, 2022, 76, 186-194.	3.7	14
268	A review of the natural history of chronic hepatitis B in the era of transient elastography. Antiviral Therapy, 2009, 14, 489-99.	1.0	14
269	Change in treatment paradigm in people who previously injected drugs with chronic hepatitis C in the era of directâ€acting antiviral therapy. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1641-1647.	2.8	13
270	Timing of endoscopy for acute upper gastrointestinal bleeding: a territory-wide cohort study. Gut, 2021, , gutjnl-2020-323054.	12.1	13

#	Article	IF	CITATIONS
271	Serum hepatitis B surface antigen kinetics in severe reactivation of hepatitis e antigen negative chronic hepatitis B patients receiving nucleos(t)ide analogues. Antiviral Therapy, 2013, 18, 979-986.	1.0	12
272	Fat and Fiber: How the Controlled Attenuation Parameter Complements Noninvasive Assessment of Liver Fibrosis. Digestive Diseases and Sciences, 2015, 60, 9-12.	2.3	12
273	Noninvasive assessments of liver fibrosis with transient elastography and <scp>H</scp> ui index predict survival in patients with chronic hepatitis <scp>B</scp> . Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 582-590.	2.8	12
274	Virus and Host Testing to Manage Chronic Hepatitis B. Clinical Infectious Diseases, 2016, 62, S298-S305.	5.8	12
275	Negligible HCC risk during stringently defined untreated immune-tolerant phase of chronic hepatitis B. European Journal of Internal Medicine, 2021, 84, 68-73.	2.2	12
276	A prospective 5-year study on the use of transient elastography to monitor the improvement of non-alcoholic fatty liver disease following bariatric surgery. Scientific Reports, 2021, 11, 5416.	3.3	12
277	UA-CRNN: Uncertainty-Aware Convolutional Recurrent Neural Network for Mortality Risk Prediction. , 2019, , .		12
278	U-shaped relationship between urea level and hepatic decompensation in chronic liver diseases. Clinical and Molecular Hepatology, 2022, 28, 77-90.	8.9	12
279	Novel machine learning models outperform risk scores in predicting hepatocellular carcinoma in patients with chronic viral hepatitis. JHEP Reports, 2022, 4, 100441.	4.9	12
280	Treatment of Patients with Chronic Hepatitis B who have Failed Previous Antiviral Treatment with Pegylated Interferon α2a (40 kDa; PEGASYS®). Antiviral Therapy, 2008, 13, 555-562.	1.0	12
281	Cost Effectiveness of Response-Guided Therapy With Peginterferon in the Treatment of Chronic Hepatitis B. Clinical Gastroenterology and Hepatology, 2015, 13, 377-385.e5.	4.4	11
282	The safety of stopping nucleos(t)ide analogue treatment in patients with HBeAgâ€negative chronic hepatitis B. Liver International, 2020, 40, 549-557.	3.9	11
283	Detection of focal liver lesions in cirrhotic liver using contrast-enhanced ultrasound. World Journal of Radiology, 2009, 1, 25.	1.1	11
284	Long-term follow-up of lamivudine treatment in patients with severe acute exacerbation of hepatitis B e antigen (HBeAg)-positive chronic hepatitis B. Antiviral Therapy, 2008, 13, 571-9.	1.0	11
285	Liver Stiffness Measurement: Simplicity is Prerequisite for Reliability. Gastroenterology, 2013, 144, 243-244.	1.3	10
286	Gastroduodenal Involvement in Asymptomatic Crohn's Disease Patients in Two Areas of Emerging Disease: Asia and Eastern Europe. Journal of Crohn's and Colitis, 2016, 10, 1401-1406.	1.3	10
287	Impact of diabetes mellitus and hepatitis B virus coinfection on patients with chronic hepatitis C: A territoryâ€wide cohort study. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 934-941.	2.8	10
288	LBO-03-Tenofovir treatment has lower risk of hepatocellular carcinoma than entecavir treatment in patients with chronic hepatitis B. Journal of Hepatology, 2019, 70, e128.	3.7	10

#	Article	IF	CITATIONS
289	Secondary prevention for hepatocellular carcinoma in patients with chronic hepatitis B: are all the nucleos(t)ide analogues the same?. Journal of Gastroenterology, 2020, 55, 1023-1036.	5.1	10
290	SARS-CoV-2 Viral Persistence Based on Cycle Threshold Value and Liver Injury in Patients With COVID-19. Open Forum Infectious Diseases, 2021, 8, ofab205.	0.9	10
291	Prevalence of hepatitis B and clinical outcomes in inflammatory bowel disease patients in a viral-endemic region. BMC Gastroenterology, 2016, 16, 100.	2.0	9
292	Implications of Abdominal Adipose Tissue Distribution on Nonalcoholic Fatty Liver Disease and Metabolic Syndrome: A Chinese General Population Study. Clinical and Translational Gastroenterology, 2021, 12, e00300.	2.5	9
293	Colonoscopy and Risk of Colorectal Cancer in Patients With Nonalcoholic Fatty Liver Disease: A Retrospective Territoryâ€Wide Cohort Study. Hepatology Communications, 2021, 5, 1212-1223.	4.3	9
294	Molecular virology in chronic hepatitis B: genotypes. British Journal of Hospital Medicine (London,) Tj ETQq0 0 0	rgBT/Ove	rlogk 10 Tf 50
295	How does hepatitis B virus infection react to hepatocellular carcinoma treatment?. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 1-2.	2.8	8
296	Efficacy of Entecavir Switch Therapy in Chronic Hepatitis B Patients with Incomplete Virological Response to Telbivudine. Antiviral Therapy, 2013, 18, 671-680.	1.0	8
297	Use of hepatitis B virus coreâ€related antigen to evaluate natural history of chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 2202-2209.	2.8	8
298	Secular trend of treatment uptake in patients with chronic hepatitis B: A territoryâ€wide study of 135Â395 patients from 2000 to 2017. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 3487-3499.	2.8	8
299	Development and validation of a novel nomogram predicting 10-year actual survival after curative hepatectomy for hepatocellular carcinoma. Journal of the Royal College of Surgeons of Edinburgh, 2021, 19, 329-337.	1.8	8
300	Use of glecaprevir/pibrentasvir in patients with chronic hepatitis C virus infection and severe renal impairment. Clinical and Molecular Hepatology, 2020, 26, 554-561.	8.9	8
301	Long-term lamivudine treatment is associated with a good maintained response in severe acute exacerbation of chronic HBeAg-negative hepatitis B. Antiviral Therapy, 2006, 11, 465-71.	1.0	8
302	Virological response to different combination regimes of peginterferon alpha-2b and lamivudine in hepatitis B e antigen positive chronic hepatitis B. Antiviral Therapy, 2007, 12, 815-23.	1.0	8
303	Antiviral Drug Resistance Testing in Patients with Chronic Hepatitis B. Digestive Diseases and Sciences, 2012, 57, 221-231.	2.3	7
304	Impact of <i><scp>IL28B</scp></i> and <i><scp>PNPLA3</scp></i> polymorphisms on treatment outcomes in patients infected with genotype 6 hepatitis <scp>C</scp> virus. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 1040-1048.	2.8	7
305	Efficacy of tenofovir switch therapy for nucleos(t)ideâ€experienced patients with chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2015, 41, 1190-1199.	3.7	7
306	A LEAN treatment for non-alcoholic steatohepatitis. Lancet, The, 2016, 387, 628-630.	13.7	7

#	Article	IF	CITATIONS
307	Longitudinal renal changes in chronic hepatitis B patients treated with entecavir versus TDF: a REAL-B study. Hepatology International, 2022, 16, 48-58.	4.2	7
308	Quantitative Subtyping of Hepatitis B Virus Reveals Complex Dynamics of Ymdd Motif Mutants Development during Long-Term Lamivudine Therapy. Antiviral Therapy, 2006, 11, 1041-1050.	1.0	7
309	Cerebellum vasculopathy and normal tension glaucoma in systemic lupus erythematosus: report of a case and review of the literature. Rheumatology International, 2006, 27, 101-102.	3.0	6
310	Huge Adrenal Hemangioma: A Rare Cause of Deceivingly High Liver Stiffness Measurement by Transient Elastography. Clinical Gastroenterology and Hepatology, 2015, 13, e37-e38.	4.4	6
311	Costâ€effectiveness of the highly effective directâ€acting antivirals in the treatment of chronic hepatitis C in Hong Kong. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 1071-1078.	2.8	6
312	Physician perspectives on the management of viral hepatitis and hepatocellular carcinoma in Myanmar. PLoS ONE, 2017, 12, e0181603.	2.5	6
313	Nonâ€alcoholic fatty liver disease in Asia: How is it different from the West?. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1267-1268.	2.8	6
314	Macromolecular proton fraction mapping based on spinâ€lock magnetic resonance imaging. Magnetic Resonance in Medicine, 2020, 84, 3157-3171.	3.0	6
315	High incidence of hepatocellular carcinoma and cirrhotic complications in patients with psychiatric illness: a territory-wide cohort study. BMC Gastroenterology, 2020, 20, 128.	2.0	6
316	Hepatitis Bâ€"management of acute infection and active inflammation in pregnancyâ€"a hepatologist's perspective. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2020, 68, 54-65.	2.8	6
317	Liver stiffness measurement predicts short-term and long-term outcomes in patients with hepatocellular carcinoma after curative liver resection. Journal of the Royal College of Surgeons of Edinburgh, 2022, 20, 78-84.	1.8	6
318	Negligible risk of hepatocellular carcinoma in chronic hepatitis B patients in immune-tolerant phase: Myth or fact. Clinical and Molecular Hepatology, 2021, 27, 273-277.	8.9	6
319	Importance-aware personalized learning for early risk prediction using static and dynamic health data. Journal of the American Medical Informatics Association: JAMIA, 2021, 28, 713-726.	4.4	6
320	Who will have the best response to entecavir?. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 5-7.	2.8	5
321	Editorial: when and how to use steatosis biomarkers?. Alimentary Pharmacology and Therapeutics, 2014, 40, 1359-1360.	3.7	5
322	Is Obeticholic Acid the Solution to Nonalcoholic Steatohepatitis?. Gastroenterology, 2015, 148, 851-852.	1.3	5
323	The emerging role of big data in gastroenterology and hepatology. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 307-308.	2.8	5
324	Development and validation of a model for hepatitis B e antigen seroconversion in entecavirâ€treated patients with chronic hepatitis B. Journal of Medical Virology, 2020, 92, 1206-1213.	5.0	5

#	Article	IF	CITATIONS
325	How many deaths are caused by non-alcoholic fatty liver disease in the Asia-Pacific region?. The Lancet Gastroenterology and Hepatology, 2020, 5, 103-105.	8.1	5
326	Optimal surveillance program for hepatocellular carcinoma - getting ready, but not yet. World Journal of Hepatology, 2015, 7, 2133.	2.0	5
327	Tenofovir alafenamide is associated with improved alanine aminotransferase and renal safety compared to tenofovir disoproxil fumarate. Journal of Medical Virology, 2022, 94, 4440-4448.	5.0	5
328	Is transient elastography inaccurate in chronic hepatitis B and non-alcoholic fatty liver disease?. Journal of Hepatology, 2011, 55, 497.	3.7	4
329	SAT-288-Liver stiffness measurement predicts long-term survival and complications in non-alcoholic fatty liver disease. Journal of Hepatology, 2019, 70, e763-e764.	3.7	4
330	Reply to: "Diabetes mellitus as a risk factor of hepatocellular carcinoma in patients with chronic hepatitis B on nucleot(s)ide analogues― Journal of Hepatology, 2019, 70, 796-797.	3.7	4
331	Monocyte-Derived Hepatocyte-Like Cell Test: A Novel Tool for in vitro Identification of Drug-Induced Liver Injury in Patients with Herbal or Dietary Supplements. Digestion, 2021, 102, 650-653.	2.3	4
332	Factors associated with improvement in MELD score after antiviral treatment in patients with chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 1610-1618.	2.8	4
333	Implications of COVID-19 for patients with pre-existing digestive diseases: an update. The Lancet Gastroenterology and Hepatology, 2021, 6, 258-260.	8.1	4
334	Progression Rates by Age, Sex, Treatment, and Disease Activity by AASLD and EASL Criteria: Data for Precision Medicine. Clinical Gastroenterology and Hepatology, 2022, 20, 874-885.e4.	4.4	4
335	Questionnaire survey on knowledge, attitudes, and behaviour towards viral hepatitis among the Hong Kong public. , 2021 , , .		4
336	A Hybrid Residual Network and Long Short-Term Memory Method for Peptic Ulcer Bleeding Mortality Prediction. AMIA Annual Symposium proceedings, 2018, 2018, 998-1007.	0.2	4
337	Glucose-lowering drugs and outcome from COVID-19 among patients with type 2 diabetes mellitus: a population-wide analysis in Hong Kong. BMJ Open, 2021, 11, e052310.	1.9	4
338	Treatment of patients with chronic hepatitis B who have failed previous antiviral treatment with pegylated interferon alpha2a (40 kda; PEGASYS). Antiviral Therapy, 2008, 13, 555-62.	1.0	4
339	No increased risk of flare in ulcerative colitis patients in corticosteroidâ€free remission after stopping 5â€aminosalicylic acid: A territoryâ€wide populationâ€based study. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 1284-1289.	2.8	4
340	Validation model of fibrosis-8 index score to predict significant fibrosis among patients with nonalcoholic fatty liver disease. World Journal of Gastroenterology, 2022, 28, 1563-1573.	3.3	4
341	Prolonged Esophageal Transit During Wireless Capsule Endoscopy: A Series of Five Cases and Analysis of Risk Factors. Journal of Clinical Gastroenterology, 2006, 40, 176.	2.2	3
342	Use of quantitative hepatitis B surface antigen with hepatitis B virus DNA in clinical practice. Clinical Liver Disease, 2013, 2, 8-10.	2.1	3

#	Article	IF	CITATIONS
343	Liver-FibroSTARD checklist and glossary: tools for standardized design and reporting of diagnostic accuracy studies of liver fibrosis tests. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1135-7.	2.3	3
344	Clinical outcomes and management of patients with chronic hepatitis B and liver stiffness measurement in the grey zone. Liver International, 2019, 39, 494-502.	3.9	3
345	Value of FIB-4 and NAFLD fibrosis scores for screening of liver fibrosis in the general population. Journal of Hepatology, 2020, 73, S414-S415.	3.7	3
346	Efficient Shapelet Discovery for Time Series Classification (Extended Abstract)., 2021,,.		3
347	Alanine Aminotransferase Level: The Road to Normal in 2021. Hepatology Communications, 2021, 5, 1807-1809.	4.3	3
348	Effectiveness of prophylactic clipping in preventing postpolypectomy bleeding in oral anticoagulant users: a propensity-score analysis. Gastrointestinal Endoscopy, 2022, 96, 530-542.e1.	1.0	3
349	Commentary: coincidental metabolic syndrome increases the risk of liver fibrosis progression in patients with chronic hepatitis B – authors' reply. Alimentary Pharmacology and Therapeutics, 2014, 39, 1236-1237.	3.7	2
350	Is Antiviral Drug-Induced Hepatitis B Surface Antigen Loss Durable?. Gastroenterology, 2014, 147, 1435-1436.	1.3	2
351	Two are better than one: noninvasive assessment of liver fibrosis in nonalcoholic fatty liver disease. Hepatology International, 2015, 9, 481-483.	4.2	2
352	Towards finite oral antiviral treatment for chronic hepatitis B. The Lancet Gastroenterology and Hepatology, 2019, 4, 260-262.	8.1	2
353	Reply. Gastroenterology, 2020, 158, 2312-2313.	1.3	2
354	Temporal matrix completion with locally linear latent factors for medical applications. Artificial Intelligence in Medicine, 2020, 107, 101883.	6.5	2
355	Assessment of HCC Risk in Patients with Chronic HBV (REACH, PAGE-B, and Beyond). Current Hepatology Reports, 2020, 19, 285-292.	0.9	2
356	Neurological diseases and risk of mortality in patients with COVID-19 and SARS: a territory-wide study in Hong Kong. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 1356-1358.	1.9	2
357	IDDF2021-ABS-0077â€Efficacy and safety of tenofovir alafenamide (TAF) vs tenofovir disoproxil fumarate (TDF) in east asian chronic hepatitis B patients following 5-years of treatment., 2021,,.		2
358	Medical therapy for primary sclerosing cholangitis. Alimentary Pharmacology and Therapeutics, 2011, 34, 1135-1136.	3.7	1
359	PWE-293â€Low glycaemic index dietary intervention for patients with non-alcoholic fatty liver disease in the general populationâ€"a randomised controlled trial. Gut, 2012, 61, A417.1-A417.	12.1	1
360	Commentary: predicting survival in hepatocellular carcinoma patients. Alimentary Pharmacology and Therapeutics, 2012, 36, 680-680.	3.7	1

#	Article	IF	CITATIONS
361	Nonâ€invasive algorithms for liver fibrosis. Alimentary Pharmacology and Therapeutics, 2012, 35, 310-311.	3.7	1
362	Tertiary Prevention of HBV-related HCC in Asia. Current Hepatitis Reports, 2013, 12, 157-164.	0.3	1
363	Editorial: metabolic syndrome delays HBeAg seroclearance in Chinese patients with hepatitis B – authors' reply. Alimentary Pharmacology and Therapeutics, 2014, 40, 983-983.	3.7	1
364	Reply. Hepatology, 2014, 60, 1797-1798.	7.3	1
365	Reply. Hepatology, 2016, 64, 685-686.	7.3	1
366	Impact of Non-alcoholic Fatty Liver Disease on Chronic Hepatitis B Infection. Current Hepatology Reports, 2017, 16, 97-104.	0.9	1
367	How long will it take to eliminate HCC risk in patients with chronic hepatitis B patients with potent antivirals?. AME Medical Journal, 2017, 2, 141-141.	0.4	1
368	PS-201-External validation in NAFLD cohorts of the FibroScan-based FAST score combining liver stiffness, controlled attenuation parameter and AST to identify patients with active NASH (NAS 3% 4) and significant fibrosis (F 3% 2). Journal of Hepatology, 2019, 70, e134-e135.	3.7	1
369	HCV elimination in Hong Kong – Non-government organisation (NGO) activities. Global Health & Medicine, 2021, 3, 283-287.	1.4	1
370	Risk of hepatocellular carcinoma with tenofovir versus entecavir in chronic hepatitis B. The Lancet Gastroenterology and Hepatology, 2021, 6, 87.	8.1	1
371	Sodiumâ€glucose coâ€transporter 2 inhibitors reduce hepatic events in diabetic patients with chronic hepatitis B. GastroHep, 2021, 3, 261-269.	0.6	1
372	Cooperative Joint Attentive Network for Patient Outcome Prediction on Irregular Multi-Rate Multivariate Health Data. , 2021, , .		1
373	Association of metformin use on metabolic acidosis in diabetic patients with chronic hepatitis Bâ€related cirrhosis and renal impairment. Health Science Reports, 2021, 4, e352.	1.5	1
374	Drug-drug interactions with direct-acting antivirals â€" less is more. Clinical and Molecular Hepatology, 2021, 27, 81-82.	8.9	1
375	Tips for Responding to Reviewers' Comments–from an Editor's or Reviewer's Points of View. Gut and Liver, 2019, 13, 7-10.	2.9	1
376	Letter: systematic review with metaâ€analysis on the impact of functional cure on clinical outcomes in patients with chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2022, 55, 616-617.	3.7	1
377	Quantitative subtyping of hepatitis B virus reveals complex dynamics of YMDD motif mutants development during long-term lamivudine therapy. Antiviral Therapy, 2006, 11, 1041-9.	1.0	1
378	Anasarca secondary to problems in three organs: one man with three diseases?. Nephrology Dialysis Transplantation, 2004, 19, 1651-1653.	0.7	0

#	Article	IF	CITATIONS
379	Rules for Predicting Safe Early Hospital Discharge for Patients with Upper Gastrointestinal Bleeding: A Phase I (Derivation Phase) Study. Gastrointestinal Endoscopy, 2006, 63, AB153.	1.0	0
380	Metabolic syndrome and chronic hepatitis B: is the evidence enough?. Gut, 2010, 59, 277.1-277.	12.1	0
381	Commentary: time to update the <scp>ALT</scp> cutâ€off?. Alimentary Pharmacology and Therapeutics, 2012, 36, 682-683.	3.7	0
382	Role of Anti-Viral Therapy on Hepatitis B Virus (HBV)-Related Hepatocellular Carcinoma (HCC)., 0,,.		0
383	Reply. Hepatology, 2016, 64, 1820-1821.	7. 3	0
384	Letter: factors determining liver fibrosis - more to come. Alimentary Pharmacology and Therapeutics, 2016, 43, 171-172.	3.7	0
385	Letter: which patients with hepatitis B virusâ€related hepatocellular carcinoma should receive nucleos(t)ide analogue therapy? Authors' reply. Alimentary Pharmacology and Therapeutics, 2016, 44, 910-910.	3.7	0
386	Reply. Hepatology, 2017, 65, 1780-1780.	7.3	0
387	Editorial: progress towards a simple tool for screening for hepatic steatosis in the general population – authors' reply. Alimentary Pharmacology and Therapeutics, 2017, 46, 560-561.	3.7	0
388	Reply to: "Risk factors of hepatocellular carcinoma after hepatitis B surface antigen seroclearanceâ€. Journal of Hepatology, 2018, 68, 208-209.	3.7	0
389	IDDF2018-ABS-0058â€Early normalisation of alanine aminotransferase (alt) after nucleos(t)ide analogue treatment reduces the risk of hepatocellular carcinoma (hcc) in patients with chronic hepatitis b – a territory-wide study of 21,182 subjects. , 2018, , .		0
390	Letter: chronic kidney disease risk in patients with chronic hepatitis Bâ€"authors' reply. Alimentary Pharmacology and Therapeutics, 2018, 48, 1324-1324.	3.7	0
391	SAT-142-Incidence of hepatocellular carcinoma and cirrhotic complications in patients with psychiatric illness: A territory-wide cohort study. Journal of Hepatology, 2019, 70, e693.	3.7	0
392	THU-237-Increasing prevalence of indications to choose bone/renal-friendly antiviral drug: A territory-wide study of 135,414 patients from 2000 to 2017. Journal of Hepatology, 2019, 70, e269.	3.7	0
393	FRI-164-Prognostic value of various liver scoring systems in cirrhotic chronic hepatitis B patients with and without tenofovir disoproxil fumarate treatment. Journal of Hepatology, 2019, 70, e461.	3.7	0
394	FRI-192-Tenofovir disoproxil fumarate treatment in chronic hepatitis B patients with cirrhosis reduces hepatic decompensation, hepatocellular carcinoma and death. Journal of Hepatology, 2019, 70, e475.	3.7	0
395	SAT-147-Interaction between renal and liver impairment on the risk of lactic acidosis in diabetic patients with chronic hepatitis B-related cirrhosis. Journal of Hepatology, 2019, 70, e696.	3.7	0
396	SAT-072-Predict improvement of liver cirrhosis after antiviral treatment in patients with chronic hepatitis B. Journal of Hepatology, 2019, 70, e659.	3.7	0

#	Article	IF	Citations
397	IDDF2019-ABS-0199â€The risk of metabolic acidosis in diabetic patients with different severity of chronic hepatitis B-related cirrhosis and renal impairment. , 2019, , .		О
398	Reply to Sun et al. Clinical Infectious Diseases, 2020, 70, 2748-2749.	5.8	0
399	Reply:. Hepatology, 2020, 71, 1134-1134.	7.3	О
400	HCC risk reduction with oral nucleos(t)ide analogues in patients with chronic hepatitis B: Not perfect, not good enough. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 1661-1662.	2.8	0
401	Reply to Hoffmann and Wolf. Clinical Infectious Diseases, 2021, 73, e1782-e1783.	5.8	0
402	Individual patient data meta-analysis on controlled attenuation parameter for the XL probe in obese patients. Journal of Hepatology, 2020, 73, S437-S438.	3.7	0
403	Risk of hepatitis flare in inflammatory bowel disease patients with previous hepatitis B virus exposure - results from a territory-wide Hong Kong ibd registry study. Journal of Hepatology, 2020, 73, S589-S590.	3.7	0
404	Evaluation of page-b and modified page-b scores to guide hepatocellular carcinoma surveillance in chronic hepatitis B patients on antiviral therapy - a territory-wide study of 32,150 subjects. Journal of Hepatology, 2020, 73, S599-S600.	3.7	0
405	Reply to: "Hepatocellular carcinoma risk stratification in HBV cirrhosis: Time to turn the page― Journal of Hepatology, 2020, 73, 729-730.	3.7	0
406	Editorial: increasing burden of nonalcoholic fatty liver diseaseâ€"a call to action. Authors' reply. Alimentary Pharmacology and Therapeutics, 2020, 51, 1430-1432.	3.7	0
407	Letter: is tenofovir superior to entecavir for hepatocellular carcinoma prevention in chronic hepatitis B? Authors' reply. Alimentary Pharmacology and Therapeutics, 2020, 51, 315-316.	3.7	0
408	Reply to Boglione et al. Clinical Infectious Diseases, 2020, 71, 1584-1585.	5.8	0
409	Clinical Spectrum and Renal Outcome of Cryoglobulinemia in Hong Kong. Kidney360, 2021, 2, 721-728.	2.1	0
410	Reply. Clinical Gastroenterology and Hepatology, 2021, 19, 2684-2685.	4.4	0
411	Liver–heart connection in diabetes mellitus. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 1385-1386.	2.8	0
412	Reply. Hepatology, 2022, 75, 1051-1052.	7.3	0
413	Targeting an energy sensor to prevent energy excess in the liver. The Lancet Gastroenterology and Hepatology, 2021, 6, 876-877.	8.1	0
414	Treatments of Hepatocellular Carcinoma Patients with Hepatitis B Virus Infection: Treat HBV-related HCC. AIMS Medical Science, 2016, 3, 162-178.	0.4	0

#	Article	IF	CITATIONS
415	Hepatic adverse events during treatment with immune checkpoint inhibitors (ICI) in cancer patients: A territory-wide patient cohort study Journal of Clinical Oncology, 2020, 38, 508-508.	1.6	0
416	Prediction of HCC Using Liver Stiffness Measurements. , 2020, , 375-382.		0
417	IDDF2020-ABS-0194â€Timing of endoscopy for acute upper gastrointestinal bleeding: a territory-wide cohort study. , 2020, , .		O
418	Use of Proton-Pump Inhibitor Is Not Associated with Adverse Clinical Outcomes in COVID-19 Patients: A Territory-Wide Cohort Study. GastroHep, 2022, 2022, 1-13.	0.6	0
419	Reply. Hepatology, 2022, 76, E34-E35.	7.3	0