

Virginia A Aparicio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3768409/virginia-a-aporicio-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

1,796
citations

24
h-index

33
g-index

148
ext. papers

2,230
ext. citations

3.5
avg, IF

4.64
L-index

#	Paper	IF	Citations
131	The Protective Role of Physical Fitness on Cardiometabolic Risk During Pregnancy: The GESTATION and FITNESS Project.. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2022 , 1-14	4.4	1
130	Associations of Mediterranean diet with psychological ill-being and well-being throughout the pregnancy course: The GESTAFIT project.. <i>Quality of Life Research</i> , 2022 , 1	3.7	0
129	Association of Self-Reported Physical Fitness with Pregnancy Related Symptoms the GESTAFIT Project. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
128	A 16-week concurrent exercise program improves emotional well-being and emotional distress in middle-aged women: the FLAMENCO project randomized controlled trial. <i>Menopause</i> , 2021 , 28, 764-771	2.5	3
127	Influence of Mediterranean Diet Adherence and Physical Activity on Bone Health in Celiac Children on a Gluten-Free Diet. <i>Nutrients</i> , 2021 , 13,	6.7	4
126	Influence of the degree of adherence to the mediterranean diet and its components on cardiometabolic risk during pregnancy. The GESTAFIT project. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2311-2318	4.5	3
125	Emotional intelligence impairments in women with fibromyalgia: Associations with widespread pain. <i>Journal of Health Psychology</i> , 2021 , 26, 1901-1912	3.1	4
124	Associations of physical activity, sedentary time, and physical fitness with mental health during pregnancy: The GESTAFIT project. <i>Journal of Sport and Health Science</i> , 2021 , 10, 379-386	8.2	6
123	Objectively measured sedentary time and physical activity levels in Spanish pregnant women. Factors affecting the compliance with physical activity guidelines. <i>Women and Health</i> , 2021 , 61, 27-37	1.7	1
122	The effects of aerobic exercise on markers of maternal metabolism during pregnancy. <i>Birth Defects Research</i> , 2021 , 113, 227-237	2.9	1
121	Influence of Ultra-Processed Foods Consumption on Redox Status and Inflammatory Signaling in Young Celiac Patients. <i>Nutrients</i> , 2021 , 13,	6.7	7
120	Association of objectively measured physical fitness with health-related quality of life of mid-life women: the FLAMENCO project. <i>Climacteric</i> , 2021 , 24, 282-288	3.1	
119	The favourable association of self-reported physical fitness with depression and anxiety during pregnancy. The GESTAFIT project. <i>European Journal of Sport Science</i> , 2021 , 1-9	3.9	0
118	Association of objectively measured sedentary behavior and physical activity levels with health-related quality of life in middle-aged women: The FLAMENCO project. <i>Menopause</i> , 2020 , 27, 437-443	2.5	5
117	Mediterranean diet, tobacco consumption and body composition during perimenopause. The FLAMENCO project. <i>Maturitas</i> , 2020 , 137, 30-36	5	5
116	Is a Gluten-Free Diet Enough to Maintain Correct Micronutrients Status in Young Patients with Celiac Disease?. <i>Nutrients</i> , 2020 , 12,	6.7	9
115	Association of objectively measured physical fitness during pregnancy with maternal and neonatal outcomes. The GESTAFIT Project. <i>PLoS ONE</i> , 2020 , 15, e0229079	3.7	6

114	THU0457 LONGITUDINAL ASSOCIATION OF SEDENTARY TIME AND PHYSICAL ACTIVITY WITH SLEEP QUALITY IN WOMEN WITH FIBROMYALGIA: THE AL-ÁNDALUS PROJECT. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 465.2-466	2.4	
113	International Fitness Scale-IFIS: Validity and association with health-related quality of life in pregnant women. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 505-514	4.6	6
112	Association of sedentary time and physical activity levels with immunometabolic markers in early pregnancy: The GESTAFIT project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 148-158	4.6	6
111	Association of Body Mass Index and Serum Markers of Tissue Damage with Postoperative Pain. The Role of Lactate Dehydrogenase for Postoperative Pain Prediction. <i>Pain Medicine</i> , 2020 , 21, 1636-1643	2.8	3
110	Influence of Dietary Habits and Mediterranean Diet Adherence on Sleep Quality during Pregnancy. The GESTAFIT Project. <i>Nutrients</i> , 2020 , 12,	6.7	2
109	Sedentary Time, Physical Activity, and Sleep Duration: Associations with Body Composition in Fibromyalgia. The Al-Andalus Project. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
108	Association of self-reported physical fitness with pain during pregnancy: The GESTAFIT Project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 1022-1030	4.6	9
107	Translation and cross-cultural adaptation of the Pregnancy Physical Activity Questionnaire (PPAQ) into Spanish. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 3954-3961	2	3
106	High Levels of Physical Fitness Are Associated With Better Health-Related Quality of Life in Women With Fibromyalgia: The al-Ádalus Project. <i>Physical Therapy</i> , 2019 , 99, 1481-1494	3.3	5
105	Body Composition Changes Following a Concurrent Exercise Intervention in Perimenopausal Women: The FLAMENCO Project Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
104	Influence of a Concurrent Exercise Training Intervention during Pregnancy on Maternal and Arterial and Venous Cord Serum Cytokines: The GESTAFIT Project. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
103	Doctor, ask your perimenopausal patient about her physical fitness; association of self-reported physical fitness with cardiometabolic and mental health in perimenopausal women: the FLAMENCO project. <i>Menopause</i> , 2019 , 26, 1146-1153	2.5	9
102	Cost-effectiveness of a primary care-based exercise intervention in perimenopausal women. The FLAMENCO Project. <i>Gaceta Sanitaria</i> , 2019 , 33, 529-535	2.2	3
101	Association of sedentary time and physical activity during pregnancy with maternal and neonatal birth outcomes. The GESTAFIT Project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 407-414	4.6	15
100	Association of sedentary time and physical fitness with ideal cardiovascular health in perimenopausal women: The FLAMENCO project. <i>Maturitas</i> , 2019 , 120, 53-60	5	13
99	Sedentary time, physical activity, and sleep quality in fibromyalgia: The al-Ádalus project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 266-274	4.6	15
98	Diet quality index as a predictor of treatment efficacy in overweight and obese adolescents: The EVASYON study. <i>Clinical Nutrition</i> , 2019 , 38, 782-790	5.9	8
97	Identification of candidate genes associated with fibromyalgia susceptibility in southern Spanish women: the al-Ádalus project. <i>Journal of Translational Medicine</i> , 2018 , 16, 43	8.5	6

96	Influence of a Concurrent Exercise Training Program During Pregnancy on Colostrum and Mature Human Milk Inflammatory Markers: Findings From the GESTAFIT Project. <i>Journal of Human Lactation</i> , 2018 , 34, 789-798	2.6	8
95	The discordance between subjectively and objectively measured physical function in women with fibromyalgia: association with catastrophizing and self-efficacy cognitions. The al-Bdalus project. <i>Disability and Rehabilitation</i> , 2018 , 40, 329-337	2.4	26
94	The TT genotype of the rs6860 polymorphism of the charged multivesicular body protein 1A gene is associated with susceptibility to fibromyalgia in southern Spanish women. <i>Rheumatology International</i> , 2018 , 38, 531-533	3.6	4
93	Effects of concurrent exercise on cardiometabolic status during perimenopause: the FLAMENCO Project. <i>Climacteric</i> , 2018 , 21, 559-565	3.1	2
92	Association of physical fitness, body composition, cardiometabolic markers and adherence to the Mediterranean diet with bone mineral density in perimenopausal women. The FLAMENCO project. <i>Journal of Sports Sciences</i> , 2017 , 35, 880-887	3.6	11
91	Author's Response. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017 , 117, 1176	3.9	
90	Association of objectively measured physical activity and physical fitness with menopause symptoms. The Flamenco Project. <i>Climacteric</i> , 2017 , 20, 456-461	3.1	8
89	Biodanza Reduces Acute Pain Severity in Women with Fibromyalgia. <i>Pain Management Nursing</i> , 2017 , 18, 318-327	2.5	3
88	Effects of Hypertrophy Exercise in Bone Turnover Markers and Structure in Growing Male Rats. <i>International Journal of Sports Medicine</i> , 2017 , 38, 418-425	3.6	
87	The Potential of Established Fitness Cut-off Points for Monitoring Women with Fibromyalgia: The al-Bdalus Project. <i>International Journal of Sports Medicine</i> , 2017 , 38, 359-369	3.6	5
86	Association of Dietary Habits with Psychosocial Outcomes in Women with Fibromyalgia: The al-Bdalus Project. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017 , 117, 422-432.e1	3.9	11
85	Adaptation profiles comprising objective and subjective measures in fibromyalgia: the al-Bdalus project. <i>Rheumatology</i> , 2017 , 56, 2015-2024	3.9	26
84	Influence of the degree of adherence to the Mediterranean diet on the cardiometabolic risk in peri and menopausal women. The Flamenco project. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 217-224	4.5	13
83	Physical fitness reference standards in fibromyalgia: The al-Bdalus project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017 , 27, 1477-1488	4.6	15
82	Efectos del ejercicio aerbico intervlico, combinado con entrenamiento de fuerza y de la restricci3n cal3rica, sobre la composici3n corporal de ratas obesas. <i>Revista Andaluza De Medicina Del Deporte</i> , 2017 , 10, 3-8	1	
81	Independent and joint associations of physical activity and fitness with fibromyalgia symptoms and severity: The al-Bdalus project. <i>Journal of Sports Sciences</i> , 2017 , 35, 1565-1574	3.6	10
80	Cardiorespiratory Fitness Cutoff Points for Early Detection of Present and Future Cardiovascular Risk in Children: A 2-Year Follow-up Study. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 1753-1762	6.4	25
79	Do women with fibromyalgia present higher cardiovascular disease risk profile than healthy women? The al-Bdalus project. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 105, 61-67	2.2	3

78	Severity of obesity and cardiometabolic risk factors in adults: Sex differences and role of physical activity. The HERMEX study. <i>International Journal of Cardiology</i> , 2016 , 223, 352-359	3.2	24
77	The Role of Physical Activity on Weight Gain and Hypertensive Disorders During Pregnancy. <i>American Journal of Hypertension</i> , 2016 , 29, e3	2.3	1
76	The associations between physical fitness and cardiometabolic risk and body-size phenotypes in perimenopausal women. <i>Maturitas</i> , 2016 , 92, 162-167	5	9
75	Effects of interval aerobic training combined with strength exercise on body composition, glycaemic and lipid profile and aerobic capacity of obese rats. <i>Journal of Sports Sciences</i> , 2016 , 34, 1452-1460	3.6	14
74	Association of Physical Fitness with Depression in Women with Fibromyalgia. <i>Pain Medicine</i> , 2016 , 17, 1542-52	2.8	17
73	Interval aerobic training combined with strength-endurance exercise improves metabolic markers beyond caloric restriction in Zucker rats. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 713-21	4.5	2
72	Cardiometabolic Risks and Obesity in the Young. <i>New England Journal of Medicine</i> , 2016 , 374, 592-3	59.2	15
71	Association of physical fitness and fatness with cognitive function in women with fibromyalgia. <i>Journal of Sports Sciences</i> , 2016 , 34, 1731-9	3.6	6
70	Stanozolol Decreases Bone Turnover Markers, Increases Mineralization, and Alters Femoral Geometry in Male Rats. <i>Calcified Tissue International</i> , 2016 , 98, 609-18	3.9	1
69	Physical fitness is associated with anxiety levels in women with fibromyalgia: the al-Bidalus project. <i>Quality of Life Research</i> , 2016 , 25, 1053-8	3.7	18
68	Factor structure of the Positive and Negative Affect Schedule (PANAS) in adult women with fibromyalgia from Southern Spain: the al-Bidalus project. <i>PeerJ</i> , 2016 , 4, e1822	3.1	15
67	Influence of weight status on physical and mental health in Moroccan perimenopausal women. <i>Pan African Medical Journal</i> , 2016 , 23, 153	1.2	2
66	Gender Differences in Symptoms, Health-Related Quality of Life, Sleep Quality, Mental Health, Cognitive Performance, Pain-Cognition, and Positive Health in Spanish Fibromyalgia Individuals: The Al-Bidalus Project. <i>Pain Research and Management</i> , 2016 , 2016, 5135176	2.6	11
65	Association of physical fitness with health-related quality of life in early postmenopause. <i>Quality of Life Research</i> , 2016 , 25, 2675-2681	3.7	19
64	Effects of a moderately high-protein diet and interval aerobic training combined with strength-endurance exercise on markers of bone metabolism, microarchitecture and turnover in obese Zucker rats. <i>Bone</i> , 2016 , 92, 116-123	4.7	2
63	Efecto del sexo y la actividad física doméstica en el fenotipo obeso metabólicamente sano y el obeso con alteraciones metabólicas. Estudio HERMEX. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 983-986	1.5	1
62	Effects of supervised aerobic and strength training in overweight and grade I obese pregnant women on maternal and foetal health markers: the GESTAFIT randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 290	3.2	23
61	The Role of Sex and Domestic Physical Activity on the Metabolically Healthy and Unhealthy Obesity. The HERMEX Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 983-986	0.7	1

60	Reliability and feasibility of physical fitness tests in female fibromyalgia patients. <i>International Journal of Sports Medicine</i> , 2015 , 36, 157-62	3.6	39
59	Ageing influence in the evolution of strength and muscle mass in women with fibromyalgia: the al-Badalus project. <i>Rheumatology International</i> , 2015 , 35, 1243-50	3.6	6
58	Independent and combined association of overall physical fitness and subjective well-being with fibromyalgia severity: the al-Badalus project. <i>Quality of Life Research</i> , 2015 , 24, 1865-73	3.7	25
57	Association of Physical Fitness With Fibromyalgia Severity in Women: The al-Badalus Project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1599-605	2.8	24
56	Fibromyalgia has a larger impact on physical health than on psychological health, yet both are markedly affected: the al-Badalus project. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 563-570	5.3	62
55	High-intensity Exercise Modifies the Effects of Stanozolol on Brain Oxidative Stress in Rats. <i>International Journal of Sports Medicine</i> , 2015 , 36, 984-91	3.6	12
54	Cost-effectiveness of an exercise intervention program in perimenopausal women: the Fitness League Against MENopause COst (FLAMENCO) randomized controlled trial. <i>BMC Public Health</i> , 2015 , 15, 555	4.1	15
53	Aerobic interval exercise improves parameters of nonalcoholic fatty liver disease (NAFLD) and other alterations of metabolic syndrome in obese Zucker rats. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015 , 40, 1242-52	3	21
52	Association of different levels of depressive symptoms with symptomatology, overall disease severity, and quality of life in women with fibromyalgia. <i>Quality of Life Research</i> , 2015 , 24, 2951-7	3.7	28
51	Association of Physical Fitness With Pain in Women With Fibromyalgia: The al-Badalus Project. <i>Arthritis Care and Research</i> , 2015 , 67, 1561-70	4.7	41
50	Differences in sedentary time and physical activity between female patients with fibromyalgia and healthy controls: the al-Badalus project. <i>Arthritis and Rheumatology</i> , 2015 , 67, 3047-57	9.5	38
49	Fitness testing in the fibromyalgia diagnosis: the al-Badalus project. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 451-9	1.2	26
48	Effectiveness of an exercise intervention on body composition and physical fitness in midlife women: the FLAMENCO project. <i>Revista Andaluza De Medicina Del Deporte</i> , 2015 , 8, 22	1	2
47	Effects of an exercise intervention on health-related quality of life and optimism in middle aged women: The FLAMENCO project. <i>Revista Andaluza De Medicina Del Deporte</i> , 2015 , 8, 22-23	1	2
46	Mediterranean countries facing the Mediterranean Diet, are we still on track? The example of southern Spain midlife women. <i>Nutricion Hospitalaria</i> , 2015 , 31, 2523-32	1	4
45	Does body composition differ between fibromyalgia patients and controls? the al-Badalus project. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S25-32	2.2	17
44	Inter-accelerometer comparison to measure physical activity and sedentary time in female fibromyalgia patients: the al-Badalus project. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S46-52	2.2	0
43	Validation of the modified 2010 American College of Rheumatology diagnostic criteria for fibromyalgia in a Spanish population. <i>Rheumatology</i> , 2014 , 53, 1803-11	3.9	52

42	Effects of the amount and source of dietary protein on bone status in rats. <i>Food and Function</i> , 2014 , 5, 716-23	6.1	3
41	Whey versus soy protein diets and renal status in rats. <i>Journal of Medicinal Food</i> , 2014 , 17, 1011-6	2.8	2
40	Efectos de los programas de intervenci3n enfocados al tratamiento del sobrepeso/obesidad infantil y adolescente. <i>Revista Andaluza De Medicina Del Deporte</i> , 2014 , 7, 33-43	1	5
39	Nutrition and lifestyle in european adolescents: the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) study. <i>Advances in Nutrition</i> , 2014 , 5, 615S-623S	10	86
38	Usefulness of fitness testing to establish metabolic syndrome in perimenopausal Moroccan women. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 524-31	3.3	13
37	Effectiveness of Tai-Chi for decreasing acute pain in fibromyalgia patients. <i>International Journal of Sports Medicine</i> , 2014 , 35, 418-23	3.6	13
36	High-intensity exercise may compromise renal morphology in rats. <i>International Journal of Sports Medicine</i> , 2014 , 35, 639-44	3.6	4
35	Influence of parental socio-economic status on diet quality of European adolescents: results from the HELENA study. <i>British Journal of Nutrition</i> , 2014 , 111, 1303-12	3.6	34
34	Are there differences in quality of life, symptomatology and functional capacity among different obesity classes in women with fibromyalgia? The al-Bdalus project. <i>Rheumatology International</i> , 2014 , 34, 811-21	3.6	14
33	High-protein diet induces oxidative stress in rat brain: protective action of high-intensity exercise against lipid peroxidation. <i>Nutricion Hospitalaria</i> , 2014 , 31, 866-74	1	9
32	Fitness testing as a discriminative tool for the diagnosis and monitoring of fibromyalgia. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, 415-23	4.6	24
31	Does exercise reduce brain oxidative stress? A systematic review. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, e202-12	4.6	60
30	Fibromyalgia's key symptoms in normal-weight, overweight, and obese female patients. <i>Pain Management Nursing</i> , 2013 , 14, 268-276	2.5	21
29	The 6-minute walk test in female fibromyalgia patients: relationship with tenderness, symptomatology, quality of life, and coping strategies. <i>Pain Management Nursing</i> , 2013 , 14, 193-199	2.5	20
28	Objectively measured sedentary time and physical activity in women with fibromyalgia: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	26
27	A warm water pool-based exercise program decreases immediate pain in female fibromyalgia patients: uncontrolled clinical trial. <i>International Journal of Sports Medicine</i> , 2013 , 34, 600-5	3.6	11
26	Effects of the dietary amount and source of protein, resistance training and anabolic-androgenic steroids on body weight and lipid profile of rats. <i>Nutricion Hospitalaria</i> , 2013 , 28, 127-36	1	11
25	High-protein diets and renal status in rats. <i>Nutricion Hospitalaria</i> , 2013 , 28, 232-7	1	20

24	Land- and water-based exercise intervention in women with fibromyalgia: the al-Andalus physical activity randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 18	2.8	29
23	Are there gender differences in quality of life and symptomatology between fibromyalgia patients?. <i>American Journal of Men's Health</i> , 2012 , 6, 314-9	2.2	16
22	Effectiveness of a tai-chi training and detraining on functional capacity, symptomatology and psychological outcomes in women with fibromyalgia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 614196	2.3	26
21	Criterion-related validity of field-based muscular fitness tests in youth. <i>Journal of Sports Medicine and Physical Fitness</i> , 2012 , 52, 263-72	1.4	12
20	Multidimensional Fatigue Inventory: Spanish adaptation and psychometric properties for fibromyalgia patients. The Al-Andalus study. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 94-102	2.2	21
19	Multidisciplinary and biodanza intervention for the management of fibromyalgia. <i>Acta Reumatológica Portuguesa</i> , 2012 , 37, 240-50	0.7	6
18	Fitness, fatness and cardiovascular profile in South Spanish and North Moroccan women. <i>Nutricion Hospitalaria</i> , 2012 , 27, 227-31	1	1
17	Analysis of the body composition of Spanish women with fibromyalgia. <i>Reumatología Clínica (English Edition)</i> , 2011 , 7, 7-12	0.1	
16	Tai-Chi intervention in men with fibromyalgia: a multiple-patient case report. <i>Journal of Alternative and Complementary Medicine</i> , 2011 , 17, 187-9	2.4	3
15	Handgrip strength test as a complementary tool in the assessment of fibromyalgia severity in women. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 83-8	2.8	37
14	Pain and functional capacity in female fibromyalgia patients. <i>Pain Medicine</i> , 2011 , 12, 1667-75	2.8	51
13	Effects of high-whey-protein intake and resistance training on renal, bone and metabolic parameters in rats. <i>British Journal of Nutrition</i> , 2011 , 105, 836-45	3.6	37
12	Does a 3-month multidisciplinary intervention improve pain, body composition and physical fitness in women with fibromyalgia?. <i>British Journal of Sports Medicine</i> , 2011 , 45, 1189-95	10.3	44
11	Relationship of weight status with mental and physical health in female fibromyalgia patients. <i>Obesity Facts</i> , 2011 , 4, 443-8	5.1	21
10	Preliminary findings of a 4-month Tai Chi intervention on tenderness, functional capacity, symptomatology, and quality of life in men with fibromyalgia. <i>American Journal of Men's Health</i> , 2011 , 5, 421-9	2.2	12
9	Test-Retest reliability of Biodex Balance SD on physically active old people. <i>Journal of Human Sport and Exercise</i> , 2011 , 6, 444-451	1.5	45
8	Usefulness of tenderness to characterise fibromyalgia severity in women. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S28-33	2.2	2
7	Effectiveness of multidisciplinary therapy on symptomatology and quality of life in women with fibromyalgia. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S97-103	2.2	17

6	Fitness, fatness and cardiovascular profile in South Spanish and North Moroccan women. <i>Nutricion Hospitalaria</i> , 2011 , 26, 1188-92	1	1
5	Efficacy of Biodanza for treating women with fibromyalgia. <i>Journal of Alternative and Complementary Medicine</i> , 2010 , 16, 1191-200	2.4	24
4	Handgrip strength in men with fibromyalgia. <i>Clinical and Experimental Rheumatology</i> , 2010 , 28, S78-81	2.2	11
3	Spatial-temporal parameters of gait in women with fibromyalgia. <i>Clinical Rheumatology</i> , 2009 , 28, 595-8	3.9	38
2	Involuci3n de la condici3n f3sica por el envejecimiento. <i>Apunts Medicine De Lleisport</i> , 2009 , 44, 98-103	0.6	2
1	Efectos del envejecimiento en las capacidades f3sicas: implicaciones en las recomendaciones de ejercicio f3sico en personas mayores. (Effects of aging on physical fitness: implications in the recommendations of physical activity for older adults).. <i>RICYDE Revista Internacional De Ciencias Del Deporte</i> , 2009 , 5, 1-16	1.5	5