

Mark W Shephard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3768693/mark-w-shephard-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

4,808
citations

29
h-index

69
g-index

83
ext. papers

5,736
ext. citations

5.4
avg, IF

5.15
L-index

#	Paper	IF	Citations
61	Data assimilation of CrIS NH ₃ satellite observations for improving spatiotemporal NH ₃ distributions in LOTOS-EUROS. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 951-972	6.8	0
60	Satellite observations of ammonia over South Asia 2022 , 227-237		
59	10-year satellite-constrained fluxes of ammonia improve performance of chemistry transport models. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 4431-4451	6.8	3
58	UK Ammonia Emissions Estimated With Satellite Observations and GEOS-Chem. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021 , 126, e2021JD035237	4.4	2
57	Ammonia measurements from space with the Cross-track Infrared Sounder: characteristics and applications. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 2277-2302	6.8	20
56	Atmospheric ammonia variability and link with particulate matter formation: a case study over the Paris area. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 577-596	6.8	13
55	Inverse modeling of NH ₃ sources using CrIS remote sensing measurements. <i>Environmental Research Letters</i> , 2020 , 15, 104082	6.2	10
54	New Bidirectional Ammonia Flux Model in an Air Quality Model Coupled With an Agricultural Model. <i>Journal of Advances in Modeling Earth Systems</i> , 2019 , 11, 2934-2957	7.1	15
53	NH ₃ emissions from large point sources derived from CrIS and IASI satellite observations 2019 ,		1
52	Satellite-derived emissions of carbon monoxide, ammonia, and nitrogen dioxide from the 2016 Horse River wildfire in the Fort McMurray area. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 2577-2599	6.8	23
51	Assessing the Iterative Finite Difference Mass Balance and 4D-Var Methods to Derive Ammonia Emissions Over North America Using Synthetic Observations. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019 , 124, 4222-4236	4.4	8
50	Unprecedented Atmospheric Ammonia Concentrations Detected in the High Arctic From the 2017 Canadian Wildfires. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019 , 124, 8178-8202	4.4	17
49	NH ₃ emissions from large point sources derived from CrIS and IASI satellite observations. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 12261-12293	6.8	46
48	Contributions of natural and anthropogenic sources to ambient ammonia in the Athabasca Oil Sands and north-western Canada. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 2011-2034	6.8	26
47	Dry Deposition of Reactive Nitrogen From Satellite Observations of Ammonia and Nitrogen Dioxide Over North America. <i>Geophysical Research Letters</i> , 2018 , 45, 1157-1166	4.9	42
46	Validation of the CrIS fast physical NH ₃ retrieval with ground-based FTIR. <i>Atmospheric Measurement Techniques</i> , 2017 , 10, 2645-2667	4	30
45	OMI satellite observations of decadal changes in ground-level sulfur dioxide over North America. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 5921-5929	6.8	24

44	Assessment of the aerosol optical depths measured by satellite-based passive remote sensors in the Alberta oil sands region. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 1931-1943	6.8	9
43	Space-based detection of missing sulfur dioxide sources of global air pollution. <i>Nature Geoscience</i> , 2016 , 9, 496-500	18.3	105
42	A Large Underestimate of Formic Acid from Tropical Fires: Constraints from Space-Borne Measurements. <i>Environmental Science & Technology</i> , 2016 , 50, 5631-40	10.3	27
41	An integrated approach for identifying homogeneous regions of extreme rainfall events and estimating IDF curves in Southern Ontario, Canada: Incorporating radar observations. <i>Journal of Hydrology</i> , 2015 , 528, 734-750	6	21
40	Cross-track Infrared Sounder (CrIS) satellite observations of tropospheric ammonia. <i>Atmospheric Measurement Techniques</i> , 2015 , 8, 1323-1336	4	78
39	Assessing the quality of active/passive satellite retrievals using broad-band radiances. <i>Quarterly Journal of the Royal Meteorological Society</i> , 2015 , 141, 1294-1305	6.4	4
38	Sources and Impacts of Atmospheric NH ₃ : Current Understanding and Frontiers for Modeling, Measurements, and Remote Sensing in North America. <i>Current Pollution Reports</i> , 2015 , 1, 95-116	7.6	43
37	Global evaluation of ammonia bidirectional exchange and livestock diurnal variation schemes. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 12823-12843	6.8	53
36	Tropospheric Emission Spectrometer (TES) satellite observations of ammonia, methanol, formic acid, and carbon monoxide over the Canadian oil sands: validation and model evaluation. <i>Atmospheric Measurement Techniques</i> , 2015 , 8, 5189-5211	4	24
35	Observed Trends in Severe Weather Conditions Based on Humidex, Wind Chill, and Heavy Rainfall Events in Canada for 1953-2012. <i>Atmosphere - Ocean</i> , 2015 , 53, 383-397	1.5	35
34	Satellite observations of tropospheric ammonia and carbon monoxide: Global distributions, regional correlations and comparisons to model simulations. <i>Atmospheric Environment</i> , 2015 , 106, 262-277	5.7	36
33	The EarthCARE Satellite: The Next Step Forward in Global Measurements of Clouds, Aerosols, Precipitation, and Radiation. <i>Bulletin of the American Meteorological Society</i> , 2015 , 96, 1311-1332	6.1	321
32	Quantifying global terrestrial methanol emissions using observations from the TES satellite sensor. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 2555-2570	6.8	31
31	Estimation of errors associated with the EarthCARE 3D scene construction algorithm. <i>Quarterly Journal of the Royal Meteorological Society</i> , 2014 , 140, 2260-2271	6.4	6
30	HCOOH measurements from space: TES retrieval algorithm and observed global distribution. <i>Atmospheric Measurement Techniques</i> , 2014 , 7, 2297-2311	4	25
29	Trends in Canadian Short-Duration Extreme Rainfall: Including an Intensity-Duration-Frequency Perspective. <i>Atmosphere - Ocean</i> , 2014 , 52, 398-417	1.5	32
28	A High-Resolution Canadian Lightning Climatology. <i>Atmosphere - Ocean</i> , 2013 , 51, 50-59	1.5	10
27	Constraining U.S. ammonia emissions using TES remote sensing observations and the GEOS-Chem adjoint model. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013 , 118, 3355-3368	4.4	98

26	Probability of Tornado Occurrence across Canada. <i>Journal of Climate</i> , 2013 , 26, 9415-9428	4.4	22
25	Performance of the Line-By-Line Radiative Transfer Model (LBLRTM) for temperature, water vapor, and trace gas retrievals: recent updates evaluated with IASI case studies. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 6687-6711	6.8	72
24	Methanol from TES global observations: retrieval algorithm and seasonal and spatial variability. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 8189-8203	6.8	23
23	Tropospheric methanol observations from space: retrieval evaluation and constraints on the seasonality of biogenic emissions. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 5897-5912	6.8	33
22	Quantifying spatial and seasonal variability in atmospheric ammonia with in situ and space-based observations. <i>Geophysical Research Letters</i> , 2011 , 38, n/a-n/a	4.9	43
21	TES ammonia retrieval strategy and global observations of the spatial and seasonal variability of ammonia. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 10743-10763	6.8	107
20	Long-term stability of TES satellite radiance measurements. <i>Atmospheric Measurement Techniques</i> , 2011 , 4, 1481-1490	4	19
19	Regionalization of heavy rainfall to improve climatic design values for infrastructure: case study in Southern Ontario, Canada. <i>Hydrological Sciences Journal</i> , 2011 , 56, 1067-1089	3.5	21
18	Water Vapor Measurements by Howard University Raman Lidar during the WAVES 2006 Campaign. <i>Journal of Atmospheric and Oceanic Technology</i> , 2010 , 27, 42-60	2	15
17	Satellite monitoring of ammonia: A case study of the San Joaquin Valley. <i>Journal of Geophysical Research</i> , 2010 , 115,		94
16	Information-centered representation of retrievals with limited degrees of freedom for signal: Application to methane from the Tropospheric Emission Spectrometer. <i>Journal of Geophysical Research</i> , 2009 , 114,		46
15	Performance of the line-by-line radiative transfer model (LBLRTM) for temperature and species retrievals: IASI case studies from JAIVEx. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 7397-7417	6.8	72
14	Comparison of Tropospheric Emission Spectrometer nadir water vapor retrievals with in situ measurements. <i>Journal of Geophysical Research</i> , 2008 , 113,		25
13	Tropospheric Emission Spectrometer nadir spectral radiance comparisons. <i>Journal of Geophysical Research</i> , 2008 , 113,		29
12	First satellite observations of lower tropospheric ammonia and methanol. <i>Geophysical Research Letters</i> , 2008 , 35,	4.9	91
11	Radiative forcing by long-lived greenhouse gases: Calculations with the AER radiative transfer models. <i>Journal of Geophysical Research</i> , 2008 , 113,		2260
10	Improved Daytime Column-Integrated Precipitable Water Vapor from Vaisala Radiosonde Humidity Sensors. <i>Journal of Atmospheric and Oceanic Technology</i> , 2008 , 25, 873-883	2	77
9	Tropospheric emission spectrometer (TES) and atmospheric chemistry experiment (ACE) measurements of tropospheric chemistry in tropical southeast Asia during a moderate El Niño in 2006. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2008 , 109, 1931-1942	2.1	18

8	Comparison of carbon monoxide measurements by TES and MOPITT: Influence of a priori data and instrument characteristics on nadir atmospheric species retrievals. <i>Journal of Geophysical Research</i> , 2007 , 112,		95
7	Current updates of the water-vapor line list in HITRAN: A new Diet for air-broadened half-widths. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2007 , 108, 389-402	2.1	67
6	Implementation of cloud retrievals for Tropospheric Emission Spectrometer (TES) atmospheric retrievals: part 1. Description and characterization of errors on trace gas retrievals. <i>Journal of Geophysical Research</i> , 2006 , 111,		97
5	Predicted errors of tropospheric emission spectrometer nadir retrievals from spectral window selection. <i>Journal of Geophysical Research</i> , 2004 , 109,		146
4	The QME AERI LBLRTM: A Closure Experiment for Downwelling High Spectral Resolution Infrared Radiance. <i>Journals of the Atmospheric Sciences</i> , 2004 , 61, 2657-2675	2.1	88
3	Performance of the line-by-line radiative transfer model (LBLRTM) for temperature, water vapor, and trace gas retrievals: recent updates evaluated with IASI case studies		1
2	Cross-track Infrared Sounder (CrIS) satellite observations of tropospheric ammonia		4
1	Tropospheric Emission Spectrometer (TES) satellite validations of ammonia, methanol, formic acid, and carbon monoxide over the Canadian oil sands		3