

Didac Mauricio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3768719/didac-mauricio-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

284
papers

13,202
citations

45
h-index

111
g-index

339
ext. papers

15,760
ext. citations

6.3
avg, IF

5.95
L-index

#	Paper	IF	Citations
284	Compliance with the DPP-4 inhibitors dose adjustment recommendations based on renal function in a population database.. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2022 , 69, 83-91	0.1	
283	Our journal is 65 years-old (I): A look back at the past.. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2022 , 69, 299-299	0.1	
282	Mortality trends in type 1 diabetes: a multicountry analysis of six population-based cohorts.. <i>Diabetologia</i> , 2022 , 1	10.3	4
281	Association of statin and/or renin-angiotensin-aldosterone system modulating therapy with mortality in adults with diabetes admitted to hospital with COVID-19: A retrospective multicentre European study.. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2022 , 16, 102484	8.9	0
280	Effectiveness of medical nutrition therapy in adolescents with type 1 diabetes: a systematic review.. <i>Nutrition and Diabetes</i> , 2022 , 12, 24	4.7	
279	Nuestra revista cumple 65 años: una mirada al pasado. <i>Endocrinología, Diabetes Y Nutrición</i> , 2022 , 69, 299-302	1.3	
278	Cardiovascular disease in type 2 diabetes mellitus: progress toward personalized management.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 74	8.7	1
277	Associations Between Diabetic Retinopathy and Parkinson Disease: Results From the Catalanian Primary Care Cohort Study.. <i>Frontiers in Medicine</i> , 2021 , 8, 800973	4.9	0
276	Trends in the Degree of Control and Treatment of Cardiovascular Risk Factors in People With Type 2 Diabetes in a Primary Care Setting in Catalonia During 2007-2018.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 810757	5.7	1
275	NAD ⁺ -Increasing Strategies to Improve Cardiometabolic Health?. <i>Frontiers in Endocrinology</i> , 2021 , 12, 815565	5.7	1
274	Consensus document on actions to prevent and to improve the management of diabetic foot in Spain. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2021 , 68, 509-513	0.1	
273	Acute-to-Chronic Glycemic Ratio as a Predictor of COVID-19 Severity and Mortality. <i>Diabetes Care</i> , 2021 ,	14.6	3
272	Outstanding improvement of the advanced lipoprotein profile in subjects with new-onset type 1 diabetes mellitus after achieving optimal glycemic control. <i>Diabetes Research and Clinical Practice</i> , 2021 , 182, 109145	7.4	0
271	Circulating CD5L is associated with cardiovascular events and all-cause mortality in individuals with chronic kidney disease. <i>Aging</i> , 2021 , 13, 22690-22709	5.6	1
270	Subclinical atheromatosis localization and burden in a low-to-moderate cardiovascular risk population: the ILERVAS study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 1042-1053	0.7	4
269	Clinical Usefulness of Anthropometric Indices to Predict the Presence of Prediabetes. Data from the ILERVAS Cohort. <i>Nutrients</i> , 2021 , 13,	6.7	2
268	Glycaemic Control with Insulin Glargine 300 U/mL in Individuals with Type 2 Diabetes and Chronic Kidney Disease: A REALI European Pooled Data Analysis. <i>Diabetes Therapy</i> , 2021 , 12, 1159-1174	3.6	2

267	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. <i>Lancet Diabetes and Endocrinology, the</i> , 2021 , 9, 203-211	18.1	20
266	Atherogenic dyslipidemia, but not hyperglycemia, is an independent factor associated with liver fibrosis in subjects with type 2 diabetes and NAFLD: a population-based study. <i>European Journal of Endocrinology</i> , 2021 , 184, 587-596	6.5	2
265	Nicotinamide Protects Against Diet-Induced Body Weight Gain, Increases Energy Expenditure, and Induces White Adipose Tissue Beiging. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100111	5.9	4
264	Perfil lipoproteico avanzado en individuos con metabolismo glucídico normal y alterado. <i>Revista Espanola De Cardiologia</i> , 2021 , 75, 22-22	1.5	2
263	327-OR: Multicountry Analysis of Trends in All-Cause Mortality among People with Type 1 Diabetes. <i>Diabetes</i> , 2021 , 70, 327-OR	0.9	
262	Compliance with the DPP-4 inhibitors dose adjustment recommendations based on renal function in a population database. <i>Endocrinologia, Diabetes Y Nutrición</i> , 2021 , 69, 83-83	1.3	
261	Evaluation of clinical and antidiabetic treatment characteristics of different sub-groups of patients with type 2 diabetes: Data from a Mediterranean population database. <i>Primary Care Diabetes</i> , 2021 , 15, 588-595	2.4	4
260	Risk factors for severe outcomes in people with diabetes hospitalised for COVID-19: a cross-sectional database study. <i>BMJ Open</i> , 2021 , 11, e051237	3	0
259	Improving clinical utility of GAD65 autoantibodies by electrochemiluminescence assay and clinical phenotype when identifying autoimmune adult-onset diabetes. <i>Diabetologia</i> , 2021 , 64, 2052-2060	10.3	1
258	Analysis of the Adherence and Safety of Second Oral Glucose-Lowering Therapy in Routine Practice From the Mediterranean Area: A Retrospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 708372	5.7	2
257	Nuclear magnetic resonance-based metabolomic analysis in the assessment of preclinical atherosclerosis in type 1 diabetes and preeclampsia. <i>Diabetes Research and Clinical Practice</i> , 2021 , 171, 108548	7.4	3
256	How many people with type 2 diabetes fulfil the eligibility criteria for randomized, controlled trials of insulin glargine 300 U/mL in a real-world setting?. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 838-843	6.7	3
255	Analysis of the effectiveness of second oral glucose-lowering therapy in routine clinical practice from the mediterranean area: A retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 171, 108616	7.4	1
254	Particle size and cholesterol content of circulating HDL correlate with cardiovascular death in chronic heart failure. <i>Scientific Reports</i> , 2021 , 11, 3141	4.9	1
253	Advanced lipoprotein profile in individuals with normal and impaired glucose metabolism. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 75, 22-22	0.7	1
252	Impact of Age on the Effectiveness and Safety of Insulin Glargine 300 U/mL: Results from the REALI European Pooled Data Analysis. <i>Diabetes Therapy</i> , 2021 , 12, 1073-1097	3.6	0
251	Cardiovascular and mortality benefits of sodium-glucose co-transporter-2 inhibitors in patients with type 2 diabetes mellitus: CVD-Real Catalonia. <i>Cardiovascular Diabetology</i> , 2021 , 20, 139	8.7	2
250	Advanced lipoprotein parameters could better explain atheromatosis in non-diabetic chronic kidney disease patients.. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 2591-2599	4.5	0

249	Documento de consenso sobre acciones de mejora en la prevención y manejo del pie diabético en España. <i>Endocrinología, Diabetes Y Nutrición</i> , 2021 , 68, 509-513	1.3	
248	Randomised Controlled Trials in Diabetes Research: A Pathway to Interpreting Published Results. <i>Diabetes Therapy</i> , 2021 , 12, 2635-2644	3.6	
247	Incidence and characteristics of diabetic foot ulcers in subjects with type 2 diabetes in Catalanian primary care centres: An observational multicentre study. <i>Primary Care Diabetes</i> , 2021 , 15, 1033-1039	2.4	0
246	Previous Vitamin D Supplementation and Morbidity and Mortality Outcomes in People Hospitalised for COVID19: A Cross-Sectional Study. <i>Frontiers in Public Health</i> , 2021 , 9, 758347	6	1
245	Latent Autoimmune Diabetes in Adults: A Review of Clinically Relevant Issues. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1307, 29-41	3.6	3
244	Therapeutic Potential of Emerging NAD ⁺ -Increasing Strategies for Cardiovascular Diseases.. <i>Antioxidants</i> , 2021 , 10,	7.1	2
243	Prevalence and Predictors of Cerebral Microangiopathy Determined by Pulsatility Index in an Asymptomatic Population From the ILERVAS Project.. <i>Frontiers in Neurology</i> , 2021 , 12, 785640	4.1	1
242	The Circulating Fatty Acid Transporter Soluble CD36 Is Not Associated with Carotid Atherosclerosis in Subjects with Type 1 and Type 2 Diabetes Mellitus. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
241	Prevalence of pre-diabetes and undiagnosed diabetes in the Mollerussa prospective observational cohort study in a semi-rural area of Catalonia. <i>BMJ Open</i> , 2020 , 10, e033332	3	5
240	The Association Between Poor Glycemic Control and Health Care Costs in People With Diabetes: A Population-Based Study. <i>Diabetes Care</i> , 2020 , 43, 751-758	14.6	18
239	Latent autoimmune diabetes of adulthood: time to take action. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 177-179	18.1	2
238	Spanish People with Type 2 Diabetes Show an Improved Adherence to the Mediterranean Diet. <i>Nutrients</i> , 2020 , 12,	6.7	3
237	Half of patients with type 2 diabetes mellitus are at very high cardiovascular risk according to the ESC/EASD: data from a large Mediterranean population. <i>European Journal of Preventive Cardiology</i> , 2020 ,	3.9	5
236	Therapeutic Inertia: Still a Long Way to Go That Cannot Be Postponed. <i>Diabetes Spectrum</i> , 2020 , 33, 50-57.9		2
235	Localización y carga de ateromatosis subclílica en población con un riesgo cardiovascular bajo-moderado: estudio ILERVAS. <i>Revista Espanola De Cardiologia</i> , 2020 , 74, 1043-1043	1.5	2
234	Comentarios a la guía ESC 2019 sobre diabetes, prediabetes y enfermedad cardiovascular. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 354-360	1.5	1
233	Chronic Diabetes Complications: The Need to Move beyond Classical Concepts. <i>Trends in Endocrinology and Metabolism</i> , 2020 , 31, 287-295	8.8	37
232	The Mediterranean Diet is Associated with an Improved Quality of Life in Adults with Type 1 Diabetes. <i>Nutrients</i> , 2020 , 12,	6.7	8

231	Real-world outcomes of treatment with insulin glargine 300 U/mL versus standard-of-care in people with uncontrolled type 2 diabetes mellitus. <i>Current Medical Research and Opinion</i> , 2020 , 36, 571-581	3.5	6
230	The importance of the initial period of basal insulin titration in people with diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 722-733	6.7	14
229	Genetic Discrimination Between LADA and Childhood-Onset Type 1 Diabetes Within the MHC. <i>Diabetes Care</i> , 2020 , 43, 418-425	14.6	15
228	Role of the Scavenger Receptor CD36 in Accelerated Diabetic Atherosclerosis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
227	Prediabetes Is Independently Associated with Subclinical Carotid Atherosclerosis: An Observational Study in a Non-Urban Mediterranean Population. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
226	Advanced lipoprotein profile disturbances in type 1 diabetes mellitus: a focus on LDL particles. <i>Cardiovascular Diabetology</i> , 2020 , 19, 126	8.7	6
225	Rationale and methodology for a European pooled analysis of postmarketing interventional and observational studies of insulin glargine 300 U/mL in diabetes: protocol of REALI project. <i>BMJ Open</i> , 2020 , 10, e033659	3	3
224	Management of Latent Autoimmune Diabetes in Adults: A Consensus Statement From an International Expert Panel. <i>Diabetes</i> , 2020 , 69, 2037-2047	0.9	43
223	Improving management of glycaemic control in people with T2DM in primary care: estimation of the impact on the clinical complications and associated costs. <i>BMC Health Services Research</i> , 2020 , 20, 803	2.9	3
222	Incidental findings on brain MRI in a cohort of diabetic patients. <i>Journal of Neuroradiology</i> , 2020 , 47, 343-348	3.1	1
221	Are YouTube videos useful for patient self-education in type 2 diabetes?. <i>Health Informatics Journal</i> , 2020 , 26, 45-55	3	6
220	Insulin glargine 300 U/mL and insulin degludec: A review of the current evidence comparing these two second-generation basal insulin analogues. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36, e3329	7.5	5
219	Glucagon-Like Peptide-1 Receptor Agonists in Patients with Type 2 Diabetes: Prescription According to Reimbursement Constraints and Guideline Recommendations in Catalonia. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
218	Assessment of Inner Retinal Layers and Choroidal Thickness in Type 1 Diabetes Mellitus: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	10
217	An in-depth analysis shows a hidden atherogenic lipoprotein profile in non-diabetic chronic kidney disease patients. <i>Expert Opinion on Therapeutic Targets</i> , 2019 , 23, 619-630	6.4	18
216	Circulating Soluble CD36 is Similar in Type 1 and Type 2 Diabetes Mellitus versus Non-Diabetic Subjects. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
215	Glucagon-like peptide-1 receptor agonists in patients with type 2 diabetes:real-world evidence from a Mediterranean area. <i>Current Medical Research and Opinion</i> , 2019 , 35, 1735-1744	2.5	7
214	Poorer Quality of Life and Treatment Satisfaction is Associated with Diabetic Retinopathy in Patients with Type 1 Diabetes without Other Advanced Late Complications. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4

213	Ultrasound Tissue Characterization of Carotid Plaques Differs Between Patients with Type 1 Diabetes and Subjects without Diabetes. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
212	The Diabetes Unmet Need with Basal Insulin Evaluation (DUNE) study in type 2 diabetes: Achieving HbA1c targets with basal insulin in a real-world setting. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1429-1436 ²¹	6.7	21
211	Improved adherence to Mediterranean Diet in adults with type 1 diabetes mellitus. <i>European Journal of Nutrition</i> , 2019 , 58, 2271-2279	5.2	14
210	Subclinical atherosclerosis burden predicts cardiovascular events in individuals with diabetes and chronic kidney disease. <i>Cardiovascular Diabetology</i> , 2019 , 18, 93	8.7	10
209	Vitamin B3 impairs reverse cholesterol transport in Apolipoprotein E-deficient mice. <i>Clinica E Investigacion En Arteriosclerosis</i> , 2019 , 31, 251-260	1.4	2
208	Oleic Acid in the Diet and What It Does: Implications for Diabetes and Its Complications 2019 , 211-229		2
207	Glycaemic control after treatment intensification in patients with type 2 diabetes uncontrolled on two or more non-insulin antidiabetic drugs in a real-world setting. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1373-1380	6.7	9
206	INTEGRA study protocol: primary care intervention in type 2 diabetes patients with poor glycaemic control. <i>BMC Family Practice</i> , 2019 , 20, 25	2.6	0
205	Prevalence and coprevalence of chronic comorbid conditions in patients with type 2 diabetes in Catalonia: a population-based cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e031281	3	22
204	How Many Patients with Type 2 Diabetes Meet the Inclusion Criteria of the Cardiovascular Outcome Trials with SGLT2 Inhibitors? Estimations from a Population Database in a Mediterranean Area. <i>Journal of Diabetes Research</i> , 2019 , 2019, 2018374	3.9	9
203	Novel Insights into the Role of HDL-Associated Sphingosine-1-Phosphate in Cardiometabolic Diseases. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
202	Effect of Linagliptin vs Placebo on Major Cardiovascular Events in Adults With Type 2 Diabetes and High Cardiovascular and Renal Risk: The CARMELINA Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 69-79	27.4	562
201	Pathogenesis, Clinical Features and Treatment of Diabetic Cardiomyopathy. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1067, 197-217	3.6	35
200	Kallikreins Stepwise Scoring Reveals Three Subtypes of Papillary Thyroid Cancer with Prognostic Implications. <i>Thyroid</i> , 2018 , 28, 601-612	6.2	10
199	Impact of TSH during the first trimester of pregnancy on obstetric and foetal complications: Usefulness of 2.5 mIU/L cut-off value. <i>Clinical Endocrinology</i> , 2018 , 88, 728-734	3.4	16
198	Increased Global DNA Hypomethylation in Distant Metastatic and Dedifferentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 397-406	5.6	15
197	Low-grade Inflammatory Marker Profile May Help to Differentiate Patients With LADA, Classic Adult-Onset Type 1 Diabetes, and Type 2 Diabetes. <i>Diabetes Care</i> , 2018 , 41, 862-868	14.6	22
196	Decreased iron stores are associated with cardiovascular disease in patients with type 2 diabetes both cross-sectionally and longitudinally. <i>Atherosclerosis</i> , 2018 , 272, 193-199	3.1	6

195	Therapeutic inertia in patients treated with two or more antidiabetics in primary care: Factors predicting intensification of treatment. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 103-112	6.7	38
194	Low-Carbohydrate Diet for the Treatment of Gestational Diabetes Mellitus 2018 , 253-261		
193	Prevalence and progression of subclinical atherosclerosis in patients with chronic kidney disease and diabetes. <i>Atherosclerosis</i> , 2018 , 276, 50-57	3.1	9
192	Diabetic retinopathy is associated with the presence and burden of subclinical carotid atherosclerosis in type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2018 , 17, 66	8.7	25
191	Vitamin D deficiency is associated with poorer satisfaction with diabetes-related treatment and quality of life in patients with type 2 diabetes: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 44	3	12
190	Fatty liver index is a predictor of incident diabetes in patients with prediabetes: The PREDAPS study. <i>PLoS ONE</i> , 2018 , 13, e0198327	3.7	23
189	Therapeutic inertia in patients treated with two or more antidiabetics in primary care: Factors predicting intensification of treatment 2018 , 20, 103		1
188	Autoimmunity in gestational diabetes mellitus 2018 , 57-68		
187	Diabetes Treatment in Patients with Renal Disease—How Many Are Receiving Contraindicated Drugs?. <i>Diabetes</i> , 2018 , 67, 1647-P	0.9	
186	Multiple Chronic Comorbidities in a T2DM Mediterranean Population. <i>Diabetes</i> , 2018 , 67, 1646-P	0.9	
185	Short-term foot complications in Charcot neuroarthropathy: A retrospective study in tertiary care centres in Spain. <i>Endocrinologia, Diabetes Y Nutrición</i> , 2018 , 65, 479-485	1.3	2
184	Albiglutide and cardiovascular outcomes in patients with type 2 diabetes and cardiovascular disease (Harmony Outcomes): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2018 , 392, 1519-1529	40	771
183	First Genome-Wide Association Study of Latent Autoimmune Diabetes in Adults Reveals Novel Insights Linking Immune and Metabolic Diabetes. <i>Diabetes Care</i> , 2018 , 41, 2396-2403	14.6	57
182	Second-Generation Insulin Analogues - a Review of Recent Real-World Data and Forthcoming Head-to-Head Comparisons. <i>European Endocrinology</i> , 2018 , 14, 2-9	3.4	17
181	Type 1 Diabetic Subjects with Diabetic Retinopathy Show an Unfavorable Pattern of Fat Intake. <i>Nutrients</i> , 2018 , 10,	6.7	6
180	Real-world antidiabetic drug use and fracture risk in 12,277 patients with type 2 diabetes mellitus: a nested case-control study. <i>Osteoporosis International</i> , 2018 , 29, 2079-2086	5.3	31
179	Knowledge management through two virtual communities of practice (Endobloc and Pneumobloc). <i>Health Informatics Journal</i> , 2017 , 23, 170-180	3	4
178	Low prevalence of non-alcoholic fatty liver disease in patients with type 1 diabetes is associated with decreased subclinical cardiovascular disease. <i>Journal of Diabetes</i> , 2017 , 9, 1065-1072	3.8	9

177	Glycaemic control and hypoglycaemia burden in patients with type 2 diabetes initiating basal insulin in Europe and the USA. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1155-1164	6.7	76
176	Diabetic complications do not hamper improvement of health-related quality of life over the course of treatment of diabetic foot ulcers - the Eurodiale study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1145-1151	3.2	12
175	Prevalence, clinical features and risk assessment of pre-diabetes in Spain: the prospective Mollerussa cohort study. <i>BMJ Open</i> , 2017 , 7, e015158	3	14
174	Calcium Phosphate Product Is Associated with Subclinical Carotid Atherosclerosis in Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2017 , 2017, 3498368	3.9	8
173	Preclinical carotid atherosclerosis in patients with latent autoimmune diabetes in adults (LADA), type 2 diabetes and classical type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2017 , 16, 94	8.7	15
172	Diet, physical activity or both for prevention or delay of type 2 diabetes mellitus and its associated complications in people at increased risk of developing type 2 diabetes mellitus. <i>The Cochrane Library</i> , 2017 , 12, CD003054	5.2	62
171	Prevalence and control of type 2 diabetes mellitus among primary care physicians in Spain. PRISMA Study. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017 , 64, 265-271	1.3	2
170	Insulin use and Excess Fracture Risk in Patients with Type 2 Diabetes: A Propensity-Matched cohort analysis. <i>Scientific Reports</i> , 2017 , 7, 3781	4.9	32
169	Relative contribution of type 1 and type 2 diabetes loci to the genetic etiology of adult-onset, non-insulin-requiring autoimmune diabetes. <i>BMC Medicine</i> , 2017 , 15, 88	11.4	52
168	Prevalence and control of type 2 diabetes mellitus among primary care physicians in Spain. PRISMA Study. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2017 , 64, 265-271	0.1	
167	APLP2, RRM2, and PRC1: New Putative Markers for the Differential Diagnosis of Thyroid Follicular Lesions. <i>Thyroid</i> , 2017 , 27, 59-66	6.2	2
166	Minor amputation does not negatively affect health-related quality of life as compared with conservative treatment in patients with a diabetic foot ulcer: An observational study. <i>Diabetes/Metabolism Research and Reviews</i> , 2017 , 33, e2867	7.5	18
165	Clinical characteristics of type 2 diabetic patients on basal insulin therapy with adequate fasting glucose control who do not achieve HbA1c targets. <i>Journal of Diabetes</i> , 2017 , 9, 34-44	3.8	14
164	ViDa1: The Development and Validation of a New Questionnaire for Measuring Health-Related Quality of Life in Patients with Type 1 Diabetes. <i>Frontiers in Psychology</i> , 2017 , 8, 904	3.4	11
163	High Levels of Hemoglobin Promote Carotid Adventitial Vasa Vasorum Neoangiogenesis in Chronic Kidney Disease. <i>Mediators of Inflammation</i> , 2017 , 2017, 3795142	4.3	5
162	Decreased quality of life and treatment satisfaction in patients with latent autoimmune diabetes of the adult. <i>PeerJ</i> , 2017 , 5, e3928	3.1	6
161	Glycaemic control and antidiabetic treatment trends in primary care centres in patients with type 2 diabetes mellitus during 2007-2013 in Catalonia: a population-based study. <i>BMJ Open</i> , 2016 , 6, e012463 ³		49
160	Epidemiology and clinical management of type 2 diabetes mellitus and associated comorbidities in Spain (e-Management study). <i>Medicina Clínica</i> , 2016 , 147 Suppl 1, 1-7	1	8

159	Increased Burden of Cerebral Small Vessel Disease in Patients With Type 2 Diabetes and Retinopathy. <i>Diabetes Care</i> , 2016 , 39, 1614-20	14.6	40
158	Relationship of the adherence to the Mediterranean diet with health-related quality of life and treatment satisfaction in patients with type 2 diabetes mellitus: a post-hoc analysis of a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 69	3	14
157	Role of Medical Nutrition Therapy in the Management of Gestational Diabetes Mellitus. <i>Current Diabetes Reports</i> , 2016 , 16, 22	5.6	30
156	Direct medical costs attributable to type 2 diabetes mellitus: a population-based study in Catalonia, Spain. <i>European Journal of Health Economics</i> , 2016 , 17, 1001-1010	3.6	58
155	Quantification of unmethylated Alu (QUAlu): a tool to assess global hypomethylation in routine clinical samples. <i>Oncotarget</i> , 2016 , 7, 10536-46	3.3	9
154	Perioperative Management of Non-diabetic Patients with Hyperglycaemia (Stress-Induced Hyperglycaemia) 2016 , 193-209		
153	Perioperative Management of the Diabetic Patient 2016 , 165-192		
152	Understanding the physical, social, and emotional experiences of people with uncontrolled Type 2 diabetes: a qualitative study. <i>Patient Preference and Adherence</i> , 2016 , 10, 2323-2332	2.4	9
151	Lower Hemoglobin Concentration Is Associated with Retinal Ischemia and the Severity of Diabetic Retinopathy in Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2016 , 2016, 3674946	3.9	17
150	Prevalence of Diabetic Foot Disease in Patients with Diabetes Mellitus under Renal Replacement Therapy in Lleida, Spain. <i>BioMed Research International</i> , 2016 , 2016, 7217586	3	9
149	Noninsulin Antidiabetic Drugs for Patients with Type 2 Diabetes Mellitus: Are We Respecting Their Contraindications?. <i>Journal of Diabetes Research</i> , 2016 , 2016, 7502489	3.9	13
148	Subclinical Carotid Atherosclerosis in Asymptomatic Subjects With Type 2 Diabetes Mellitus. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, E1-7	2.1	10
147	B-cell anergy induces a Th17 shift in a novel B lymphocyte transgenic NOD mouse model, the 116C-NOD mouse. <i>European Journal of Immunology</i> , 2016 , 46, 593-608	6.1	3
146	Characteristics of patients with type 2 diabetes mellitus newly treated with GLP-1 receptor agonists (CHADIG Study): a cross-sectional multicentre study in Spain. <i>BMJ Open</i> , 2016 , 6, e010197	3	11
145	Impact of diabetes on the predictive value of heart failure biomarkers. <i>Cardiovascular Diabetology</i> , 2016 , 15, 151	8.7	40
144	Endocrinology, diabetes and nutrition: The future is here. <i>Endocrinología Y Nutrición (English Edition)</i> , 2016 , 63, 509-510		
143	Endocrinology, diabetes and nutrition: The future is here. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2016 , 63, 509-510		2
142	Análisis de coste-efectividad de saxagliptina como tratamiento triple oral (con metformina y una sulfonilurea) en el manejo de la diabetes tipo 2 en España. <i>Pharmacoeconomics - Spanish Research Articles</i> , 2016 , 13, 25-35		

141	Association of low oleic acid intake with diabetic retinopathy in type 2 diabetic patients: a case-control study. <i>Nutrition and Metabolism</i> , 2016 , 13, 40	4.6	10
140	Inverse Relationship Between Organ-Specific Autoantibodies and Systemic Immune Mediators in Type 1 Diabetes and Type 2 Diabetes: Action LADA 11. <i>Diabetes Care</i> , 2016 , 39, 1932-1939	14.6	26
139	Is diabetes mellitus correctly registered and classified in primary care? A population-based study in Catalonia, Spain. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2016 , 63, 440-448		12
138	Neuropatía diabética y pie diabético. <i>Medicine</i> , 2016 , 12, 971-981	0.1	3
137	High prevalence of vitamin D deficiency and lack of association with subclinical atherosclerosis in asymptomatic patients with Type 1 Diabetes Mellitus from a Mediterranean area. <i>Acta Diabetologica</i> , 2015 , 52, 773-9	3.9	10
136	Insulin secretion in patients with latent autoimmune diabetes (LADA): half way between type 1 and type 2 diabetes: action LADA 9. <i>BMC Endocrine Disorders</i> , 2015 , 15, 1	3.3	43
135	MicroRNA deep-sequencing reveals master regulators of follicular and papillary thyroid tumors. <i>Modern Pathology</i> , 2015 , 28, 748-57	9.8	45
134	Treatment of recent-onset type 1 diabetic patients with DiaPep277: results of a double-blind, placebo-controlled, randomized phase 3 trial. <i>Diabetes Care</i> 2014;37:1392-1400. DOI: 10.2337/dc13-1391. <i>Diabetes Care</i> , 2015 , 38, 178	14.6	5
133	Type 2 diabetes-associated carotid plaque burden is increased in patients with retinopathy compared to those without retinopathy. <i>Cardiovascular Diabetology</i> , 2015 , 14, 33	8.7	38
132	Left carotid adventitial vasa vasorum signal correlates directly with age and with left carotid intima-media thickness in individuals without atheromatous risk factors. <i>Cardiovascular Ultrasound</i> , 2015 , 13, 20	2.4	14
131	A descriptive study of the characteristics of differentiated thyroid cancer in Catalonia during the period 1998-2012. The CECaT registry. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2015 , 62, 264-9		5
130	Older type 2 diabetic patients are more likely to achieve glycaemic and cardiovascular risk factors targets than younger patients: analysis of a primary care database. <i>International Journal of Clinical Practice</i> , 2015 , 69, 1486-95	2.9	38
129	Relationship of YKL-40 and adiponectin and subclinical atherosclerosis in asymptomatic patients with type 1 diabetes mellitus from a European Mediterranean population. <i>Cardiovascular Diabetology</i> , 2015 , 14, 121	8.7	12
128	Evaluation of efficacy, safety, pain perception and health-related quality of life of percutaneous ethanol injection as first-line treatment in symptomatic thyroid cysts. <i>BMC Endocrine Disorders</i> , 2015 , 15, 73	3.3	28
127	Design, construction, and implementation of an online platform for patients with type 1 diabetes: EncoDiab. <i>Patient Preference and Adherence</i> , 2015 , 9, 767-75	2.4	6
126	Vitamin D Deficiency Is Associated with the Presence and Severity of Diabetic Retinopathy in Type 2 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2015 , 2015, 374178	3.9	41
125	Breaking Therapeutic Inertia in Type 2 Diabetes: Active Detection of In-Patient Cases Allows Improvement of Metabolic Control at Midterm. <i>International Journal of Endocrinology</i> , 2015 , 2015, 381415	2.7	7
124	Rationale, design, and baseline characteristics in Evaluation of LIXisenatide in Acute Coronary Syndrome, a long-term cardiovascular end point trial of lixisenatide versus placebo. <i>American Heart Journal</i> , 2015 , 169, 631-638.e7	4.9	72

123	Microangiopathy of common carotid vasa vasorum in type 1 diabetes mellitus. <i>Atherosclerosis</i> , 2015 , 241, 334-8	3.1	10
122	Predictors of lower-extremity amputation in patients with an infected diabetic foot ulcer. <i>Diabetes Care</i> , 2015 , 38, 852-7	14.6	108
121	Latent autoimmune diabetes in adults: are we paying sufficient attention?. <i>Endocrinología Y Nutrición (English Edition)</i> , 2015 , 62, 1-3		1
120	BMI is an important driver of β cell loss in type 1 diabetes upon diagnosis in 10 to 18-year-old children. <i>European Journal of Endocrinology</i> , 2015 , 172, 107-13	6.5	38
119	DNA methylation profiling of well-differentiated thyroid cancer uncovers markers of recurrence free survival. <i>International Journal of Cancer</i> , 2014 , 135, 598-610	7.5	54
118	Sprouty1 induces a senescence-associated secretory phenotype by regulating NF κ B activity: implications for tumorigenesis. <i>Cell Death and Differentiation</i> , 2014 , 21, 333-43	12.7	19
117	Fertility is reduced in women and in men with type 1 diabetes: results from the Type 1 Diabetes Genetics Consortium (T1DGC). <i>Diabetologia</i> , 2014 , 57, 2501-4	10.3	30
116	Age-dependent decline of β cell function in type 1 diabetes after diagnosis: a multi-centre longitudinal study. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 262-7	6.7	60
115	Immune intervention for type 1 diabetes, 2012-2013. <i>Diabetes Technology and Therapeutics</i> , 2014 , 16 Suppl 1, S85-91	8.1	1
114	Treatment of recent-onset type 1 diabetic patients with DiaPep277: results of a double-blind, placebo-controlled, randomized phase 3 trial. <i>Diabetes Care</i> , 2014 , 37, 1392-400	14.6	43
113	There is no bubble, but there are conflicts of interests. Efforts to improve the credibility of the scientific process. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2014 , 61, 443-4		
112	A prospective cross-sectional study on quality of life and treatment satisfaction in type 2 diabetic patients with retinopathy without other major late diabetic complications. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 131	3	37
111	Health-related quality of life predicts major amputation and death, but not healing, in people with diabetes presenting with foot ulcers: the Eurodiale study. <i>Diabetes Care</i> , 2014 , 37, 694-700	14.6	59
110	Diabetic foot units in Spain: knowing the facts using a questionnaire. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2014 , 61, 79-86		11
109	Benign and malignant nodular thyroid disease in acromegaly. Is a routine thyroid ultrasound evaluation advisable?. <i>PLoS ONE</i> , 2014 , 9, e104174	3.7	28
108	Treatment of Hyperglycaemia in Type 2 Diabetic Patients in a Primary Care Population Database in a Mediterranean Area (Catalonia, Spain). <i>Journal of Diabetes & Metabolism</i> , 2014 , 05,	0	1
107	Differences in the Cardiometabolic Control in Type 2 Diabetes according to Gender and the Presence of Cardiovascular Disease: Results from the eControl Study. <i>International Journal of Endocrinology</i> , 2014 , 2014, 131709	2.7	22
106	Low prevalence of subclinical atherosclerosis in asymptomatic patients with type 1 diabetes in a European Mediterranean population. <i>Diabetes Care</i> , 2014 , 37, 814-20	14.6	9

105	Cyclin D3 promotes pancreatic cell fitness and viability in a cell cycle-independent manner and is targeted in autoimmune diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E3405-14	11.5	8
104	The truncated isoform of somatostatin receptor5 (sst5TMD4) is associated with poorly differentiated thyroid cancer. <i>PLoS ONE</i> , 2014 , 9, e85527	3.7	21
103	Saxagliptin and cardiovascular outcomes in patients with type 2 diabetes mellitus. <i>New England Journal of Medicine</i> , 2013 , 369, 1317-26	59.2	2459
102	Investigar en diabetes desde una base de datos de atención primaria: la experiencia del Sistema de Información para el Desarrollo de la Investigación en Atención Primaria (SIDIAP). <i>Avances En Diabetología</i> , 2013 , 29, 169-174		5
101	Microangiopathy of large artery wall: a neglected complication of diabetes mellitus. <i>Atherosclerosis</i> , 2013 , 228, 142-7	3.1	27
100	Importance of factors determining the low health-related quality of life in people presenting with a diabetic foot ulcer: the Eurodiale study. <i>Diabetic Medicine</i> , 2013 , 30, 1382-7	3.5	54
99	Pseudo-enhancement does not explain the increased carotid adventitial vasa vasorum signal in diabetic patients. <i>Atherosclerosis</i> , 2013 , 229, 459-61	3.1	5
98	Carta respuesta. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2013 , 60, 410-411		
97	Latent autoimmune diabetes in adults is perched between type 1 and type 2: evidence from adults in one region of Spain. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 29, 446-51	7.5	39
96	Interleukin-1 antagonism in type 1 diabetes of recent onset: two multicentre, randomised, double-blind, placebo-controlled trials. <i>Lancet, The</i> , 2013 , 381, 1905-15	4.0	234
95	Adult-onset autoimmune diabetes in Europe is prevalent with a broad clinical phenotype: Action LADA 7. <i>Diabetes Care</i> , 2013 , 36, 908-13	14.6	198
94	Low-carbohydrate diet for the treatment of gestational diabetes mellitus: a randomized controlled trial. <i>Diabetes Care</i> , 2013 , 36, 2233-8	14.6	54
93	Diabetic foot disease: impact of ulcer location on ulcer healing. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 29, 377-83	7.5	74
92	Interventions for treating overweight or obesity in adults: an overview of systematic reviews. <i>The Cochrane Library</i> , 2013 ,	5.2	8
91	Perioperative glycaemic control for diabetic patients undergoing surgery. <i>The Cochrane Library</i> , 2012 , CD007315	5.2	42
90	Control of glycemia and cardiovascular risk factors in patients with type 2 diabetes in primary care in Catalonia (Spain). <i>Diabetes Care</i> , 2012 , 35, 774-9	14.6	151
89	ENDOCRINOLOGÍA y NUTRICIÓN a partir de ahora también en inglés. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2011 , 58, 1-2		3
88	Differences in minor amputation rate in diabetic foot disease throughout Europe are in part explained by differences in disease severity at presentation. <i>Diabetic Medicine</i> , 2011 , 28, 199-205	3.5	92

87	Predictors of associated autoimmune diseases in families with type 1 diabetes: results from the Type 1 Diabetes Genetics Consortium. <i>Diabetes/Metabolism Research and Reviews</i> , 2011 , 27, 493-8	7.5	17
86	Rare and functional SIAE variants are not associated with autoimmune disease risk in up to 66,924 individuals of European ancestry. <i>Nature Genetics</i> , 2011 , 44, 3-5	36.3	39
85	Continuation versus discontinuation of insulin secretagogues when initiating insulin in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 923-5	6.7	27
84	Overexpression and activation of EGFR and VEGFR2 in medullary thyroid carcinomas is related to metastasis. <i>Endocrine-Related Cancer</i> , 2010 , 17, 7-16	5.7	88
83	Designing and implementing sample and data collection for an international genetics study: the Type 1 Diabetes Genetics Consortium (T1DGC). <i>Clinical Trials</i> , 2010 , 7, S5-S32	2.2	24
82	Análisis de costes del tratamiento de la diabetes mellitus tipo 2 con insulina glargina o detemir. <i>Avances En Diabetología</i> , 2010 , 26, 430-435		2
81	Meta-analysis on insulin treatment for type 2 diabetes: rushed conclusions?. <i>Diabetologia</i> , 2010 , 53, 1004-5; author reply 1006	10.3	2
80	Metabolic syndrome and autoimmune diabetes: action LADA 3. <i>Diabetes Care</i> , 2009 , 32, 160-4	14.6	87
79	The variant rs1867277 in FOXE1 gene confers thyroid cancer susceptibility through the recruitment of USF1/USF2 transcription factors. <i>PLoS Genetics</i> , 2009 , 5, e1000637	6	126
78	Genome-wide association study and meta-analysis find that over 40 loci affect risk of type 1 diabetes. <i>Nature Genetics</i> , 2009 , 41, 703-7	36.3	1298
77	Effectiveness of retinoic acid treatment for redifferentiation of thyroid cancer in relation to recovery of radioiodine uptake. <i>Journal of Endocrinological Investigation</i> , 2009 , 32, 228-33	5.2	38
76	Guía Europea de Prevención Cardiovascular en la Práctica Clínica. Adaptación española del CEIPC 2008. <i>Revista Clínica Española</i> , 2009 , 209, 279-302	0.7	11
75	Guía Europea de Prevención Cardiovascular en la Práctica Clínica. Adaptación española del CEIPC 2008. <i>Hipertension Y Riesgo Vascular</i> , 2009 , 26, 157-180	0.5	2
74	Guía Europea de Prevención Cardiovascular en la Práctica Clínica. Adaptación española del CEIPC 2008. <i>Semergen</i> , 2009 , 35, 66-85	1.9	1
73	Guía Europea de Prevención Cardiovascular en la Práctica Clínica. Adaptación española del CEIPC 2008. <i>Clínica E Investigación En Arteriosclerosis</i> , 2009 , 21, 124-150	1.4	3
72	Molecular profiling related to poor prognosis in thyroid carcinoma. Combining gene expression data and biological information. <i>Oncogene</i> , 2008 , 27, 1554-61	9.2	68
71	Role of vitamin D in the pathogenesis of type 2 diabetes mellitus. <i>Diabetes, Obesity and Metabolism</i> , 2008 , 10, 185-97	6.7	333
70	Cardiovascular risk factor management is poorer in diabetic patients with undiagnosed peripheral arterial disease than in those with known coronary heart disease or cerebrovascular disease. Results of a nationwide study in tertiary diabetes centres. <i>Diabetic Medicine</i> , 2008 , 25, 427-34	3.5	26

69	Delivery of care to diabetic patients with foot ulcers in daily practice: results of the Eurodiale Study, a prospective cohort study. <i>Diabetic Medicine</i> , 2008 , 25, 700-7	3.5	132
68	Exercise or exercise and diet for preventing type 2 diabetes mellitus. <i>The Cochrane Library</i> , 2008 , CD003054	3.5	170
67	Nuclear factor-kappaB activation is associated with somatic and germ line RET mutations in medullary thyroid carcinoma. <i>Human Pathology</i> , 2008 , 39, 994-1001	3.7	25
66	Adult subjects with Prader-Willi syndrome show more low-grade systemic inflammation than matched obese subjects. <i>Journal of Endocrinological Investigation</i> , 2008 , 31, 169-75	5.2	12
65	Insulin resistance and progression to type 1 diabetes in the European Nicotinamide Diabetes Intervention Trial (ENDIT). <i>Diabetes Care</i> , 2008 , 31, 146-50	14.6	97
64	Time to insulin initiation cannot be used in defining latent autoimmune diabetes in adults. <i>Diabetes Care</i> , 2008 , 31, 439-41	14.6	60
63	Mixed-meal tolerance test versus glucagon stimulation test for the assessment of beta-cell function in therapeutic trials in type 1 diabetes. <i>Diabetes Care</i> , 2008 , 31, 1966-71	14.6	203
62	Perioperative glycaemic control for diabetic patients undergoing surgery 2008 ,		1
61	Autoantibodies to IA-2beta improve diabetes risk assessment in high-risk relatives. <i>Diabetologia</i> , 2008 , 51, 488-92	10.3	41
60	Prediction of outcome in individuals with diabetic foot ulcers: focus on the differences between individuals with and without peripheral arterial disease. The EURODIALE Study. <i>Diabetologia</i> , 2008 , 51, 747-55	10.3	580
59	Resource utilisation and costs associated with the treatment of diabetic foot ulcers. Prospective data from the Eurodiale Study. <i>Diabetologia</i> , 2008 , 51, 1826-34	10.3	183
58	Diabetes classification: grey zones, sound and smoke: Action LADA 1. <i>Diabetes/Metabolism Research and Reviews</i> , 2008 , 24, 511-9	7.5	93
57	Immunology of gestational diabetes mellitus. <i>Series in Maternal-fetal Medicine</i> , 2008 , 100-106		
56	A lesser postprandial suppression of plasma ghrelin in Prader-Willi syndrome is associated with low fasting and a blunted postprandial PYY response. <i>Clinical Endocrinology</i> , 2007 , 66, 198-204	3.4	39
55	High prevalence of ischaemia, infection and serious comorbidity in patients with diabetic foot disease in Europe. Baseline results from the Eurodiale study. <i>Diabetologia</i> , 2007 , 50, 18-25	10.3	561
54	Thyroid autoimmunity at onset of type 1 diabetes as a predictor of thyroid dysfunction. <i>Diabetes Care</i> , 2007 , 30, 1611-2	14.6	16
53	Lower heart rate variability is associated with higher plasma concentrations of IL-6 in type 1 diabetes. <i>European Journal of Endocrinology</i> , 2007 , 157, 31-8	6.5	43
52	Diabetes-related autoantibodies and gestational diabetes. <i>Diabetes Care</i> , 2007 , 30 Suppl 2, S127-33	14.6	33

51	Increased cholesterol intake in women with gestational diabetes mellitus. <i>Diabetes and Metabolism</i> , 2007 , 33, 25-9	5.4	27
50	Optimal organization of health care in diabetic foot disease: introduction to the Eurodiale study. <i>International Journal of Lower Extremity Wounds</i> , 2007 , 6, 11-7	1.6	38
49	Intensive intraoperative insulin therapy versus conventional glucose management during cardiac surgery. <i>Annals of Internal Medicine</i> , 2007 , 147, 521; author reply 522	8	1
48	Progression to type 1 diabetes in islet cell antibody-positive relatives in the European Nicotinamide Diabetes Intervention Trial: the role of additional immune, genetic and metabolic markers of risk. <i>Diabetologia</i> , 2006 , 49, 881-90	10.3	93
47	Postprandial adiponectin levels are unlikely to contribute to the pathogenesis of obesity in Prader-Willi syndrome. <i>Hormone Research in Paediatrics</i> , 2006 , 65, 39-45	3.3	10
46	Adaptaci3n espa3ola de la Gu3a Europea de Prevenci3n Cardiovascular. <i>Revista Clinica Espanola</i> , 2006 , 206, 17-18	0.7	
45	PTEN promoter methylation in sporadic thyroid carcinomas. <i>Thyroid</i> , 2006 , 16, 17-23	6.2	122
44	Adaptaci3n espa3ola de la Gu3a Europea de Prevenci3n Cardiovascular. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2005 , 17, 19-20	1.4	1
43	Circulating ghrelin in thyroid dysfunction is related to insulin resistance and not to hunger, food intake or anthropometric changes. <i>European Journal of Endocrinology</i> , 2005 , 153, 73-9	6.5	49
42	Red Europea de Gen3tica de la Diabetes Tipo 1. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2005 , 52, 177-183		4
41	Diabetes-Related Antibodies and Pregnancy 2005 , 17, 195-205		1
40	Dissemination of patient-oriented evidence that matters on the Internet: the case of Type 2 diabetes treatment. <i>Diabetic Medicine</i> , 2005 , 22, 688-92	3.5	11
39	Diabetic neuropathy is associated with activation of the TNF-alpha system in subjects with type 1 diabetes mellitus. <i>Clinical Endocrinology</i> , 2005 , 63, 525-9	3.4	75
38	Telomerase activity in "suspicious" thyroid cytology. <i>Cancer</i> , 2005 , 105, 492-7	6.4	11
37	Atorvastatin does not decrease or delay diabetes onset in two different mouse models of type 1 diabetes. <i>Diabetologia</i> , 2005 , 48, 1671-3	10.3	10
36	Islet-infiltrating B-cells in nonobese diabetic mice predominantly target nervous system elements. <i>Diabetes</i> , 2005 , 54, 69-77	0.9	37
35	The tumour necrosis factor (TNF)-alpha system is activated in accordance with pulse pressure in normotensive subjects with type 1 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2005 , 153, 687-91	6.5	12
34	Evaluation of two nonisotopic immunoassays for determination of glutamic acid decarboxylase and tyrosine phosphatase autoantibodies in serum. <i>Clinical Chemistry</i> , 2004 , 50, 1378-82	5.5	13

33	European Nicotinamide Diabetes Intervention Trial (ENDIT): a randomised controlled trial of intervention before the onset of type 1 diabetes. <i>Lancet, The</i> , 2004 , 363, 925-31	40	385
32	Adaptaci3n espa3la de la Gu3a Europea de Prevenci3n Cardiovascular. <i>Atencion Primaria</i> , 2004 , 34, 427-432	3.6	6
31	Translation of the recommendations for the diagnosis of diabetes mellitus into daily clinical practice in a primary health care setting. <i>Diabetes Research and Clinical Practice</i> , 2003 , 62, 123-9	7.4	2
30	Acarbose for patients with hypertension and impaired glucose tolerance. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 3066; author reply 3067-9	27.4	3
29	Acarbose for patients with hypertension and impaired glucose tolerance. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 3067; author reply 3067-9	27.4	6
28	Plasma homocysteine is not increased in microalbuminuric patients with type 2 diabetes without clinical cardiovascular disease. <i>Diabetes Care</i> , 2002 , 25, 632-3	14.6	4
27	Algunas razones para incluir el cribado de la diabetes mellitus entre las actividades preventivas para las personas mayores. <i>Medicina Cl3nica</i> , 2002 , 118, 559	1	2
26	Evaluation of accessibility and use of new communication technologies in patients with type 1 diabetes mellitus. <i>Journal of Medical Internet Research</i> , 2002 , 4, E16	7.6	31
25	Autoimmune gestational diabetes mellitus: a distinct clinical entity?. <i>Diabetes/Metabolism Research and Reviews</i> , 2001 , 17, 422-8	7.5	17
24	Algunas consideraciones sobre el Consenso de la Sociedad Espa3la de Diabetes y de la Sociedad Espa3la de Medicina Familiar y Comunitaria sobre los criterios y pautas de terapia combinada en la diabetes tipo 2. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2001 , 48, 220-221		
23	Association of Takayasu's disease and autoimmune gestational diabetes mellitus. <i>Endocrine Journal</i> , 2000 , 47, 203-4	2.9	
22	Genetic, clinical, and biochemical analysis of unrelated Spanish families with multiple endocrine neoplasia type I. <i>Endocrine Practice</i> , 2000 , 6, 13-9	3.2	4
21	Can all newly diagnosed subjects without type 1 diabetes-associated autoimmune markers be classified as type 1b diabetic patients?. <i>Diabetes Care</i> , 2000 , 23, 1715-6	14.6	4
20	Thyrotoxicosis and low radioactive iodine uptake in a woman with Graves' disease. <i>Postgraduate Medical Journal</i> , 1999 , 75, 125-6	2	
19	Use of somatostatin analogue scintigraphy in the localization of recurrent medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998 , 25, 1482-8	8.8	26
18	Reversible endocrine dysfunction and pituitary stalk enlargement. <i>Journal of Endocrinological Investigation</i> , 1998 , 21, 122-7	5.2	6
17	Apoptosis and the pathogenesis of IDDM: a question of life and death. <i>Diabetes</i> , 1998 , 47, 1537-43	0.9	140
16	Insulin antibody response to a short course of human insulin therapy in women with gestational diabetes. <i>Diabetes Care</i> , 1997 , 20, 1172-5	14.6	30

15	Dexamethasone prevents interleukin-1beta-mediated inhibition of rat islet insulin secretion without decreasing nitric oxide production. <i>Cytokine</i> , 1997 , 9, 563-9	4	8
14	Lipoprotein compositional abnormalities in type I diabetes: effect of improved glycaemic control. <i>Diabetes Research and Clinical Practice</i> , 1997 , 36, 83-90	7.4	13
13	A role for trials without placebo controls in pre-IDDM?. <i>Diabetes/metabolism Reviews</i> , 1997 , 13, 319-20		
12	Strain-dependent differences in sensitivity of rat beta-cells to interleukin 1 beta in vitro and in vivo: association with islet nitric oxide synthesis. <i>Diabetes</i> , 1996 , 45, 771-8	0.9	28
11	Interleukin-1 beta-induced nitric oxide production from isolated rat islets is modulated by D-glucose and 3-isobutyl-1-methyl xanthine. <i>European Journal of Endocrinology</i> , 1996 , 134, 251-9	6.5	32
10	Linomide increases plasma corticosterone in normal rats, but does not prevent the inhibitory action of IL-1 on beta-cells in vivo or ex vivo. <i>Autoimmunity</i> , 1996 , 23, 257-68	3	4
9	Vitamin D Analogues in Insulin-Dependent Diabetes Mellitus and Other Autoimmune Diseases: A Therapeutic Perspective 1996 , 12, 57-68		20
8	Islet Cell Autoimmunity in Women with Gestational Diabetes and Risk of Progression to Insulin-dependent Diabetes Mellitus 1996 , 12, 275-285		15
7	Strain-dependent differences in sensitivity of rat beta-cells to interleukin 1 beta in vitro and in vivo: association with islet nitric oxide synthesis. <i>Diabetes</i> , 1996 , 45, 771-778	0.9	6
6	Vitamin D analogues in insulin-dependent diabetes mellitus and other autoimmune diseases: a therapeutic perspective. <i>Diabetes/metabolism Reviews</i> , 1996 , 12, 57-68		9
5	Islet cell autoimmunity in women with gestational diabetes and risk of progression to insulin-dependent diabetes mellitus. <i>Diabetes/metabolism Reviews</i> , 1996 , 12, 275-85		7
4	Islet cell antibodies and beta-cell function in gestational diabetic women: comparison to first-degree relatives of type 1 (insulin-dependent) diabetic subjects. <i>Diabetic Medicine</i> , 1995 , 12, 1009-14	3.5	18
3	Incidence of type 1 (insulin-dependent) diabetes mellitus in Catalonia, Spain. The Catalan Epidemiology Diabetes Study Group. <i>Diabetologia</i> , 1992 , 35, 267-71	10.3	54
2	Primary allergy to human insulin in patient with gestational diabetes. <i>Diabetes Care</i> , 1991 , 14, 423-4	14.6	13
1	Exercise or exercise and diet for preventing type 2 diabetes mellitus		2