

# Yueh-Sheng Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/376917/publications.pdf>

Version: 2024-02-01

21  
papers

498  
citations

933447

10  
h-index

794594

19  
g-index

23  
all docs

23  
docs citations

23  
times ranked

942  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Impact of Gadoteric Acid-Enhanced Magnetic Resonance Imaging on Living Donor Liver Transplant. <i>Transplantation Proceedings</i> , 2022, 54, 386-390.	0.6	0
2	Clinical Disease Severity Mediates the Relationship between Stride Length and Speed and the Risk of Falling in Parkinson's Disease. <i>Journal of Personalized Medicine</i> , 2022, 12, 192.	2.5	9
3	Efficacy and safety of radiofrequency ablation for primary and secondary hyperparathyroidism with or without previous parathyroidectomy: a retrospective study. <i>International Journal of Hyperthermia</i> , 2022, 39, 907-917.	2.5	5
4	The corticolimbic structural covariance network as an early predictive biosignature for cognitive impairment in Parkinson's disease. <i>Scientific Reports</i> , 2021, 11, 862.	3.3	7
5	Objective assessment of impulse control disorder in patients with Parkinson's disease using a low-cost LEGO-like EEG headset: a feasibility study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 109.	4.6	6
6	Brain Atrophy Mediates the Relationship between Misfolded Proteins Deposition and Cognitive Impairment in Parkinson's Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 702.	2.5	4
7	The Potential Effects of Oxidative Stress-Related Plasma Abnormal Protein Aggregate Levels on Brain Volume and Its Neuropsychiatric Consequences in Parkinson's Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-10.	4.0	2
8	One year follow-up of US-Guided radiofrequency ablation for low-risk papillary thyroid microcarcinoma: The first experience in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2021, , .	1.7	2
9	Radiofrequency Ablation a Safe and Effective Treatment for Pediatric Benign Nodular Thyroid Goiter. <i>Frontiers in Pediatrics</i> , 2021, 9, 753343.	1.9	4
10	Vascular Inflammation Is a Risk Factor Associated with Brain Atrophy and Disease Severity in Parkinson's Disease: A Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-12.	4.0	20
11	Reduced Gray Matter Volume and Risk of Falls in Parkinson's Disease with Dementia Patients: A Voxel-Based Morphometry Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5374.	2.6	4
12	Temporal trend and survival impact of infection source among patients with sepsis: a nationwide study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020, 22, 126-132.	0.1	1
13	Altered Body Composition of Psoas and Thigh Muscles in Relation to Frailty and Severity of Parkinson's Disease. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3667.	2.6	17
14	Reduced lateral occipital gray matter volume is associated with physical frailty and cognitive impairment in Parkinson's disease. <i>European Radiology</i> , 2019, 29, 2659-2668.	4.5	33
15	Interaction of systemic oxidative stress and mesial temporal network degeneration in Parkinson's disease with and without cognitive impairment. <i>Journal of Neuroinflammation</i> , 2018, 15, 281.	7.2	22
16	Accuracy of point-of-care focused echocardiography in predicting outcome of resuscitation in cardiac arrest patients: A systematic review and meta-analysis. <i>Resuscitation</i> , 2017, 114, 92-99.	3.0	88
17	Adult sepsis " A nationwide study of trends and outcomes in a population of 23 million people. <i>Journal of Infection</i> , 2017, 75, 409-419.	3.3	30
18	Associations among Cognitive Functions, Plasma DNA, and White Matter Integrity in Patients with Early-Onset Parkinson's Disease. <i>Frontiers in Neuroscience</i> , 2017, 11, 9.	2.8	19

#	ARTICLE	IF	CITATIONS
19	Using the galectin-3 test to predict mortality in heart failure patients: a systematic review and meta-analysis. <i>Biomarkers in Medicine</i> , 2016, 10, 329-342.	1.4	26
20	Use of nicorandil is Associated with Increased Risk for Gastrointestinal Ulceration and Perforation- A Nationally Representative Population-based study. <i>Scientific Reports</i> , 2015, 5, 11495.	3.3	10
21	Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone. <i>JAMA Internal Medicine</i> , 2015, 175, 1839.	5.1	188