

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/377044/ji-qian-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44 papers	2,338 citations	28 h-index	45 g-index
45 ext. papers	2,882 ext. citations	13.8 avg, IF	5.06 L-index

#	Paper	IF	Citations
44	Lightweight Shield to Stabilize Li Metal Anodes at High Current Rates. <i>ACS Applied Energy Materials</i> , 2021 , 4, 11878-11885	6.1	1
43	An Antipulverization and High-Continuity Lithium Metal Anode for High-Energy Lithium Batteries. <i>Advanced Materials</i> , 2021 , e2105029	24	2
42	Enhanced Electrochemical Kinetics with Highly Dispersed Conductive and Electrocatalytic Mediators for Lithium-Sulfur Batteries. <i>Advanced Materials</i> , 2021 , 33, e2100810	24	35
41	Metal Chalcogenides with Heterostructures for High-Performance Rechargeable Batteries. <i>Small Science</i> , 2021 , 1, 2100012		21
40	Lithium Induced Nano-Sized Copper with Exposed Lithiophilic Surfaces to Achieve Dense Lithium Deposition for Lithium Metal Anode. <i>Advanced Functional Materials</i> , 2021 , 31, 2006950	15.6	33
39	A novel nanocomposite electrolyte with ultrastable interface boosts long life solid-state lithium metal batteries. <i>Journal of Power Sources</i> , 2021 , 484, 229195	8.9	5
38	Materials and structure engineering by magnetron sputtering for advanced lithium batteries. <i>Energy Storage Materials</i> , 2021 , 39, 203-224	19.4	15
37	High Pseudocapacitance Boosts Ultrafast, High-Capacity Sodium Storage of 3D Graphene Foam-Encapsulated TiO Architecture. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 23939-23950	9.5	14
36	Electrocatalytic Interlayer with Fast Lithium Polysulfides Diffusion for Lithium Sulfur Batteries to Enhance Electrochemical Kinetics under Lean Electrolyte Conditions. <i>Advanced Functional Materials</i> , 2020 , 30, 2000742	15.6	48
35	A Mixed Modified Layer Formed In Situ to Protect and Guide Lithium Plating/Stripping Behavior. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 31411-31418	9.5	12
34	In situ formation of a LiF and LiAl alloy anode protected layer on a Li metal anode with enhanced cycle life. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 1247-1253	13	31
33	Co-Construction of Sulfur Vacancies and Heterojunctions in Tungsten Disulfide to Induce Fast Electronic/Ionic Diffusion Kinetics for Sodium-Ion Batteries. <i>Advanced Materials</i> , 2020 , 32, e2005802	24	100
32	Long-life lithium-O ₂ battery achieved by integrating quasi-solid electrolyte and highly active Pt ₃ Co nanowires catalyst. <i>Energy Storage Materials</i> , 2020 , 24, 707-713	19.4	15
31	CoS Nanorods as an Electrocatalyst To Enhance Polysulfide Conversion and Alleviate Passivation in Li-S Batteries under Lean Electrolyte Conditions. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 21701-21708	9.5	12
30	Oxygenated Nitrogen-Doped Microporous Nanocarbon as a Permselective Interlayer for Ultrastable Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , 2019 , 6, 1094-1100	4.3	21
29	Freestanding N-Doped Carbon Coated CuO Array Anode for Lithium-Ion and Sodium-Ion Batteries. <i>Energy Technology</i> , 2019 , 7, 1900252	3.5	5
28	Protecting lithium/sodium metal anode with metal-organic framework based compact and robust shield. <i>Nano Energy</i> , 2019 , 60, 866-874	17.1	69

27	Exceptional adsorption and catalysis effects of hollow polyhedra/carbon nanotube confined CoP nanoparticles superstructures for enhanced lithium-sulfur batteries. <i>Nano Energy</i> , 2019 , 64, 103965	17.1	92
26	Boosting High-Rate Li-S Batteries by an MOF-Derived Catalytic Electrode with a Layer-by-Layer Structure. <i>Advanced Science</i> , 2019 , 6, 1802362	13.6	55
25	Bicomponent electrolyte additive excelling fluoroethylene carbonate for high performance Si-based anodes and lithiated Si-S batteries. <i>Energy Storage Materials</i> , 2019 , 20, 388-394	19.4	21
24	Strongly Coupled Carbon Nanosheets/Molybdenum Carbide Nanocluster Hollow Nanospheres for High-Performance Aprotic Li-O Battery. <i>Small</i> , 2018 , 14, e1704366	11	28
23	Boosting Fast Sodium Storage of a Large-Scalable Carbon Anode with an Ultralong Cycle Life. <i>Advanced Energy Materials</i> , 2018 , 8, 1703159	21.8	90
22	Crumpled Ir Nanosheets Fully Covered on Porous Carbon Nanofibers for Long-Life Rechargeable Lithium-CO Batteries. <i>Advanced Materials</i> , 2018 , 30, e1803124	24	89
21	Toward Practical High-Energy Batteries: A Modular-Assembled Oval-Like Carbon Microstructure for Thick Sulfur Electrodes. <i>Advanced Materials</i> , 2017 , 29, 1700598	24	82
20	Sulfur Nanodots Stitched in 2D "Bubble-Like" Interconnected Carbon Fabric as Reversibility-Enhanced Cathodes for Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2017 , 11, 4694-4702	16.7	62
19	Micrometer-Sized RuO ₂ Catalysts Contributing to Formation of Amorphous Na-Deficient Sodium Peroxide in NaO ₂ Batteries. <i>Advanced Functional Materials</i> , 2017 , 27, 1700632	15.6	24
18	Zirconia-supported solid-state electrolytes for high-safety lithium secondary batteries in a wide temperature range. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 24677-24685	13	25
17	A modularly-assembled interlayer to entrap polysulfides and protect lithium metal anode for high areal capacity lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2017 , 9, 126-133	19.4	40
16	Boron-doped microporous nano carbon as cathode material for high-performance Li-S batteries. <i>Nano Research</i> , 2017 , 10, 426-436	10	37
15	Gluing Carbon Black and Sulfur at Nanoscale: A Polydopamine-Based Nano-Binder for Double-Shelled Sulfur Cathodes. <i>Advanced Energy Materials</i> , 2017 , 7, 1601591	21.8	57
14	Facile Synthesis of Boron-Doped rGO as Cathode Material for High Energy Li-O ₂ Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 23635-45	9.5	65
13	Enhanced Performance of a Lithium-Sulfur Battery Using a Carbonate-Based Electrolyte. <i>Angewandte Chemie</i> , 2016 , 128, 10528-10531	3.6	27
12	Enhanced Performance of a Lithium-Sulfur Battery Using a Carbonate-Based Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10372-5	16.4	94
11	Freestanding three-dimensional core-shell nanoarrays for lithium-ion battery anodes. <i>Nature Communications</i> , 2016 , 7, 11774	17.4	124
10	An Effectively Activated Hierarchical Nano-/Microspherical Li _{1.2} Ni _{0.2} Mn _{0.6} O ₂ Cathode for Long-Life and High-Rate Lithium-Ion Batteries. <i>ChemSusChem</i> , 2016 , 9, 728-35	8.3	52

9	Liquid-in-Solid and Solid-in-Liquid Electrolytes with High Rate Capacity and Long Cycling Life for Lithium-Ion Batteries. <i>Chemistry of Materials</i> , 2016 , 28, 848-856	9.6	78
8	Three-dimensional fusiform hierarchical micro/nano $\text{Li}_{1.2}\text{Ni}_{0.2}\text{Mn}_{0.6}\text{O}_2$ with a preferred orientation (110) plane as a high energy cathode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 5942-5951	13	89
7	Light-weight functional layer on a separator as a polysulfide immobilizer to enhance cycling stability for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 17033-17041	13	61
6	Ionic liquid-based electrolyte with binary lithium salts for high performance lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2015 , 296, 10-17	8.9	49
5	Systematic Effect for an Ultralong Cycle Lithium-Sulfur Battery. <i>Nano Letters</i> , 2015 , 15, 7431-9	11.5	98
4	A polypyrrole-supported carbon paper acting as a polysulfide trap for lithium-sulfur batteries. <i>RSC Advances</i> , 2015 , 5, 94479-94485	3.7	18
3	Sulfur cathode based on layered carbon matrix for high-performance LiS batteries. <i>Nano Energy</i> , 2015 , 12, 742-749	17.1	55
2	Free-standing hierarchically sandwich-type tungsten disulfide nanotubes/graphene anode for lithium-ion batteries. <i>Nano Letters</i> , 2014 , 14, 5899-904	11.5	243
1	An effective approach to protect lithium anode and improve cycle performance for Li-S batteries. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 15542-9	9.5	143