

# Susan Kaye Morton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3773456/publications.pdf>

Version: 2024-02-01

261  
papers

9,587  
citations

57758

44  
h-index

51608

86  
g-index

264  
all docs

264  
docs citations

264  
times ranked

10409  
citing authors

#	ARTICLE	IF	CITATIONS
1	Editor's Choice "European Society for Vascular Surgery (ESVS) 2019 Clinical Practice Guidelines on the Management of Abdominal Aorto-iliac Artery Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 8-93.	1.5	1,684
2	Abdominal Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2605-2613.	2.4	520
3	Acute aortic dissection. <i>Lancet, The</i> , 2008, 372, 55-66.	13.7	460
4	Abdominal aortic aneurysm: update on pathogenesis and medical treatments. <i>Nature Reviews Cardiology</i> , 2019, 16, 225-242.	13.7	392
5	Circulating Markers of Abdominal Aortic Aneurysm Presence and Progression. <i>Circulation</i> , 2008, 118, 2382-2392.	1.6	215
6	Osteoprotegerin and Osteopontin Are Expressed at High Concentrations Within Symptomatic Carotid Atherosclerosis. <i>Stroke</i> , 2004, 35, 1636-1641.	2.0	208
7	Reduced expansion rate of abdominal aortic aneurysms in patients with diabetes may be related to aberrant monocyte-matrix interactions. <i>European Heart Journal</i> , 2008, 29, 665-672.	2.2	160
8	Current status of medical management for abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011, 217, 57-63.	0.8	157
9	Obesity, Adipokines, and Abdominal Aortic Aneurysm. <i>Circulation</i> , 2007, 116, 2275-2279.	1.6	135
10	A Review of the Pathophysiology and Potential Biomarkers for Peripheral Artery Disease. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11294-11322.	4.1	129
11	Wnt Signaling Pathway Inhibitor Sclerostin Inhibits Angiotensin II-Induced Aortic Aneurysm and Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 553-566.	2.4	127
12	Association Between Osteopontin and Human Abdominal Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 655-660.	2.4	114
13	Hearing loss and the risk of dementia in later life. <i>Maturitas</i> , 2018, 112, 1-11.	2.4	111
14	Challenges and opportunities in limiting abdominal aortic aneurysm growth. <i>Journal of Vascular Surgery</i> , 2017, 65, 225-233.	1.1	99
15	Differential gene expression in human abdominal aortic aneurysm and aortic occlusive disease. <i>Oncotarget</i> , 2015, 6, 12984-12996.	1.8	96
16	Effect of Ramipril on Walking Times and Quality of Life Among Patients With Peripheral Artery Disease and Intermittent Claudication. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 453.	7.4	92
17	Depression, Frailty, and All-Cause Mortality: A Cohort Study of Men Older than 75 Years. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 296-300.	2.5	89
18	Oxidative stress and abdominal aortic aneurysm: potential treatment targets. <i>Clinical Science</i> , 2016, 130, 301-315.	4.3	82

#	ARTICLE	IF	CITATIONS
19	Evaluation of the diagnostic and prognostic value of plasma D-dimer for abdominal aortic aneurysm. <i>European Heart Journal</i> , 2011, 32, 354-364.	2.2	81
20	Association of obesity and metabolic syndrome with the severity and outcome of intermittent claudication. <i>Journal of Vascular Surgery</i> , 2007, 45, 40-46.	1.1	80
21	Plantar Pressure in Diabetic Peripheral Neuropathy Patients with Active Foot Ulceration, Previous Ulceration and No History of Ulceration: A Meta-Analysis of Observational Studies. <i>PLoS ONE</i> , 2014, 9, e99050.	2.5	79
22	Carcinogenic Parasite Secretes Growth Factor That Accelerates Wound Healing and Potentially Promotes Neoplasia. <i>PLoS Pathogens</i> , 2015, 11, e1005209.	4.7	78
23	Peroxisome proliferator-activated receptor ligands reduce aortic dilatation in a mouse model of aortic aneurysm. <i>Atherosclerosis</i> , 2010, 210, 51-56.	0.8	73
24	Body mass index is inversely associated with mortality in patients with peripheral vascular disease. <i>Atherosclerosis</i> , 2013, 229, 549-555.	0.8	70
25	The role of tenascin C in cardiovascular disease. <i>Cardiovascular Research</i> , 2011, 92, 19-28.	3.8	68
26	Resveratrol Inhibits Growth of Experimental Abdominal Aortic Aneurysm Associated With Upregulation of Angiotensin-Converting Enzyme 2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 2195-2203.	2.4	67
27	Mortality among People with Severe Mental Disorders Who Reach Old Age: A Longitudinal Study of a Community-Representative Sample of 37892 Men. <i>PLoS ONE</i> , 2014, 9, e111882.	2.5	67
28	Update on the pathophysiology and medical treatment of peripheral artery disease. <i>Nature Reviews Cardiology</i> , 2022, 19, 456-474.	13.7	64
29	A Systematic Review of Studies Examining Inflammation Associated Cytokines in Human Abdominal Aortic Aneurysm Samples. <i>Disease Markers</i> , 2009, 26, 181-188.	1.3	63
30	Circulating MicroRNAs as Biomarkers for Acute Ischemic Stroke: A Systematic Review. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 522-530.	1.6	63
31	Surrogate Markers of Abdominal Aortic Aneurysm Progression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 236-244.	2.4	61
32	Plantar pressures are higher in cases with diabetic foot ulcers compared to controls despite a longer stance phase duration. <i>BMC Endocrine Disorders</i> , 2016, 16, 51.	2.2	60
33	Transactivation of RAGE mediates angiotensin-induced inflammation and atherogenesis. <i>Journal of Clinical Investigation</i> , 2018, 129, 406-421.	8.2	59
34	Genetics of abdominal aortic aneurysm. <i>Current Opinion in Cardiology</i> , 2013, 28, 290-296.	1.8	58
35	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016, 86, 3-9.	2.4	57
36	Differential gene expression in the proximal neck of human abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2014, 233, 211-218.	0.8	53

#	ARTICLE	IF	CITATIONS
37	Evaluation of the clinical relevance and limitations of current pre-clinical models of peripheral artery disease. <i>Clinical Science</i> , 2016, 130, 127-150.	4.3	53
38	Predictors of Patency after Balloon Angioplasty in Hemodialysis Fistulas: A Systematic Review. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 917-924.	0.5	52
39	Omega-3 fatty acids decrease oxidative stress and inflammation in macrophages from patients with small abdominal aortic aneurysm. <i>Scientific Reports</i> , 2019, 9, 12978.	3.3	52
40	Measurement and determinants of infrarenal aortic thrombus volume. <i>European Radiology</i> , 2008, 18, 1987-1994.	4.5	51
41	A Peptide Antagonist of Thrombospondin-1 Promotes Abdominal Aortic Aneurysm Progression in the Angiotensin II-Infused Apolipoprotein-E Deficient Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 389-398.	2.4	51
42	Optimizing the Definitions of Stroke, Transient Ischemic Attack, and Infarction for Research and Application in Clinical Practice. <i>Frontiers in Neurology</i> , 2017, 8, 537.	2.4	51
43	Editor's Choice Metformin Prescription is Associated with a Reduction in the Combined Incidence of Surgical Repair and Rupture Related Mortality in Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 94-101.	1.5	50
44	Association of Lower Extremity Performance With Cardiovascular and All-Cause Mortality in Patients With Peripheral Artery Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2014, 3, .	3.7	49
45	Asia-Pacific Consensus Statement on the Management of Peripheral Artery Disease: A Report from the Asian Pacific Society of Atherosclerosis and Vascular Disease Asia-Pacific Peripheral Artery Disease Consensus Statement Project Committee. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 809-907.	2.0	49
46	Pathophysiology of abdominal aortic aneurysm relevant to improvements in patients' management. <i>Current Opinion in Cardiology</i> , 2009, 24, 532-538.	1.8	48
47	The association of circulating 25-hydroxyvitamin D concentration with peripheral arterial disease: A meta-analysis of observational studies. <i>Atherosclerosis</i> , 2015, 243, 645-651.	0.8	47
48	Relationship between CT anthropometric measurements, adipokines and abdominal aortic calcification. <i>Atherosclerosis</i> , 2008, 197, 428-434.	0.8	45
49	Efficacy of Telmisartan to Slow Growth of Small Abdominal Aortic Aneurysms. <i>JAMA Cardiology</i> , 2020, 5, 1374.	6.1	45
50	The Novel Association of the Chemokine CCL22 with Abdominal Aortic Aneurysm. <i>American Journal of Pathology</i> , 2010, 176, 2098-2106.	3.8	39
51	Lower limb biomechanical characteristics of patients with neuropathic diabetic foot ulcers: the diabetes foot ulcer study protocol. <i>BMC Endocrine Disorders</i> , 2015, 15, 59.	2.2	39
52	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. <i>Maturitas</i> , 2015, 81, 36-41.	2.4	39
53	Gait parameters of people with diabetes-related neuropathic plantar foot ulcers. <i>Clinical Biomechanics</i> , 2016, 37, 98-107.	1.2	39
54	Thrombus volume is similar in patients with ruptured and intact abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2014, 59, 315-320.	1.1	38

#	ARTICLE	IF	CITATIONS
55	Angiotensin receptor 1 blockade reduces secretion of inflammation associated cytokines from cultured human carotid atheroma and vascular cells in association with reduced extracellular signal regulated kinase expression and activation. <i>Atherosclerosis</i> , 2014, 236, 108-115.	0.8	37
56	Pathogenic mechanisms and the potential of drug therapies for aortic aneurysm. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H652-H670.	3.2	37
57	Development of a two-stage limb ischemia model to better simulate human peripheral artery disease. <i>Scientific Reports</i> , 2020, 10, 3449.	3.3	36
58	Exercise & Sports Science Australia (ESSA) position statement on exercise prescription for patients with peripheral arterial disease and intermittent claudication. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 623-629.	1.3	35
59	A systematic review investigating the association of microRNAs with human abdominal aortic aneurysms. <i>Atherosclerosis</i> , 2017, 261, 78-89.	0.8	35
60	Association of impaired fasting glucose, diabetes and their management with the presentation and outcome of peripheral artery disease: a cohort study. <i>Cardiovascular Diabetology</i> , 2014, 13, 147.	6.8	34
61	A systematic review and meta-analysis of risk factors for and incidence of 30-day readmission after revascularization for peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2019, 70, 996-1006.e7.	1.1	34
62	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. <i>Environment International</i> , 2019, 125, 430-436.	10.0	33
63	Baseline serum phosphatidylcholine plasmalogen concentrations are inversely associated with incident myocardial infarction in patients with mixed peripheral artery disease presentations. <i>Atherosclerosis</i> , 2017, 263, 301-308.	0.8	32
64	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4224-4231.	3.6	32
65	The Potential Role of Sensors, Wearables and Telehealth in the Remote Management of Diabetes-Related Foot Disease. <i>Sensors</i> , 2020, 20, 4527.	3.8	32
66	Osteoprotegerin Deficiency Limits Angiotensin II-Induced Aortic Dilatation and Rupture in the Apolipoprotein E-Knockout Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 2609-2616.	2.4	31
67	TElmisartan in the management of abDominal aortic aneurYsm (TEDY): The study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 274.	1.6	31
68	Parenteral administration of factor Xa/IIa inhibitors limits experimental aortic aneurysm and atherosclerosis. <i>Scientific Reports</i> , 2017, 7, 43079.	3.3	31
69	Effects of acute exercise on endothelial function in patients with abdominal aortic aneurysm. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 314, H19-H30.	3.2	31
70	Sex hormones and incident dementia in older men: The health in men study. <i>Psychoneuroendocrinology</i> , 2018, 98, 139-147.	2.7	31
71	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 412-420.	2.7	30
72	Mouse models for abdominal aortic aneurysm. <i>British Journal of Pharmacology</i> , 2022, 179, 792-810.	5.4	30

#	ARTICLE	IF	CITATIONS
73	Factors Associated with Patency Following Angioplasty of Hemodialysis Fistulae. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1419-1426.	0.5	29
74	Subclinical thyroid dysfunction and circulating thyroid hormones are not associated with bone turnover markers or incident hip fracture in older men. <i>Clinical Endocrinology</i> , 2018, 89, 93-99.	2.4	29
75	Leg blood flow and skeletal muscle microvascular perfusion responses to submaximal exercise in peripheral arterial disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H1425-H1433.	3.2	29
76	Effects of Peroxisome Proliferator-Activated Receptor Ligands in Modulating Tissue Factor and Tissue Factor Pathway Inhibitor in Acutely Symptomatic Carotid Atheromas. <i>Stroke</i> , 2007, 38, 1501-1508.	2.0	27
77	Efficacy of Simvastatin in Reducing Aortic Dilatation in Mouse Models of Abdominal Aortic Aneurysm. <i>Cardiovascular Drugs and Therapy</i> , 2010, 24, 373-378.	2.6	26
78	Association of chronic kidney disease categories defined with different formulae with major adverse events in patients with peripheral vascular disease. <i>Atherosclerosis</i> , 2014, 232, 289-297.	0.8	26
79	High serum thrombospondin-1 concentration is associated with slower abdominal aortic aneurysm growth and deficiency of thrombospondin-1 promotes angiotensin II induced aortic aneurysm in mice. <i>Clinical Science</i> , 2017, 131, 1261-1281.	4.3	26
80	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). <i>Psychological Medicine</i> , 2019, 49, 232-242.	4.5	26
81	In Older Men, Lower Plasma 25-Hydroxyvitamin D Is Associated with Reduced Incidence of Prostate, but Not Colorectal or Lung Cancer. <i>PLoS ONE</i> , 2014, 9, e99954.	2.5	26
82	Relation Between Serum Thrombospondin-2 and Cardiovascular Mortality in Older Men Screened for Abdominal Aortic Aneurysm. <i>American Journal of Cardiology</i> , 2013, 111, 1800-1804.	1.6	25
83	Growth rates of small abdominal aortic aneurysms assessed by computerised tomography – A systematic literature review. <i>Atherosclerosis</i> , 2014, 235, 182-188.	0.8	25
84	Systematic review and meta-analysis of the association between intraluminal thrombus volume and abdominal aortic aneurysm rupture. <i>Journal of Vascular Surgery</i> , 2019, 70, 2065-2073.e10.	1.1	25
85	Relation of Infra-Renal Abdominal Aortic Calcific Deposits and Cardiovascular Events in Patients With Peripheral Artery Disease. <i>American Journal of Cardiology</i> , 2010, 105, 895-899.	1.6	24
86	The Outcome of Endovascular Repair of Small Abdominal Aortic Aneurysms. <i>Annals of Surgery</i> , 2007, 245, 326-333.	4.2	23
87	Apolipoprotein E genotype is associated with serum C-reactive protein but not abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010, 209, 487-491.	0.8	23
88	Suicide in older men: The health in men cohort study (HIMS). <i>Preventive Medicine</i> , 2016, 93, 33-38.	3.4	23
89	Epigenetics and Peripheral Artery Disease. <i>Current Atherosclerosis Reports</i> , 2016, 18, 15.	4.8	23
90	Cardiorespiratory fitness modulates the acute flow-mediated dilation response following high-intensity but not moderate-intensity exercise in elderly men. <i>Journal of Applied Physiology</i> , 2017, 122, 1238-1248.	2.5	23

#	ARTICLE	IF	CITATIONS
91	Plantar pressures are elevated in people with longstanding diabetes-related foot ulcers during follow-up. PLoS ONE, 2017, 12, e0181916.	2.5	23
92	Cohort Study Examining the Association Between Blood Pressure and Cardiovascular Events in Patients With Peripheral Artery Disease. Journal of the American Heart Association, 2019, 8, e010748.	3.7	23
93	Plasma Angiotensin II Is Lower After Ischemic Stroke and Associated With Major Disability But Not Stroke Incidence. Stroke, 2014, 45, 1064-1068.	2.0	22
94	Recommendations From the International Stroke Genetics Consortium, Part 1. Stroke, 2015, 46, 279-284.	2.0	22
95	Modulation of Kinin B2 Receptor Signaling Controls Aortic Dilatation and Rupture in the Angiotensin II-Infused Apolipoprotein E-Deficient Mouse. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 898-907.	2.4	22
96	Combined Lower Limb Revascularisation and Supervised Exercise Training for Patients with Peripheral Arterial Disease: A Systematic Review of Randomised Controlled Trials. Sports Medicine, 2017, 47, 987-1002.	6.5	22
97	Digital Biomarkers of Physical Frailty and Frailty Phenotypes Using Sensor-Based Physical Activity and Machine Learning. Sensors, 2021, 21, 5289.	3.8	22
98	Reduced renal function may explain the higher prevalence of hyperuricemia in older people. Scientific Reports, 2021, 11, 1302.	3.3	22
99	Relationship Between Disease Specific Quality of Life Measures, Physical Performance, and Activity in People with Intermittent Claudication Caused by Peripheral Artery Disease. European Journal of Vascular and Endovascular Surgery, 2020, 59, 957-964.	1.5	21
100	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). International Journal of Geriatric Psychiatry, 2015, 30, 1215-1223.	2.7	20
101	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. Hormones and Cancer, 2017, 8, 119-126.	4.9	20
102	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of IGF-1. Clinical Endocrinology, 2018, 88, 333-340.	2.4	20
103	Risk Factors and Mouse Models of Abdominal Aortic Aneurysm Rupture. International Journal of Molecular Sciences, 2020, 21, 7250.	4.1	20
104	Targets for Medical Therapy to Limit Abdominal Aortic Aneurysm Progression. Current Drug Targets, 2014, 15, 860-873.	2.1	20
105	Angiotensin II attenuates angiotensin II-induced aortic aneurysm and atherosclerosis in apolipoprotein E-deficient mice. Scientific Reports, 2016, 6, 35190.	3.3	19
106	Lipid management in people with peripheral artery disease. Current Opinion in Lipidology, 2019, 30, 470-476.	2.7	19
107	Hyperuricemia is independently associated with hypertension in men under 60 years in a general Chinese population. Journal of Human Hypertension, 2021, 35, 1020-1028.	2.2	19
108	Peripheral arterial disease - diagnosis and management in general practice. Australian Family Physician, 2013, 42, 397-400.	0.5	19

#	ARTICLE	IF	CITATIONS
109	Use of a covered stent to treat two large false aneurysms of the anterior tibial artery. <i>Journal of Vascular Surgery</i> , 2008, 47, 1090.	1.1	18
110	Increased serum angiopoietin-2 is associated with abdominal aortic aneurysm prevalence and cardiovascular mortality in older men. <i>International Journal of Cardiology</i> , 2013, 167, 1159-1163.	1.7	18
111	Association of Computed Tomographic Leg Muscle Characteristics With Lower Limb and Cardiovascular Events in Patients With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2018, 7, e009943.	3.7	18
112	Depression, antidepressants and the risk of cardiovascular events and death in older men. <i>Maturitas</i> , 2019, 128, 4-9.	2.4	18
113	A Systematic Review and Meta-Analysis of Circulating Biomarkers Associated with Failure of Arteriovenous Fistulae for Haemodialysis. <i>PLoS ONE</i> , 2016, 11, e0159963.	2.5	18
114	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017, 101, 1-5.	2.4	17
115	Diabetes Reduces Severity of Aortic Aneurysms Depending on the Presence of Cell Division Autoantigen 1 (CDA1). <i>Diabetes</i> , 2018, 67, 755-768.	0.6	17
116	Older men with bipolar disorder: Clinical associations with early and late onset illness. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1613-1619.	2.7	17
117	Flavonols reduce aortic atherosclerosis lesion area in apolipoprotein E deficient mice: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0181832.	2.5	17
118	Editor's Choice " Association Between Metformin Prescription and Abdominal Aortic Aneurysm Growth and Clinical Events: a Systematic Review and Meta-Analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 747-756.	1.5	16
119	Influence of apolipoprotein E, age and aortic site on calcium phosphate induced abdominal aortic aneurysm in mice. <i>Atherosclerosis</i> , 2014, 235, 204-212.	0.8	15
120	The relevance of epigenetics to occlusive cerebral and peripheral arterial disease. <i>Clinical Science</i> , 2015, 128, 537-558.	4.3	15
121	The reproducibility of acquiring three dimensional gait and plantar pressure data using established protocols in participants with and without type 2 diabetes and foot ulcers. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 4.	1.9	15
122	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 65-69.	2.5	15
123	Topical oxygen therapy for diabetes-related foot ulcers: A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2021, 38, e14585.	2.3	15
124	Depletion of CD11c+ dendritic cells in apolipoprotein E-deficient mice limits angiotensin II-induced abdominal aortic aneurysm formation and growth. <i>Clinical Science</i> , 2019, 133, 2203-2215.	4.3	15
125	Reported High Salt Intake Is Associated with Increased Prevalence of Abdominal Aortic Aneurysm and Larger Aortic Diameter in Older Men. <i>PLoS ONE</i> , 2014, 9, e102578.	2.5	15
126	Infra-renal abdominal aortic calcification volume does not predict small abdominal aortic aneurysm growth. <i>Atherosclerosis</i> , 2015, 243, 334-338.	0.8	14



#	ARTICLE	IF	CITATIONS
127	The Potential Role of Kallistatin in the Development of Abdominal Aortic Aneurysm. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1312.	4.1	14
128	Circulating biomarkers are not associated with endoleaks after endovascular repair of abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2018, 67, 770-777.	1.1	14
129	Systematic Review and Meta-analysis of Clinical Trials Examining the Benefit of Exercise Programmes Using Nordic Walking in Patients With Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 534-543.	1.5	14
130	Effect of blood pressure lowering drugs and antibiotics on abdominal aortic aneurysm growth: a systematic review and meta-analysis. <i>Heart</i> , 2021, 107, 1465-1471.	2.9	14
131	The cost-effectiveness of intensive low-density lipoprotein cholesterol lowering in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021, 73, 1396-1403.e3.	1.1	14
132	Potential Benefits of Phytochemicals for Abdominal Aortic Aneurysm. <i>Current Medicinal Chemistry</i> , 2021, 28, 8595-8607.	2.4	14
133	Effect of blood pressure lowering medications on leg ischemia in peripheral artery disease patients: A meta-analysis of randomised controlled trials. <i>PLoS ONE</i> , 2017, 12, e0178713.	2.5	14
134	Optimal Management of Asymptomatic Carotid Stenosis in 2021: The Jury is Still Out. An International, Multispecialty, Expert Review and Position Statement. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106182.	1.6	14
135	Abdominal Aortic Calcification: Clinical Significance, Mechanisms and Therapies. <i>Current Pharmaceutical Design</i> , 2014, 20, 5834-5838.	1.9	13
136	Visceral adiposity is not associated with abdominal aortic aneurysm presence and growth. <i>Vascular Medicine</i> , 2014, 19, 272-280.	1.5	13
137	Presentation and outcomes of indigenous Australians with peripheral artery disease. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 94.	1.7	13
138	Aortic and Systemic Arterial Stiffness Responses to Acute Exercise in Patients With Small Abdominal Aortic Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 708-718.	1.5	13
139	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. <i>Clinical Endocrinology</i> , 2019, 90, 375-383.	2.4	13
140	Remotely Delivered Monitoring and Management of Diabetes-Related Foot Disease: An Overview of Systematic Reviews. <i>Journal of Diabetes Science and Technology</i> , 2023, 17, 59-69.	2.2	13
141	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015, 10, e0134475.	2.5	13
142	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 309, 314-323.	4.1	13
143	Implications of the Finding of No Significant Carotid Stenosis Based on Data From a Regional Australian Vascular Unit. <i>Annals of Vascular Surgery</i> , 2011, 25, 1050-1056.	0.9	12
144	The association between plasma matrix metalloproteinase-9 concentration and endoleak after endovascular aortic aneurysm repair: A meta-analysis. <i>Atherosclerosis</i> , 2015, 242, 535-542.	0.8	12

#	ARTICLE	IF	CITATIONS
145	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 72, glw132.	3.6	12
146	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. <i>Addiction Biology</i> , 2017, 22, 570-578.	2.6	12
147	Systematic review and meta-analysis of mouse models of diabetes-associated ulcers. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000982.	2.8	12
148	Evidence-Based Recommendations for Medical Management of Peripheral Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 573-583.	2.0	12
149	A meta-analysis of randomized controlled trials evaluating the efficacy of smoking cessation interventions in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2022, 75, 721-729.e7.	1.1	12
150	Fenofibrate and Telmisartan in the Management of Abdominal Aortic Aneurysm. <i>Current Drug Targets</i> , 2018, 19, 1241-1246.	2.1	12
151	Relationship between two sequence variations in the gene for peroxisome proliferator-activated receptor-gamma and plasma homocysteine concentration. Health in men study. <i>Human Genetics</i> , 2008, 123, 35-40.	3.8	11
152	Angiogenesis inhibition and depression in older men. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 200-205.	2.4	11
153	A systematic review of circulating markers in primary chronic venous insufficiency. <i>Phlebology</i> , 2014, 29, 570-579.	1.2	11
154	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015, 15, 164.	2.7	11
155	Impact of fibrate therapy on plasma plasminogen activator inhibitor-1: A systematic review and meta-analysis of randomized controlled trials. <i>Atherosclerosis</i> , 2015, 240, 284-296.	0.8	11
156	Reported amount of salt added to food is associated with increased all-cause and cancer-related mortality in older men in a prospective cohort study. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 805-811.	3.3	11
157	Use of Nanoparticles As Contrast Agents for the Functional and Molecular Imaging of Abdominal Aortic Aneurysm. <i>Frontiers in Cardiovascular Medicine</i> , 2017, 4, 16.	2.4	11
158	Anionic nanoliposomes reduced atherosclerosis progression in Low Density Lipoprotein Receptor (<i>LDLR</i>) deficient mice fed a high fat diet. <i>Journal of Cellular Physiology</i> , 2018, 233, 6951-6964.	4.1	11
159	Prevalence and Outcomes of Undiagnosed Peripheral Arterial Disease Among High Risk Patients in Australia: An Australian REACH Sub-Study. <i>Heart Lung and Circulation</i> , 2019, 28, 939-945.	0.4	11
160	n-3 PUFAs improve erythrocyte fatty acid profile in patients with small AAA: a randomized controlled trial. <i>Journal of Lipid Research</i> , 2019, 60, 1154-1163.	4.2	11
161	A Randomised Controlled Trial Assessing the Effects of Peri-operative Fenofibrate Administration on Abdominal Aortic Aneurysm Pathology: Outcomes From the FAME Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 452-460.	1.5	11
162	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1489-1500.	3.6	11

#	ARTICLE	IF	CITATIONS
163	Systematic review of genome-wide association studies of abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2021, 327, 39-48.	0.8	11
164	The Potential Benefits and Costs of an Intensified Approach to Low Density Lipoprotein Cholesterol Lowering in People with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 643-650.	1.5	11
165	Vitamin D deficiency promotes large rupture-prone abdominal aortic aneurysms and cholecalciferol supplementation limits progression of aneurysms in a mouse model. <i>Clinical Science</i> , 2020, 134, 2521-2534.	4.3	10
166	The Association of Visceral Adiposity with Cardiovascular Events in Patients with Peripheral Artery Disease. <i>PLoS ONE</i> , 2013, 8, e82350.	2.5	10
167	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. <i>European Journal of Endocrinology</i> , 2020, 182, 23-33.	3.7	10
168	Role of Sclerostin in Cardiovascular Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022, 42, 101161ATVBAAH122317635.	2.4	10
169	Serum secreted phospholipase A2 is associated with abdominal aortic aneurysm presence but not progression. <i>Atherosclerosis</i> , 2011, 216, 458-460.	0.8	9
170	Serum Endostatin Concentrations Are Higher in Men with Symptoms of Intermittent Claudication. <i>Disease Markers</i> , 2014, 2014, 1-5.	1.3	9
171	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. <i>Journal of Affective Disorders</i> , 2018, 241, 269-274.	4.1	9
172	Systematic Review and Meta-Analysis of Interventions to Slow Progression of Abdominal Aortic Aneurysm in Mouse Models. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1504-1517.	2.4	9
173	Kallistatin limits abdominal aortic aneurysm by attenuating generation of reactive oxygen species and apoptosis. <i>Scientific Reports</i> , 2021, 11, 17451.	3.3	9
174	Factor XII blockade inhibits aortic dilatation in angiotensin II-infused apolipoprotein E-deficient mice. <i>Clinical Science</i> , 2020, 134, 1049-1061.	4.3	9
175	Genetic Predisposition to Diabetes and Abdominal Aortic Aneurysm: A Two Stage Mendelian Randomisation Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 512-519.	1.5	9
176	Efficacy of at home monitoring of foot temperature for risk reduction of diabetes-related foot ulcer: A meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, .	4.0	9
177	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016, 251, 19-24.	0.8	8
178	Serum homocysteine is associated with the severity of primary chronic venous disease. <i>Phlebology</i> , 2016, 31, 409-415.	1.2	8
179	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. <i>Clinical Endocrinology</i> , 2017, 86, 278-285.	2.4	8
180	Bone turnover markers: Defining a therapeutic target. <i>Clinical Biochemistry</i> , 2017, 50, 162-163.	1.9	8

#	ARTICLE	IF	CITATIONS
181	A diet enriched with tree nuts reduces severity of atherosclerosis but not abdominal aneurysm in angiotensin II-infused apolipoprotein E deficient mice. <i>Atherosclerosis</i> , 2018, 277, 28-33.	0.8	8
182	A meta-analysis of the efficacy of allopurinol in reducing the incidence of myocardial infarction following coronary artery bypass grafting. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 143.	1.7	8
183	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. <i>Journal of Affective Disorders</i> , 2018, 239, 269-273.	4.1	8
184	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 408-414.	2.7	8
185	The reproducibility of measuring maximum abdominal aortic aneurysm diameter from ultrasound images. <i>Ultrasound Journal</i> , 2021, 13, 13.	3.3	8
186	Effect of disease modifying anti-rheumatic drugs on major cardiovascular events: a meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 2021, 11, 6627.	3.3	8
187	Adjustment for body mass index changes inverse associations of HDL-cholesterol with blood pressure and hypertension to positive associations. <i>Journal of Human Hypertension</i> , 2022, 36, 570-579.	2.2	8
188	A histopathological classification scheme for abdominal aortic aneurysm disease. <i>JVS Vascular Science</i> , 2021, 2, 260-273.	1.1	8
189	Protocol for the Metformin Aneurysm Trial (MAT): a placebo-controlled randomised trial testing whether metformin reduces the risk of serious complications of abdominal aortic aneurysm. <i>Trials</i> , 2021, 22, 962.	1.6	8
190	Bone marrow-derived cells and arterial disease. <i>Journal of Vascular Surgery</i> , 2007, 46, 590-600.	1.1	7
191	A population-based study of polymorphisms in genes related to sex hormones and abdominal aortic aneurysm. <i>European Journal of Human Genetics</i> , 2011, 19, 363-366.	2.8	7
192	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018, 254, 316-321.	1.7	7
193	Skeletal muscle microvascular perfusion responses to cuff occlusion and submaximal exercise assessed by contrast-enhanced ultrasound: The effect of age. <i>Physiological Reports</i> , 2020, 8, e14580.	1.7	7
194	A Modified MTS Proliferation Assay for Suspended Cells to Avoid the Interference by Hydralazine and Î²-Mercaptoethanol. <i>Assay and Drug Development Technologies</i> , 2021, 19, 184-190.	1.2	7
195	Major amputation rates and outcomes for Aboriginal and Torres Strait Islander and non-Indigenous people in North Queensland Australia between 2000 and 2015. <i>BMC Endocrine Disorders</i> , 2021, 21, 101.	2.2	7
196	Systematic review and Meta-Analysis of Mendelian randomisation analyses of Abdominal aortic aneurysms. <i>IJC Heart and Vasculature</i> , 2021, 35, 100836.	1.1	7
197	Meta-analysis of the association between angiotensin pathway inhibitors and COVID-19 severity and mortality. <i>Systematic Reviews</i> , 2021, 10, 243.	5.3	7
198	Athero-occlusive Disease Appears to be Associated with Slower Abdominal Aortic Aneurysm Growth: An Exploratory Analysis of the TEDY Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 632-640.	1.5	7

#	ARTICLE	IF	CITATIONS
199	A Single-Nucleotide Polymorphism in the Gene Encoding Osteoprotegerin Is Associated With Diastolic Blood Pressure in Older Men. <i>American Journal of Hypertension</i> , 2009, 22, 1167-1170.	2.0	6
200	Influence of Regular Exercise on Body Fat and Eating Patterns of Patients with Intermittent Claudication. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11339-11354.	4.1	6
201	A small animal model for early cerebral aneurysm pathology. <i>Journal of Clinical Neuroscience</i> , 2016, 34, 259-263.	1.5	6
202	Efficacy of brief behavioral counselling by allied health professionals to promote physical activity in people with peripheral arterial disease (BIPP): study protocol for a multi-center randomized controlled trial. <i>BMC Public Health</i> , 2016, 16, 1148.	2.9	6
203	Gait in People With Nonhealing Diabetes-Related Plantar Ulcers. <i>Physical Therapy</i> , 2019, 99, 1602-1615.	2.4	6
204	Association of gout with major adverse cardiovascular events and all-cause mortality in patients with peripheral artery disease. <i>Atherosclerosis</i> , 2020, 312, 23-27.	0.8	6
205	Animal models of ischemic limb ulcers: a systematic review and meta-analysis. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001676.	2.8	6
206	An Improved 3-(4,5-Dimethylthiazol-2-yl)-5-(3-Carboxymethoxyphenyl)-2-(4-Sulfophenyl)-2H-Tetrazolium Proliferation Assay to Overcome the Interference of Hydralazine. <i>Assay and Drug Development Technologies</i> , 2020, 18, 379-384.	1.2	6
207	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 164-171.	3.6	6
208	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. <i>Maturitas</i> , 2021, 145, 6-11.	2.4	6
209	Role of Adipokines and Perivascular Adipose Tissue in Abdominal Aortic Aneurysm: A Systematic Review and Meta-Analysis of Animal and Human Observational Studies. <i>Frontiers in Endocrinology</i> , 2021, 12, 618434.	3.5	6
210	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. <i>PLoS ONE</i> , 2016, 11, e0163781.	2.5	6
211	The Hospital Frailty Risk Score Identifies Fewer Cases of Frailty in a Community-Based Cohort of Older Men Than the FRAIL Scale and Frailty Index. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1348-1353.e8.	2.5	6
212	Editor's Choice " Cohort Study Examining the Association Between Abdominal Aortic Size and Major Adverse Cardiovascular Events in Patients with Aortic and Peripheral Occlusive and Aneurysmal Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 960-968.	1.5	6
213	Effectiveness of Remotely Delivered Interventions to Simultaneously Optimize Management of Hypertension, Hyperglycemia and Dyslipidemia in People With Diabetes: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Endocrinology</i> , 2022, 13, 848695.	3.5	6
214	Geostatistically constrained fuzzy segmentation of abdominal aortic aneurysm CT images. , 2008, , .		5
215	Segmentation of medical images using geo-theoretic distance matrix in fuzzy clustering. , 2009, , .		5
216	Statin therapy and plasma vitamin E concentrations: A systematic review and meta-analysis of randomized placebo-controlled trials. <i>Atherosclerosis</i> , 2015, 243, 579-588.	0.8	5

#	ARTICLE	IF	CITATIONS
217	Upregulation of arylsulfatase B in carotid atherosclerosis is associated with symptoms of cerebral embolization. <i>Scientific Reports</i> , 2017, 7, 4338.	3.3	5
218	Within- and Between-Body-Site Agreement of Skin Autofluorescence Measurements in People With and Without Diabetes-Related Foot Disease. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 836-846.	2.2	5
219	Endotoxin Tolerance in Abdominal Aortic Aneurysm Macrophages, In Vitro: A Caseâ€“Control Study. <i>Antioxidants</i> , 2020, 9, 896.	5.1	5
220	Protocol for the Stimulating $\beta_3$ -Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. <i>BMJ Open</i> , 2021, 11, e049858.	1.9	5
221	Hearing impairment and frailty in later life: The Health in Men Study (HIMS). <i>Maturitas</i> , 2022, 156, 30-36.	2.4	5
222	High ankle brachial index predicts high risk of cardiovascular events amongst people with peripheral artery disease. <i>PLoS ONE</i> , 2020, 15, e0242228.	2.5	5
223	Novel therapeutic targets for diabetes-related wounds or ulcers: an update on preclinical and clinical research. <i>Expert Opinion on Therapeutic Targets</i> , 2021, 25, 1061-1075.	3.4	5
224	Plasma polymers from oregano secondary metabolites: Antibacterial and biocompatible plantâ€“based polymers. <i>Plasma Processes and Polymers</i> , 2022, 19, .	3.0	5
225	Association of Depression with Sexual and Daily Activities: A Community Study of Octogenarian Men. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 234-242.	1.2	4
226	The efficacy of extraembryonic stem cells in improving blood flow within animal models of lower limb ischaemia. <i>Heart</i> , 2016, 102, 69-74.	2.9	4
227	Diabetes and Aortic Aneurysm. <i>Angiology</i> , 2016, 67, 510-512.	1.8	4
228	Relationship between requirement to stop during a six-minute walk test and health-related quality of life, physical activity and physical performance amongst people with intermittent claudication. <i>Annals of Vascular Surgery</i> , 2021, 76, 363-369.	0.9	4
229	Control of modifiable risk factors and major adverse cardiovascular events in people with peripheral artery disease and diabetes. <i>World Journal of Diabetes</i> , 2021, 12, 883-892.	3.5	4
230	Outcomes and Costs of Open and Endovascular Revascularisation for Chronic Limb Ischaemia in an Australian Cohort. <i>Heart Lung and Circulation</i> , 2021, 30, 1552-1561.	0.4	4
231	Cohort Study Examining the Prevalence and Relationship with Outcome of Standard Modifiable Risk Factors in Patients with Peripheral Artery Occlusive and Aneurysmal Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 305-313.	1.5	4
232	Comparison of Recent Practice Guidelines for the Management of Patients With Asymptomatic Carotid Stenosis. <i>Angiology</i> , 2022, 73, 903-910.	1.8	4
233	Health-related quality of life amongst people diagnosed with abdominal aortic aneurysm and peripheral artery disease and the effect of fenofibrate. <i>Scientific Reports</i> , 2020, 10, 14583.	3.3	3
234	Re â€œTrends in Lower Extremity Amputation Incidence in European Union 15+ Countries 1990â€“2017â€“. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 61, 344-345.	1.5	3

#	ARTICLE	IF	CITATIONS
235	Repeatability, Completion Time, and Predictive Ability of Four Diabetes-Related Foot Ulcer Classification Systems. <i>Journal of Diabetes Science and Technology</i> , 2023, 17, 35-41.	2.2	3
236	Association of chronic venous disease with major adverse cardiovascular events. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2022, 10, 683-688.	1.6	3
237	A Systematic Review and Meta-Analysis of the Effect of Pentagalloyl Glucose Administration on Aortic Expansion in Animal Models. <i>Biomedicines</i> , 2021, 9, 1442.	3.2	3
238	Risk factors, risk stratification and risk-specific surveillance strategies after endovascular aneurysm repair: study protocol for a Delphi study by the International Risk Stratification in EVAR (IRIS-EVAR) working group. <i>BMJ Open</i> , 2022, 12, e055803.	1.9	3
239	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	2
240	Association of Diagnosis of Depression and Small Abdominal Aortic Aneurysm Growth. <i>Annals of Vascular Surgery</i> , 2022, 79, 256-263.	0.9	2
241	Cohort Study Examining the Association of Optimal Blood Pressure Control at Entry With Infrarenal Abdominal Aortic Aneurysm Growth. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 868889.	2.4	2
242	Health Professionals' Opinions About Secondary Prevention of Diabetes-Related Foot Disease. <i>Science of Diabetes Self-Management and Care</i> , 2022, 48, 349-361.	1.6	2
243	Arterial flow induces changes in venous endothelium which are modified by calcium channel blockers. <i>ANZ Journal of Surgery</i> , 2004, 74, 486-490.	0.7	1
244	Inositol in the MANaGemEnt of abdominal aortic aneurysm (IMAGEN): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 547.	1.6	1
245	Comment on "Pharmacological inhibition of protein tyrosine phosphatase 1B protects against atherosclerotic plaque formation in the LDLR <sup>-/-</sup> mouse model of atherosclerosis". <i>Clinical Science</i> , 2018, 132, 37-38.	4.3	1
246	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3172.	4.0	1
247	Cohort study examining the relationship between remoteness and requirement for surgery to treat peripheral artery disease at a tertiary hospital in North Queensland. <i>Australian Journal of Rural Health</i> , 2021, 29, 512-520.	1.5	1
248	Cohort Study Examining the Association of Immunosuppressant Drug Prescription With Major Adverse Cardiovascular and Limb Events in Patients With Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2022, 78, 310-320.	0.9	1
249	Developments in Non-Surgical Therapies for Abdominal Aortic Aneurysm. <i>Current Vascular Pharmacology</i> , 2009, 7, 153-158.	1.7	1
250	Survival following abdominal aortic aneurysm repair in North Queensland is not associated with remoteness of place of residence. <i>PLoS ONE</i> , 2020, 15, e0241802.	2.5	1
251	Opinions about the most appropriate surgical management of diabetes-related foot infection: a cross-sectional survey. <i>Journal of Foot and Ankle Research</i> , 2022, 15, 18.	1.9	1
252	Optimal management of asymptomatic carotid stenosis in 2021: the jury is still out. An international, multispecialty, expert review and position statement. <i>International Angiology</i> , 2022, 41, .	0.9	1

#	ARTICLE	IF	CITATIONS
253	Pathogenesis of aortic aneurysms. , 0, , 227-246.		1
254	Response to Letter by Tang et al. Stroke, 2007, 38, .	2.0	0
255	Letter by Morris et al Regarding Article, "Improved Quality of Life After 1 Year With an Invasive Versus a Noninvasive Treatment Strategy in Claudicants: One-Year Results of the Invasive Revascularization or Not in Intermittent Claudication (IRONIC) Trial" Circulation, 2015, 131, e508.	1.6	0
256	Response to "Re: A Systematic Review and Meta-analysis of the Association Between C-reactive Protein and Major Cardiovascular Events in Patients with Peripheral Artery Disease" European Journal of Vascular and Endovascular Surgery, 2017, 54, 661-662.	1.5	0
257	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men" Journal of Clinical Endocrinology and Metabolism, 2019, 104, 684-685.	3.6	0
258	Response to "Re. Systematic Review and Meta-analysis of Clinical Trials Examining the Benefit of Exercise Programs Using Nordic Walking in Patients with Peripheral Artery Disease"™. European Journal of Vascular and Endovascular Surgery, 2019, 57, 465-466.	1.5	0
259	Opinions of vascular surgeons and podiatrists in Australia and New Zealand on the use of hyperbaric oxygen therapy for lower limb ulcers. BMJ Open Diabetes Research and Care, 2020, 8, e001590.	2.8	0
260	Systematic review and meta-analysis of the association between intraluminal thrombus volume and abdominal aortic aneurysm rupture. Journal of Vascular Surgery, 2020, 71, 1070-1071.	1.1	0
261	Reply. Journal of Vascular Surgery, 2022, 75, 1791-1792.	1.1	0