

Susan Kaye Morton

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3773456/susan-kaye-morton-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242
papers

6,230
citations

38
h-index

71
g-index

264
ext. papers

8,063
ext. citations

4.4
avg, IF

6.36
L-index

#	Paper	IF	Citations
242	Editor@ Choice - European Society for Vascular Surgery (ESVS) 2019 Clinical Practice Guidelines on the Management of Abdominal Aorto-iliac Artery Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 57, 8-93	2.3	807
241	Abdominal aortic aneurysm: pathogenesis and implications for management. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 2605-13	9.4	432
240	Acute aortic dissection. <i>Lancet, The</i> , 2008 , 372, 55-66	40	333
239	Abdominal aortic aneurysm: update on pathogenesis and medical treatments. <i>Nature Reviews Cardiology</i> , 2019 , 16, 225-242	14.8	194
238	Osteoprotegerin and osteopontin are expressed at high concentrations within symptomatic carotid atherosclerosis. <i>Stroke</i> , 2004 , 35, 1636-41	6.7	184
237	Circulating markers of abdominal aortic aneurysm presence and progression. <i>Circulation</i> , 2008 , 118, 2382-92	10.7	182
236	Current status of medical management for abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011 , 217, 57-63	3.1	132
235	Reduced expansion rate of abdominal aortic aneurysms in patients with diabetes may be related to aberrant monocyte-matrix interactions. <i>European Heart Journal</i> , 2008 , 29, 665-72	9.5	129
234	Obesity, adipokines, and abdominal aortic aneurysm: Health in Men study. <i>Circulation</i> , 2007 , 116, 2275-9	16.7	114
233	Association between osteopontin and human abdominal aortic aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 655-60	9.4	104
232	A review of the pathophysiology and potential biomarkers for peripheral artery disease. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 11294-322	6.3	92
231	Wnt Signaling Pathway Inhibitor Sclerostin Inhibits Angiotensin II-Induced Aortic Aneurysm and Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 553-566	9.4	86
230	Challenges and opportunities in limiting abdominal aortic aneurysm growth. <i>Journal of Vascular Surgery</i> , 2017 , 65, 225-233	3.5	76
229	Effect of ramipril on walking times and quality of life among patients with peripheral artery disease and intermittent claudication: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 453-60	27.4	71
228	Association of obesity and metabolic syndrome with the severity and outcome of intermittent claudication. <i>Journal of Vascular Surgery</i> , 2007 , 45, 40-6	3.5	71
227	Hearing loss and the risk of dementia in later life. <i>Maturitas</i> , 2018 , 112, 1-11	5	64
226	Evaluation of the diagnostic and prognostic value of plasma D-dimer for abdominal aortic aneurysm. <i>European Heart Journal</i> , 2011 , 32, 354-64	9.5	64

225	Oxidative stress and abdominal aortic aneurysm: potential treatment targets. <i>Clinical Science</i> , 2016 , 130, 301-15	6.5	63
224	Peroxisome proliferator-activated receptor ligands reduce aortic dilatation in a mouse model of aortic aneurysm. <i>Atherosclerosis</i> , 2010 , 210, 51-6	3.1	62
223	Carcinogenic Parasite Secretes Growth Factor That Accelerates Wound Healing and Potentially Promotes Neoplasia. <i>PLoS Pathogens</i> , 2015 , 11, e1005209	7.6	62
222	Depression, frailty, and all-cause mortality: a cohort study of men older than 75 years. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 296-300	5.9	59
221	Plantar pressure in diabetic peripheral neuropathy patients with active foot ulceration, previous ulceration and no history of ulceration: a meta-analysis of observational studies. <i>PLoS ONE</i> , 2014 , 9, e99037	3.7	58
220	A Systematic Review of Studies Examining Inflammation Associated Cytokines in Human Abdominal Aortic Aneurysm Samples. <i>Disease Markers</i> , 2009 , 26, 181-188	3.2	57
219	Differential gene expression in human abdominal aortic aneurysm and aortic occlusive disease. <i>Oncotarget</i> , 2015 , 6, 12984-96	3.3	54
218	The role of tenascin C in cardiovascular disease. <i>Cardiovascular Research</i> , 2011 , 92, 19-28	9.9	53
217	Genetics of abdominal aortic aneurysm. <i>Current Opinion in Cardiology</i> , 2013 , 28, 290-6	2.1	51
216	Body mass index is inversely associated with mortality in patients with peripheral vascular disease. <i>Atherosclerosis</i> , 2013 , 229, 549-55	3.1	50
215	Mortality among people with severe mental disorders who reach old age: a longitudinal study of a community-representative sample of 37,892 men. <i>PLoS ONE</i> , 2014 , 9, e111882	3.7	50
214	Resveratrol Inhibits Growth of Experimental Abdominal Aortic Aneurysm Associated With Upregulation of Angiotensin-Converting Enzyme 2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 2195-2203	9.4	48
213	Predictors of patency after balloon angioplasty in hemodialysis fistulas: a systematic review. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 917-24	2.4	47
212	Circulating MicroRNAs as Biomarkers for Acute Ischemic Stroke: A Systematic Review. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 522-530	2.8	44
211	Surrogate Markers of Abdominal Aortic Aneurysm Progression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 236-44	9.4	43
210	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016 , 86, 3-9	5	42
209	Pathophysiology of abdominal aortic aneurysm relevant to improvements in patientsQ management. <i>Current Opinion in Cardiology</i> , 2009 , 24, 532-8	2.1	42
208	Measurement and determinants of infrarenal aortic thrombus volume. <i>European Radiology</i> , 2008 , 18, 1987-94	8	41

207	The association of circulating 25-hydroxyvitamin D concentration with peripheral arterial disease: A meta-analysis of observational studies. <i>Atherosclerosis</i> , 2015 , 243, 645-51	3.1	40
206	Plantar pressures are higher in cases with diabetic foot ulcers compared to controls despite a longer stance phase duration. <i>BMC Endocrine Disorders</i> , 2016 , 16, 51	3.3	40
205	Transactivation of RAGE mediates angiotensin-induced inflammation and atherogenesis. <i>Journal of Clinical Investigation</i> , 2019 , 129, 406-421	15.9	39
204	A peptide antagonist of thrombospondin-1 promotes abdominal aortic aneurysm progression in the angiotensin II-infused apolipoprotein-E-deficient mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 389-98	9.4	37
203	Evaluation of the clinical relevance and limitations of current pre-clinical models of peripheral artery disease. <i>Clinical Science</i> , 2016 , 130, 127-50	6.5	34
202	Association of lower extremity performance with cardiovascular and all-cause mortality in patients with peripheral artery disease: a systematic review and meta-analysis. <i>Journal of the American Heart Association</i> , 2014 , 3,	6	34
201	Angiotensin receptor 1 blockade reduces secretion of inflammation associated cytokines from cultured human carotid atheroma and vascular cells in association with reduced extracellular signal regulated kinase expression and activation. <i>Atherosclerosis</i> , 2014 , 236, 108-15	3.1	33
200	Differential gene expression in the proximal neck of human abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2014 , 233, 211-8	3.1	33
199	The novel association of the chemokine CCL22 with abdominal aortic aneurysm. <i>American Journal of Pathology</i> , 2010 , 176, 2098-106	5.8	33
198	Relationship between CT anthropometric measurements, adipokines and abdominal aortic calcification. <i>Atherosclerosis</i> , 2008 , 197, 428-34	3.1	33
197	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. <i>Maturitas</i> , 2015 , 81, 36-41	5	31
196	Lower limb biomechanical characteristics of patients with neuropathic diabetic foot ulcers: the diabetes foot ulcer study protocol. <i>BMC Endocrine Disorders</i> , 2015 , 15, 59	3.3	31
195	Optimizing the Definitions of Stroke, Transient Ischemic Attack, and Infarction for Research and Application in Clinical Practice. <i>Frontiers in Neurology</i> , 2017 , 8, 537	4.1	31
194	Gait parameters of people with diabetes-related neuropathic plantar foot ulcers. <i>Clinical Biomechanics</i> , 2016 , 37, 98-107	2.2	30
193	Editor@ Choice - Metformin Prescription is Associated with a Reduction in the Combined Incidence of Surgical Repair and Rupture Related Mortality in Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 57, 94-101	2.3	29
192	Omega-3 fatty acids decrease oxidative stress and inflammation in macrophages from patients with small abdominal aortic aneurysm. <i>Scientific Reports</i> , 2019 , 9, 12978	4.9	28
191	Association of impaired fasting glucose, diabetes and their management with the presentation and outcome of peripheral artery disease: a cohort study. <i>Cardiovascular Diabetology</i> , 2014 , 13, 147	8.7	28
190	Osteoprotegerin deficiency limits angiotensin II-induced aortic dilatation and rupture in the apolipoprotein E-knockout mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 2609-16	9.4	27

189	Thrombus volume is similar in patients with ruptured and intact abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2014 , 59, 315-20	3.5	27
188	TElmsirtan in the management of abDominal aortic aneurYsm (TEDY): The study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 274	2.8	27
187	Exercise & Sports Science Australia (ESSA) position statement on exercise prescription for patients with peripheral arterial disease and intermittent claudication. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 623-9	4.4	26
186	Parenteral administration of factor Xa/IIa inhibitors limits experimental aortic aneurysm and atherosclerosis. <i>Scientific Reports</i> , 2017 , 7, 43079	4.9	25
185	A systematic review investigating the association of microRNAs with human abdominal aortic aneurysms. <i>Atherosclerosis</i> , 2017 , 261, 78-89	3.1	24
184	Baseline serum phosphatidylcholine plasmalogen concentrations are inversely associated with incident myocardial infarction in patients with mixed peripheral artery disease presentations. <i>Atherosclerosis</i> , 2017 , 263, 301-308	3.1	24
183	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 412-20	3.9	23
182	Factors associated with patency following angioplasty of hemodialysis fistulae. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 1419-26	2.4	23
181	Efficacy of simvastatin in reducing aortic dilatation in mouse models of abdominal aortic aneurysm. <i>Cardiovascular Drugs and Therapy</i> , 2010 , 24, 373-8	3.9	23
180	In older men, lower plasma 25-hydroxyvitamin D is associated with reduced incidence of prostate, but not colorectal or lung cancer. <i>PLoS ONE</i> , 2014 , 9, e99954	3.7	23
179	Sex hormones and incident dementia in older men: The health in men study. <i>Psychoneuroendocrinology</i> , 2018 , 98, 139-147	5	22
178	Effects of peroxisome proliferator-activated receptor ligands in modulating tissue factor and tissue factor pathway inhibitor in acutely symptomatic carotid atheromas. <i>Stroke</i> , 2007 , 38, 1501-8	6.7	22
177	The outcome of endovascular repair of small abdominal aortic aneurysms. <i>Annals of Surgery</i> , 2007 , 245, 326-33	7.8	21
176	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4224-4231	5.6	21
175	Relation between serum thrombospondin-2 and cardiovascular mortality in older men screened for abdominal aortic aneurysm. <i>American Journal of Cardiology</i> , 2013 , 111, 1800-4	3	20
174	Apolipoprotein E genotype is associated with serum C-reactive protein but not abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010 , 209, 487-91	3.1	20
173	Effects of acute exercise on endothelial function in patients with abdominal aortic aneurysm. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H19-H30	5.2	19
172	Association of chronic kidney disease categories defined with different formulae with major adverse events in patients with peripheral vascular disease. <i>Atherosclerosis</i> , 2014 , 232, 289-97	3.1	19

171	Plasma angiopoietin-1 is lower after ischemic stroke and associated with major disability but not stroke incidence. <i>Stroke</i> , 2014 , 45, 1064-8	6.7	19
170	Relation of infra-renal abdominal aortic calcific deposits and cardiovascular events in patients with peripheral artery disease. <i>American Journal of Cardiology</i> , 2010 , 105, 895-9	3	19
169	Suicide in older men: The health in men cohort study (HIMS). <i>Preventive Medicine</i> , 2016 , 93, 33-38	4.3	19
168	High serum thrombospondin-1 concentration is associated with slower abdominal aortic aneurysm growth and deficiency of thrombospondin-1 promotes angiotensin II induced aortic aneurysm in mice. <i>Clinical Science</i> , 2017 , 131, 1261-1281	6.5	18
167	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. <i>Environment International</i> , 2019 , 125, 430-436	12.9	18
166	Development of a two-stage limb ischemia model to better simulate human peripheral artery disease. <i>Scientific Reports</i> , 2020 , 10, 3449	4.9	18
165	Growth rates of small abdominal aortic aneurysms assessed by computerised tomography--a systematic literature review. <i>Atherosclerosis</i> , 2014 , 235, 182-8	3.1	18
164	Targets for medical therapy to limit abdominal aortic aneurysm progression. <i>Current Drug Targets</i> , 2014 , 15, 860-73	3	18
163	Efficacy of Telmisartan to Slow Growth of Small Abdominal Aortic Aneurysms: A Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2020 , 5, 1374-1381	16.2	18
162	Modulation of Kinin B2 Receptor Signaling Controls Aortic Dilatation and Rupture in the Angiotensin II-Infused Apolipoprotein E-Deficient Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 898-907	9.4	18
161	Cohort Study Examining the Association Between Blood Pressure and Cardiovascular Events in Patients With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2019 , 8, e010748	6	17
160	Subclinical thyroid dysfunction and circulating thyroid hormones are not associated with bone turnover markers or incident hip fracture in older men. <i>Clinical Endocrinology</i> , 2018 , 89, 93-99	3.4	17
159	Leg blood flow and skeletal muscle microvascular perfusion responses to submaximal exercise in peripheral arterial disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H1425-H1433	5.2	17
158	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1215-23	3.9	17
157	Cardiorespiratory fitness modulates the acute flow-mediated dilation response following high-intensity but not moderate-intensity exercise in elderly men. <i>Journal of Applied Physiology</i> , 2017 , 122, 1238-1248	3.7	16
156	Epigenetics and Peripheral Artery Disease. <i>Current Atherosclerosis Reports</i> , 2016 , 18, 15	6	16
155	Flavonols reduce aortic atherosclerosis lesion area in apolipoprotein E deficient mice: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0181832	3.7	16
154	Asia-Pacific Consensus Statement on the Management of Peripheral Artery Disease: A Report from the Asian Pacific Society of Atherosclerosis and Vascular Disease Asia-Pacific Peripheral Artery Disease Consensus Statement Project Committee. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 808-807	4	16

153	Plantar pressures are elevated in people with longstanding diabetes-related foot ulcers during follow-up. <i>PLoS ONE</i> , 2017 , 12, e0181916	3.7	15
152	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of IGF1. <i>Clinical Endocrinology</i> , 2018 , 88, 333-340	3.4	15
151	Angiotensin-2 attenuates angiotensin II-induced aortic aneurysm and atherosclerosis in apolipoprotein E-deficient mice. <i>Scientific Reports</i> , 2016 , 6, 35190	4.9	15
150	Systematic review and meta-analysis of the association between intraluminal thrombus volume and abdominal aortic aneurysm rupture. <i>Journal of Vascular Surgery</i> , 2019 , 70, 2065-2073.e10	3.5	15
149	Increased serum angiotensin-2 is associated with abdominal aortic aneurysm prevalence and cardiovascular mortality in older men. <i>International Journal of Cardiology</i> , 2013 , 167, 1159-63	3.2	15
148	Peripheral arterial disease - diagnosis and management in general practice. <i>Australian Family Physician</i> , 2013 , 42, 397-400		15
147	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. <i>Hormones and Cancer</i> , 2017 , 8, 119-126	5	14
146	Combined Lower Limb Revascularisation and Supervised Exercise Training for Patients with Peripheral Arterial Disease: A Systematic Review of Randomised Controlled Trials. <i>Sports Medicine</i> , 2017 , 47, 987-1002	10.6	14
145	Use of a covered stent to treat two large false aneurysms of the anterior tibial artery. <i>Journal of Vascular Surgery</i> , 2008 , 47, 1090	3.5	14
144	The Potential Role of Sensors, Wearables and Telehealth in the Remote Management of Diabetes-Related Foot Disease. <i>Sensors</i> , 2020 , 20,	3.8	14
143	Association of Computed Tomographic Leg Muscle Characteristics With Lower Limb and Cardiovascular Events in Patients With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2018 , 7, e009943	6	14
142	The relevance of epigenetics to occlusive cerebral and peripheral arterial disease. <i>Clinical Science</i> , 2015 , 128, 537-58	6.5	13
141	Circulating biomarkers are not associated with endoleaks after endovascular repair of abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2018 , 67, 770-777	3.5	13
140	Older men with bipolar disorder: Clinical associations with early and late onset illness. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1613-1619	3.9	13
139	Pathogenic mechanisms and the potential of drug therapies for aortic aneurysm. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 318, H652-H670	5.2	12
138	Diabetes Reduces Severity of Aortic Aneurysms Depending on the Presence of Cell Division Autoantigen 1 (CDA1). <i>Diabetes</i> , 2018 , 67, 755-768	0.9	12
137	The reproducibility of acquiring three dimensional gait and plantar pressure data using established protocols in participants with and without type 2 diabetes and foot ulcers. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 4	3.2	12
136	Visceral adiposity is not associated with abdominal aortic aneurysm presence and growth. <i>Vascular Medicine</i> , 2014 , 19, 272-280	3.3	12

135	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015 , 10, e0134475	3.7	12
134	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017 , 101, 1-5	5	11
133	A systematic review and meta-analysis of risk factors for and incidence of 30-day readmission after revascularization for peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2019 , 70, 996-1006.e7	3.5	11
132	Relationship Between Disease Specific Quality of Life Measures, Physical Performance, and Activity in People with Intermittent Claudication Caused by Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020 , 59, 957-964	2.3	11
131	Influence of apolipoprotein E, age and aortic site on calcium phosphate induced abdominal aortic aneurysm in mice. <i>Atherosclerosis</i> , 2014 , 235, 204-12	3.1	11
130	A Systematic Review and Meta-Analysis of Circulating Biomarkers Associated with Failure of Arteriovenous Fistulae for Haemodialysis. <i>PLoS ONE</i> , 2016 , 11, e0159963	3.7	11
129	Lipid management in people with peripheral artery disease. <i>Current Opinion in Lipidology</i> , 2019 , 30, 470-476	4.7	11
128	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). <i>Psychological Medicine</i> , 2019 , 49, 232-242	6.9	11
127	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. <i>Addiction Biology</i> , 2017 , 22, 570-578	4.6	10
126	Impact of fibrate therapy on plasma plasminogen activator inhibitor-1: a systematic review and meta-analysis of randomized controlled trials. <i>Atherosclerosis</i> , 2015 , 240, 284-96	3.1	10
125	Infra-renal abdominal aortic calcification volume does not predict small abdominal aortic aneurysm growth. <i>Atherosclerosis</i> , 2015 , 243, 334-8	3.1	10
124	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 444-449	6.4	10
123	The association between plasma matrix metalloproteinase-9 concentration and endoleak after endovascular aortic aneurysm repair: a meta-analysis. <i>Atherosclerosis</i> , 2015 , 242, 535-42	3.1	10
122	Relationship between two sequence variations in the gene for peroxisome proliferator-activated receptor-gamma and plasma homocysteine concentration. Health in men study. <i>Human Genetics</i> , 2008 , 123, 35-40	6.3	10
121	Reported high salt intake is associated with increased prevalence of abdominal aortic aneurysm and larger aortic diameter in older men. <i>PLoS ONE</i> , 2014 , 9, e102578	3.7	10
120	Effect of blood pressure lowering medications on leg ischemia in peripheral artery disease patients: A meta-analysis of randomised controlled trials. <i>PLoS ONE</i> , 2017 , 12, e0178713	3.7	10
119	Reduced renal function may explain the higher prevalence of hyperuricemia in older people. <i>Scientific Reports</i> , 2021 , 11, 1302	4.9	10
118	Depression, antidepressants and the risk of cardiovascular events and death in older men. <i>Maturitas</i> , 2019 , 128, 4-9	5	9

117	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 65-69	5.9	9
116	The Potential Role of Kallistatin in the Development of Abdominal Aortic Aneurysm. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	9
115	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016 , 251, 19-24	3.1	8
114	Systematic Review and Meta-analysis of Clinical Trials Examining the Benefit of Exercise Programmes Using Nordic Walking in Patients With Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018 , 56, 534-543	2.3	8
113	Anionic nanoliposomes reduced atherosclerosis progression in Low Density Lipoprotein Receptor (LDLR) deficient mice fed a high fat diet. <i>Journal of Cellular Physiology</i> , 2018 , 233, 6951-6964	7	8
112	Use of Nanoparticles As Contrast Agents for the Functional and Molecular Imaging of Abdominal Aortic Aneurysm. <i>Frontiers in Cardiovascular Medicine</i> , 2017 , 4, 16	5.4	8
111	Angiogenesis inhibition and depression in older men. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 200-5	4.5	8
110	Implications of the finding of no significant carotid stenosis based on data from a regional Australian vascular unit. <i>Annals of Vascular Surgery</i> , 2011 , 25, 1050-6	1.7	8
109	Fenofibrate and Telmisartan in the Management of Abdominal Aortic Aneurysm. <i>Current Drug Targets</i> , 2018 , 19, 1241-1246	3	8
108	Depletion of CD11c+ dendritic cells in apolipoprotein E-deficient mice limits angiotensin II-induced abdominal aortic aneurysm formation and growth. <i>Clinical Science</i> , 2019 , 133, 2203-2215	6.5	8
107	Risk Factors and Mouse Models of Abdominal Aortic Aneurysm Rupture. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
106	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. <i>Clinical Endocrinology</i> , 2019 , 90, 375-383	3.4	8
105	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	7
104	Bone turnover markers: Defining a therapeutic target. <i>Clinical Biochemistry</i> , 2017 , 50, 162-163	3.5	7
103	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015 , 15, 164	4.1	7
102	Serum endostatin concentrations are higher in men with symptoms of intermittent claudication. <i>Disease Markers</i> , 2014 , 2014, 298239	3.2	7
101	Update on the pathophysiology and medical treatment of peripheral artery disease.. <i>Nature Reviews Cardiology</i> , 2022 ,	14.8	7
100	Mouse models for abdominal aortic aneurysm. <i>British Journal of Pharmacology</i> , 2020 ,	8.6	7

99	Topical oxygen therapy for diabetes-related foot ulcers: A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2021 , 38, e14585	3.5	7
98	n-3 PUFAs improve erythrocyte fatty acid profile in patients with small AAA: a randomized controlled trial. <i>Journal of Lipid Research</i> , 2019 , 60, 1154-1163	6.3	6
97	Influence of regular exercise on body fat and eating patterns of patients with intermittent claudication. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 11339-54	6.3	6
96	Hyperuricemia is independently associated with hypertension in men under 60 years in a general Chinese population. <i>Journal of Human Hypertension</i> , 2021 , 35, 1020-1028	2.6	6
95	Systematic review and meta-analysis of mouse models of diabetes-associated ulcers. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	6
94	A meta-analysis of the efficacy of allopurinol in reducing the incidence of myocardial infarction following coronary artery bypass grafting. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 143	2.3	6
93	A systematic review of circulating markers in primary chronic venous insufficiency. <i>Phlebology</i> , 2014 , 29, 570-9	2	6
92	Abdominal aortic calcification: clinical significance, mechanisms and therapies. <i>Current Pharmaceutical Design</i> , 2014 , 20, 5834-8	3.3	6
91	Serum secreted phospholipase A2 is associated with abdominal aortic aneurysm presence but not progression. <i>Atherosclerosis</i> , 2011 , 216, 458-60	3.1	6
90	A population-based study of polymorphisms in genes related to sex hormones and abdominal aortic aneurysm. <i>European Journal of Human Genetics</i> , 2011 , 19, 363-6	5.3	6
89	A single-nucleotide polymorphism in the gene encoding osteoprotegerin is associated with diastolic blood pressure in older men. <i>American Journal of Hypertension</i> , 2009 , 22, 1167-70	2.3	6
88	The association of visceral adiposity with cardiovascular events in patients with peripheral artery disease. <i>PLoS ONE</i> , 2013 , 8, e82350	3.7	6
87	Factor XII blockade inhibits aortic dilatation in angiotensin II-infused apolipoprotein E-deficient mice. <i>Clinical Science</i> , 2020 , 134, 1049-1061	6.5	6
86	A diet enriched with tree nuts reduces severity of atherosclerosis but not abdominal aneurysm in angiotensin II-infused apolipoprotein E deficient mice. <i>Atherosclerosis</i> , 2018 , 277, 28-33	3.1	6
85	A small animal model for early cerebral aneurysm pathology. <i>Journal of Clinical Neuroscience</i> , 2016 , 34, 259-263	2.2	5
84	Efficacy of brief behavioral counselling by allied health professionals to promote physical activity in people with peripheral arterial disease (BIPP): study protocol for a multi-center randomized controlled trial. <i>BMC Public Health</i> , 2016 , 16, 1148	4.1	5
83	Bone marrow-derived cells and arterial disease. <i>Journal of Vascular Surgery</i> , 2007 , 46, 590-600	3.5	5
82	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson Disease. <i>PLoS ONE</i> , 2016 , 11, e0163781	3.7	5

81	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. <i>European Journal of Endocrinology</i> , 2020 , 182, 23-33	6.5	5
80	Vitamin D deficiency promotes large rupture-prone abdominal aortic aneurysms and cholecalciferol supplementation limits progression of aneurysms in a mouse model. <i>Clinical Science</i> , 2020 , 134, 2521-2534	6.5	5
79	Animal models of ischemic limb ulcers: a systematic review and meta-analysis. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	5
78	EditorQ Choice - Association Between Metformin Prescription and Abdominal Aortic Aneurysm Growth and Clinical Events: a Systematic Review and Meta-Analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021 , 62, 747-756	2.3	5
77	Serum homocysteine is associated with the severity of primary chronic venous disease. <i>Phlebology</i> , 2016 , 31, 409-15	2	4
76	Within- and Between-Body-Site Agreement of Skin Autofluorescence Measurements in People With and Without Diabetes-Related Foot Disease. <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 836-846	4.1	4
75	Reported Amount of Salt Added to Food Is Associated with Increased All-Cause and Cancer-Related Mortality in Older Men in a Prospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 805-11	5.2	4
74	Statin therapy and plasma vitamin E concentrations: A systematic review and meta-analysis of randomized placebo-controlled trials. <i>Atherosclerosis</i> , 2015 , 243, 579-88	3.1	4
73	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018 , 254, 316-321	3.2	4
72	The efficacy of extraembryonic stem cells in improving blood flow within animal models of lower limb ischaemia. <i>Heart</i> , 2016 , 102, 69-74	5.1	4
71	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. <i>Journal of Affective Disorders</i> , 2018 , 239, 269-273	6.6	4
70	Prevalence and Outcomes of Undiagnosed Peripheral Arterial Disease Among High Risk Patients in Australia: An Australian REACH Sub-Study. <i>Heart Lung and Circulation</i> , 2019 , 28, 939-945	1.8	4
69	Gait in People With Nonhealing Diabetes-Related Plantar Ulcers. <i>Physical Therapy</i> , 2019 , 99, 1602-1615	3.3	4
68	A Randomised Controlled Trial Assessing the Effects of Peri-operative Fenofibrate Administration on Abdominal Aortic Aneurysm Pathology: Outcomes From the FAME Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020 , 60, 452-460	2.3	4
67	The cost-effectiveness of intensive low-density lipoprotein cholesterol lowering in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021 , 73, 1396-1403.e3	3.5	4
66	A meta-analysis of randomised controlled trials evaluating the efficacy of smoking cessation interventions in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021 ,	3.5	4
65	Presentation and outcomes of indigenous Australians with peripheral artery disease. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 94	2.3	3
64	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. <i>Journal of Affective Disorders</i> , 2018 , 241, 269-274	6.6	3

63	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. <i>Clinical Endocrinology</i> , 2017 , 86, 278-285	3.4	3
62	Segmentation of medical images using geo-theoretic distance matrix in fuzzy clustering 2009 ,		3
61	Geostatistically constrained fuzzy segmentation of abdominal aortic aneurysm CT images 2008 ,		3
60	Optimal Management of Asymptomatic Carotid Stenosis in 2021: The Jury is Still Out. An International, Multispecialty, Expert Review and Position Statement. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 31, 106182	2.8	3
59	Effect of blood pressure lowering drugs and antibiotics on abdominal aortic aneurysm growth: a systematic review and meta-analysis. <i>Heart</i> , 2021 , 107, 1465-1471	5.1	3
58	Skeletal muscle microvascular perfusion responses to cuff occlusion and submaximal exercise assessed by contrast-enhanced ultrasound: The effect of age. <i>Physiological Reports</i> , 2020 , 8, e14580	2.6	3
57	An Improved 3-(4,5-Dimethylthiazol-2-yl)-5-(3-Carboxymethoxyphenyl)-2-(4-Sulfophenyl)-2H-Tetrazolium Proliferation Assay to Overcome the Interference of Hydralazine. <i>Assay and Drug Development Technologies</i> , 2020 , 18, 379-384	2.1	3
56	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. <i>Maturitas</i> , 2021 , 145, 6-11	5	3
55	Systematic Review and Meta-Analysis of Interventions to Slow Progression of Abdominal Aortic Aneurysm in Mouse Models. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, 1504-1517	9.4	3
54	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 408-414	3.9	3
53	Association of depression with sexual and daily activities: a community study of octogenarian men. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 234-42	6.5	2
52	Aortic and Systemic Arterial Stiffness Responses to Acute Exercise in Patients With Small Abdominal Aortic Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 58, 708-718	2.3	2
51	Upregulation of arylsulfatase B in carotid atherosclerosis is associated with symptoms of cerebral embolization. <i>Scientific Reports</i> , 2017 , 7, 4338	4.9	2
50	Association of gout with major adverse cardiovascular events and all-cause mortality in patients with peripheral artery disease. <i>Atherosclerosis</i> , 2020 , 312, 23-27	3.1	2
49	Effect of disease modifying anti-rheumatic drugs on major cardiovascular events: a meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 2021 , 11, 6627	4.9	2
48	Remotely Delivered Monitoring and Management of Diabetes-Related Foot Disease: An Overview of Systematic Reviews. <i>Journal of Diabetes Science and Technology</i> , 2021 , 19322968211012456	4.1	2
47	Adjustment for body mass index changes inverse associations of HDL-cholesterol with blood pressure and hypertension to positive associations. <i>Journal of Human Hypertension</i> , 2021 ,	2.6	2
46	Systematic review of genome-wide association studies of abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2021 , 327, 39-48	3.1	2

45	Re "Trends in Lower Extremity Amputation Incidence in European Union 15+ Countries 1990-2017". <i>European Journal of Vascular and Endovascular Surgery</i> , 2021 , 61, 344-345	2.3	2
44	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 164-171	6.4	2
43	The Potential Benefits and Costs of an Intensified Approach to Low Density Lipoprotein Cholesterol Lowering in People with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021 , 62, 643-650	2.3	2
42	Protocol for the Metformin Aneurysm Trial (MAT): a placebo-controlled randomised trial testing whether metformin reduces the risk of serious complications of abdominal aortic aneurysm.. <i>Trials</i> , 2021 , 22, 962	2.8	2
41	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3172	7.5	1
40	Inositol in the MAnAGemENT of abdominal aortic aneurysm (IMAGEN): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 547	2.8	1
39	Comment on Pharmacological inhibition of protein tyrosine phosphatase 1B protects against atherosclerotic plaque formation in the LDLR mouse model of atherosclerosis. <i>Clinical Science</i> , 2018 , 132, 37-38	6.5	1
38	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	1
37	Arterial flow induces changes in venous endothelium which are modified by calcium channel blockers. <i>ANZ Journal of Surgery</i> , 2004 , 74, 486-90	1	1
36	High ankle brachial index predicts high risk of cardiovascular events amongst people with peripheral artery disease. <i>PLoS ONE</i> , 2020 , 15, e0242228	3.7	1
35	A Systematic Review and Meta-Analysis of the Effect of Pentagalloyl Glucose Administration on Aortic Expansion in Animal Models. <i>Biomedicines</i> , 2021 , 9,	4.8	1
34	A histopathological classification scheme for abdominal aortic aneurysm disease. <i>JVS Vascular Science</i> , 2021 , 2, 260-273	1.3	1
33	A Modified MTS Proliferation Assay for Suspended Cells to Avoid the Interference by Hydralazine and Mercaptoethanol. <i>Assay and Drug Development Technologies</i> , 2021 , 19, 184-190	2.1	1
32	Major amputation rates and outcomes for Aboriginal and Torres Strait Islander and non-Indigenous people in North Queensland Australia between 2000 and 2015. <i>BMC Endocrine Disorders</i> , 2021 , 21, 101	3.3	1
31	Evidence-Based Recommendations for Medical Management of Peripheral Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 573-583	4	1
30	The reproducibility of measuring maximum abdominal aortic aneurysm diameter from ultrasound images. <i>Ultrasound Journal</i> , 2021 , 13, 13	4.1	1
29	Digital Biomarkers of Physical Frailty and Frailty Phenotypes Using Sensor-Based Physical Activity and Machine Learning. <i>Sensors</i> , 2021 , 21,	3.8	1
28	Kallistatin limits abdominal aortic aneurysm by attenuating generation of reactive oxygen species and apoptosis. <i>Scientific Reports</i> , 2021 , 11, 17451	4.9	1

27	Meta-analysis of the association between angiotensin pathway inhibitors and COVID-19 severity and mortality. <i>Systematic Reviews</i> , 2021 , 10, 243	3	1
26	Outcomes and Costs of Open and Endovascular Revascularisation for Chronic Limb Ischaemia in an Australian Cohort. <i>Heart Lung and Circulation</i> , 2021 , 30, 1552-1561	1.8	1
25	Pathogenesis of aortic aneurysms227-246		1
24	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis.. <i>Journal of Affective Disorders</i> , 2022 , 309, 314-323	6.6	1
23	Survival following abdominal aortic aneurysm repair in North Queensland is not associated with remoteness of place of residence. <i>PLoS ONE</i> , 2020 , 15, e0241802	3.7	0
22	Hearing impairment and frailty in later life: The Health in Men Study (HIMS).. <i>Maturitas</i> , 2022 , 156, 30-365		0
21	Health-related quality of life amongst people diagnosed with abdominal aortic aneurysm and peripheral artery disease and the effect of fenofibrate. <i>Scientific Reports</i> , 2020 , 10, 14583	4.9	0
20	Role of Adipokines and Perivascular Adipose Tissue in Abdominal Aortic Aneurysm: A Systematic Review and Meta-Analysis of Animal and Human Observational Studies. <i>Frontiers in Endocrinology</i> , 2021 , 12, 618434	5.7	0
19	Relationship between requirement to stop during a six-minute walk test and health-related quality of life, physical activity and physical performance amongst people with intermittent claudication. <i>Annals of Vascular Surgery</i> , 2021 , 76, 363-369	1.7	0
18	Control of modifiable risk factors and major adverse cardiovascular events in people with peripheral artery disease and diabetes. <i>World Journal of Diabetes</i> , 2021 , 12, 883-892	4.7	0
17	Repeatability, Completion Time, and Predictive Ability of Four Diabetes-Related Foot Ulcer Classification Systems. <i>Journal of Diabetes Science and Technology</i> , 2021 , 1932296820986548	4.1	0
16	Systematic review and Meta-Analysis of Mendelian randomisation analyses of Abdominal aortic aneurysms. <i>IJC Heart and Vasculature</i> , 2021 , 35, 100836	2.4	0
15	Protocol for the Stimulating Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. <i>BMJ Open</i> , 2021 , 11, e049858	3	0
14	Effectiveness of Remotely Delivered Interventions to Simultaneously Optimize Management of Hypertension, Hyperglycemia and Dyslipidemia in People With Diabetes: A Systematic Review and Meta-Analysis of Randomized Controlled Trials.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 848695	5.7	0
13	Comparison of Recent Practice Guidelines for the Management of Patients With Asymptomatic Carotid Stenosis.. <i>Angiology</i> , 2022 , 33197221081914	2.1	0
12	Risk factors, risk stratification and risk-specific surveillance strategies after endovascular aneurysm repair: study protocol for a Delphi study by the International Risk Stratification in EVAR (IRIS-EVAR) working group.. <i>BMJ Open</i> , 2022 , 12, e055803	3	0
11	Role of Sclerostin in Cardiovascular Disease.. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022 , 101161ATVBAHA122317635	9.4	0
10	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 684-685	5.6	

9	Systematic review and meta-analysis of the association between intraluminal thrombus volume and abdominal aortic aneurysm rupture. <i>Journal of Vascular Surgery</i> , 2020 , 71, 1070-1071	3.5
8	Response to "Re: A Systematic Review and Meta-analysis of the Association Between C-reactive Protein and Major Cardiovascular Events in Patients with Peripheral Artery Disease". <i>European Journal of Vascular and Endovascular Surgery</i> , 2017 , 54, 661-662	2.3
7	Letter by Morris et al Regarding Article, "Improved Quality of Life After 1 Year With an Invasive Versus a Noninvasive Treatment Strategy in Claudicants: One-Year Results of the Invasive Revascularization or Not in Intermittent Claudication (IRONIC) Trial". <i>Circulation</i> , 2015 , 131, e508	16.7
6	Developments in non-surgical therapies for abdominal aortic aneurysm. <i>Current Vascular Pharmacology</i> , 2009 , 7, 153-8	3.3
5	Response to Re. Systematic Review and Meta-analysis of Clinical Trials Examining the Benefit of Exercise Programs Using Nordic Walking in Patients with Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 57, 465-466	2.3
4	Cohort study examining the relationship between remoteness and requirement for surgery to treat peripheral artery disease at a tertiary hospital in North Queensland. <i>Australian Journal of Rural Health</i> , 2021 , 29, 512-520	1.3
3	Opinions about the most appropriate surgical management of diabetes-related foot infection: a cross-sectional survey.. <i>Journal of Foot and Ankle Research</i> , 2022 , 15, 18	3.2
2	Reply.. <i>Journal of Vascular Surgery</i> , 2022 , 75, 1791-1792	3.5
1	Cohort Study Examining the Association of Optimal Blood Pressure Control at Entry With Infrarenal Abdominal Aortic Aneurysm Growth.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 868889	5.4