

Martijn Bezemer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3773707/martijn-bezemer-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

13,342
citations

55
h-index

113
g-index

199
ext. papers

15,771
ext. citations

6.2
avg, IF

6.44
L-index

#	Paper	IF	Citations
190	Associational resistance to nematodes and its effects on interspecific interactions among grassland plants. <i>Plant and Soil</i> , 2022 , 471, 591	4.2	
189	Effects of sterilization and maturity of compost on soil bacterial and fungal communities and wheat growth. <i>Geoderma</i> , 2022 , 409, 115598	6.7	4
188	Plant community legacy effects on nutrient cycling, fungal decomposer communities and decomposition in a temperate grassland. <i>Soil Biology and Biochemistry</i> , 2021 , 163, 108450	7.5	0
187	Spatial patterns and ecological drivers of soil nematode diversity in natural grasslands vary among vegetation types and trophic position. <i>Journal of Animal Ecology</i> , 2021 , 90, 1367-1378	4.7	2
186	A matter of time: Recovery of plant species diversity in wild plant communities at declining nitrogen deposition. <i>Diversity and Distributions</i> , 2021 , 27, 1180-1193	5	3
185	Plant-Soil Feedbacks and Temporal Dynamics of Plant Diversity-Productivity Relationships. <i>Trends in Ecology and Evolution</i> , 2021 , 36, 651-661	10.9	13
184	How plant-soil feedbacks influence the next generation of plants. <i>Ecological Research</i> , 2021 , 36, 32-44	1.9	4
183	Globally, plant-soil feedbacks are weak predictors of plant abundance. <i>Ecology and Evolution</i> , 2021 , 11, 1756-1768	2.8	4
182	Persistence of plant-mediated microbial soil legacy effects in soil and inside roots. <i>Nature Communications</i> , 2021 , 12, 5686	17.4	13
181	Novel chemicals engender myriad invasion mechanisms. <i>New Phytologist</i> , 2021 , 232, 1184-1200	9.8	2
180	Exogenous application of plant defense hormones alters the effects of live soils on plant performance. <i>Basic and Applied Ecology</i> , 2021 , 56, 144-155	3.2	0
179	Microbiomes of a specialist caterpillar are consistent across different habitats but also resemble the local soil microbial communities. <i>Animal Microbiome</i> , 2020 , 2, 37	4.1	7
178	Abiotic and Biotic Soil Legacy Effects of Plant Diversity on Plant Performance. <i>Frontiers in Ecology and Evolution</i> , 2020 , 8,	3.7	7
177	Above-ground plant metabolomic responses to plant-soil feedbacks and herbivory. <i>Journal of Ecology</i> , 2020 , 108, 1703-1712	6	15
176	Quantitative comparison between the rhizosphere effect of <i>Arabidopsis thaliana</i> and co-occurring plant species with a longer life history. <i>ISME Journal</i> , 2020 , 14, 2433-2448	11.9	7
175	Soil Inoculation Alters Leaf Metabolic Profiles in Genetically Identical Plants. <i>Journal of Chemical Ecology</i> , 2020 , 46, 745-755	2.7	2
174	Shading enhances plant species richness and diversity on an extensive green roof. <i>Urban Ecosystems</i> , 2020 , 23, 935-943	2.8	1

173	HomeLand AwayLitter decomposition depends on the size fractions of the soil biotic community. <i>Soil Biology and Biochemistry</i> , 2020 , 144, 107783	7.5	8
172	Plant community composition steers grassland vegetation via soil legacy effects. <i>Ecology Letters</i> , 2020 , 23, 973-982	10	35
171	Plant traits shape soil legacy effects on individual plantInsect interactions. <i>Oikos</i> , 2020 , 129, 261-273	4	15
170	International scientists formulate a roadmap for insect conservation and recovery. <i>Nature Ecology and Evolution</i> , 2020 , 4, 174-176	12.3	98
169	Steering root microbiomes of a commercial horticultural crop with plant-soil feedbacks. <i>Applied Soil Ecology</i> , 2020 , 150, 103468	5	16
168	Structure and ecological function of the soil microbiome affecting plant-soil feedbacks in the presence of a soil-borne pathogen. <i>Environmental Microbiology</i> , 2020 , 22, 660-676	5.2	17
167	Conditioning the soil microbiome through plant-soil feedbacks suppresses an aboveground insect pest. <i>New Phytologist</i> , 2020 , 226, 595-608	9.8	33
166	Above-belowground linkages of functionally dissimilar plant communities and soil properties in a grassland experiment. <i>Ecosphere</i> , 2020 , 11, e03246	3.1	4
165	Exogenous application of plant hormones in the field alters aboveground plantInsect responses and belowground nutrient availability, but does not lead to differences in plantSoil feedbacks. <i>Arthropod-Plant Interactions</i> , 2020 , 14, 559-570	2.2	2
164	Soil inoculation alters the endosphere microbiome of chrysanthemum roots and leaves. <i>Plant and Soil</i> , 2020 , 455, 107-119	4.2	3
163	Taking plantSoil feedbacks to the field in a temperate grassland. <i>Basic and Applied Ecology</i> , 2019 , 40, 30-42	3.2	11
162	Separating effects of soil microorganisms and nematodes on plant community dynamics. <i>Plant and Soil</i> , 2019 , 441, 455-467	4.2	5
161	The relative importance of plant-soil feedbacks for plant-species performance increases with decreasing intensity of herbivory. <i>Oecologia</i> , 2019 , 190, 651-664	2.9	5
160	Single introductions of soil biota and plants generate long-term legacies in soil and plant community assembly. <i>Ecology Letters</i> , 2019 , 22, 1145-1151	10	35
159	Foliar-feeding insects acquire microbiomes from the soil rather than the host plant. <i>Nature Communications</i> , 2019 , 10, 1254	17.4	61
158	Soil heterogeneity and plant species diversity in experimental grassland communities: contrasting effects of soil nutrients and pH at different spatial scales. <i>Plant and Soil</i> , 2019 , 442, 497-509	4.2	11
157	Soil Inoculation Steers Plant-Soil Feedback, Suppressing Ruderal Plant Species. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	4
156	Time after Time: Temporal Variation in the Effects of Grass and Forb Species on Soil Bacterial and Fungal Communities. <i>MBio</i> , 2019 , 10,	7.8	30

155	Removal of soil biota alters soil feedback effects on plant growth and defense chemistry. <i>New Phytologist</i> , 2019 , 221, 1478-1491	9.8	26
154	Changes in litter quality induced by N deposition alter soil microbial communities. <i>Soil Biology and Biochemistry</i> , 2019 , 130, 33-42	7.5	38
153	Plant competition alters the temporal dynamics of plant-soil feedbacks. <i>Journal of Ecology</i> , 2018 , 106, 2287-2300	6	27
152	Intraspecific aggregation and soil heterogeneity: competitive interactions of two clonal plants with contrasting spatial architecture. <i>Plant and Soil</i> , 2018 , 425, 231-240	4.2	15
151	Spatial heterogeneity in plant-soil feedbacks alters competitive interactions between two grassland plant species. <i>Functional Ecology</i> , 2018 , 32, 2085-2094	5.6	9
150	Temporal carry-over effects in sequential plant-soil feedbacks. <i>Oikos</i> , 2018 , 127, 220-229	4	17
149	Synergistic and antagonistic effects of mixing monospecific soils on plant-soil feedbacks. <i>Plant and Soil</i> , 2018 , 429, 271-279	4.2	1
148	Species-specific plant-soil feedbacks alter herbivore-induced gene expression and defense chemistry in <i>Plantago lanceolata</i> . <i>Oecologia</i> , 2018 , 188, 801-811	2.9	26
147	Density-dependency and plant-soil feedback: former plant abundance influences competitive interactions between two grassland plant species through plant-soil feedbacks. <i>Plant and Soil</i> , 2018 , 428, 441-452	4.2	10
146	Plant-Soil Feedback: Bridging Natural and Agricultural Sciences. <i>Trends in Ecology and Evolution</i> , 2018 , 33, 129-142	10.9	153
145	Plant community composition but not plant traits determine the outcome of soil legacy effects on plants and insects. <i>Journal of Ecology</i> , 2018 , 106, 1217-1229	6	35
144	Plant community evenness responds to spatial plant-soil feedback heterogeneity primarily through the diversity of soil conditioning. <i>Functional Ecology</i> , 2018 , 32, 509-521	5.6	21
143	Plant responses to variable timing of aboveground clipping and belowground herbivory depend on plant age. <i>Journal of Plant Ecology</i> , 2018 , 11, 696-708	1.7	9
142	Application and Theory of Plant-soil Feedbacks on Aboveground Herbivores. <i>Ecological Studies</i> , 2018 , 319-343	1.1	13
141	Potential for synergy in soil inoculation for nature restoration by mixing inocula from different successional stages. <i>Plant and Soil</i> , 2018 , 433, 147-156	4.2	9
140	Carry-over effects of soil inoculation on plant growth and health under sequential exposure to soil-borne diseases. <i>Plant and Soil</i> , 2018 , 433, 257-270	4.2	7
139	Effects of Soil Organisms on Aboveground Plant-Insect Interactions in the Field: Patterns, Mechanisms and the Role of Methodology. <i>Frontiers in Ecology and Evolution</i> , 2018 , 6,	3.7	41
138	Biodiversity-ecosystem functioning relationships in a long-term non-weeded field experiment. <i>Ecology</i> , 2018 , 99, 1836-1846	4.6	15

137	Long-term fertilization management affects the C utilization from crop residues by the soil micro-food web. <i>Plant and Soil</i> , 2018 , 429, 335-348	4.2	14
136	Initial biochar effects on plant productivity derive from N fertilization. <i>Plant and Soil</i> , 2017 , 415, 435-448	4.2	19
135	Home-field advantages of litter decomposition increase with increasing N deposition rates: a litter and soil perspective. <i>Functional Ecology</i> , 2017 , 31, 1792-1801	5.6	23
134	Transient negative biochar effects on plant growth are strongest after microbial species loss. <i>Soil Biology and Biochemistry</i> , 2017 , 115, 442-451	7.5	21
133	Steering Soil Microbiomes to Suppress Aboveground Insect Pests. <i>Trends in Plant Science</i> , 2017 , 22, 770-778	7.8	116
132	Timing of simulated aboveground herbivory influences population dynamics of root-feeding nematodes. <i>Plant and Soil</i> , 2017 , 415, 215-228	4.2	7
131	Effects of plant diversity on the concentration of secondary plant metabolites and the density of arthropods on focal plants in the field. <i>Journal of Ecology</i> , 2017 , 105, 647-660	6	15
130	After-life effects: living and dead invertebrates differentially affect plants and their associated above- and belowground multitrophic communities. <i>Oikos</i> , 2017 , 126, 888-899	4	8
129	Plant-Soil Feedback Effects on Growth, Defense and Susceptibility to a Soil-Borne Disease in a Cut Flower Crop: Species and Functional Group Effects. <i>Frontiers in Plant Science</i> , 2017 , 8, 2127	6.2	25
128	Drivers of bacterial beta diversity in two temperate forests. <i>Ecological Research</i> , 2016 , 31, 57-64	1.9	15
127	Opposing effects of nitrogen and water addition on soil bacterial and fungal communities in the Inner Mongolia steppe: A field experiment. <i>Applied Soil Ecology</i> , 2016 , 108, 128-135	5	24
126	Cultivar specific plant-soil feedback overrules soil legacy effects of elevated ozone in a rice-wheat rotation system. <i>Agriculture, Ecosystems and Environment</i> , 2016 , 232, 85-92	5.7	4
125	Soil inoculation steers restoration of terrestrial ecosystems. <i>Nature Plants</i> , 2016 , 2, 16107	11.5	219
124	Effects of spatial plant-soil feedback heterogeneity on plant performance in monocultures. <i>Journal of Ecology</i> , 2016 , 104, 364-376	6	26
123	Complementarity and selection effects in early and mid-successional plant communities are differentially affected by plant-soil feedback. <i>Journal of Ecology</i> , 2015 , 103, 641-647	6	18
122	Interspecific competition of early successional plant species in ex-arable fields as influenced by plant-soil feedback. <i>Basic and Applied Ecology</i> , 2015 , 16, 112-119	3.2	15
121	Interactive effects of above- and belowground herbivory and plant competition on plant growth and defence. <i>Basic and Applied Ecology</i> , 2015 , 16, 500-509	3.2	12
120	Species-specific plant-soil feedback effects on above-ground plant-insect interactions. <i>Journal of Ecology</i> , 2015 , 103, 904-914	6	63

119	Legacy effects of elevated ozone on soil biota and plant growth. <i>Soil Biology and Biochemistry</i> , 2015 , 91, 50-57	7.5	21
118	Convergent development of a parasitoid wasp on three host species with differing mass and growth potential. <i>Entomologia Experimentalis Et Applicata</i> , 2015 , 154, 15-22	2.1	5
117	Plant-Soil feedback effects on plant quality and performance of an aboveground herbivore interact with fertilisation. <i>Oikos</i> , 2015 , 124, 658-667	4	28
116	Biodiversity increases the resistance of ecosystem productivity to climate extremes. <i>Nature</i> , 2015 , 526, 574-7	50.4	647
115	Community composition, diversity and metabolic footprints of soil nematodes in differently-aged temperate forests. <i>Soil Biology and Biochemistry</i> , 2015 , 80, 118-126	7.5	67
114	The way forward in biochar research: targeting trade-offs between the potential wins. <i>GCB Bioenergy</i> , 2015 , 7, 1-13	5.6	177
113	Multi-trait mimicry of ants by a parasitoid wasp. <i>Scientific Reports</i> , 2015 , 5, 8043	4.9	12
112	Effects of plant diversity and structural complexity on parasitoid behaviour in a field experiment. <i>Ecological Entomology</i> , 2015 , 40, 748-758	2.1	10
111	Biochar application does not improve the soil hydrological function of a sandy soil. <i>Geoderma</i> , 2015 , 251-252, 47-54	6.7	184
110	Plant diversity and identity effects on predatory nematodes and their prey. <i>Ecology and Evolution</i> , 2015 , 5, 836-47	2.8	18
109	Effects of the Timing of Herbivory on Plant Defense Induction and Insect Performance in Ribwort Plantain (<i>Plantago lanceolata</i> L.) Depend on Plant Mycorrhizal Status. <i>Journal of Chemical Ecology</i> , 2015 , 41, 1006-17	2.7	24
108	Disentangling above- and belowground neighbor effects on the growth, chemistry, and arthropod community on a focal plant. <i>Ecology</i> , 2015 , 96, 164-75	4.6	23
107	Response of native insect communities to invasive plants. <i>Annual Review of Entomology</i> , 2014 , 59, 119-41	11.8	163
106	Reciprocal interactions between native and introduced populations of common milkweed, <i>Asclepias syriaca</i> , and the specialist aphid, <i>Aphis nerii</i> . <i>Basic and Applied Ecology</i> , 2014 , 15, 444-452	3.2	4
105	Biochars produced from individual grassland species differ in their effect on plant growth. <i>Basic and Applied Ecology</i> , 2014 , 15, 18-25	3.2	8
104	Soil amendment with biochar increases the competitive ability of legumes via increased potassium availability. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 191, 92-98	5.7	90
103	Small-scale spatial resource partitioning in a hyperparasitoid community. <i>Arthropod-Plant Interactions</i> , 2014 , 8, 393-401	2.2	15
102	Soil biochar amendment in a nature restoration area: effects on plant productivity and community composition 2014 , 24, 1167-77		38

101	Biochar application rate affects biological nitrogen fixation in red clover conditional on potassium availability. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 191, 83-91	5.7	116
100	Sequential effects of root and foliar herbivory on aboveground and belowground induced plant defense responses and insect performance. <i>Oecologia</i> , 2014 , 175, 187-98	2.9	26
99	A Device to Study the Behavioral Responses of Zooplankton to Food Quality and Quantity. <i>Journal of Insect Behavior</i> , 2013 , 26, 453-465	1.1	2
98	Effects of root herbivory on pyrrolizidine alkaloid content and aboveground plant-herbivore-parasitoid interactions in <i>Jacobaea vulgaris</i> . <i>Journal of Chemical Ecology</i> , 2013 , 39, 109-119	2.7	21
97	Local variation in conspecific plant density influences plant-soil feedback in a natural grassland. <i>Basic and Applied Ecology</i> , 2013 , 14, 506-514	3.2	16
96	Intraspecific variation in plant size, secondary plant compounds, herbivory and parasitoid assemblages during secondary succession. <i>Basic and Applied Ecology</i> , 2013 , 14, 337-346	3.2	7
95	Soil and Freshwater and Marine Sediment Food Webs: Their Structure and Function. <i>BioScience</i> , 2013 , 63, 35-42	5.7	26
94	Chemical Ecology of Insect Parasitoids in a Multitrophic Above- and Below-Ground Context 2013 , 64-85		7
93	Plant-soil feedbacks: the past, the present and future challenges. <i>Journal of Ecology</i> , 2013 , 101, 265-276	6	84
92	FORUM: Sustaining ecosystem functions in a changing world: a call for an integrated approach. <i>Journal of Applied Ecology</i> , 2013 , 50, 1124-1130	5.8	34
91	Getting the ecology into interactions between plants and the plant growth-promoting bacterium <i>Pseudomonas fluorescens</i> . <i>Frontiers in Plant Science</i> , 2013 , 4, 81	6.2	84
90	Above- and below-ground herbivory effects on below-ground plant-fungus interactions and plant-soil feedback responses. <i>Journal of Ecology</i> , 2013 , 101, 325-333	6	56
89	Host location success of root-feeding nematodes in patches that differ in size and quality: A belowground release-recapture experiment. <i>Basic and Applied Ecology</i> , 2012 , 13, 221-231	3.2	0
88	Effects of diversity and identity of the neighbouring plant community on the abundance of arthropods on individual ragwort (<i>Jacobaea vulgaris</i>) plants. <i>Entomologia Experimentalis Et Applicata</i> , 2012 , 144, 27-36	2.1	17
87	The importance of plant-soil interactions, soil nutrients, and plant life history traits for the temporal dynamics of <i>Jacobaea vulgaris</i> in a chronosequence of old-fields. <i>Oikos</i> , 2012 , 121, 1251-1262	4	58
86	Community patterns of soil bacteria and nematodes in relation to geographic distance. <i>Soil Biology and Biochemistry</i> , 2012 , 45, 1-7	7.5	48
85	Soil inoculation method determines the strength of plant-soil interactions. <i>Soil Biology and Biochemistry</i> , 2012 , 55, 1-6	7.5	53
84	Legacy effects of aboveground-belowground interactions. <i>Ecology Letters</i> , 2012 , 15, 813-21	10	102

83	Can the negative plant-soil feedback of <i>Jacobaea vulgaris</i> be explained by autotoxicity?. <i>Basic and Applied Ecology</i> , 2012 , 13, 533-541	3.2	16
82	Arbuscular mycorrhizal colonization, plant chemistry, and aboveground herbivory on <i>Senecio jacobaea</i> . <i>Acta Oecologica</i> , 2012 , 38, 8-16	1.7	16
81	Contrasting patterns of herbivore and predator pressure on invasive and native plants. <i>Basic and Applied Ecology</i> , 2012 , 13, 725-734	3.2	14
80	The effects of CO ₂ and nutrient enrichment on photosynthesis and growth of <i>Poa annua</i> in two consecutive generations. <i>Ecological Research</i> , 2012 , 27, 873-882	1.9	10
79	The good, the bad and the plenty: interactive effects of food quality and quantity on the growth of different <i>Daphnia</i> species. <i>PLoS ONE</i> , 2012 , 7, e42966	3.7	19
78	Root herbivore effects on aboveground multitrophic interactions: patterns, processes and mechanisms. <i>Journal of Chemical Ecology</i> , 2012 , 38, 755-67	2.7	80
77	Aboveground-Belowground interactions: the way forward. <i>Trends in Ecology and Evolution</i> , 2011 , 26, 158-159	10.9	
76	Recovery of plant species richness during long-term fertilization of a species-rich grassland. <i>Ecology</i> , 2011 , 92, 1393-8	4.6	46
75	Intra- and interspecific plant-soil interactions, soil legacies and priority effects during old-field succession. <i>Journal of Ecology</i> , 2011 , 99, 945-953	6	134
74	Intrinsic competition between two secondary hyperparasitoids results in temporal trophic switch. <i>Oikos</i> , 2011 , 120, 226-233	4	15
73	Comparing arbuscular mycorrhizal communities of individual plants in a grassland biodiversity experiment. <i>New Phytologist</i> , 2010 , 186, 746-54	9.8	27
72	Travelling to a former sea floor: colonization of forests by understorey plant species on land recently reclaimed from the sea. <i>Journal of Vegetation Science</i> , 2010 , 21, 167-176	3.1	2
71	Impacts of belowground herbivory on oviposition decisions in two congeneric butterfly species. <i>Entomologia Experimentalis Et Applicata</i> , 2010 , 136, 191-198	2.1	17
70	Plant-soil interactions in the expansion and native range of a poleward shifting plant species. <i>Global Change Biology</i> , 2010 , 16, 380-385	11.4	68
69	Divergent composition but similar function of soil food webs of individual plants: plant species and community effects. <i>Ecology</i> , 2010 , 91, 3027-36	4.6	163
68	Behaviour of male and female parasitoids in the field: influence of patch size, host density, and habitat complexity. <i>Ecological Entomology</i> , 2010 , 35, 341-351	2.1	33
67	Influences of space, soil, nematodes and plants on microbial community composition of chalk grassland soils. <i>Environmental Microbiology</i> , 2010 , 12, 2096-106	5.2	37
66	Plant-soil feedback of native and range-expanding plant species is insensitive to temperature. <i>Oecologia</i> , 2010 , 162, 1059-69	2.9	38

65	Combined effects of patch size and plant nutritional quality on local densities of insect herbivores. <i>Basic and Applied Ecology</i> , 2010 , 11, 396-405	3.2	25
64	Influence of presence and spatial arrangement of belowground insects on host-plant selection of aboveground insects: a field study. <i>Ecological Entomology</i> , 2009 , 34, 339-345	2.1	37
63	Empirical and theoretical challenges in aboveground-belowground ecology. <i>Oecologia</i> , 2009 , 161, 1-14	2.9	194
62	Interactions to the fifth trophic level: secondary and tertiary parasitoid wasps show extraordinary efficiency in utilizing host resources. <i>Journal of Animal Ecology</i> , 2009 , 78, 686-92	4.7	24
61	Life-history traits in closely related secondary parasitoids sharing the same primary parasitoid host: evolutionary opportunities and constraints. <i>Entomologia Experimentalis Et Applicata</i> , 2009 , 132, 155-164	2.1	22
60	Soil Organism and Plant Introductions in Restoration of Species-Rich Grassland Communities. <i>Restoration Ecology</i> , 2009 , 17, 258-269	3.1	47
59	Contrasting diversity patterns of soil mites and nematodes in secondary succession. <i>Acta Oecologica</i> , 2009 , 35, 603-609	1.7	35
58	Successful range-expanding plants experience less above-ground and below-ground enemy impact. <i>Nature</i> , 2008 , 456, 946-8	50.4	207
57	Do parasitized caterpillars protect their parasitoids from hyperparasitoids? A test of the 'usurpation hypothesis'. <i>Animal Behaviour</i> , 2008 , 76, 701-708	2.8	31
56	Long-term organic farming fosters below and aboveground biota: Implications for soil quality, biological control and productivity. <i>Soil Biology and Biochemistry</i> , 2008 , 40, 2297-2308	7.5	353
55	Restoration of species-rich grasslands on ex-arable land: Seed addition outweighs soil fertility reduction. <i>Biological Conservation</i> , 2008 , 141, 2208-2217	6.2	55
54	Plants as green phones: Novel insights into plant-mediated communication between below- and above-ground insects. <i>Plant Signaling and Behavior</i> , 2008 , 3, 519-20	2.5	9
53	Comparing the physiological effects and function of larval feeding in closely-related endoparasitoids (Braconidae: Microgasterinae). <i>Physiological Entomology</i> , 2008 , 33, 217-225	1.9	26
52	Effects of changes in plant species richness and community traits on carabid assemblages and feeding guilds. <i>Agriculture, Ecosystems and Environment</i> , 2008 , 127, 100-106	5.7	43
51	Ecology: diversity and stability in plant communities. <i>Nature</i> , 2007 , 446, E6-7; discussion E7-8	50.4	70
50	Root herbivores influence the behaviour of an aboveground parasitoid through changes in plant-volatile signals. <i>Oikos</i> , 2007 , 116, 367-376	4	145
49	Foraging efficiency of a parasitoid of a leaf herbivore is influenced by root herbivory on neighbouring plants. <i>Functional Ecology</i> , 2007 , 21, 969-974	5.6	33
48	Impact of elevated carbon dioxide on the rhizosphere communities of <i>Carex arenaria</i> and <i>Festuca rubra</i> . <i>Global Change Biology</i> , 2007 , 13, 2396-2410	11.4	64

47	Reduced plant-soil feedback of plant species expanding their range as compared to natives. <i>Journal of Ecology</i> , 2007 , 95, 1050-1057	6	115
46	Long-term effectiveness of sowing high and low diversity seed mixtures to enhance plant community development on ex-arable fields. <i>Applied Vegetation Science</i> , 2007 , 10, 97-110	3.3	86
45	Development of an insect herbivore and its pupal parasitoid reflect differences in direct plant defense. <i>Journal of Chemical Ecology</i> , 2007 , 33, 1556-69	2.7	48
44	Impact of foliar herbivory on the development of a root-feeding insect and its parasitoid. <i>Oecologia</i> , 2007 , 152, 257-64	2.9	105
43	Long-term effectiveness of sowing high and low diversity seed mixtures to enhance plant community development on ex-arable fields. <i>Applied Vegetation Science</i> , 2007 , 10, 97	3.3	35
42	Climate vs. soil factors in local adaptation of two common plant species. <i>Ecology</i> , 2007 , 88, 424-33	4.6	110
41	Remarkable similarity in body mass of a secondary hyperparasitoid <i>Lysibia nana</i> and its primary parasitoid host <i>Cotesia glomerata</i> emerging from cocoons of comparable size. <i>Archives of Insect Biochemistry and Physiology</i> , 2006 , 61, 170-83	2.3	22
40	Interplay between <i>Senecio jacobaea</i> and plant, soil, and aboveground insect community composition. <i>Ecology</i> , 2006 , 87, 2002-13	4.6	80
39	Long-term effects of sowing high or low diverse seed mixtures on plant and gastropod diversity. <i>Acta Oecologica</i> , 2006 , 30, 173-181	1.7	7
38	Temporal variation in plant-soil feedback controls succession. <i>Ecology Letters</i> , 2006 , 9, 1080-8	10	426
37	Plant species and functional group effects on abiotic and microbial soil properties and plant-soil feedback responses in two grasslands. <i>Journal of Ecology</i> , 2006 , 94, 893-904	6	269
36	Chemical Communication Between Roots and Shoots 2006 , 127-143		6
35	Effects of host deprivation and egg expenditure on the reproductive capacity of <i>Mastrus ridibundus</i> , an introduced parasitoid for the biological control of codling moth in California. <i>Biological Control</i> , 2005 , 33, 96-106	3.8	22
34	Linking aboveground and belowground interactions via induced plant defenses. <i>Trends in Ecology and Evolution</i> , 2005 , 20, 617-24	10.9	435
33	Successional trajectories of soil nematode and plant communities in a chronosequence of ex-arable lands. <i>Biological Conservation</i> , 2005 , 126, 317-327	6.2	77
32	Soil community composition drives aboveground plant-herbivore-parasitoid interactions. <i>Ecology Letters</i> , 2005 , 8, 652-661	10	174
31	Species divergence and trait convergence in experimental plant community assembly. <i>Ecology Letters</i> , 2005 , 8, 1283-1290	10	519
30	Root herbivore effects on above-ground herbivore, parasitoid and hyperparasitoid performance via changes in plant quality. <i>Journal of Animal Ecology</i> , 2005 , 74, 1121-1130	4.7	194

29	Global change alters the stability of food webs. <i>Global Change Biology</i> , 2005 , 11, 490-501	11.4	33
28	Influence of adult nutrition on the relationship between body size and reproductive parameters in a parasitoid wasp. <i>Ecological Entomology</i> , 2005 , 30, 571-580	2.1	49
27	Potential effects of earthworms on leaf-chewer performance. <i>Functional Ecology</i> , 2004 , 18, 746-751	5.6	34
26	How does global change affect the strength of trophic interactions?. <i>Basic and Applied Ecology</i> , 2004 , 5, 505-514	3.2	27
25	Trophic interactions in a changing world. <i>Basic and Applied Ecology</i> , 2004 , 5, 487-494	3.2	130
24	Above- and below ground trophic interactions on creeping thistle (<i>Cirsium arvense</i>) in high- and low-diversity plant communities: potential for biotic resistance?. <i>Plant Biology</i> , 2004 , 6, 231-8	3.7	13
23	Above- and below-ground terpenoid aldehyde induction in cotton, <i>Gossypium herbaceum</i> , following root and leaf injury. <i>Journal of Chemical Ecology</i> , 2004 , 30, 53-67	2.7	102
22	Development of the solitary endoparasitoid <i>Microplitis demolitor</i> : host quality does not increase with host age and size. <i>Ecological Entomology</i> , 2004 , 29, 35-43	2.1	102
21	Clutch size decisions of a gregarious parasitoid under laboratory and field conditions. <i>Animal Behaviour</i> , 2003 , 66, 1119-1128	2.8	55
20	Interactions between above- and belowground insect herbivores as mediated by the plant defense system. <i>Oikos</i> , 2003 , 101, 555-562	4	174
19	Root herbivory induces an above-ground indirect defence. <i>Ecology Letters</i> , 2003 , 6, 9-12	10	62
18	Soil invertebrate fauna enhances grassland succession and diversity. <i>Nature</i> , 2003 , 422, 711-3	50.4	435
17	Interactions between aboveground and belowground induced responses against phytophages. <i>Basic and Applied Ecology</i> , 2003 , 4, 63-77	3.2	127
16	Herbivory in global climate change research: direct effects of rising temperature on insect herbivores. <i>Global Change Biology</i> , 2002 , 8, 1-16	11.4	1546
15	Walnut development affects chemical composition and codling moth performance. <i>Agricultural and Forest Entomology</i> , 2001 , 3, 191-199	1.9	12
14	Host Density Responses of <i>Mastrus ridibundus</i> , a Parasitoid of the Codling Moth, <i>Cydia pomonella</i> . <i>Biological Control</i> , 2001 , 22, 169-175	3.8	33
13	Unpredictable responses of garden snail (<i>Helix aspersa</i>) populations to climate change. <i>Acta Oecologica</i> , 2001 , 22, 201-208	1.7	11
12	The effect of elevated atmospheric carbon dioxide levels on soil bacterial communities. <i>Global Change Biology</i> , 2000 , 6, 427-434	11.4	31

11	Effects of carbon dioxide and nitrogen fertilization on phenolic content in <i>Poa annua</i> L. <i>Biochemical Systematics and Ecology</i> , 2000 , 28, 839-846	1.4	17
10	Below-Ground Microbial Community Development in a High Temperature World. <i>Oikos</i> , 1999 , 85, 193	4	73
9	How General are Aphid Responses to Elevated Atmospheric CO ₂ ?. <i>Annals of the Entomological Society of America</i> , 1999 , 92, 724-730	2	56
8	Long-term effects of elevated CO and temperature on populations of the peach potato aphid <i>Myzus persicae</i> and its parasitoid <i>Aphidius matricariae</i> . <i>Oecologia</i> , 1998 , 116, 128-135	2.9	126
7	<i>Poa annua</i> shows inter-generational differences in response to elevated CO ₂ . <i>Global Change Biology</i> , 1998 , 4, 687-691	11.4	27
6	Plant-Insect Herbivore Interactions in Elevated Atmospheric CO ₂ : Quantitative Analyses and Guild Effects. <i>Oikos</i> , 1998 , 82, 212	4	329
5	Impacts of rising atmospheric carbon dioxide on model terrestrial ecosystems. <i>Science</i> , 1998 , 280, 441-333,3	33.3	202
4	The functional response of <i>Uscana lariophaga</i> under different egg distributions of its host <i>Callosobruchus maculatus</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1996 , 81, 227-233	2.1	7
3	Foliar herbivory on plants creates soil legacy effects that impact future insect herbivore growth via changes in plant community biomass allocation. <i>Functional Ecology</i> ,	5.6	1
2	Belowground responses of bacterial communities to foliar SA application over four plant generations. <i>Plant and Soil</i> ,1	4.2	0
1	Microbial soil legacies of crops under different water and nitrogen levels determine succeeding crop performance. <i>Plant and Soil</i> ,1	4.2	1