Zhenyu Sun

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/377427/zhenyu-sun-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151	14,644	53	120
papers	citations	h-index	g-index
161 ext. papers	16,730 ext. citations	8.5 avg, IF	6.52 L-index

#	Paper	IF	Citations
151	Engineering vacancy and hydrophobicity of two-dimensional TaTe for efficient and stable electrocatalytic N reduction <i>Innovation(China)</i> , 2022 , 3, 100190	17.8	5
150	Single atom and defect engineering of CuO for efficient electrochemical reduction of CO 2 to C 2 H 4. <i>SmartMat</i> , 2022 , 3, 194-205	22.8	1
149	Integration of ultrafine CuO nanoparticles with two-dimensional MOFs for enhanced electrochemicgal CO2 reduction to ethylene. <i>Chinese Journal of Catalysis</i> , 2022 , 43, 1049-1057	11.3	4
148	Interface engineered Sb2O3/W18O49 heterostructure for enhanced visible-light-driven photocatalytic N2 reduction. <i>Chemical Engineering Journal</i> , 2022 , 438, 135485	14.7	2
147	Cadmium-based metal-organic frameworks for high-performance electrochemical CO2 reduction to CO over wide potential range. <i>Chinese Journal of Chemical Engineering</i> , 2021 ,	3.2	1
146	Enhanced electrochemical CO2 reduction to ethylene over CuO by synergistically tuning oxygen vacancies and metal doping. <i>Cell Reports Physical Science</i> , 2021 , 2, 100356	6.1	15
145	Facile synthesis of two-dimensional copper terephthalate for efficient electrocatalytic CO2 reduction to ethylene. <i>Journal of Experimental Nanoscience</i> , 2021 , 16, 247-255	1.9	2
144	Electrochemical ammonia synthesis: Mechanistic understanding and catalyst design. <i>CheM</i> , 2021 , 7, 170)8⊦1.725	470
143	Earth-abundant coal-derived carbon nanotube/carbon composites as efficient bifunctional oxygen electrocatalysts for rechargeable zinc-air batteries. <i>Journal of Energy Chemistry</i> , 2021 , 56, 87-97	12	15
142	Improving the performance of metal-organic frameworks for thermo-catalytic CO2 conversion: Strategies and perspectives. <i>Chinese Journal of Catalysis</i> , 2021 , 42, 1903-1920	11.3	11
141	Highly stable two-dimensional bismuth metal-organic frameworks for efficient electrochemical reduction of CO2. <i>Applied Catalysis B: Environmental</i> , 2020 , 277, 119241	21.8	53
140	Application of two-dimensional materials for electrochemical carbon dioxide reduction 2020 , 289-326		
139	An efficient pH-universal electrocatalyst for oxygen reduction: defect-rich graphitized carbon shell wrapped cobalt within hierarchical porous N-doped carbon aerogel. <i>Materials Today Energy</i> , 2020 , 17, 100452	7	11
138	A Miracle Metal@Zeolite for Selective Conversion of Syngas to Ethanol. <i>CheM</i> , 2020 , 6, 546-548	16.2	1
137	Achieving Highly Selective Electrocatalytic CO2 Reduction by Tuning CuO-Sb2O3 Nanocomposites. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 4948-4954	8.3	16
136	Two-dimensional materials for energy conversion and storage. <i>Progress in Materials Science</i> , 2020 , 111, 100637	42.2	73
135	Photocatalytic Reduction of CO2 by Metal-Free-Based Materials: Recent Advances and Future Perspective. <i>Solar Rrl</i> , 2020 , 4, 1900546	7.1	90

(2019-2020)

134	Metal-Tuned W18O49 for Efficient Electrocatalytic N2 Reduction. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 2957-2963	8.3	23	
133	Trace metals dramatically boost oxygen electrocatalysis of N-doped coal-derived carbon for zinc-air batteries. <i>Nanoscale</i> , 2020 , 12, 9628-9639	7.7	10	
132	Electrocatalytic CO2 Reduction to Ethylene over CeO2-Supported Cu Nanoparticles: Effect of Exposed Facets of CeO2. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2020 , 2009023-0	3.8	3	
131	Activation of Ni Particles into Single NiN Atoms for Efficient Electrochemical Reduction of CO2. <i>Advanced Energy Materials</i> , 2020 , 10, 1903068	21.8	111	
130	Reduced graphene oxides with engineered defects enable efficient electrochemical reduction of dinitrogen to ammonia in wide pH range. <i>Nano Energy</i> , 2020 , 68, 104323	17.1	43	
129	Surface-engineered oxidized two-dimensional Sb for efficient visible light-driven N2 fixation. <i>Nano Energy</i> , 2020 , 78, 105368	17.1	21	
128	Recent Advances in Electrode Materials for Electrochemical CO2 Reduction. <i>ACS Symposium Series</i> , 2020 , 49-91	0.4	О	
127	Single yttrium sites on carbon-coated TiO for efficient electrocatalytic N reduction. <i>Chemical Communications</i> , 2020 , 56, 10910-10913	5.8	15	
126	Stabilization of Cu+ by tuning a CuOtteO2 interface for selective electrochemical CO2 reduction to ethylene. <i>Green Chemistry</i> , 2020 , 22, 6540-6546	10	34	
125	Single Sb sites for efficient electrochemical CO reduction. <i>Chemical Communications</i> , 2019 , 55, 12024-1	12 92 7	38	
124	Efficient visible-light driven N fixation over two-dimensional Sb/TiO composites. <i>Chemical Communications</i> , 2019 , 55, 7171-7174	5.8	31	
123	A N, P Dual-Doped Carbon with High Porosity as an Advanced Metal-Free Oxygen Reduction Catalyst. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900592	4.6	21	
122	Oxygen vacancy enables electrochemical N2 fixation over WO3 with tailored structure. <i>Nano Energy</i> , 2019 , 62, 869-875	17.1	94	
121	Synthesis of Fe2O3 loaded porous g-C3N4 photocatalyst for photocatalytic reduction of dinitrogen to ammonia. <i>Chemical Engineering Journal</i> , 2019 , 373, 572-579	14.7	99	
120	Highly Porous Metalloporphyrin Covalent Ionic Frameworks with Well-Defined Cooperative Functional Groups as Excellent Catalysts for CO Cycloaddition. <i>Chemistry - A European Journal</i> , 2019 , 25, 9052-9059	4.8	27	
119	High-yield production of few-layer boron nanosheets for efficient electrocatalytic N reduction. <i>Chemical Communications</i> , 2019 , 55, 4246-4249	5.8	71	
118	Understanding the Antifouling Mechanism of Zwitterionic Monomer-Grafted Polyvinylidene Difluoride Membranes: A Comparative Experimental and Molecular Dynamics Simulation Study. <i>ACS Applied Materials & Dynamics Simulation Study</i> . 11, 14408-14417	9.5	29	
117	Liquid Exfoliation of Two-Dimensional PbI2 Nanosheets for Ultrafast Photonics. <i>ACS Photonics</i> , 2019 , 6, 1051-1057	6.3	20	

116	Graphene-based materials for electrochemical CO2 reduction. <i>Journal of CO2 Utilization</i> , 2019 , 30, 168-	1 , 8.8	57
115	Graphene and its Hybrids for Photocatalysis. <i>Current Graphene Science</i> , 2019 , 2, 79-96	0.7	1
114	Efficient Electrochemical Reduction of CO2 by NiN Catalysts with Tunable Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 15030-15035	8.3	25
113	ZIF-67-Derived Cobalt/Nitrogen-Doped Carbon Composites for Efficient Electrocatalytic N2 Reduction. <i>ACS Applied Energy Materials</i> , 2019 , 2, 6071-6077	6.1	34
112	Activated TiO2 with tuned vacancy for efficient electrochemical nitrogen reduction. <i>Applied Catalysis B: Environmental</i> , 2019 , 257, 117896	21.8	130
111	Efficient bifunctional Co/N dual-doped carbon electrocatalysts for oxygen reduction and evolution reaction. <i>Carbon</i> , 2019 , 153, 575-584	10.4	42
110	Supercritical Fluid-Facilitated Exfoliation and Processing of 2D Materials. <i>Advanced Science</i> , 2019 , 6, 190	1984	42
109	Boosting ion dynamics through superwettable leaf-like film based on porous g-C3N4 nanosheets for ionogel supercapacitors. <i>NPG Asia Materials</i> , 2019 , 11,	10.3	30
108	Photocatalytic Fixation of Nitrogen to Ammonia by Single Ru Atom Decorated TiO2 Nanosheets. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 6813-6820	8.3	85
107	Synergistic catalysis of CuO/InO composites for highly selective electrochemical CO reduction to CO. <i>Chemical Communications</i> , 2019 , 55, 12380-12383	5.8	18
106	Atomically Dispersed Nickel Sites for Selective Electroreduction of CO2. <i>ACS Applied Energy Materials</i> , 2019 , 2, 8836-8842	6.1	9
105	Ultrasound-Assisted Nitrogen and Boron Codoping of Graphene Oxide for Efficient Oxygen Reduction Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3434-3442	8.3	27
104	Nitrogen Fixation by Ru Single-Atom Electrocatalytic Reduction. <i>CheM</i> , 2019 , 5, 204-214	16.2	501
103	Single-atom catalysis for electrochemical CO2 reduction. <i>Current Opinion in Green and Sustainable Chemistry</i> , 2019 , 16, 1-6	7.9	49
102	Entrapped Single Tungstate Site in Zeolite for Cooperative Catalysis of Olefin Metathesis with Britsted Acid Site. <i>Journal of the American Chemical Society</i> , 2018 , 140, 6661-6667	16.4	50
101	Supercritical diethylamine facilitated loading of ultrafine Ru particles on few-layer graphene for solvent-free hydrogenation of levulinic acid to Evalerolactone. <i>Nanotechnology</i> , 2018 , 29, 075708	3.4	3
100	Nitrogen-doped and nanostructured carbons with high surface area for enhanced oxygen reduction reaction. <i>Carbon</i> , 2018 , 126, 111-118	10.4	48
99	Lignosulfonate biomass derived N and S co-doped porous carbon for efficient oxygen reduction reaction. Sustainable Energy and Fuels, 2018, 2, 1820-1827	5.8	26

(2017-2018)

98	Tuning the Pd-catalyzed electroreduction of CO2 to CO with reduced overpotential. <i>Catalysis Science and Technology</i> , 2018 , 8, 3894-3900	5.5	20
97	New solvent-stabilized few-layer black phosphorus for antibacterial applications. <i>Nanoscale</i> , 2018 , 10, 12543-12553	7.7	56
96	Heterogeneous Catalysis of CO2 Hydrogenation to C2+ Products. Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica, 2018, 34, 858-872	3.8	32
95	Katalyse der Kohlenstoffdioxid-Photoreduktion an Nanoschichten: Grundlagen und Herausforderungen. <i>Angewandte Chemie</i> , 2018 , 130, 7734-7752	3.6	19
94	Catalysis of Carbon Dioxide Photoreduction on Nanosheets: Fundamentals and Challenges. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 7610-7627	16.4	242
93	Doping palladium with tellurium for the highly selective electrocatalytic reduction of aqueous CO to CO. <i>Chemical Science</i> , 2018 , 9, 483-487	9.4	73
92	Carbon-supported Ni nanoparticles for efficient CO electroreduction. <i>Chemical Science</i> , 2018 , 9, 8775-8	78.0	116
91	Simple synthesis of two-dimensional MoP2 nanosheets for efficient electrocatalytic hydrogen evolution. <i>Electrochemistry Communications</i> , 2018 , 97, 27-31	5.1	8
90	Electrochemical CO2 reduction to C2+ species: Heterogeneous electrocatalysts, reaction pathways, and optimization strategies. <i>Materials Today Energy</i> , 2018 , 10, 280-301	7	107
89	High-efficiency mixing process in secondary rotating stream. <i>Chemical Engineering Journal</i> , 2017 , 313, 807-814	14.7	2
88	N-Doping of graphene oxide at low temperature for the oxygen reduction reaction. <i>Chemical Communications</i> , 2017 , 53, 873-876	5.8	100
87	Two-dimensional nanosheets for electrocatalysis in energy generation and conversion. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7257-7284	13	186
86	Heterogeneous electrochemical CO reduction using nonmetallic carbon-based catalysts: current status and future challenges. <i>Nanotechnology</i> , 2017 , 28, 472001	3.4	57
85	Fundamentals and Challenges of Electrochemical CO2 Reduction Using Two-Dimensional Materials. <i>CheM</i> , 2017 , 3, 560-587	16.2	513
84	Graphene/Porous Beta TiO2 Nanocomposites Prepared Through a Simple Hydrothermal Method. <i>Current Graphene Science</i> , 2017 , 1,	0.7	3
83	Nonlinear Absorption Induced Transparency and Optical Limiting of Black Phosphorus Nanosheets. <i>ACS Photonics</i> , 2017 , 4, 3063-3070	6.3	61
82	Exfoliation of Stable 2D Black Phosphorus for Device Fabrication. <i>Chemistry of Materials</i> , 2017 , 29, 6445	5 -6 . € 56	54
81	Scalable exfoliation and dispersion of two-dimensional materials - an update. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 921-960	3.6	214

80	Amorphous Cobalt Boride (Co2B) as a Highly Efficient Nonprecious Catalyst for Electrochemical Water Splitting: Oxygen and Hydrogen Evolution. <i>Advanced Energy Materials</i> , 2016 , 6, 1502313	21.8	539
79	Hydrazine-Assisted Liquid Exfoliation of MoS2 for Catalytic Hydrodeoxygenation of 4-Methylphenol. <i>Chemistry - A European Journal</i> , 2016 , 22, 2910-4	4.8	44
78	Few-layer graphene modified with nitrogen-rich metallo-macrocyclic complexes as precursor for bifunctional oxygen electrocatalysts. <i>Electrochimica Acta</i> , 2016 , 222, 1191-1199	6.7	15
77	Demonstrating the steady performance of iron oxide composites over 2000 cycles at fast charge-rates for Li-ion batteries. <i>Chemical Communications</i> , 2016 , 52, 7348-51	5.8	16
76	Liquid-phase exfoliation of graphite for mass production of pristine few-layer graphene. <i>Current Opinion in Colloid and Interface Science</i> , 2015 , 20, 311-321	7.6	79
75	One-Pot Synthesis of Carbon-Coated Nanostructured Iron Oxide on Few-Layer Graphene for Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2015 , 21, 16154-61	4.8	11
74	High-quality functionalized few-layer graphene: facile fabrication and doping with nitrogen as a metal-free catalyst for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 15444-7	15450	48
73	Hollow and yolk-shell iron oxide nanostructures on few-layer graphene in Li-ion batteries. <i>Chemistry - A European Journal</i> , 2014 , 20, 2022-30	4.8	36
72	A carbon-coated TiO(2)(B) nanosheet composite for lithium ion batteries. <i>Chemical Communications</i> , 2014 , 50, 5506-9	5.8	41
71	High-concentration graphene dispersions with minimal stabilizer: a scaffold for enzyme immobilization for glucose oxidation. <i>Chemistry - A European Journal</i> , 2014 , 20, 5752-61	4.8	38
70	Amine-based solvents for exfoliating graphite to graphene outperform the dispersing capacity of N-methyl-pyrrolidone and surfactants. <i>Chemical Communications</i> , 2014 , 50, 10382-5	5.8	30
69	Eine Stickstoff-dotierte Kohlenstoffmatrix mit eingeschlossenen MnxOy/NC- und CoxOy/NC-Nanopartikeln fileistungsfilige bifunktionale Sauerstoffelektroden. <i>Angewandte Chemie</i> , 2014 , 126, 8648-8652	3.6	64
68	Röktitelbild: Eine Stickstoff-dotierte Kohlenstoffmatrix mit eingeschlossenen MnxOy/NC- und CoxOy/NC-Nanopartikeln föleistungsföge bifunktionale Sauerstoffelektroden (Angew. Chem. 32/2014). <i>Angewandte Chemie</i> , 2014 , 126, 8664-8664	3.6	2
67	Mn(x)O(y)/NC and Co(x)O(y)/NC nanoparticles embedded in a nitrogen-doped carbon matrix for high-performance bifunctional oxygen electrodes. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 8508-12	16.4	432
66	High-yield exfoliation of graphite in acrylate polymers: A stable few-layer graphene nanofluid with enhanced thermal conductivity. <i>Carbon</i> , 2013 , 64, 288-294	10.4	63
65	Trace metal residues promote the activity of supposedly metal-free nitrogen-modified carbon catalysts for the oxygen reduction reaction. <i>Electrochemistry Communications</i> , 2013 , 34, 113-116	5.1	120
64	Ag-stabilized few-layer graphene dispersions in low boiling point solvents for versatile nonlinear optical applications. <i>Carbon</i> , 2013 , 62, 182-192	10.4	34
63	Nanostructured Few-Layer Graphene with Superior Optical Limiting Properties Fabricated by a Catalytic Steam Etching Process. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 11811-11817	3.8	26

(2010-2012)

62	Rapid and Surfactant-Free Synthesis of Bimetallic Pttu Nanoparticles Simply via Ultrasound-Assisted Redox Replacement. <i>ACS Catalysis</i> , 2012 , 2, 1647-1653	13.1	50
61	One-pot solvothermal method to synthesize platinum/W18O49 ultrafine nanowires and their catalytic performance. <i>Journal of Materials Chemistry</i> , 2012 , 22, 3354		23
60	Ionic liquid-stabilized graphene and its use in immobilizing a metal nanocatalyst. <i>RSC Advances</i> , 2012 , 2, 8189	3.7	29
59	Highly concentrated aqueous dispersions of graphene exfoliated by sodium taurodeoxycholate: dispersion behavior and potential application as a catalyst support for the oxygen-reduction reaction. <i>Chemistry - A European Journal</i> , 2012 , 18, 6972-8	4.8	69
58	Controllable synthesis of titania/reduced graphite oxide nanocomposites with various titania phase compositions and their photocatalytic performance. <i>Science China Chemistry</i> , 2012 , 55, 1294-1302	7.9	3
57	Porous Fe3O4 nanoparticles: synthesis and application in catalyzing epoxidation of styrene. <i>Journal of Colloid and Interface Science</i> , 2011 , 364, 298-303	9.3	44
56	Thermal-stable carbon nanotube-supported metal nanocatalysts by mesoporous silica coating. <i>Langmuir</i> , 2011 , 27, 6244-51	4	24
55	In-situ loading ultrafine AuPd particles on ceria: highly active catalyst for solvent-free selective oxidation of benzyl alcohol. <i>Langmuir</i> , 2011 , 27, 1152-7	4	45
54	Ultrasonication-assisted uniform decoration of carbon nanotubes by various particles with controlled size and loading. <i>Carbon</i> , 2011 , 49, 4376-4384	10.4	17
53	In situ loading of palladium nanoparticles on mica and their catalytic applications. <i>Journal of Colloid and Interface Science</i> , 2011 , 353, 269-74	9.3	11
52	CO2-mediated synthesis of ZnO nanorods and their application in sensing ethanol vapor. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 1252-8	1.3	3
51	The solvent-free selective hydrogenation of nitrobenzene to aniline: an unexpected catalytic activity of ultrafine Pt nanoparticles deposited on carbon nanotubes. <i>Green Chemistry</i> , 2010 , 12, 1007	10	112
50	Pt-Ru/CeO2/carbon nanotube nanocomposites: an efficient electrocatalyst for direct methanol fuel cells. <i>Langmuir</i> , 2010 , 26, 12383-9	4	80
49	New Solvents for Nanotubes: Approaching the Dispersibility of Surfactants. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 231-237	3.8	101
48	Supercritical CO2-facilitating large-scale synthesis of CeO2 nanowires and their application for solvent-free selective hydrogenation of nitroarenes. <i>Journal of Materials Chemistry</i> , 2010 , 20, 1947		48
47	Control of Optical Limiting of Carbon Nanotube Dispersions by Changing Solvent Parameters. Journal of Physical Chemistry C, 2010 , 114, 6148-6156	3.8	39
46	Study on the anatase to rutile phase transformation and controlled synthesis of rutile nanocrystals with the assistance of ionic liquid. <i>Langmuir</i> , 2010 , 26, 10294-302	4	76
45	Shape and size controlled synthesis of anatase nanocrystals with the assistance of ionic liquid. <i>Langmuir</i> , 2010 , 26, 5129-34	4	33

44	Green solvent-based approaches for synthesis of nanomaterials. Science China Chemistry, 2010, 53, 372-	- 3,83	4
43	Chitosan-mediated synthesis of mesoporous Fe2O3 nanoparticles and their applications in catalyzing selective oxidation of cyclohexane. <i>Science China Chemistry</i> , 2010 , 53, 1502-1508	7.9	12
42	The immobilization of glycidyl-group-containing ionic liquids and its application in CO2 cycloaddition reactions. <i>Chemistry - A European Journal</i> , 2010 , 16, 6687-92	4.8	46
41	Arginine-mediated synthesis of highly efficient catalysts for transfer hydrogenations of ketones. Journal of Colloid and Interface Science, 2010, 351, 501-6	9.3	10
40	p-Aminophenylacetic acid-mediated synthesis of monodispersed titanium oxide hybrid microspheres in ethanol solution. <i>Journal of Colloid and Interface Science</i> , 2009 , 338, 468-73	9.3	3
39	Effects of Ambient Conditions on SolventNanotube Dispersions: Exposure to Water and Temperature Variation. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 1260-1266	3.8	16
38	Multicomponent solubility parameters for single-walled carbon nanotube-solvent mixtures. <i>ACS Nano</i> , 2009 , 3, 2340-50	16.7	298
37	In situ controllable loading of ultrafine noble metal particles on titania. <i>Journal of the American Chemical Society</i> , 2009 , 131, 6648-9	16.4	129
36	High-yield production of graphene by liquid-phase exfoliation of graphite. <i>Nature Nanotechnology</i> , 2008 , 3, 563-8	28.7	47 ¹ 5
35	Quantitative Evaluation of Surfactant-stabilized Single-walled Carbon Nanotubes: Dispersion Quality and Its Correlation with Zeta Potential. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 10692-10699	3.8	315
34	Large Populations of Individual Nanotubes in Surfactant-Based Dispersions without the Need for Ultracentrifugation. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 972-977	3.8	68
33	Efficient dispersion and exfoliation of single-walled nanotubes in 3-aminopropyltriethoxysilane and its derivatives. <i>Nanotechnology</i> , 2008 , 19, 485702	3.4	6
32	Towards Solutions of Single-Walled Carbon Nanotubes in Common Solvents. <i>Advanced Materials</i> , 2008 , 20, 1876-1881	24	299
31	Synthesis of TiO2 nanotube networks from the mineralization of swim bladder membrane in supercritical CO2. <i>Journal of Supercritical Fluids</i> , 2007 , 42, 310-315	4.2	8
30	Synthesis of PtRu/carbon nanotube composites in supercritical fluid and their application as an electrocatalyst for direct methanol fuel cells. <i>Carbon</i> , 2007 , 45, 536-542	10.4	55
29	Preparation of titania/carbon nanotube composites using supercritical ethanol and their photocatalytic activity for phenol degradation under visible light irradiation. <i>Carbon</i> , 2007 , 45, 1795-186	of ^{0.4}	320
28	Coating carbon nanotubes with metal oxides in a supercritical carbon dioxide than ol solution. <i>Carbon</i> , 2007 , 45, 2589-2596	10.4	62
27	Supercritical carbon dioxide-assisted deposition of tin oxide on carbon nanotubes. <i>Materials Letters</i> , 2007 , 61, 4565-4568	3.3	19

(2005-2006)

26	Ru Nanoparticles Immobilized on Montmorillonite by Ionic Liquids: A Highly Efficient Heterogeneous Catalyst for the Hydrogenation of Benzene. <i>Angewandte Chemie</i> , 2006 , 118, 272-275	3.6	38
25	Synthesis of noble metal/carbon nanotube composites in supercritical methanol. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 691-7	1.3	21
24	Synthesis and characterization of TiO2hontmorillonite nanocomposites and their application for removal of methylene blue. <i>Journal of Materials Chemistry</i> , 2006 , 16, 579-584		65
23	Synthesis of ZrO2-carbon nanotube composites and their application as chemiluminescent sensor material for ethanol. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 13410-4	3.4	86
22	Microstructural and electrochemical characterization of RuO2/CNT composites synthesized in supercritical diethyl amine. <i>Carbon</i> , 2006 , 44, 888-893	10.4	50
21	Synthesis and characterization of ZnS-montmorillonite nanocomposites and their application for degrading eosin B. <i>Journal of Colloid and Interface Science</i> , 2006 , 301, 116-22	9.3	28
20	Decoration carbon nanotubes with Pd and Ru nanocrystals via an inorganic reaction route in supercritical carbon dioxide-methanol solution. <i>Journal of Colloid and Interface Science</i> , 2006 , 304, 323-3	89.3	68
19	Microwave-Assisted Synthesis of Pt Nanocrystals and Deposition on Carbon Nanotubes in Ionic Liquids. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 175-179	1.3	23
18	Synthesis of Polyaniline Nanofibrous Networks with the Aid of an Amphiphilic Ionic Liquid. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 227-230	1.3	9
17	Ru nanoparticles immobilized on montmorillonite by ionic liquids: a highly efficient heterogeneous catalyst for the hydrogenation of benzene. <i>Angewandte Chemie - International Edition</i> , 2005 , 45, 266-9	16.4	181
16	Facile synthesis of polyaniline nanofibers using chloroaurate acid as the oxidant. <i>Langmuir</i> , 2005 , 21, 833-6	4	136
15	Fabrication and characterization of magnetic carbon nanotube composites. <i>Journal of Materials Chemistry</i> , 2005 , 15, 4497		76
14	Replication of biological organizations through a supercritical fluid route. <i>Chemical Communications</i> , 2005 , 2948-50	5.8	33
13	Facile route to synthesize multiwalled carbon nanotube/zinc sulfide heterostructures: optical and electrical properties. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 12772-6	3.4	80
12	Solvothermal synthesis of mesoporous Eu2O3IIiO2 composites. <i>Microporous and Mesoporous Materials</i> , 2005 , 81, 169-174	5.3	47
11	Synthesis and characterization of mesoporous aluminosilicate molecular sieve from K-feldspar. <i>Microporous and Mesoporous Materials</i> , 2005 , 83, 277-282	5.3	21
10	Carbon onions synthesized via thermal reduction of glycerin with magnesium. <i>Materials Chemistry and Physics</i> , 2005 , 93, 178-180	4.4	20
9	Carbon nanoflowers synthesized by a reductionpyrolysisDatalysis route. <i>Materials Letters</i> , 2005 , 59, 456-458	3.3	20

8	Phase-Separation-Induced Micropatterned Polymer Surfaces and Their Applications. <i>Advanced Functional Materials</i> , 2005 , 15, 655-663	15.6	31
7	Fabrication of Ruthenium arbon Nanotube Nanocomposites in Supercritical Water. <i>Advanced Materials</i> , 2005 , 17, 928-932	24	126
6	A Highly Efficient Chemical Sensor Material for H2S: Fe2O3 Nanotubes Fabricated Using Carbon Nanotube Templates. <i>Advanced Materials</i> , 2005 , 17, 2993-2997	24	420
5	In situ Eu2O3 coating on the walls of mesoporous silica SBA-15 in supercritical ethane + ethanol mixture. <i>Microporous and Mesoporous Materials</i> , 2004 , 75, 101-105	5.3	8
4	Carbon nanotube/poly(2,4-hexadiyne-1,6-diol) nanocomposites prepared with the aid of supercritical CO2. <i>Chemical Communications</i> , 2004 , 2190-1	5.8	26
3	Synthesis of Tubular Graphite Cones through a Catalytically Thermal Reduction Route. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 9811-9814	3.4	2
2	Photocatalytic nitrogen reduction to ammonia: Insights into the role of defect engineering in photocatalysts. <i>Nano Research</i> ,1	10	10
1	Engineering CuO-HfO2 interface toward enhanced CO2 electroreduction to C2H4. <i>Chemical Communications</i> ,	5.8	0