Yan Han MDc

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3775068/publications.pdf

Version: 2024-02-01

20 papers	151 citations	7 h-index	1199166 12 g-index
20	20	20	153
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Widespread Use of High-dose Ceftriaxone Therapy for Uncomplicated Gonorrhea Without Reported Ceftriaxone Treatment Failure: Results From 5 Years of Multicenter Surveillance Data in China. Clinical Infectious Diseases, 2020, 70, 99-105.	2.9	24
2	Comparison of efficacy of treatments for early syphilis: A systematic review and network meta-analysis of randomized controlled trials and observational studies. PLoS ONE, 2017, 12, e0180001.	1.1	22
3	Worldwide Susceptibility Rates of Neisseria gonorrhoeae Isolates to Cefixime and Cefpodoxime: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e87849.	1.1	17
4	Neck circumference is a good predictor for insulin resistance in women with polycystic ovary syndrome. Fertility and Sterility, 2021, 115, 753-760.	0.5	15
5	The Use of Remote Programming for Spinal Cord Stimulation for Patients With Chronic Pain During the COVID-19 Outbreak in China. Neuromodulation, 2021, 24, 441-447.	0.4	11
6	Moderate Dose of Trolox Preventing the Deleterious Effects of Wi-Fi Radiation on Spermatozoa In vitro through Reduction of Oxidative Stress Damage. Chinese Medical Journal, 2018, 131, 402-412.	0.9	9
7	Gentamicin susceptibility of Neisseria gonorrhoeae isolates from 7 provinces in China. Infection and Drug Resistance, 2019, Volume 12, 2471-2476.	1.1	9
8	<p>Comparison of Microdilution Method with Agar Dilution Method for Antibiotic Susceptibility Test of Neisseria gonorrhoeae</p> . Infection and Drug Resistance, 2020, Volume 13, 1775-1780.	1.1	7
9	A Bayesian network meta-analysis regarding the comparative efficacy of therapeutics for ALK-positive, brain metastatic non-small cell lung cancer. Pharmacological Research, 2021, 174, 105931.	3.1	7
10	The Accuracy of Molecular Detection Targeting the Mutation C2611T for Detecting Moderate-Level Azithromycin Resistance in Neisseria gonorrhoeae: A Systematic Review and Meta-Analysis. Antibiotics, 2021, 10, 1027.	1.5	6
11	Evaluation of Abbott RealTime CT/NG Assay for Detection of Chlamydia trachomatis and Neisseria gonorrhoeae in Cervical Swabs from Female Sex Workers in China. PLoS ONE, 2014, 9, e89658.	1.1	6
12	Anti-MÃ $\frac{1}{4}$ llerian hormone was independently associated with central obesity but not with general obesity in women with PCOS. Endocrine Connections, 2022, 11, .	0.8	6
13	Antimicrobial Susceptibility of Ertapenem in Neisseria gonorrhoeae Isolates Collected Within the China Gonococcal Resistance Surveillance Programme (China-GRSP) 2018. Infection and Drug Resistance, 2021, Volume 14, 4183-4189.	1.1	5
14	<p>Disk-Diffusion Testing Is an Inappropriate Screening Tool for Cephalosporin-Resistant Gonorrhoea Strains in Clinical Practice in China</p> . Infection and Drug Resistance, 2020, Volume 13, 2417-2423.	1.1	3
15	High Prevalence of Rectal <i>Chlamydia trachomatis</i> Infection With the Same Genotype as Urogenital Infection in Female Outpatients in Sexually Transmitted Disease Clinics in China. Open Forum Infectious Diseases, 2022, 9, ofab569.	0.4	2
16	Evaluation of Drugs with Therapeutic Potential for Susceptibility of Neisseria Gonorrhoeae Isolates from 8 Provinces in China from 2018. Infection and Drug Resistance, 2020, Volume 13, 4475-4486.	1.1	1
17	Evaluation of Neisseria gonorrhoeae Isolates Susceptibility to Tetracycline Antibiotics from 9 Provinces in China Since 2020. Infection and Drug Resistance, 2022, Volume 15, 1383-1389.	1.1	1
18	P691â€Widespread use of high-dose ceftriaxone therapy for uncomplicated gonorrhea without reported ceftriaxone treatment failure. , 2019, , .		0

#	Article	IF	CITATIONS
19	Rectal Mycoplasma genitalium in Patients Attending Sexually Transmitted Disease Clinics in China: An Infection That Cannot Be Ignored. Infection and Drug Resistance, 2021, Volume 14, 2509-2515.	1.1	o
20	Prevalence of anatomically specific infections with <i>Chlamydia trachomatis</i> among men who have sex with men in China: protocol for a nationwide cross-sectional study as part of Disease Burden Surveillance of Infections with <i>Chlamydia</i> (DBSIC). BMJ Open, 2022, 12, e059176.	0.8	0