

Jorge Ferrer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3776458/publications.pdf>

Version: 2024-02-01

70
papers

8,470
citations

71102

41
h-index

88630

70
g-index

74
all docs

74
docs citations

74
times ranked

12271
citing authors

#	ARTICLE	IF	CITATIONS
1	Concurrent Activation of Kras and Canonical Wnt Signaling Induces Premalignant Lesions That Progress to Extrahepatic Biliary Cancer in Mice. <i>Cancer Research</i> , 2022, 82, 1803-1817.	0.9	7
2	Loss of Arid1a and Pten in Pancreatic Ductal Cells Induces Intraductal Tubulopapillary Neoplasm via the YAP/TAZ Pathway. <i>Gastroenterology</i> , 2022, 163, 466-480.e6.	1.3	12
3	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	21.4	250
4	<i>Hnf1b</i> -CreER causes efficient recombination of a Rosa26-RFP reporter in duct and islet β cells. <i>Islets</i> , 2021, 13, 134-139.	1.8	4
5	REST is a major negative regulator of endocrine differentiation during pancreas organogenesis. <i>Genes and Development</i> , 2021, 35, 1229-1242.	5.9	13
6	TIGER: The gene expression regulatory variation landscape of human pancreatic islets. <i>Cell Reports</i> , 2021, 37, 109807.	6.4	45
7	HNF1A recruits KDM6A to activate differentiated acinar cell programs that suppress pancreatic cancer. <i>EMBO Journal</i> , 2020, 39, e102808.	7.8	44
8	Human pancreatic islet three-dimensional chromatin architecture provides insights into the genetics of type 2 diabetes. <i>Nature Genetics</i> , 2019, 51, 1137-1148.	21.4	208
9	The Transcription Factor ERG Regulates Super-Enhancers Associated With an Endothelial-Specific Gene Expression Program. <i>Circulation Research</i> , 2019, 124, 1337-1349.	4.5	73
10	Genetic determinants of risk in pulmonary arterial hypertension: international genome-wide association studies and meta-analysis. <i>Lancet Respiratory Medicine</i> , 2019, 7, 227-238.	10.7	122
11	Re-analysis of public genetic data reveals a rare X-chromosomal variant associated with type 2 diabetes. <i>Nature Communications</i> , 2018, 9, 321.	12.8	85
12	Mir-184 expression is regulated by AMPK in pancreatic islets. <i>FASEB Journal</i> , 2018, 32, 2587-2600.	0.5	39
13	Long Non-coding RNAs as Local Regulators of Pancreatic Islet Transcription Factor Genes. <i>Frontiers in Genetics</i> , 2018, 9, 524.	2.3	26
14	Neuronatin regulates pancreatic β cell insulin content and secretion. <i>Journal of Clinical Investigation</i> , 2018, 128, 3369-3381.	8.2	47
15	Integrative network analysis highlights biological processes underlying GLP-1 stimulated insulin secretion: A DIRECT study. <i>PLoS ONE</i> , 2018, 13, e0189886.	2.5	9
16	Human Pancreatic β Cell lncRNAs Control Cell-Specific Regulatory Networks. <i>Cell Metabolism</i> , 2017, 25, 400-411.	16.2	195
17	Insights into beta cell regeneration for diabetes via integration of molecular landscapes in human insulinomas. <i>Nature Communications</i> , 2017, 8, 767.	12.8	67
18	A Loss-of-Function Splice Acceptor Variant in <i>IGF2</i> Is Protective for Type 2 Diabetes. <i>Diabetes</i> , 2017, 66, 2903-2914.	0.6	52

#	ARTICLE	IF	CITATIONS
19	The <i>cis</i> regulatory switchboard of pancreatic ductal cancer. <i>EMBO Journal</i> , 2016, 35, 558-560.	7.8	2
20	Beta Cell Hubs Dictate Pancreatic Islet Responses to Glucose. <i>Cell Metabolism</i> , 2016, 24, 389-401.	16.2	370
21	Can Insulin Production Suppress β^2 Cell Growth?. <i>Cell Metabolism</i> , 2016, 23, 4-5.	16.2	4
22	Transancestral fine-mapping of four type 2 diabetes susceptibility loci highlights potential causal regulatory mechanisms. <i>Human Molecular Genetics</i> , 2016, 25, 2070-2081.	2.9	21
23	<i>linc1</i> encodes a long noncoding RNA that regulates islet β^2 -cell formation and function. <i>Genes and Development</i> , 2016, 30, 502-507.	5.9	125
24	Transcriptional enhancers: functional insights and role in human disease. <i>Current Opinion in Genetics and Development</i> , 2015, 33, 71-76.	3.3	35
25	The FOXP1, FOXP2 and FOXP4 transcription factors are required for islet alpha cell proliferation and function in mice. <i>Diabetologia</i> , 2015, 58, 1836-1844.	6.3	41
26	Characterization of pancreatic NMDA receptors as possible drug targets for diabetes treatment. <i>Nature Medicine</i> , 2015, 21, 363-372.	30.7	126
27	Cell Cycle-Dependent Differentiation Dynamics Balances Growth and Endocrine Differentiation in the Pancreas. <i>PLoS Biology</i> , 2015, 13, e1002111.	5.6	53
28	TEAD and YAP regulate the enhancer network of human embryonic pancreatic progenitors. <i>Nature Cell Biology</i> , 2015, 17, 615-626.	10.3	188
29	Weaning Gives β^2 Cells License to Regenerate. <i>Developmental Cell</i> , 2015, 32, 531-532.	7.0	2
30	The zinc transporter ZIP12 regulates the pulmonary vascular response to chronic hypoxia. <i>Nature</i> , 2015, 524, 356-360.	27.8	113
31	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015, 47, 1415-1425.	21.4	365
32	Selective disruption of Tcf7l2 in the pancreatic β^2 cell impairs secretory function and lowers β^2 cell mass. <i>Human Molecular Genetics</i> , 2015, 24, 1390-1399.	2.9	89
33	Lineage fate of ductular reactions in liver injury and carcinogenesis. <i>Journal of Clinical Investigation</i> , 2015, 125, 2445-2457.	8.2	131
34	<i>GATA4</i> Mutations Are a Cause of Neonatal and Childhood-Onset Diabetes. <i>Diabetes</i> , 2014, 63, 2888-2894.	0.6	108
35	Recessive mutations in a distal PTF1A enhancer cause isolated pancreatic agenesis. <i>Nature Genetics</i> , 2014, 46, 61-64.	21.4	255
36	Transient cytokine treatment induces acinar cell reprogramming and regenerates functional beta cell mass in diabetic mice. <i>Nature Biotechnology</i> , 2014, 32, 76-83.	17.5	159

#	ARTICLE	IF	CITATIONS
37	The chromatin regulator Brg1 suppresses formation of intraductal papillary mucinous neoplasm and pancreatic ductal adenocarcinoma. <i>Nature Cell Biology</i> , 2014, 16, 255-267.	10.3	172
38	Argonaute2 Mediates Compensatory Expansion of the Pancreatic \hat{I}^2 Cell. <i>Cell Metabolism</i> , 2014, 19, 122-134.	16.2	139
39	Adult Duct-Lining Cells Can Reprogram into \hat{I}^2 -like Cells Able to Counter Repeated Cycles of Toxin-Induced Diabetes. <i>Developmental Cell</i> , 2013, 26, 86-100.	7.0	173
40	Canonical Notch2 signaling determines biliary cell fates of embryonic hepatoblasts and adult hepatocytes independent of Hes1. <i>Hepatology</i> , 2013, 57, 2469-2479.	7.3	85
41	The miRNA Profile of Human Pancreatic Islets and Beta-Cells and Relationship to Type 2 Diabetes Pathogenesis. <i>PLoS ONE</i> , 2013, 8, e55272.	2.5	178
42	GATA6 haploinsufficiency causes pancreatic agenesis in humans. <i>Nature Genetics</i> , 2012, 44, 20-22.	21.4	249
43	Human \hat{I}^2 Cell Transcriptome Analysis Uncovers lncRNAs That Are Tissue-Specific, Dynamically Regulated, and Abnormally Expressed in Type 2 Diabetes. <i>Cell Metabolism</i> , 2012, 16, 435-448.	16.2	410
44	Plasticity of Adult Human Pancreatic Duct Cells by Neurogenin3-Mediated Reprogramming. <i>PLoS ONE</i> , 2012, 7, e37055.	2.5	54
45	Glucose as a Mitogenic Hormone. <i>Cell Metabolism</i> , 2011, 13, 357-358.	16.2	6
46	Removing the Brakes on Cell Identity. <i>Developmental Cell</i> , 2011, 20, 411-412.	7.0	5
47	Mapping Open Chromatin with Formaldehyde-Assisted Isolation of Regulatory Elements. <i>Methods in Molecular Biology</i> , 2011, 791, 287-296.	0.9	12
48	A map of open chromatin in human pancreatic islets. <i>Nature Genetics</i> , 2010, 42, 255-259.	21.4	515
49	Family and Population-Based Studies of Variation within the Ghrelin Receptor Locus in Relation to Measures of Obesity. <i>PLoS ONE</i> , 2010, 5, e10084.	2.5	18
50	Recessive mutations in the <i>INS</i> gene result in neonatal diabetes through reduced insulin biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 3105-3110.	7.1	185
51	Derepression of Polycomb targets during pancreatic organogenesis allows insulin-producing beta-cells to adopt a neural gene activity program. <i>Genome Research</i> , 2010, 20, 722-732.	5.5	146
52	EuroDia: a beta-cell gene expression resource. <i>Database: the Journal of Biological Databases and Curation</i> , 2010, 2010, baq024-baq024.	3.0	9
53	Epistasis of Transcriptomes Reveals Synergism between Transcriptional Activators Hnf1 \hat{I}^2 and Hnf4 \hat{I}^2 . <i>PLoS Genetics</i> , 2010, 6, e1000970.	3.5	47
54	Functional Targets of the Monogenic Diabetes Transcription Factors HNF-1 \hat{I}^2 and HNF-4 \hat{I}^2 Are Highly Conserved Between Mice and Humans. <i>Diabetes</i> , 2009, 58, 1245-1253.	0.6	24

#	ARTICLE	IF	CITATIONS
55	Hnf1 β (MODY3) Controls Tissue-Specific Transcriptional Programs and Exerts Opposed Effects on Cell Growth in Pancreatic Islets and Liver. <i>Molecular and Cellular Biology</i> , 2009, 29, 2945-2959.	2.3	122
56	Pancreatic Exocrine Duct Cells Give Rise to Insulin-Producing β^2 Cells during Embryogenesis but Not after Birth. <i>Developmental Cell</i> , 2009, 17, 849-860.	7.0	428
57	PDX1 Deficiency Causes Mitochondrial Dysfunction and Defective Insulin Secretion through TFAM Suppression. <i>Cell Metabolism</i> , 2009, 10, 110-118.	16.2	102
58	Targeted Deficiency of the Transcriptional Activator Hnf1 β Alters Subnuclear Positioning of Its Genomic Targets. <i>PLoS Genetics</i> , 2008, 4, e1000079.	3.5	18
59	Distinct Roles of HNF1 β , HNF1 α , and HNF4 β in Regulating Pancreas Development, β -Cell Function and Growth. <i>Endocrine Development</i> , 2007, 12, 33-45.	1.3	101
60	Macrosomia and Hyperinsulinaemic Hypoglycaemia in Patients with Heterozygous Mutations in the HNF4A Gene. <i>PLoS Medicine</i> , 2007, 4, e118.	8.4	349
61	Putting pancreatic cell plasticity to the test. <i>Journal of Clinical Investigation</i> , 2007, 117, 859-862.	8.2	4
62	The Transcription Factor Hepatocyte Nuclear Factor-6 Controls the Development of Pancreatic Ducts in the Mouse. <i>Gastroenterology</i> , 2006, 130, 532-541.	1.3	131
63	A Conditional Model Reveals That Induction of Hepatocyte Nuclear Factor-1 α in Hnf1 α -Null Mutant β -Cells Can Activate Silenced Genes Postnatally, Whereas Overexpression Is Deleterious. <i>Diabetes</i> , 2006, 55, 2202-2211.	0.6	22
64	A Novel -192c/g Mutation in the Proximal P2 Promoter of the Hepatocyte Nuclear Factor-4 α Gene (HNF4A) Associates With Late-Onset Diabetes. <i>Diabetes</i> , 2006, 55, 1869-1873.	0.6	12
65	Hnf6 and Tcf2 (MODY5) are linked in a gene network operating in a precursor cell domain of the embryonic pancreas. <i>Human Molecular Genetics</i> , 2003, 12, 3307-3314.	2.9	139
66	Hepatic Nuclear Factor 1 β Directs Nucleosomal Hyperacetylation to Its Tissue-Specific Transcriptional Targets. <i>Molecular and Cellular Biology</i> , 2001, 21, 3234-3243.	2.3	124
67	Regulated Expression of Adenosine Triphosphate-Sensitive Potassium Channel Subunits in Pancreatic β -Cells. <i>Endocrinology</i> , 2001, 142, 129-138.	2.8	17
68	Molecular cloning and expression of novel sulphotransferase-like cDNAs from human and rat brain. <i>Biochemical Journal</i> , 2000, 346, 857.	3.7	33
69	Early-onset type-II diabetes mellitus (MODY4) linked to IPF1. <i>Nature Genetics</i> , 1997, 17, 138-139.	21.4	849
70	Pancreatic Islet Cells Express a Family of Inwardly Rectifying K $^+$ Channel Subunits Which Interact to Form G-protein-activated Channels. <i>Journal of Biological Chemistry</i> , 1995, 270, 26086-26091.	3.4	72