

Rupeï Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3777176/publications.pdf>

Version: 2024-02-01

92
papers

2,494
citations

172457

29
h-index

233421

45
g-index

94
all docs

94
docs citations

94
times ranked

3089
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Fluoride-Ortho Ester Dimer-Based pH-Sensitive Nanoparticles for Oxygen Delivery and Enhanced Photodynamic Therapy. <i>Particle and Particle Systems Characterization</i> , 2022, 39, . | 2.3 | 2 |
| 2 | Acid-sensitive polymeric prodrug micelles for achieving enhanced chemo-photodynamic therapy. <i>Journal of Drug Delivery Science and Technology</i> , 2022, 74, 103514. | 3.0 | 1 |
| 3 | Chemosensitizing micelles self-assembled from amphiphilic TPGS-indomethacin twin drug for significantly synergetic multidrug resistance reversal. <i>Journal of Biomaterials Applications</i> , 2021, 35, 994-1004. | 2.4 | 3 |
| 4 | pH-sensitive micelles self-assembled from star-shaped TPGS copolymers with ortho ester linkages for enhanced MDR reversal and chemotherapy. <i>Asian Journal of Pharmaceutical Sciences</i> , 2021, 16, 363-373. | 9.1 | 8 |
| 5 | Self-assembled 5-fluorouracil-cinnamaldehyde nanodrugs for greatly improved chemotherapy in vivo. <i>Journal of Biomaterials Applications</i> , 2021, 36, 088532822198953. | 2.4 | 2 |
| 6 | Self-assembled ternary hybrid nanodrugs for overcoming tumor resistance and metastasis. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 3595-3607. | 12.0 | 12 |
| 7 | Dynamic methotrexate nano-prodrugs with detachable PEGylation for highly selective synergistic chemotherapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 201, 111619. | 5.0 | 6 |
| 8 | A small molecule nanodrug consisting of pH-sensitive ortho ester-dasatinib conjugate for cancer therapy. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021, 163, 188-197. | 4.3 | 11 |
| 9 | Dynamic precise dual-drug-backboned nano-prodrugs for selective chemotherapy. <i>Acta Biomaterialia</i> , 2021, 129, 209-219. | 8.3 | 15 |
| 10 | Hybrid nanoparticles based on ortho ester-modified pluronic L61 and chitosan for efficient doxorubicin delivery. <i>International Journal of Biological Macromolecules</i> , 2021, 183, 1596-1606. | 7.5 | 6 |
| 11 | Glucose-Targeted Hydroxyapatite/Indocyanine Green Hybrid Nanoparticles for Collaborative Tumor Therapy. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 37665-37679. | 8.0 | 12 |
| 12 | Carrier-free prodrug nanoparticles based on dasatinib and cisplatin for efficient antitumor in vivo. <i>Asian Journal of Pharmaceutical Sciences</i> , 2021, 16, 762-771. | 9.1 | 17 |
| 13 | Cisplatin-Cross-Linked and Oxygen-Resupply Hyaluronic Acid-Based Nanocarriers for Chemo-photodynamic Therapy. <i>ACS Applied Nano Materials</i> , 2021, 4, 10194-10208. | 5.0 | 9 |
| 14 | Lactobionic acid-modified phycocyanin nanoparticles loaded with doxorubicin for synergistic chemo-photodynamic therapy. <i>International Journal of Biological Macromolecules</i> , 2021, 186, 206-217. | 7.5 | 10 |
| 15 | Acid-sensitive and L61-crosslinked hyaluronic acid nanogels for overcoming tumor drug-resistance. <i>International Journal of Biological Macromolecules</i> , 2021, 188, 11-23. | 7.5 | 14 |
| 16 | pH-triggered small molecule nano-prodrugs emulsified from tryptamine-cinnamaldehyde twin drug for targeted synergistic glioma therapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 207, 112052. | 5.0 | 6 |
| 17 | A sequentially responsive nanogel via Pt(IV) crosslinking for overcoming GSH-mediated platinum resistance. <i>Journal of Colloid and Interface Science</i> , 2021, 601, 85-97. | 9.4 | 14 |
| 18 | pH-sensitive and tumor-targeting nanogels based on ortho ester-modified PEG for improving the in vivo anti-tumor efficiency of doxorubicin. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 207, 112024. | 5.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Dynamic micelles with detachable PEGylation at tumoral extracellular pH for enhanced chemotherapy. <i>Asian Journal of Pharmaceutical Sciences</i> , 2020, 15, 728-738. | 9.1 | 4 |
| 20 | pH-sensitive, dynamic graft polymer micelles via simple synthesis for enhanced chemotherapeutic efficacy. <i>Journal of Biomaterials Applications</i> , 2020, 34, 1059-1070. | 2.4 | 3 |
| 21 | Use of Microfluidics to Fabricate Bioerodable Lipid Hybrid Nanoparticles Containing Hydromorphone or Ketamine for the Relief of Intractable Pain. <i>Pharmaceutical Research</i> , 2020, 37, 211. | 3.5 | 9 |
| 22 | Effective treatment of drug-resistant lung cancer via a nanogel capable of reactivating cisplatin and enhancing early apoptosis. <i>Biomaterials</i> , 2020, 257, 120252. | 11.4 | 36 |
| 23 | Hybrid micelles based on Pt (IV) polymeric prodrug and TPGS for the enhanced cytotoxicity in drug-resistant lung cancer cells. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 195, 111256. | 5.0 | 16 |
| 24 | GLUT1-Targeting and GSH-Responsive DOX/L61 Nanodrug Particles for Enhancing MDR Breast Cancer Therapy. <i>Particle and Particle Systems Characterization</i> , 2020, 37, 2000165. | 2.3 | 7 |
| 25 | pH-sensitive deoxycholic acid dimer for improving doxorubicin delivery and antitumor activity in vivo. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 196, 111319. | 5.0 | 6 |
| 26 | Oxygen-producing catalase-based prodrug nanoparticles overcoming resistance in hypoxia-mediated chemo-photodynamic therapy. <i>Acta Biomaterialia</i> , 2020, 112, 234-249. | 8.3 | 69 |
| 27 | pH-sensitive bromelain nanoparticles by ortho ester crosslinkage for enhanced doxorubicin penetration in solid tumor. <i>Materials Science and Engineering C</i> , 2020, 113, 111004. | 7.3 | 33 |
| 28 | Indomethacin-grafted and pH-sensitive dextran micelles for overcoming inflammation-mediated multidrug resistance in breast cancer. <i>Carbohydrate Polymers</i> , 2020, 237, 116139. | 10.2 | 37 |
| 29 | Ag Nanoparticles Cluster with pH-Triggered Reassembly in Targeting Antimicrobial Applications. <i>Advanced Functional Materials</i> , 2020, 30, 2000511. | 14.9 | 98 |
| 30 | Pluronic micelles with suppressing doxorubicin efflux and detoxification for efficiently reversing breast cancer resistance. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 146, 105275. | 4.0 | 32 |
| 31 | Active-targeting and acid-sensitive pluronic prodrug micelles for efficiently overcoming MDR in breast cancer. <i>Journal of Materials Chemistry B</i> , 2020, 8, 2726-2737. | 5.8 | 24 |
| 32 | pH-sensitive pluronic micelles combined with oxidative stress amplification for enhancing multidrug resistance breast cancer therapy. <i>Journal of Colloid and Interface Science</i> , 2020, 565, 254-269. | 9.4 | 30 |
| 33 | pH-sensitive small molecule nanodrug self-assembled from amphiphilic vitamin B6-E analogue conjugate for targeted synergistic cancer therapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 191, 111000. | 5.0 | 7 |
| 34 | Low molecular weight PEI-grafted carboxyl-modified soybean protein as gene carriers with reduced cytotoxicity and greatly improved transfection in vitro. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2019, 68, 617-627. | 3.4 | 4 |
| 35 | pH-sensitive and pluronic-modified pullulan nanogels for greatly improved antitumor in vivo. <i>International Journal of Biological Macromolecules</i> , 2019, 139, 277-289. | 7.5 | 22 |
| 36 | Self-Assembled Indomethacin Dimer Nanoparticles Loaded with Doxorubicin for Combination Therapy in Resistant Breast Cancer. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 28597-28609. | 8.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Biochemical characteristics and crystallographic evidence for substrate-assisted catalysis of a \hat{I}^2 -N-acetylhexosaminidase in <i>Akkermansia muciniphila</i> . <i>Biochemical and Biophysical Research Communications</i> , 2019, 517, 29-35. | 2.1 | 9 |
| 38 | Sequentially dynamic polymeric micelles with detachable PEGylation for enhanced chemotherapeutic efficacy. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 145, 54-64. | 4.3 | 13 |
| 39 | pH-sensitive carboxymethyl chitosan hydrogels via acid-labile ortho ester linkage as an implantable drug delivery system. <i>Carbohydrate Polymers</i> , 2019, 225, 115237. | 10.2 | 35 |
| 40 | Acid-breakable TPGS-functionalized and diallyl disulfide-crosslinked nanogels for enhanced inhibition of MCF-7/ADR solid tumours. <i>Journal of Materials Chemistry B</i> , 2019, 7, 240-250. | 5.8 | 16 |
| 41 | pH/redox dual-sensitive platinum (IV)-based micelles with greatly enhanced antitumor effect for combination chemotherapy. <i>Journal of Colloid and Interface Science</i> , 2019, 541, 30-41. | 9.4 | 44 |
| 42 | Co-delivery of DOX and PDTTC by pH-sensitive nanoparticles to overcome multidrug resistance in breast cancer. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 181, 185-197. | 5.0 | 42 |
| 43 | TPGS-grafted and acid-responsive soy protein nanogels for efficient intracellular drug release, accumulation, penetration in 3D tumor spheroids of drug-resistant cancer cells. <i>Materials Science and Engineering C</i> , 2019, 102, 863-875. | 7.3 | 26 |
| 44 | Intestine-penetrating, pH-sensitive and double-layered nanoparticles for oral delivery of doxorubicin with reduced toxicity. <i>Journal of Materials Chemistry B</i> , 2019, 7, 3692-3703. | 5.8 | 12 |
| 45 | Acid-labile hyperbranched poly(ortho ester amido amine) as efficient gene carriers: Preparation, characterization, and in vitro evaluation. <i>Journal of Biomaterials Applications</i> , 2019, 34, 104-116. | 2.4 | 3 |
| 46 | Crystallographic evidence for substrate-assisted catalysis of \hat{I}^2 -N-acetylhexosaminidase from <i>Akkermansia muciniphila</i> . <i>Biochemical and Biophysical Research Communications</i> , 2019, 511, 833-839. | 2.1 | 10 |
| 47 | Carboxymethyl chitosan-based nanogels via acid-labile ortho ester linkages mediated enhanced drug delivery. <i>International Journal of Biological Macromolecules</i> , 2019, 129, 477-487. | 7.5 | 34 |
| 48 | Surface-fluorinated and pH-sensitive carboxymethyl chitosan nanoparticles to overcome biological barriers for improved drug delivery in vivo. <i>Carbohydrate Polymers</i> , 2019, 208, 59-69. | 10.2 | 41 |
| 49 | Phenylboronic acid-functionalized ultra-pH-sensitive micelles for enhanced tumor penetration and inhibition in vitro. <i>Journal of Materials Science</i> , 2019, 54, 5695-5711. | 3.7 | 4 |
| 50 | pH-sensitive amphiphilic triblock copolymers containing ortho ester main-chains as efficient drug delivery platforms. <i>Materials Science and Engineering C</i> , 2019, 94, 169-178. | 7.3 | 17 |
| 51 | Bromelain-immobilized and lactobionic acid-modified chitosan nanoparticles for enhanced drug penetration in tumor tissues. <i>International Journal of Biological Macromolecules</i> , 2018, 115, 129-142. | 7.5 | 37 |
| 52 | pH-triggered poly(ethylene glycol) nanogels prepared through orthoester linkages as potential drug carriers. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2018, 67, 1059-1068. | 3.4 | 0 |
| 53 | Dual-stimuli-sensitive poly(ortho ester disulfide urethanes)-based nanospheres with rapid intracellular drug release for enhanced chemotherapy. <i>Science China Chemistry</i> , 2018, 61, 1447-1459. | 8.2 | 9 |
| 54 | Backbone-Based LCST-Type Hyperbranched Poly(oligo(ethylene glycol)) with CO ₂ -Reversible Iminoboronate Linkers. <i>Macromolecular Chemistry and Physics</i> , 2018, 219, 1800346. | 2.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | TPGS-functionalized and ortho ester-crosslinked dextran nanogels for enhanced cytotoxicity on multidrug resistant tumor cells. <i>Carbohydrate Polymers</i> , 2018, 198, 142-154. | 10.2 | 26 |
| 56 | Acid-degradable lactobionic acid-modified soy protein nanogels crosslinked by ortho ester linkage for efficient antitumor in vivo. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2018, 128, 247-258. | 4.3 | 19 |
| 57 | Hybrid pH-sensitive nanogels surface-functionalized with collagenase for enhanced tumor penetration. <i>Journal of Colloid and Interface Science</i> , 2018, 525, 269-281. | 9.4 | 48 |
| 58 | Succinyl pullulan-crosslinked carboxymethyl chitosan sponges for potential wound dressing. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2017, 66, 61-70. | 3.4 | 18 |
| 59 | In vitro and in vivo antitumor study of folic acid-conjugated carboxymethyl chitosan and phenylboronic acid-based nanoparticles. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2017, 66, 495-506. | 3.4 | 7 |
| 60 | Stepwise targeted drug delivery to liver cancer cells for enhanced therapeutic efficacy by galactose-grafted, ultra-pH-sensitive micelles. <i>Acta Biomaterialia</i> , 2017, 51, 363-373. | 8.3 | 59 |
| 61 | 3-Carboxyphenylboronic acid-modified carboxymethyl chitosan nanoparticles for improved tumor targeting and inhibitory. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017, 113, 168-177. | 4.3 | 47 |
| 62 | Acid-degradable poly(ortho ester urethanes) copolymers for potential drug carriers: Preparation, characterization, in vitro and in vivo evaluation. <i>Polymer</i> , 2017, 114, 1-14. | 3.8 | 22 |
| 63 | Dynamic, ultra-pH-sensitive graft copolymer micelles mediated rapid, complete destruction of 3-D tumor spheroids in vitro. <i>Polymer</i> , 2017, 111, 192-203. | 3.8 | 22 |
| 64 | Tunable dynamic fluorinated poly(orthoester)-based drug carriers for greatly enhanced chemotherapeutic efficacy. <i>Polymer Chemistry</i> , 2017, 8, 2063-2073. | 3.9 | 25 |
| 65 | pH-triggered chitosan nanogels via an ortho ester-based linkage for efficient chemotherapy. <i>Acta Biomaterialia</i> , 2017, 60, 232-243. | 8.3 | 37 |
| 66 | Acid-degradable carboxymethyl chitosan nanogels via an ortho ester linkage mediated improved penetration and growth inhibition of 3-D tumor spheroids in vitro. <i>Materials Science and Engineering C</i> , 2017, 78, 246-257. | 7.3 | 45 |
| 67 | Hyaluronic acid nanogels prepared via ortho ester linkages show pH-triggered behavior, enhanced penetration and antitumor efficacy in 3-D tumor spheroids. <i>Journal of Colloid and Interface Science</i> , 2017, 504, 25-38. | 9.4 | 35 |
| 68 | Well-Defined Poly(Ortho Ester Amides) for Potential Drug Carriers: Probing the Effect of Extra- and Intracellular Drug Release on Chemotherapeutic Efficacy. <i>Macromolecular Bioscience</i> , 2017, 17, 1600503. | 4.1 | 12 |
| 69 | pH-sensitive nanogels with ortho ester linkages prepared via thiol-ene click chemistry for efficient intracellular drug release. <i>Journal of Colloid and Interface Science</i> , 2017, 508, 282-290. | 9.4 | 24 |
| 70 | pH-sensitive carboxymethyl chitosan hydrogels via acid-labile ortho ester linkage for potential biomedical applications. <i>Carbohydrate Polymers</i> , 2017, 178, 166-179. | 10.2 | 37 |
| 71 | pH-sensitive poly(ortho ester urethanes) copolymers with controlled degradation kinetic: Synthesis, characterization, and in vitro evaluation as drug carriers. <i>European Polymer Journal</i> , 2017, 95, 275-288. | 5.4 | 23 |
| 72 | Bromelain-decorated hybrid nanoparticles based on lactobionic acid-conjugated chitosan for in vitro anti-tumor study. <i>Journal of Biomaterials Applications</i> , 2017, 32, 206-218. | 2.4 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Folic acid-modified soy protein nanoparticles for enhanced targeting and inhibitory. <i>Materials Science and Engineering C</i> , 2017, 71, 298-307. | 7.3 | 38 |
| 74 | Folic acid-conjugated soybean protein-based nanoparticles mediate efficient antitumor ability in vitro. <i>Journal of Biomaterials Applications</i> , 2017, 31, 832-843. | 2.4 | 18 |
| 75 | Low Molecular Weight PEI-Based Vectors via Acid-Labile Ortho Ester Linkage for Improved Gene Delivery. <i>Macromolecular Bioscience</i> , 2016, 16, 1175-1187. | 4.1 | 39 |
| 76 | Acid-Labile Copolymer Micelles Cross-Linked by a Twin Ortho Ester Cross-Linking Agent: Synthesis, Characterization, and Evaluation. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 2182-2190. | 2.2 | 4 |
| 77 | Phenylboronic acid-decorated gelatin nanoparticles for enhanced tumor targeting and penetration. <i>Nanotechnology</i> , 2016, 27, 385101. | 2.6 | 30 |
| 78 | Acid-labile poly(ortho ester amino alcohols) by ring-opening polymerization for controlled DNA release and improved serum tolerance. <i>Polymer</i> , 2016, 96, 146-155. | 3.8 | 19 |
| 79 | Hypromellose succinate-crosslinked chitosan hydrogel films for potential wound dressing. <i>International Journal of Biological Macromolecules</i> , 2016, 91, 85-91. | 7.5 | 74 |
| 80 | Surface-Eroding Poly(ortho ester amides) for Highly Efficient Oral Chemotherapy. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 10436-10445. | 8.0 | 48 |
| 81 | Carboxyl-modified poly(vinyl alcohol)-crosslinked chitosan hydrogel films for potential wound dressing. <i>Carbohydrate Polymers</i> , 2015, 125, 189-199. | 10.2 | 228 |
| 82 | Diblock Copolymers of Polyethylene Glycol and a Polymethacrylamide with Side-Chains Containing Twin Ortho Ester Rings: Synthesis, Characterization, and Evaluation as Potential pH-Responsive Micelles. <i>Macromolecular Bioscience</i> , 2015, 15, 385-394. | 4.1 | 23 |
| 83 | PEGylated block copolymers containing tertiary amine side-chains cleavable via acid-labile ortho ester linkages for pH-triggered release of DNA. <i>Polymer</i> , 2014, 55, 2761-2771. | 3.8 | 20 |
| 84 | Synthesis and Characterization of Homopolymers Bearing Acid-Cleavable Cationic Side-Chains for pH-Modulated Release of DNA. <i>Macromolecular Bioscience</i> , 2014, 14, 1015-1024. | 4.1 | 17 |
| 85 | Block copolymer micelles with acid-labile ortho ester side-chains: Synthesis, characterization, and enhanced drug delivery to human glioma cells. <i>Journal of Controlled Release</i> , 2011, 151, 18-27. | 9.9 | 190 |
| 86 | pH-Responsive Micelles Based on Amphiphilic Block Copolymers Bearing Ortho Ester Pendants as Potential Drug Carriers. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 1185-1192. | 2.2 | 22 |
| 87 | Synthesis and characterization of new poly(ortho ester amidine) copolymers for non-viral gene delivery. <i>Polymer</i> , 2011, 52, 921-932. | 3.8 | 51 |
| 88 | Well-defined block copolymers for gene delivery to dendritic cells: Probing the effect of polycation chain-length. <i>Journal of Controlled Release</i> , 2010, 142, 229-237. | 9.9 | 60 |
| 89 | Amphiphilic Block Copolymers Bearing Ortho Ester Side-Chains: pH-Dependent Hydrolysis and Self-Assembly in Water. <i>Macromolecular Bioscience</i> , 2010, 10, 192-201. | 4.1 | 60 |
| 90 | Poly(ortho ester amides): Acid-Labile Temperature-Responsive Copolymers for Potential Biomedical Applications. <i>Biomacromolecules</i> , 2009, 10, 722-727. | 5.4 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Evaluation of cationic polymers as carriers and adjuvants for DNA vaccines. FASEB Journal, 2008, 22, 575-575. | 0.5 | 0 |
| 92 | Carrier-free prodrug nanoparticles based on lonidamine and cisplatin for synergistic treatment of breast cancer. Journal of Biomaterials Applications, 0, , 088532822211079. | 2.4 | 1 |