

Judit Hohmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3778214/publications.pdf>

Version: 2024-02-01

231
papers

6,771
citations

87888

38
h-index

91884

69
g-index

253
all docs

253
docs citations

253
times ranked

8333
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Euphorbia</i> Diterpenes: Isolation, Structure, Biological Activity, and Synthesis (2008–2012). <i>Chemical Reviews</i> , 2014, 114, 8579-8612.	47.7	392
2	Antimicrobial and antiplasmodial activities of essential oils. <i>Fytoterap</i> , 2006, 77, 279-285.	2.2	310
3	Natural phenanthrenes and their biological activity. <i>Phytochemistry</i> , 2008, 69, 1084-1110.	2.9	296
4	Antimicrobial and antioxidant activity of kaempferol rhamnoside derivatives from <i>Bryophyllum pinnatum</i> . <i>BMC Research Notes</i> , 2012, 5, 158.	1.4	182
5	Protective Effects of the Aerial Parts of <i>Salvia officinalis</i> , <i>Melissa officinalis</i> and <i>Lavandula angustifolia</i> and their Constituents against Enzyme-Dependent and Enzyme-Independent Lipid Peroxidation. <i>Planta Medica</i> , 1999, 65, 576-578.	1.3	167
6	The Genus <i>Rumex</i> : Review of traditional uses, phytochemistry and pharmacology. <i>Journal of Ethnopharmacology</i> , 2015, 175, 198-228.	4.1	157
7	The health benefits of blackcurrants. <i>Food and Function</i> , 2012, 3, 795.	4.6	144
8	Alkaloids from <i>Leucojum vernum</i> and Antiretroviral Activity of Amaryllidaceae Alkaloids. <i>Planta Medica</i> , 2004, 70, 871-873.	1.3	131
9	Reversal of Multidrug Resistance by Natural Substances from Plants. <i>Current Topics in Medicinal Chemistry</i> , 2010, 10, 1757-1768.	2.1	120
10	Anthocyanin-rich black currant (<i>Ribes nigrum</i> L.) extract affords chemoprevention against diethylnitrosamine-induced hepatocellular carcinogenesis in rats. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 1035-1046.	4.2	119
11	Inhibition of quorum sensing signals by essential oils. <i>Phytotherapy Research</i> , 2010, 24, 782-786.	5.8	118
12	Diterpenes from European <i>Euphorbia</i> Species Serving as Prototypes for Natural Product-Based Drug Discovery. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 5115-5130.	2.4	113
13	Phenanthrenes: A Promising Group of Plant Secondary Metabolites. <i>Journal of Natural Products</i> , 2018, 81, 661-678.	3.0	105
14	Antioxidant Activity of Leaves of <i>Salvia</i> Species in Enzyme-Dependent and Enzyme-Independent Systems of Lipid Peroxidation and their Phenolic Constituents. <i>Planta Medica</i> , 2001, 67, 366-368.	1.3	102
15	Discovery and Biological Evaluation of a New Family of Potent Modulators of Multidrug Resistance: Reversal of Multidrug Resistance of Mouse Lymphoma Cells by New Natural Jatrophanone Diterpenoids Isolated from <i>Euphorbia</i> Species. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 2425-2431.	6.4	102
16	Antiproliferative effect of flavonoids and sesquiterpenoids from <i>Achillea millefolium</i> s.l. on cultured human tumour cell lines. <i>Phytotherapy Research</i> , 2009, 23, 672-676.	5.8	102
17	An ethnopharmacological survey of the traditional medicine utilized in the community of Porvenir, Bajo Paragu; Indian Reservation, Bolivia. <i>Journal of Ethnopharmacology</i> , 2012, 139, 838-857.	4.1	98
18	Diterpenoids and flavonoids from the fruits of <i>Vitex agnus-castus</i> and antioxidant activity of the fruit extracts and their constituents. <i>Phytotherapy Research</i> , 2007, 21, 391-394.	5.8	91

#	ARTICLE	IF	CITATIONS
19	Xanthane sesquiterpenoids: structure, synthesis and biological activity. <i>Natural Product Reports</i> , 2011, 28, 824.	10.3	86
20	Inhibition of Multidrug Resistance of Cancer Cells by Natural Diterpenes, Triterpenes and Carotenoids. <i>Current Pharmaceutical Design</i> , 2006, 12, 287-311.	1.9	83
21	Qualitative and quantitative analysis of aconitine-type and lipo-alkaloids of <i>Aconitum carmichaelii</i> roots. <i>Journal of Chromatography A</i> , 2009, 1216, 2079-2086.	3.7	73
22	Antiproliferative Amaryllidaceae Alkaloids Isolated from the Bulbs of <i>Sprekelia formosissima</i> and <i>Hymenocallis festalis</i> . <i>Planta Medica</i> , 2002, 68, 454-457.	1.3	63
23	Recent advances in the analysis of flavonolignans of <i>Silybum marianum</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 130, 301-317.	2.8	63
24	Diterpenoids from <i>Euphorbia peplus</i> . <i>Planta Medica</i> , 2000, 66, 291-294.	1.3	62
25	Jatrophane Diterpenoids from <i>Euphorbia mongolica</i> as Modulators of the Multidrug Resistance of L5128 Mouse Lymphoma Cells. <i>Journal of Natural Products</i> , 2003, 66, 976-979.	3.0	57
26	Identification of Endocannabinoid System-Modulating <i>N</i> -Alkylamides from <i>Heliopsis helianthoides</i> var. <i>scabra</i> and <i>Lepidium meyenii</i> . <i>Journal of Natural Products</i> , 2014, 77, 1663-1669.	3.0	56
27	Macrocyclic Diterpene Polyesters of the Jatrophane Type from <i>Euphorbia esula</i> . <i>Journal of Natural Products</i> , 1997, 60, 331-335.	3.0	55
28	Antiproliferative activity of Hungarian Asteraceae species against human cancer cell lines. Part II. <i>Phytotherapy Research</i> , 2009, 23, 1109-1115.	5.8	55
29	Bioactivity-guided isolation of antiproliferative compounds from <i>Centaurea jacea</i> L.. <i>FÄ-toterapÄ-Äç</i> , 2012, 83, 921-925.	2.2	55
30	Antiproliferative Constituents of the Roots of <i>Conyza canadensis</i> . <i>Planta Medica</i> , 2011, 77, 1183-1188.	1.3	49
31	Antiproliferative activity of Hungarian Asteraceae species against human cancer cell lines. Part I. <i>Phytotherapy Research</i> , 2007, 21, 1200-1208.	5.8	46
32	Antibacterial properties of compounds isolated from <i>Carpobrotus edulis</i> . <i>International Journal of Antimicrobial Agents</i> , 2011, 37, 438-444.	2.5	46
33	Investigation of Cytotoxic Activity on Human Cancer Cell Lines of Arborinine and Furanoacridones Isolated from <i>Ruta graveolens</i> . <i>Planta Medica</i> , 2007, 73, 41-48.	1.3	45
34	Antibacterial screening of <i>Rumex</i> species native to the Carpathian Basin and bioactivity-guided isolation of compounds from <i>Rumex aquaticus</i> . <i>FÄ-toterapÄ-Äç</i> , 2017, 118, 101-106.	2.2	45
35	Antitumor activity of alkaloids derived from Amaryllidaceae species. <i>In Vivo</i> , 2009, 23, 41-8.	1.3	44
36	Antiinflammatory Activities of Hungarian <i>Stachys</i> species and Their Iridoids. <i>Phytotherapy Research</i> , 2012, 26, 505-509.	5.8	42

#	ARTICLE	IF	CITATIONS
37	Cytotoxicities and Anti-Herpes Simplex Virus Activities of Diterpenes Isolated from Euphorbia Species. <i>Planta Medica</i> , 2001, 67, 672-674.	1.3	41
38	Bioactivity-guided isolation of antiproliferative compounds from <i>Centaurea arenaria</i> . <i>Phytotherapy Research</i> , 2010, 24, 1664-1669.	5.8	40
39	Jatrophone Diterpenes from <i>Euphorbia esula</i> as Antiproliferative Agents and Potent Chemosensitizers to Overcome Multidrug Resistance. <i>Journal of Natural Products</i> , 2011, 74, 1453-1461.	3.0	40
40	Anthocyanin-rich black currant extract suppresses the growth of human hepatocellular carcinoma cells. <i>Natural Product Communications</i> , 2010, 5, 1613-8.	0.5	40
41	Alkamides and a neolignan from <i>Echinacea purpurea</i> roots and the interaction of alkamides with G-protein-coupled cannabinoid receptors. <i>Phytochemistry</i> , 2011, 72, 1848-1853.	2.9	38
42	Black Currant Anthocyanins Abrogate Oxidative Stress through Nrf2-Mediated Antioxidant Mechanisms in a Rat Model of Hepatocellular Carcinoma. <i>Current Cancer Drug Targets</i> , 2012, 12, 1244-1257.	1.6	37
43	Euphosalicin, a new diterpene polyester with multidrug resistance reversing activity from <i>Euphorbia salicifolia</i> . <i>Tetrahedron</i> , 2001, 57, 211-215.	1.9	36
44	Quality control of <i>Hypericum perforatum</i> L. analytical challenges and recent progress. <i>Journal of Pharmacy and Pharmacology</i> , 2018, 71, 15-37.	2.4	36
45	Antiproliferative Activity of Polygonaceae Species from the Carpathian Basin against Human Cancer Cell Lines. <i>Phytotherapy Research</i> , 2013, 27, 77-85.	5.8	35
46	Inhibition of COX-2 and NF- κ B1 Gene Expression, NO Production, 5-LOX, and COX-1 and COX-2 Enzymes by Extracts and Constituents of <i>Onopordum acanthium</i> . <i>Planta Medica</i> , 2015, 81, 1270-1276.	1.3	35
47	Phenanthrenes from <i>Juncus inflexus</i> with Antimicrobial Activity against Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Journal of Natural Products</i> , 2016, 79, 2814-2823.	3.0	35
48	Jatrophone diterpenoids from <i>Euphorbia peplus</i> . <i>Phytochemistry</i> , 1999, 51, 673-677.	2.9	34
49	The traditional Hungarian medicinal plant <i>Centaurea sadleriana</i> Janka accelerates wound healing in rats. <i>Journal of Ethnopharmacology</i> , 2010, 127, 193-195.	4.1	34
50	Flavonolacyl Glycosides of the Aerial Parts of <i>Eryngium campestre</i> . <i>Planta Medica</i> , 1997, 63, 96-96.	1.3	33
51	<i>Carpobrotus edulis</i> methanol extract inhibits the MDR efflux pumps, enhances killing of phagocytosed <i>S. aureus</i> and promotes immune modulation. <i>Phytotherapy Research</i> , 2003, 17, 512-519.	5.8	33
52	Identification of diterpene alkaloids from <i>Aconitum napellus</i> subsp. <i>firmum</i> and GIRK channel activities of some <i>Aconitum</i> alkaloids. <i>FÄ-toterapÄ-Äç</i> , 2013, 90, 85-93.	2.2	33
53	Clinical Aspects of <i>Aconitum</i> Preparations. <i>Planta Medica</i> , 2015, 81, 1017-1028.	1.3	33
54	Antiproliferative and cytotoxic activities of furocoumarins of <i>Ducrosia anethifolia</i> . <i>Pharmaceutical Biology</i> , 2018, 56, 658-664.	2.9	33

#	ARTICLE	IF	CITATIONS
55	Pubescenes, Jatropane Diterpenes, from <i>Euphorbia pubescens</i> , with Multidrug Resistance Reversing Activity on Mouse Lymphoma Cells. <i>Planta Medica</i> , 2004, 70, 81-84.	1.3	30
56	C19 and C20 Diterpene Alkaloids from <i>Aconitum toxicum</i> Rchb.. <i>Helvetica Chimica Acta</i> , 2006, 89, 2981-2986.	1.6	30
57	Black currant phytoconstituents exert chemoprevention of diethylnitrosamine-initiated hepatocarcinogenesis by suppression of the inflammatory response. <i>Molecular Carcinogenesis</i> , 2013, 52, 304-317.	2.7	30
58	Pharmacological insight into the anti-inflammatory activity of sesquiterpene lactones from <i>Neurolaena lobata</i> (L.) R.Br. ex Cass. <i>Phytomedicine</i> , 2014, 21, 1695-1701.	5.3	30
59	Cirsiliol Suppressed Epithelial to Mesenchymal Transition in B16F10 Malignant Melanoma Cells through Alteration of the PI3K/Akt/NF- κ B Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2019, 20, 608.	4.1	30
60	Cytotoxic Phenanthrenes from the Rhizomes of <i>Tamus communis</i> . <i>Planta Medica</i> , 2006, 72, 767-770.	1.3	28
61	Cyclomyrsinane and premysrinane diterpenes from <i>Euphorbia falcata</i> modulate resistance of cancer cells to doxorubicin. <i>Tetrahedron</i> , 2012, 68, 1280-1285.	1.9	28
62	Xanthanolides with Antitumour Activity from <i>Xanthium italicum</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009, 64, 343-349.	1.4	27
63	The effect of Echinacea preparations in three laboratory tests of anxiety: comparison with chlordiazepoxide. <i>Phytotherapy Research</i> , 2010, 24, 1605-1613.	5.8	27
64	Unusual Tiglliane Diterpenes from <i>Euphorbia grandicornis</i> . <i>Journal of Natural Products</i> , 2011, 74, 639-643.	3.0	27
65	EXTRACTION OF HYPERFORIN AND HYPERICIN FROM ST. JOHN'S WORT (<i>HYPERICUM PERFORATUM</i> L.) WITH DIFFERENT SOLVENTS. <i>Journal of Food Process Engineering</i> , 2012, 35, 222-235.	2.9	26
66	Isolation and Structure Revision of Pepluane Diterpenoids from <i>Euphorbia peplus</i> . <i>Journal of Natural Products</i> , 1999, 62, 107-109.	3.0	25
67	Gymnopeptides A and B, Cyclic Octadecapeptides from the Mushroom <i>Gymnopus fusipes</i> . <i>Organic Letters</i> , 2016, 18, 2688-2691.	4.6	25
68	Bioactivity-Guided Isolation of Antimicrobial and Antioxidant Metabolites from the Mushroom <i>Tapinella atrotomentosa</i> . <i>Molecules</i> , 2018, 23, 1082.	3.8	25
69	Salicifoline and salicinolide, new diterpene polyesters from <i>Euphorbia salicifolia</i> . <i>Tetrahedron Letters</i> , 2001, 42, 6581-6584.	1.4	24
70	Semisynthesis and pharmacological investigation of lipo-alkaloids prepared from aconitine. <i>FÄ-toterapÄ-Ä</i> , 2011, 82, 365-368.	2.2	24
71	Antiproliferative Activity of <i>Artemisia asiatica</i> Extract and Its Constituents on Human Tumor Cell Lines. <i>Planta Medica</i> , 2014, 80, 1692-1697.	1.3	24
72	Effects of <i>Chelidonium majus</i> extracts and major alkaloids on hERG potassium channels and on dog cardiac action potential - A safety approach. <i>FÄ-toterapÄ-Ä</i> , 2015, 100, 156-165.	2.2	24

#	ARTICLE	IF	CITATIONS
73	Family Juncaceae: promising source of biologically active natural phenanthrenes. <i>Phytochemistry Reviews</i> , 2018, 17, 833-851.	6.5	24
74	Jatrophane diterpenoids from <i>Euphorbia esula</i> . <i>Phytochemistry</i> , 1998, 47, 1309-1313.	2.9	23
75	Supercritical carbon dioxide extraction of sea buckthorn (<i>Hippophae rhamnoides</i> L.) pomace. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 2472-2481.	3.5	23
76	Supercritical fluid extraction of <i>Vitex agnus castus</i> fruit. <i>Journal of Supercritical Fluids</i> , 2008, 47, 188-194.	3.2	23
77	New premyrsinane-type diterpene polyesters from <i>Euphorbia falcata</i> . <i>Tetrahedron</i> , 2011, 67, 7289-7293.	1.9	23
78	Xanthine Oxidase Inhibitory Activity of Extracts Prepared from Polygonaceae Species. <i>Phytotherapy Research</i> , 2015, 29, 459-465.	5.8	23
79	Isolation of Phorbol Esters from <i>Euphorbia grandicornis</i> and Evaluation of Protein Kinase C- and Human Platelet-Activating Effects of Euphorbiaceae Diterpenes. <i>Journal of Natural Products</i> , 2016, 79, 2658-2666.	3.0	23
80	Myrsinane, Premyrsinane, and Cyclomyrsinane Diterpenes from <i>Euphorbia falcata</i> as Potassium Ion Channel Inhibitors with Selective G Protein-Activated Inwardly Rectifying Ion Channel (GIRK) Blocking Effects. <i>Journal of Natural Products</i> , 2016, 79, 1990-2004.	3.0	23
81	Cytotoxic diterpene quinones from <i>Salvia tebesana</i> Bunge. <i>FÄ-toterapÄ-Ät</i> , 2018, 128, 97-101.	2.2	23
82	The electrophysiological effect of cannabidiol on hERG current and in guinea-pig and rabbit cardiac preparations. <i>Scientific Reports</i> , 2020, 10, 16079.	3.3	23
83	Bioactive Constituents of <i>Cirsium japonicum</i> var. <i>australe</i> . <i>Journal of Natural Products</i> , 2014, 77, 1624-1631.	3.0	22
84	Bioactivity-Guided Investigation of the Anti-Inflammatory Activity of <i>Hippophae rhamnoides</i> Fruits. <i>Planta Medica</i> , 2018, 84, 26-33.	1.3	22
85	Chemo-Diversity and Antiradical Potential of Twelve <i>Matricaria chamomilla</i> L. Populations from Iran: Proof of Ecological Effects. <i>Molecules</i> , 2019, 24, 1315.	3.8	22
86	Flavonoids Isolated from <i>Rumex aquaticus</i> Exhibit Neuroprotective and Neurorestorative Properties by Enhancing Neurite Outgrowth and Synaptophysin. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014, 13, 1458-1464.	1.4	22
87	Antiviral activities of extracts of <i>Euphorbia hirta</i> L. against HIV-1, HIV-2 and SIVmac251. <i>In Vivo</i> , 2009, 23, 429-32.	1.3	22
88	Diterpene Alkaloids from the Roots of <i>Aconitum moldavicum</i> and Assessment of Navâ€™s 1.2 Sodium Channel Activity of <i>Aconitum</i> Alkaloids. <i>Planta Medica</i> , 2014, 80, 231-236.	1.3	21
89	New tri- and tetracyclic diterpenes from <i>Euphorbia villosa</i> . <i>Tetrahedron</i> , 2004, 60, 5025-5030.	1.9	20
90	Anti-inflammatory Activities of Eleven <i>Centaurea</i> Species Occurring in the Carpathian Basin. <i>Phytotherapy Research</i> , 2013, 27, 540-544.	5.8	20

#	ARTICLE	IF	CITATIONS
91	New iridoids from the roots of <i>Valeriana dioscoridis</i> Sm.. <i>FÃ-toterapÃ-Ãç</i> , 2018, 130, 73-78.	2.2	20
92	Bioactive constituents of <i>Lindernia crustacea</i> and its anti-EBV effect via Rta expression inhibition in the viral lytic cycle. <i>Journal of Ethnopharmacology</i> , 2020, 250, 112493.	4.1	20
93	Antitumour properties of acridone alkaloids on a murine lymphoma cell line. <i>Anticancer Research</i> , 2008, 28, 2737-43.	1.1	20
94	A Novel Lathyrane Diterpenoid from the Roots of <i>Euphorbia lathyris</i> . <i>Journal of Natural Products</i> , 1999, 62, 176-178.	3.0	19
95	Rearranged Jatrophane-Type Diterpenes from <i>Euphorbia</i> Species. Evaluation of their Effects on the Reversal of Multidrug Resistance. <i>Planta Medica</i> , 2004, 70, 45-49.	1.3	19
96	Bioactivity-Guided Isolation of Cytotoxic Sesquiterpenes and Flavonoids from <i>Anthemis ruthenica</i> . <i>Planta Medica</i> , 2010, 76, 94-96.	1.3	19
97	Sesquiterpenes from <i>Neurolaena lobata</i> and Their Antiproliferative and Anti-inflammatory Activities. <i>Journal of Natural Products</i> , 2014, 77, 576-582.	3.0	19
98	Phenolic antioxidants of <i>Morus nigra</i> roots, and antitumor potential of morusin. <i>Phytochemistry Reviews</i> , 2018, 17, 1031-1045.	6.5	19
99	Evidence Supports Tradition: The in Vitro Effects of Roman Chamomile on Smooth Muscles. <i>Frontiers in Pharmacology</i> , 2018, 9, 323.	3.5	19
100	New MDR modulators and apoptosis inducers from <i>Euphorbia</i> species. <i>Anticancer Research</i> , 2007, 27, 3451-8.	1.1	19
101	Isolation and Structure Determination of New Jatrophane Diterpenoids from <i>Euphorbia platyphyllos</i> L.. <i>Helvetica Chimica Acta</i> , 2003, 86, 3386-3393.	1.6	18
102	Leucovernine and Acetylleucovernine, Alkaloids from <i>Leucojum vernum</i> . <i>Journal of Natural Products</i> , 2005, 68, 1588-1591.	3.0	18
103	Antioxidant activity-guided phytochemical investigation of <i>Artemisia gmelinii</i> Webb. ex Stechm.: Isolation and spectroscopic challenges of 3,5-O-dicaffeoyl (epi?) quinic acid and its ethyl ester. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 59, 83-89.	2.8	18
104	Diterpene Lipo-Alkaloids with Selective Activities on Cardiac K ⁺ Channels. <i>Planta Medica</i> , 2017, 83, 1321-1328.	1.3	18
105	New Sesquiterpene Polyesters from <i>Euonymus</i> Species. <i>Journal of Natural Products</i> , 1995, 58, 1192-1199.	3.0	17
106	Serrulatin A and B, New Diterpene Polyesters from <i>Euphorbia serrulata</i> . <i>Tetrahedron</i> , 2000, 56, 3619-3623.	1.9	17
107	Chemoprevention and inhibition of Pâ€glycoprotein in cancer cells by Chinese medicinal herbs. <i>Phytotherapy Research</i> , 2008, 22, 1671-1676.	5.8	17
108	Alkylbenzoquinones with antiproliferative effect against human cancer cell lines from stem of <i>Ardisia kivuensis</i> . <i>Phytochemistry Letters</i> , 2011, 4, 227-230.	1.2	17

#	ARTICLE	IF	CITATIONS
109	Investigation of the Antiproliferative Properties of Natural Sesquiterpenes from <i>Artemisia asiatica</i> and <i>Onopordum acanthium</i> on HL-60 Cells in Vitro. <i>International Journal of Molecular Sciences</i> , 2016, 17, 83.	4.1	17
110	Use, history, and liquid chromatography/mass spectrometry chemical analysis of <i>Aconitum</i> . <i>Journal of Food and Drug Analysis</i> , 2016, 24, 29-45.	1.9	17
111	A Stilbene from the Roots of <i>Leuzeacarthamoides</i> . <i>Journal of Natural Products</i> , 1998, 61, 1298-1299.	3.0	16
112	Structural characterization and dynamic NMR studies of a new peracylated macrocyclic diterpene. , 1999, 37, 365-370.		16
113	Bisnorditerpene, Norditerpene, and Lipo-alkaloids from <i>Aconitum toxicum</i> . <i>Journal of Natural Products</i> , 2008, 71, 1779-1782.	3.0	16
114	Diterpene Alkaloids from <i>Aconitum anthora</i> and Assessment of the hERG-Inhibiting Ability of <i>Aconitum</i> Alkaloids. <i>Planta Medica</i> , 2011, 77, 368-373.	1.3	16
115	Antifungal Activity and Composition of Essential Oils of <i>Conyza canadensis</i> Herbs and Roots. <i>Scientific World Journal</i> , The, 2012, 2012, 1-5.	2.1	16
116	Isolation of Chemical Constituents of <i>Centaurea virgata</i> Lam. and Xanthine Oxidase Inhibitory Activity of the Plant Extract and Compounds. <i>Medicinal Chemistry</i> , 2017, 13, 498-502.	1.5	16
117	Norditerpenoid Alkaloids from <i>Consolida orientalis</i> and Complete ¹ H and ¹³ C NMR Signal Assignments of Some Lycoctonine-Type Alkaloids. <i>Journal of Natural Products</i> , 2002, 65, 1069-1072.	3.0	15
118	Comparison of a specific HPLC determination of toxic aconite alkaloids in processed <i>Radix aconiti</i> with a titration method of total alkaloids. <i>Pharmaceutical Biology</i> , 2011, 49, 1097-1101.	2.9	15
119	Jatrophane diterpenoids with multidrug resistance-modulating activity from <i>Euphorbia mongolica</i> Prokh.. <i>Tetrahedron</i> , 2012, 68, 8403-8407.	1.9	15
120	Chemical constituents of <i>Salvia dichroantha</i> . <i>Biochemical Systematics and Ecology</i> , 2012, 42, 18-20.	1.3	15
121	Investigation of Hungarian mushrooms for antibacterial activity and synergistic effects with standard antibiotics against resistant bacterial strains. <i>Letters in Applied Microbiology</i> , 2016, 62, 437-443.	2.2	15
122	Abietane diterpenoids from <i>Sideritis montana</i> L. and their antiproliferative activity. <i>FÄ-toterapÄ-c</i> , 2017, 122, 90-94.	2.2	15
123	Investigation of the Antiproliferative Action of the Quinoline Alkaloids Kokusaginine and Skimmianine on Human Cell Lines. <i>Current Signal Transduction Therapy</i> , 2013, 8, 148-155.	0.5	15
124	Phenanthrenes and a dihydrophenanthrene from <i>Tamus communis</i> and their cytotoxic activity. <i>Phytochemistry</i> , 2007, 68, 687-691.	2.9	14
125	Anti-Atherogenic Properties of <i>Allium ursinum</i> Liophylisate: Impact on Lipoprotein Homeostasis and Cardiac Biomarkers in Hypercholesterolemic Rabbits. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1284.	4.1	14
126	Pellitorine, an extract of <i>Tetradium daniellii</i> , is an antagonist of the ion channel TRPV1. <i>Phytomedicine</i> , 2017, 34, 44-49.	5.3	14

#	ARTICLE	IF	CITATIONS
127	Bioactive Segetane, Ingenane, and Jatrophane Diterpenes from <i>Euphorbia taurinensis</i> . <i>Planta Medica</i> , 2018, 84, 729-735.	1.3	14
128	Diterpenoids from <i>Euphorbia dulcis</i> with Potassium Ion Channel Inhibitory Activity with Selective G Protein-Activated Inwardly Rectifying Ion Channel (GIRK) Blocking Effect. <i>Journal of Natural Products</i> , 2018, 81, 2483-2492.	3.0	14
129	Sesquiterpene Lactones and Flavonoids from <i>Psephellus pyrrhoblepharus</i> with Antiproliferative Activity on Human Gynecological Cancer Cell Lines. <i>Molecules</i> , 2019, 24, 3165.	3.8	14
130	14-Noreudesmanes and a phenylpropane heterodimer from sea buckthorn berry inhibit Herpes simplex type 2 virus replication. <i>Tetrahedron</i> , 2019, 75, 1364-1370.	1.9	14
131	Investigation of natural phenanthrenes and the antiproliferative potential of juncusol in cervical cancer cell lines. <i>Phytomedicine</i> , 2019, 58, 152770.	5.3	14
132	Flavonoid, stilbene and diarylheptanoid constituents of <i>Persicaria maculosa</i> Gray and cytotoxic activity of the isolated compounds. <i>FÄ-toterapÄ-Äç</i> , 2020, 145, 104610.	2.2	14
133	A natural compound from <i>Hydnophytum formicarium</i> induces apoptosis of MCF-7 cells via up-regulation of Bax. <i>Cancer Cell International</i> , 2010, 10, 14.	4.1	13
134	Volatile and some non-volatile chemical constituents of Mediterranean <i>Salvia</i> species beyond their native area. <i>Israel Journal of Plant Sciences</i> , 2010, 58, 273-277.	0.5	13
135	Phenanthrenes from <i>Juncus Compressus</i> Jacq. with Promising Antiproliferative and Anti-HSV-2 Activities. <i>Molecules</i> , 2018, 23, 2085.	3.8	13
136	Secondary metabolites from the aerial parts of <i>Sideritis germanicopolitana</i> and their <i>in vitro</i> enzyme inhibitory activities. <i>Natural Product Research</i> , 2021, 35, 655-658.	1.8	13
137	Antiproliferative Effects of Various Furanoacridones Isolated from <i>Ruta graveolens</i> on Human Breast Cancer Cell Lines. <i>Anticancer Research</i> , 2016, 36, 2751-8.	1.1	13
138	Antimicrobial, Multidrug Resistance Reversal and Biofilm Formation Inhibitory Effect of <i>Origanum majorana</i> Extracts, Essential Oil and Monoterpenes. <i>Plants</i> , 2022, 11, 1432.	3.5	13
139	Two sesquiterpene pyridine alkaloids from <i>Euonymus sachalinensis</i> . <i>Phytochemistry</i> , 1993, 34, 879-880.	2.9	12
140	Phenylpropanoid glycosides and diterpenoids from <i>Salvia officinalis</i> . <i>Biochemical Systematics and Ecology</i> , 2003, 31, 427-429.	1.3	12
141	Acovulparine, a New Norditerpene Alkaloid from <i>Aconitum vulparia</i> . <i>Helvetica Chimica Acta</i> , 2004, 87, 2125-2130.	1.6	12
142	Flavonoids from <i>Cyclopia genistoides</i> and Their Xanthine Oxidase Inhibitory Activity. <i>Planta Medica</i> , 2016, 82, 1274-1278.	1.3	12
143	The Safety of Dronabinol and Nabilone: A Systematic Review and Meta-Analysis of Clinical Trials. <i>Pharmaceuticals</i> , 2022, 15, 100.	3.8	12
144	Isolation and structure determination of new 4,12-dideoxyphorbol esters from <i>Euphorbia pannonica</i> Host.. <i>Tetrahedron</i> , 2009, 65, 4013-4016.	1.9	11

#	ARTICLE	IF	CITATIONS
145	Sympathomimetic Activity of a <i>Hoodia gordonii</i> Product: A Possible Mechanism of Cardiovascular Side Effects. <i>BioMed Research International</i> , 2013, 2013, 1-6.	1.9	11
146	Study of <i>in vitro</i> antimicrobial and antiproliferative activities of selected Saharan plants. <i>Acta Biologica Hungarica</i> , 2015, 66, 385-394.	0.7	11
147	Jatropane diterpenes from <i>Euphorbia guyoniana</i> are new potent inhibitors of atrial GIRK channels. <i>Tetrahedron</i> , 2016, 72, 5724-5728.	1.9	11
148	Isolation and quantitative analysis of physalin D in the fruit and calyx of <i>Physalis alkekengi</i> L.. <i>Acta Biologica Hungarica</i> , 2017, 68, 300-309.	0.7	11
149	Triterpenes from the Mushroom <i>Hypholoma lateritium</i> : Isolation, Structure Determination and Investigation in Bdelloid Rotifer Assays. <i>Molecules</i> , 2019, 24, 301.	3.8	11
150	12-Deoxyphorbol Esters Induce Growth Arrest and Apoptosis in Human Lung Cancer A549 Cells Via Activation of PKC- δ /PKD/ERK Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7579.	4.1	11
151	Gerardiins A and Structurally Related Phenanthrenes from the Halophyte Plant <i>Juncus gerardii</i> and Their Cytotoxicity against Triple-Negative Breast Cancer Cells. <i>Journal of Natural Products</i> , 2020, 83, 3058-3068.	3.0	11
152	Uncovering Modern Clinical Applications of Fuzi and Fuzi-Based Formulas: A Nationwide Descriptive Study With Market Basket Analysis. <i>Frontiers in Pharmacology</i> , 2021, 12, 641530.	3.5	11
153	Sesquiterpene esters from <i>Euonymus nanus</i> . <i>Phytochemistry</i> , 1994, 35, 1267-1270.	2.9	10
154	New Diterpenoids from the Aerial Parts of <i>Salvia candelabrum</i> . <i>Planta Medica</i> , 2003, 69, 254-257.	1.3	9
155	Comparative Study of the Antioxidant Activities of Eleven <i>Salvia</i> Species. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	9
156	Validation of a densitometric method for the determination of theanine in tea extracts using CP atlas software. <i>Journal of Planar Chromatography - Modern TLC</i> , 2012, 25, 571-574.	1.2	9
157	The germacranolide sesquiterpene lactone neurolenin B of the medicinal plant <i>Neurolaena lobata</i> (L.) R.Br. ex Cass inhibits NPM/ALK-driven cell expansion and NF- κ B-driven tumour intravasation. <i>Phytomedicine</i> , 2015, 22, 862-874.	5.3	9
158	Bioactivity guided isolation of phytoestrogenic compounds from <i>Cyclopia genistoides</i> by the pER8:GUS reporter system. <i>South African Journal of Botany</i> , 2017, 110, 201-207.	2.5	9
159	Green bio-inspired synthesis, characterization and activity of silver nanoparticle forms of <i>Centaurea virgata</i> Lam. and the isolated flavonoid eupatorin. <i>Green Processing and Synthesis</i> , 2018, 7, 372-379.	3.4	9
160	Flavonol 7-O-Glucoside Herbacintrin Inhibits HIV-1 Replication through Simultaneous Integrase and Reverse Transcriptase Inhibition. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-6.	1.2	9
161	Phenanthrenes from <i>Juncus atratus</i> with antiproliferative activity. <i>Tetrahedron</i> , 2019, 75, 116-120.	1.9	9
162	Bioactivity-guided isolation of antiproliferative compounds from the roots of <i>Onopordum acanthium</i> . <i>Natural Product Communications</i> , 2014, 9, 337-40.	0.5	9

#	ARTICLE	IF	CITATIONS
163	A sesquiterpene polyol ester from <i>Euonymus sachalinensis</i> . <i>Phytochemistry</i> , 1993, 33, 503-505.	2.9	8
164	Isolation and Structural Characterization of New, Highly Functionalized Diterpenes from <i>Euphorbia serrulata</i> . <i>Helvetica Chimica Acta</i> , 2003, 86, 280-289.	1.6	8
165	<i>Aconitum</i> lipo-alkaloids – Semisynthetic Products of the Traditional Medicine. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.5	8
166	Low Potency Homeopathic Remedies and Allopathic Herbal Medicines: Is There an Overlap?. <i>PLoS ONE</i> , 2013, 8, e74181.	2.5	8
167	Evaluation of Lignans from <i>Heliopsis helianthoides</i> var. <i>scabra</i> for Their Potential Antimetastatic Effects in the Brain. <i>Journal of Natural Products</i> , 2014, 77, 2641-2650.	3.0	8
168	Xanthine Oxidase Inhibitory Activity of Hungarian Wild-Growing Mushrooms. <i>Phytotherapy Research</i> , 2014, 28, 1204-1210.	5.8	8
169	Diterpene Constituents of <i>Euphorbia exigua</i> L. and Multidrug Resistance Reversing Activity of the Isolated Diterpenes. <i>Chemistry and Biodiversity</i> , 2015, 12, 1214-1221.	2.1	8
170	Lobatin B inhibits NPM/ALK and NF- κ B attenuating anaplastic-large-cell-lymphomagenesis and lymphendothelial tumour intravasation. <i>Cancer Letters</i> , 2015, 356, 994-1006.	7.2	8
171	Screening of <i>Luzula</i> species native to the Carpathian Basin for anti-inflammatory activity and bioactivity-guided isolation of compounds from <i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott. <i>FÄ-toterapÄ-Äç</i> , 2017, 116, 131-138.	2.2	8
172	Cerebrosides and Steroids from the Edible Mushroom <i>Meripilus giganteus</i> with Antioxidant Potential. <i>Molecules</i> , 2020, 25, 1395.	3.8	8
173	Pigments of the Moss <i>Paraleucobryum longifolium</i> : Isolation and Structure Elucidation of Prenyl-Substituted 8,8-Linked 9,10-Phenanthrenequinone Dimers. <i>Journal of Natural Products</i> , 2020, 83, 268-276.	3.0	8
174	Secondary metabolites from <i>Verbascum bugulifolium</i> Lam. and their bioactivities. <i>Natural Product Research</i> , 2021, 35, 5294-5298.	1.8	8
175	Triterpenes from <i>Pholiota populnea</i> as Cytotoxic Agents and Chemosensitizers to Overcome Multidrug Resistance of Cancer Cells. <i>Journal of Natural Products</i> , 2022, 85, 910-916.	3.0	8
176	Diterpenes from the Aerial Parts of <i>Salvia candelabrum</i> and their Protective Effects against Lipid Peroxidation. <i>Planta Medica</i> , 2003, 69, 1156-1159.	1.3	7
177	Diterpene and norditerpene alkaloids from <i>Consolida orientalis</i> . <i>Biochemical Systematics and Ecology</i> , 2005, 33, 1081-1085.	1.3	7
178	β 2-Adrenergic activity of 6-methoxykaempferol-3-O-glucoside on rat uterus: In vitro and in silico studies. <i>European Journal of Pharmacology</i> , 2011, 667, 348-354.	3.5	7
179	Identification of Iridoids, Flavonoids and Triterpenes from the Methanolic Extract of <i>Melampyrum bihariense</i> A. Kern. and the Antioxidant Activity of the Extract. <i>Chromatographia</i> , 2014, 77, 1153-1159.	1.3	7
180	Oxidized Juncuenin B Analogues with Increased Antiproliferative Activity on Human Adherent Cell Lines: Semisynthesis and Biological Evaluation. <i>Journal of Natural Products</i> , 2020, 83, 3250-3261.	3.0	7

#	ARTICLE	IF	CITATIONS
181	Anti-inflammatory, Antiplatelet Aggregation, and Antiangiogenesis Polyketides from <i>Epicoccum sorghinum</i> : Toward an Understating of Its Biological Activities and Potential Applications. ACS Omega, 2020, 5, 11092-11099.	3.5	7
182	Extracts and Steroids from the Edible Mushroom <i>Hypholoma lateritium</i> Exhibit Anti-inflammatory Properties by Inhibition of COX-2 and Activation of Nrf2. Chemistry and Biodiversity, 2020, 17, e2000391.	2.1	7
183	Triterpenes and Phenolic Compounds from the Fungus <i>Fuscoporia torulosa</i> : Isolation, Structure Determination and Biological Activity. Molecules, 2021, 26, 1657.	3.8	7
184	Ingol and Ingenol-Type Diterpenes from <i>Euphorbia trigona</i> Miller with Keratinocyte Inhibitory Activity. Plants, 2021, 10, 1206.	3.5	7
185	Inhibition of human cytomegalovirus IE gene expression by dihydro-beta-agarofuran sesquiterpenes isolated from <i>Euonymus</i> species. In Vivo, 2008, 22, 787-92.	1.3	7
186	A new phenanthridine alkaloid from <i>Hymenocallis festalis</i> . Fä-toterapÄ-Äç, 2002, 73, 749-751.	2.2	6
187	Bioactivity-guided Isolation of Antiproliferative Compounds from the Roots of <i>Onopordum acanthium</i> . Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	6
188	Antibacterial screening of Juncaceae species native to the Carpathian Basin against resistant strains and LC-MS investigation of phenanthrenes responsible for the effect. Fä-toterapÄ-Äç, 2016, 115, 69-73.	2.2	6
189	Three New Iridoid Glycosides from the Aerial Parts of <i>Asperula involucrata</i> . Chemistry and Biodiversity, 2017, 14, e1600288.	2.1	6
190	<i>Ducrosia</i> spp., Rare Plants with Promising Phytochemical and Pharmacological Characteristics: An Updated Review. Pharmaceuticals, 2020, 13, 175.	3.8	6
191	4,5-Seco-5,10-friedo-abietane-type diterpenoids with anticancer activity from <i>Salvia atropatana</i> Bunge. Naunyn-Schmiedeberg's Archives of Pharmacology, 2021, 394, 241-248.	3.0	6
192	Isolation of secondary metabolites from the Iranian medicinal plant <i>Eremurus persicus</i> . Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2021, 76, 43-47.	1.4	6
193	Investigation of Antimicrobial, Antioxidant, and Xanthine Oxidase-Inhibitory Activities of <i>Phellinus</i> (Agaricomycetes) Mushroom Species Native to Central Europe. International Journal of Medicinal Mushrooms, 2017, 19, 387-394.	1.5	6
194	The effectiveness of Fuzi in combination with routine heart failure treatment on chronic heart failure patients. Journal of Ethnopharmacology, 2022, 289, 115040.	4.1	6
195	Anthranoyl-substituted Norditerpene Alkaloids from <i>Aconitum vulparia</i> Rchb. and Their Cytotoxic Activities. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2007, 62, 135-141.	0.7	5
196	Inhibition of G Protein-Activated Inwardly Rectifying K ⁺ Channels by Extracts of <i>Polygonum persicaria</i> and Isolation of New Flavonoids from the Chloroform Extract of the Herb. Planta Medica, 2013, 79, 1736-1741.	1.3	5
197	Editorial: Ethnopharmacology in Central and Eastern Europe in the Context of Global Research Developments. Frontiers in Pharmacology, 2019, 10, 341.	3.5	5
198	Kiautschovin, a Novel Sesquiterpenoid from <i>Euonymus kiautschovicus</i> . Journal of Natural Products, 1994, 57, 320-323.	3.0	4

#	ARTICLE	IF	CITATIONS
199	Bioactivity-guided Study of Antiproliferative Activities of Salvia Extracts. Natural Product Communications, 2011, 6, 1934578X1100600.	0.5	4
200	A Validated RP-HPLC-DAD Method for the Determination of L-Theanine in Tea. Food Analytical Methods, 2014, 7, 591-596.	2.6	4
201	First phytochemical investigation of secondary metabolites of Euphorbia davidii Subils. and antiproliferative activity of its extracts. Acta Biologica Hungarica, 2015, 66, 464-467.	0.7	4
202	Development of an optimized processing method for Withania frutescens. Acta Alimentaria, 2016, 45, 452-456.	0.7	4
203	Phytochemical investigation of <i>Rumex thyrsoiflorus</i> Fingerh.. Acta Biologica Hungarica, 2017, 68, 232-236.	0.7	4
204	GIRK channel activity of Hungarian mushrooms: From screening to biologically active metabolites. FÁ-toterapÁ-Áç, 2019, 137, 104272.	2.2	4
205	Less Cytotoxic Protoflavones as Antiviral Agents: Protoapigenone 1- ² -O-isopropyl ether Shows Improved Selectivity Against the Epstein-Barr Virus Lytic Cycle. International Journal of Molecular Sciences, 2019, 20, 6269.	4.1	4
206	Antiproliferative Activity of Some Higher Mushrooms from Hungary against Human Cancer Cell Lines. International Journal of Medicinal Mushrooms, 2015, 17, 1145-1149.	1.5	4
207	Homonuclear Selective One-Dimensional Gradient NMR Experiments in the Structure Determination of Natural Diterpene Derivatives. Monatshefte FÁ¼r Chemie, 2002, 133, 1249-1261.	1.8	3
208	Chemical Composition of Essential Oils of Grindelia squarrosa and G. hirsutula. Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	3
209	Two New neo-clerodane Diterpenes from Scutellaria galericulata. Chemistry of Natural Compounds, 2018, 54, 77-80.	0.8	3
210	Planar chromatography in the quality control of adulterated Citrus paradisi seed extract-containing products. Journal of Planar Chromatography - Modern TLC, 2018, 31, 23-27.	1.2	3
211	Antiproliferative Phenanthrenes from Juncus tenuis: Isolation and Diversity-Oriented Semisynthetic Modification. Molecules, 2020, 25, 5983.	3.8	3
212	Bioactive Compounds from Euphorbia usambarica Pax. with HIV-1 Latency Reversal Activity. Pharmaceuticals, 2021, 14, 653.	3.8	3
213	Quality control of maca-containing (Lepidium meyenii Walp.) dietary supplements. Acta Alimentaria, 2015, 44, 461-467.	0.7	3
214	Polyoxypregnane Ester Derivatives and Lignans from Euphorbia gossypina var. coccinea Pax.. Plants, 2022, 11, 1299.	3.5	3
215	Chemical Analysis of the Edible Mushroom <i>Tricholoma populinum</i> : Steroids and Sulfinyladenosine Compounds. Natural Product Communications, 2017, 12, 1934578X1701201.	0.5	2
216	Isolation and Pharmacological Investigation of Compounds From <i>Euphorbia matabelensis</i> . Natural Product Communications, 2019, 14, 1934578X1986350.	0.5	2

#	ARTICLE	IF	CITATIONS
217	Juncaceae Species as Promising Sources of Phenanthrenes: Antiproliferative Compounds from <i>Juncus maritimus</i> Lam. <i>Molecules</i> , 2021, 26, 999.	3.8	2
218	Structural characterization and dynamic NMR studies of a new peracylated macrocyclic diterpene. <i>Magnetic Resonance in Chemistry</i> , 1999, 37, 365-370.	1.9	2
219	Isolation and Structure Determination of Antiproliferative Secondary Metabolites from the Potato Earthball Mushroom, <i>Scleroderma bovista</i> (Agaricomycetes). <i>International Journal of Medicinal Mushrooms</i> , 2018, 20, 411-418.	1.5	2
220	Effects of two disiloxanes ALIS-409 and ALIS-421 on chemoprevention in model experiments. <i>Anticancer Research</i> , 2013, 33, 2021-7.	1.1	2
221	Unique Phenanthrenes from <i>Juncus ensifolius</i> and Their Antiproliferative and Synergistic Effects with the Conventional Anticancer Agent Doxorubicin against Human Cancer Cell Lines. <i>Pharmaceutics</i> , 2022, 14, 608.	4.5	2
222	Isolation, Structure Determination of Sesquiterpenes from <i>Neurolaena lobata</i> and Their Antiproliferative, Cell Cycle Arrest-Inducing and Anti-Invasive Properties against Human Cervical Tumor Cells. <i>Pharmaceutics</i> , 2021, 13, 2088.	4.5	2
223	Conformational properties of a pyridyl-substituted cinnamic acid studied by NMR measurements and computations. <i>Journal of Molecular Structure</i> , 2013, 1044, 286-289.	3.6	1
224	Isolation and structural determination of new metabolites from <i>Artemisia asiatica</i> roots. <i>Tetrahedron</i> , 2015, 71, 4817-4820.	1.9	1
225	In silico and in vitro pharmacological investigations of a natural alkaloid. <i>Medicinal Chemistry Research</i> , 2012, 21, 4100-4107.	2.4	0
226	Possible Role of Fat Tissue in the Pharmacokinetics of Dodeca-2 <i>E</i> ,4 <i>E</i> ,8 <i>Z</i> ,10 <i>E</i> / <i>Z</i> -tetraenoic Acid Isobutylamides after Oral Administration of <i>Echinacea angustifolia</i> Extract in Rats. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	0
227	Anti-inflammatory Activity of <i>Melampyrum barbatum</i> and Isolation of Iridoid and Flavonoid Compounds. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	0
228	Trends in natural product research: PSE young scientists™ meeting, Budapest 2019 biochemistry, molecular aspects and pharmacology of bioactive natural products. <i>Phytochemistry Reviews</i> , 2020, 19, 1303-1305.	6.5	0
229	Revealing of biodiversity and antimicrobial effects of <i>Artemisia asiatica</i> endophytes. <i>Acta Biologica Szegediensis</i> , 2021, 64, 111-119.	0.3	0
230	Structure Elucidation of Norditerpene Alkaloids from Ranunculaceae Species. , 2007, , 85-100.		0
231	Isolation of cytotoxic phenoloids from leaves of <i>Centrapalus pauciflorus</i> . , 2022, , .		0