Judit Hohmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3778214/publications.pdf

Version: 2024-02-01

231 papers 6,771 citations

38 h-index 91884 69 g-index

253 all docs

253 docs citations

times ranked

253

8333 citing authors

#	Article	IF	CITATIONS
1	The Safety of Dronabinol and Nabilone: A Systematic Review and Meta-Analysis of Clinical Trials. Pharmaceuticals, 2022, 15, 100.	3.8	12
2	The effectiveness of Fuzi in combination with routine heart failure treatment on chronic heart failure patients. Journal of Ethnopharmacology, 2022, 289, 115040.	4.1	6
3	Triterpenes from <i>Pholiota populnea</i> as Cytotoxic Agents and Chemosensitizers to Overcome Multidrug Resistance of Cancer Cells. Journal of Natural Products, 2022, 85, 910-916.	3.0	8
4	Unique Phenanthrenes from Juncus ensifolius and Their Antiproliferative and Synergistic Effects with the Conventional Anticancer Agent Doxorubicin against Human Cancer Cell Lines. Pharmaceutics, 2022, 14, 608.	4.5	2
5	Polyoxypregnane Ester Derivatives and Lignans from Euphorbia gossypina var. coccinea Pax Plants, 2022, 11, 1299.	3.5	3
6	Antimicrobial, Multidrug Resistance Reversal and Biofilm Formation Inhibitory Effect of Origanum majorana Extracts, Essential Oil and Monoterpenes. Plants, 2022, 11, 1432.	3.5	13
7	Isolation of cytotoxic phenoloids from leaves of <i>Centrapalus pauciflorus</i> ., 2022, , .		O
8	Secondary metabolites from <i>Verbascum bugulifolium</i> Lam. and their bioactivities. Natural Product Research, 2021, 35, 5294-5298.	1.8	8
9	Secondary metabolites from the aerial parts of <i>Sideritis germanicopolitana</i> and their <i>in vitro</i> enzyme inhibitory activities. Natural Product Research, 2021, 35, 655-658.	1.8	13
10	4,5-Seco-5,10-friedo-abietane-type diterpenoids with anticancer activity from Salvia atropatana Bunge. Naunyn-Schmiedeberg's Archives of Pharmacology, 2021, 394, 241-248.	3.0	6
11	Juncaceae Species as Promising Sources of Phenanthrenes: Antiproliferative Compounds from Juncus maritimus Lam. Molecules, 2021, 26, 999.	3.8	2
12	Triterpenes and Phenolic Compounds from the Fungus Fuscoporia torulosa: Isolation, Structure Determination and Biological Activity. Molecules, 2021, 26, 1657.	3.8	7
13	Uncovering Modern Clinical Applications of Fuzi and Fuzi-Based Formulas: A Nationwide Descriptive Study With Market Basket Analysis. Frontiers in Pharmacology, 2021, 12, 641530.	3.5	11
14	Revealing of biodiversity and antimicrobial effects of Artemisia asiatica endophytes. Acta Biologica Szegediensis, 2021, 64, 111-119.	0.3	0
15	Ingol and Ingenol-Type Diterpenes from Euphorbia trigona Miller with Keratinocyte Inhibitory Activity. Plants, 2021, 10, 1206.	3.5	7
16	Bioactive Compounds from Euphorbia usambarica Pax. with HIV-1 Latency Reversal Activity. Pharmaceuticals, 2021, 14, 653.	3.8	3
17	Isolation of secondary metabolites from the Iranian medicinal plant <i>Eremurus persicus</i> Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2021, 76, 43-47.	1.4	6
18	Isolation, Structure Determination of Sesquiterpenes from Neurolaena lobata and Their Antiproliferative, Cell Cycle Arrest-Inducing and Anti-Invasive Properties against Human Cervical Tumor Cells. Pharmaceutics, 2021, 13, 2088.	4.5	2

#	Article	IF	CITATIONS
19	Bioactive constituents of Lindernia crustacea and its anti-EBV effect via Rta expression inhibition in the viral lytic cycle. Journal of Ethnopharmacology, 2020, 250, 112493.	4.1	20
20	12-Deoxyphorbol Esters Induce Growth Arrest and Apoptosis in Human Lung Cancer A549 Cells Via Activation of PKC-Î'/PKD/ERK Signaling Pathway. International Journal of Molecular Sciences, 2020, 21, 7579.	4.1	11
21	Oxidized Juncuenin B Analogues with Increased Antiproliferative Activity on Human Adherent Cell Lines: Semisynthesis and Biological Evaluation. Journal of Natural Products, 2020, 83, 3250-3261.	3.0	7
22	Gerardiins A–L and Structurally Related Phenanthrenes from the Halophyte Plant ⟨i⟩Juncus gerardii⟨/i⟩ and Their Cytotoxicity against Triple-Negative Breast Cancer Cells. Journal of Natural Products, 2020, 83, 3058-3068.	3.0	11
23	Trends in natural product research: PSE young scientists' meeting, Budapest 2019 biochemistry, molecular aspects and pharmacology of bioactive natural products. Phytochemistry Reviews, 2020, 19, 1303-1305.	6.5	0
24	Ducrosia spp., Rare Plants with Promising Phytochemical and Pharmacological Characteristics: An Updated Review. Pharmaceuticals, 2020, 13, 175.	3.8	6
25	Antiproliferative Phenanthrenes from Juncus tenuis: Isolation and Diversity-Oriented Semisynthetic Modification. Molecules, 2020, 25, 5983.	3.8	3
26	Anti-inflammatory, Antiplatelet Aggregation, and Antiangiogenesis Polyketides from <i>Epicoccum sorghinum</i> : Toward an Understating of Its Biological Activities and Potential Applications. ACS Omega, 2020, 5, 11092-11099.	3.5	7
27	Extracts and Steroids from the Edible Mushroom <i>Hypholoma lateritium</i> Exhibit Antiâ€Inflammatory Properties by Inhibition of COXâ€2 and Activation of Nrf2. Chemistry and Biodiversity, 2020, 17, e2000391.	2.1	7
28	Cerebrosides and Steroids from the Edible Mushroom Meripilus giganteus with Antioxidant Potential. Molecules, 2020, 25, 1395.	3.8	8
29	Pigments of the Moss <i>Paraleucobryum longifolium</i> : Isolation and Structure Elucidation of Prenyl-Substituted 8,8′-Linked 9,10-Phenanthrenequinone Dimers. Journal of Natural Products, 2020, 83, 268-276.	3.0	8
30	Flavonoid, stilbene and diarylheptanoid constituents of Persicaria maculosa Gray and cytotoxic activity of the isolated compounds. Fìtoterapìâ, 2020, 145, 104610.	2.2	14
31	The electrophysiological effect of cannabidiol on hERG current and in guinea-pig and rabbit cardiac preparations. Scientific Reports, 2020, 10, 16079.	3.3	23
32	GIRK channel activity of Hungarian mushrooms: From screening to biologically active metabolites. Fìtoterapìâ, 2019, 137, 104272.	2.2	4
33	Isolation and Pharmacological Investigation of Compounds From <i>Euphorbia matabelensis</i> Natural Product Communications, 2019, 14, 1934578X1986350.	0.5	2
34	Sesquiterpene Lactones and Flavonoids from Psephellus pyrrhoblepharus with Antiproliferative Activity on Human Gynecological Cancer Cell Lines. Molecules, 2019, 24, 3165.	3.8	14
35	14-Noreudesmanes and a phenylpropane heterodimer from sea buckthorn berry inhibit Herpes simplex type 2 virus replication. Tetrahedron, 2019, 75, 1364-1370.	1.9	14
36	Chemo-Diversity and Antiradical Potential of Twelve Matricaria chamomilla L. Populations from Iran: Proof of Ecological Effects. Molecules, 2019, 24, 1315.	3.8	22

#	Article	IF	CITATIONS
37	Editorial: Ethnopharmacology in Central and Eastern Europe in the Context of Global Research Developments. Frontiers in Pharmacology, 2019, 10, 341.	3.5	5
38	Cirsiliol Suppressed Epithelial to Mesenchymal Transition in B16F10 Malignant Melanoma Cells through Alteration of the PI3K/Akt/NF-κB Signaling Pathway. International Journal of Molecular Sciences, 2019, 20, 608.	4.1	30
39	Triterpenes from the Mushroom Hypholoma lateritium: Isolation, Structure Determination and Investigation in Bdelloid Rotifer Assays. Molecules, 2019, 24, 301.	3.8	11
40	Flavonol 7- <i>O</i> -Clucoside Herbacitrin Inhibits HIV-1 Replication through Simultaneous Integrase and Reverse Transcriptase Inhibition. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-6.	1.2	9
41	Less Cytotoxic Protoflavones as Antiviral Agents: Protoapigenone $1\hat{a} \in \mathbb{C}^2$ -O-isopropyl ether Shows Improved Selectivity Against the Epstein $\hat{a} \in \mathbb{C}^2$ Barr Virus Lytic Cycle. International Journal of Molecular Sciences, 2019, 20, 6269.	4.1	4
42	Investigation of natural phenanthrenes and the antiproliferative potential of juncusol in cervical cancer cell lines. Phytomedicine, 2019, 58, 152770.	5.3	14
43	Phenanthrenes from Juncus atratus with antiproliferative activity. Tetrahedron, 2019, 75, 116-120.	1.9	9
44	Phenolic antioxidants of Morus nigra roots, and antitumor potential of morusin. Phytochemistry Reviews, 2018, 17, 1031-1045.	6.5	19
45	Two New neo-clerodane Diterpenes from Scutellaria galericulata. Chemistry of Natural Compounds, 2018, 54, 77-80.	0.8	3
46	Phenanthrenes: A Promising Group of Plant Secondary Metabolites. Journal of Natural Products, 2018, 81, 661-678.	3.0	105
47	Bioactive Segetane, Ingenane, and Jatrophane Diterpenes from Euphorbia taurinensis. Planta Medica, 2018, 84, 729-735.	1.3	14
48	Family Juncaceae: promising source of biologically active natural phenanthrenes. Phytochemistry Reviews, 2018, 17, 833-851.	6.5	24
49	Quality control of <i>Hypericum perforatum</i> L. analytical challenges and recent progress. Journal of Pharmacy and Pharmacology, 2018, 71, 15-37.	2.4	36
50	Bioactivity-Guided Investigation of the Anti-Inflammatory Activity of Hippophae rhamnoides Fruits. Planta Medica, 2018, 84, 26-33.	1.3	22
51	Green bio-inspired synthesis, characterization and activity of silver nanoparticle forms of Centaurea virgata Lam. and the isolated flavonoid eupatorin. Green Processing and Synthesis, 2018, 7, 372-379.	3.4	9
52	Anti-inflammatory Activity of <i>Melampyrum barbatum</i> and Isolation of Iridoid and Flavonoid Compounds. Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	0
53	Planar chromatography in the quality control of adulterated Citrus paradisi seed extract-containing products. Journal of Planar Chromatography - Modern TLC, 2018, 31, 23-27.	1.2	3
54	Diterpenoids from <i>Euphorbia dulcis</i> with Potassium Ion Channel Inhibitory Activity with Selective G Protein-Activated Inwardly Rectifying Ion Channel (GIRK) Blocking Effect. Journal of Natural Products, 2018, 81, 2483-2492.	3.0	14

#	Article	IF	Citations
55	Antiproliferative and cytotoxic activities of furocoumarins of <i>Ducrosia anethifolia</i> . Pharmaceutical Biology, 2018, 56, 658-664.	2.9	33
56	Phenanthrenes from Juncus Compressus Jacq. with Promising Antiproliferative and Anti-HSV-2 Activities. Molecules, 2018, 23, 2085.	3.8	13
57	Cytotoxic diterpene quinones from Salvia tebesana Bunge. Fìtoterapìâ, 2018, 128, 97-101.	2.2	23
58	Evidence Supports Tradition: The in Vitro Effects of Roman Chamomile on Smooth Muscles. Frontiers in Pharmacology, 2018, 9, 323.	3.5	19
59	Bioactivity-Guided Isolation of Antimicrobial and Antioxidant Metabolites from the Mushroom Tapinella atrotomentosa. Molecules, 2018, 23, 1082.	3.8	25
60	New iridoids from the roots of Valeriana dioscoridis Sm Fìtoterapìâ, 2018, 130, 73-78.	2.2	20
61	Isolation and Structure Determination of Antiproliferative Secondary Metabolites from the Potato Earthball Mushroom, Scleroderma bovista (Agaricomycetes). International Journal of Medicinal Mushrooms, 2018, 20, 411-418.	1.5	2
62	Diterpene Lipo-Alkaloids with Selective Activities on Cardiac K+ Channels. Planta Medica, 2017, 83, 1321-1328.	1.3	18
63	Antibacterial screening of Rumex species native to the Carpathian Basin and bioactivity-guided isolation of compounds from Rumex aquaticus. Fìtoterapìâ, 2017, 118, 101-106.	2.2	45
64	Screening of Luzula species native to the Carpathian Basin for anti-inflammatory activity and bioactivity-guided isolation of compounds from Luzula luzuloides (Lam.) Dandy & Damby; Wilmott. Fìtoterapìâ, 2017, 116, 131-138.	2.2	8
65	Three New Iridoid Glycosides from the Aerial Parts of <i>Asperula involucrata</i> Biodiversity, 2017, 14, e1600288.	2.1	6
66	Isolation and quantitative analysis of physalin D in the fruit and calyx of <i>Physalis alkekengi</i> L Acta Biologica Hungarica, 2017, 68, 300-309.	0.7	11
67	Abietane diterpenoids from Sideritis montana L. and their antiproliferative activity. Fìtoterapìâ, 2017, 122, 90-94.	2.2	15
68	Pellitorine, an extract of Tetradium daniellii, is an antagonist of the ion channel TRPV1. Phytomedicine, 2017, 34, 44-49.	5.3	14
69	Phytochemical investigation of <i>Rumex thyrsiflorus</i> Fingerh Acta Biologica Hungarica, 2017, 68, 232-236.	0.7	4
70	Bioactivity guided isolation of phytoestrogenic compounds from Cyclopia genistoides by the pER8:GUS reporter system. South African Journal of Botany, 2017, 110, 201-207.	2.5	9
71	Chemical Analysis of the Edible Mushroom <i>Tricholoma populinum</i> : Steroids and Sulfinyladenosine Compounds. Natural Product Communications, 2017, 12, 1934578X1701201.	0.5	2
72	Isolation of Chemical Constituents of Centaurea virgata Lam. and Xanthine Oxidase Inhibitory Activity of the Plant Extract and Compounds. Medicinal Chemistry, 2017, 13, 498-502.	1.5	16

#	Article	IF	Citations
73	Investigation of Antimicrobial, Antioxidant, and Xanthine Oxidase-Inhibitory Activities of Phellinus (Agaricomycetes) Mushroom Species Native to Central Europe. International Journal of Medicinal Mushrooms, 2017, 19, 387-394.	1.5	6
74	Development of an optimized processing method for Withania frutescens. Acta Alimentaria, 2016, 45, 452-456.	0.7	4
75	Investigation of the Antiproliferative Properties of Natural Sesquiterpenes from Artemisia asiatica and Onopordum acanthium on HL-60 Cells in Vitro. International Journal of Molecular Sciences, 2016, 17, 83.	4.1	17
76	Anti-Atherogenic Properties of Allium ursinum Liophylisate: Impact on Lipoprotein Homeostasis and Cardiac Biomarkers in Hypercholesterolemic Rabbits. International Journal of Molecular Sciences, 2016, 17, 1284.	4.1	14
77	Flavonoids from Cyclopia genistoides and Their Xanthine Oxidase Inhibitory Activity. Planta Medica, 2016, 82, 1274-1278.	1.3	12
78	Investigation of Hungarian mushrooms for antibacterial activity and synergistic effects with standard antibiotics against resistant bacterial strains. Letters in Applied Microbiology, 2016, 62, 437-443.	2.2	15
79	Gymnopeptides A and B, Cyclic Octadecapeptides from the Mushroom <i>Gymnopus fusipes</i> Letters, 2016, 18, 2688-2691.	4.6	25
80	Isolation of Phorbol Esters from <i>Euphorbia grandicornis</i> and Evaluation of Protein Kinase Cand Human Platelet-Activating Effects of Euphorbiaceae Diterpenes. Journal of Natural Products, 2016, 79, 2658-2666.	3.0	23
81	Antibacterial screening of Juncaceae species native to the Carpathian Basin against resistant strains and LC-MS investigation of phenanthrenes responsible for the effect. Fìtoterapìâ, 2016, 115, 69-73.	2.2	6
82	Jatrophane diterpenes from Euphorbia guyoniana are new potent inhibitors of atrial GIRK channels. Tetrahedron, 2016, 72, 5724-5728.	1.9	11
83	Myrsinane, Premyrsinane, and Cyclomyrsinane Diterpenes from <i>Euphorbia falcata</i> as Potassium Ion Channel Inhibitors with Selective G Protein-Activated Inwardly Rectifying Ion Channel (GIRK) Blocking Effects. Journal of Natural Products, 2016, 79, 1990-2004.	3.0	23
84	Phenanthrenes from <i>Juncus inflexus</i> with Antimicrobial Activity against Methicillin-Resistant <i>Staphylococcus aureus</i> Journal of Natural Products, 2016, 79, 2814-2823.	3.0	35
85	Recent advances in the analysis of flavonolignans of Silybum marianum. Journal of Pharmaceutical and Biomedical Analysis, 2016, 130, 301-317.	2.8	63
86	Use, history, and liquid chromatography/mass spectrometry chemical analysis of Aconitum. Journal of Food and Drug Analysis, 2016, 24, 29-45.	1.9	17
87	Antiproliferative Effects of Various Furanoacridones Isolated from Ruta graveolens on Human Breast Cancer Cell Lines. Anticancer Research, 2016, 36, 2751-8.	1.1	13
88	First phytochemical investigation of secondary metabolites of Euphorbia davidii Subils. and antiproliferative activity of its extracts. Acta Biologica Hungarica, 2015, 66, 464-467.	0.7	4
89	Study of i>in vitro i>i>antimicrobial and antiproliferative activities of selected Saharan plants. Acta Biologica Hungarica, 2015, 66, 385-394.	0.7	11
90	Diterpene Constituents of <i>Euphorbia exigua</i> L. and Multidrug Resistance Reversing Activity of the Isolated Diterpenes. Chemistry and Biodiversity, 2015, 12, 1214-1221.	2.1	8

#	Article	IF	Citations
91	Isolation and structural determination of new metabolites from Artemisia asiatica roots. Tetrahedron, 2015, 71, 4817-4820.	1.9	1
92	Xanthine Oxidase Inhibitory Activity of Extracts Prepared from Polygonaceae Species. Phytotherapy Research, 2015, 29, 459-465.	5.8	23
93	The germacranolide sesquiterpene lactone neurolenin B of the medicinal plant Neurolaena lobata (L.) R.Br. ex Cass inhibits NPM/ALK-driven cell expansion and NF-κB-driven tumour intravasation. Phytomedicine, 2015, 22, 862-874.	5.3	9
94	Clinical Aspects of Aconitum Preparations. Planta Medica, 2015, 81, 1017-1028.	1.3	33
95	Inhibition of COX-2 and NF-κB1 Gene Expression, NO Production, 5-LOX, and COX-1 and COX-2 Enzymes by Extracts and Constituents of Onopordum acanthium. Planta Medica, 2015, 81, 1270-1276.	1.3	35
96	The Genus Rumex: Review of traditional uses, phytochemistry and pharmacology. Journal of Ethnopharmacology, 2015, 175, 198-228.	4.1	157
97	Effects of Chelidonium majus extracts and major alkaloids on hERG potassium channels and on dog cardiac action potential — A safety approach. Fìtoterapìâ, 2015, 100, 156-165.	2.2	24
98	Lobatin B inhibits NPM/ALK and NF- \hat{l}° B attenuating anaplastic-large-cell-lymphomagenesis and lymphendothelial tumour intravasation. Cancer Letters, 2015, 356, 994-1006.	7.2	8
99	Quality control of maca-containing (Lepidium meyenii Walp.) dietary supplements. Acta Alimentaria, 2015, 44, 461-467.	0.7	3
100	Antiproliferative Activity of Some Higher Mushrooms from Hungary against Human Cancer Cell Lines. International Journal of Medicinal Mushrooms, 2015, 17, 1145-1149.	1.5	4
101	Bioactivity-guided Isolation of Antiproliferative Compounds from the Roots of <i>Onopordum acanthium</i> Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	6
102	Chemical Composition of Essential Oils of Grindelia squarrosa and G. hirsutula. Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	3
103	Possible Role of Fat Tissue in the Pharmacokinetics of Dodeca-2 <i>E< i>,4<i>E< i>,8<i>Z< i>,10<i>E< i>,4<i>E< i>,10<i>E< i>,10<i>E< i>,10<i>E< i>,10<i>E< i>,10<i>E< i>,10<i>E< i>,10<i e< i="">,10<i e< <="" td=""><td>0.5</td><td>0</td></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i>	0.5	0
104	Diterpene Alkaloids from the Roots of Aconitum moldavicum and Assessment of Nav 1.2 Sodium Channel Activity of Aconitum Alkaloids. Planta Medica, 2014, 80, 231-236.	1.3	21
105	Antiproliferative Activity of Artemisia asiatica Extract and Its Constituents on Human Tumor Cell Lines. Planta Medica, 2014, 80, 1692-1697.	1.3	24
106	Evaluation of Lignans from Heliopsis helianthoides var. scabra for Their Potential Antimetastatic Effects in the Brain. Journal of Natural Products, 2014, 77, 2641-2650.	3.0	8
107	A Validated RP-HPLC-DAD Method for the Determination of l-Theanine in Tea. Food Analytical Methods, 2014, 7, 591-596.	2.6	4
108	Xanthine Oxidase Inhibitory Activity of Hungarian Wild-Growing Mushrooms. Phytotherapy Research, 2014, 28, 1204-1210.	5.8	8

#	Article	IF	Citations
109	Pharmacological insight into the anti-inflammatory activity of sesquiterpene lactones from Neurolaena lobata (L.) R.Br. ex Cass. Phytomedicine, 2014, 21, 1695-1701.	5. 3	30
110	<i>Euphorbia</i> Diterpenes: Isolation, Structure, Biological Activity, and Synthesis (2008–2012). Chemical Reviews, 2014, 114, 8579-8612.	47.7	392
111	Identification of Iridoids, Flavonoids and Triterpenes from the Methanolic Extract of Melampyrum bihariense A. Kern. and the Antioxidant Activity of the Extract. Chromatographia, 2014, 77, 1153-1159.	1.3	7
112	Bioactive Constituents of <i>Cirsium japonicum</i> var. <i>australe</i> . Journal of Natural Products, 2014, 77, 1624-1631.	3.0	22
113	Identification of Endocannabinoid System-Modulating <i>N</i> -Alkylamides from <i>Heliopsis helianthoides</i> var. <i>scabra</i> and <i>Lepidium meyenii</i> Journal of Natural Products, 2014, 77, 1663-1669.	3.0	56
114	Sesquiterpenes from <i>Neurolaena lobata</i> and Their Antiproliferative and Anti-inflammatory Activities. Journal of Natural Products, 2014, 77, 576-582.	3.0	19
115	Flavonoids Isolated from Rumex aquaticus Exhibit Neuroprotective and Neurorestorative Properties by Enhancing Neurite Outgrowth and Synaptophysin. CNS and Neurological Disorders - Drug Targets, 2014, 13, 1458-1464.	1.4	22
116	Bioactivity-guided isolation of antiproliferative compounds from the roots of Onopordum acanthium. Natural Product Communications, 2014, 9, 337-40.	0.5	9
117	Black currant phytoconstituents exert chemoprevention of diethylnitrosamineâ€initiated hepatocarcinogenesis by suppression of the inflammatory response. Molecular Carcinogenesis, 2013, 52, 304-317.	2.7	30
118	Antiproliferative Activity of Polygonaceae Species from the Carpathian Basin against Human Cancer Cell Lines. Phytotherapy Research, 2013, 27, 77-85.	5.8	35
119	Antiâ€inflammatory Activities of Eleven <i>Centaurea</i> Species Occurring in the Carpathian Basin. Phytotherapy Research, 2013, 27, 540-544.	5.8	20
120	Identification of diterpene alkaloids from Aconitum napellus subsp. firmum and GIRK channel activities of some Aconitum alkaloids. Fìtoterapìâ, 2013, 90, 85-93.	2.2	33
121	Conformational properties of a pyridyl-substituted cinnamic acid studied by NMR measurements and computations. Journal of Molecular Structure, 2013, 1044, 286-289.	3.6	1
122	Inhibition of G Protein-Activated Inwardly Rectifying K+ Channels by Extracts of Polygonum persicaria and Isolation of New Flavonoids from the Chloroform Extract of the Herb. Planta Medica, 2013, 79, 1736-1741.	1.3	5
123	Sympathomimetic Activity of aHoodia gordoniiProduct: A Possible Mechanism of Cardiovascular Side Effects. BioMed Research International, 2013, 2013, 1-6.	1.9	11
124	Low Potency Homeopathic Remedies and Allopathic Herbal Medicines: Is There an Overlap?. PLoS ONE, 2013, 8, e74181.	2.5	8
125	Investigation of the Antiproliferative Action of the Quinoline Alkaloids Kokusaginine and Skimmianine on Human Cell Lines. Current Signal Transduction Therapy, 2013, 8, 148-155.	0.5	15
126	Effects of two disiloxanes ALIS-409 and ALIS-421 on chemoprevention in model experiments. Anticancer Research, 2013, 33, 2021-7.	1.1	2

#	Article	IF	CITATIONS
127	Validation of a densitometric method for the determination of theanine in tea extracts using CP atlas software. Journal of Planar Chromatography - Modern TLC, 2012, 25, 571-574.	1.2	9
128	Jatrophane diterpenoids with multidrug resistance-modulating activity from Euphorbia mongolica Prokh Tetrahedron, 2012, 68, 8403-8407.	1.9	15
129	In silico and in vitro pharmacological investigations of a natural alkaloid. Medicinal Chemistry Research, 2012, 21, 4100-4107.	2.4	0
130	An ethnopharmacological survey of the traditional medicine utilized in the community of Porvenir, Bajo Paraguá Indian Reservation, Bolivia. Journal of Ethnopharmacology, 2012, 139, 838-857.	4.1	98
131	Diterpenes from European <i>Euphorbia</i> Species Serving as Prototypes for Naturalâ€Productâ€Based Drug Discovery. European Journal of Organic Chemistry, 2012, 2012, 5115-5130.	2.4	113
132	Antimicrobial and antioxidant activity of kaempferol rhamnoside derivatives from Bryophyllum pinnatum. BMC Research Notes, 2012, 5, 158.	1.4	182
133	Antifungal Activity and Composition of Essential Oils of <i>Conyza canadensis </i> Herbs and Roots. Scientific World Journal, The, 2012, 2012, 1-5.	2.1	16
134	Antiinflammatory Activities of Hungarian <i>Stachys</i> species and Their Iridoids. Phytotherapy Research, 2012, 26, 505-509.	5.8	42
135	The health benefits of blackcurrants. Food and Function, 2012, 3, 795.	4.6	144
136	EXTRACTION OF HYPERFORIN AND HYPERICIN FROM ST. JOHN'S WORT (<i>) HYPERICUM PERFORATUM</i>) L.) WITH DIFFERENT SOLVENTS. Journal of Food Process Engineering, 2012, 35, 222-235.	2.9	26
137	Chemical constituents of Salvia dichroantha. Biochemical Systematics and Ecology, 2012, 42, 18-20.	1.3	15
138	Bioactivity-guided isolation of antiproliferative compounds from Centaurea jacea L Fìtoterapìâ, 2012, 83, 921-925.	2.2	55
139	Antioxidant activity-guided phytochemical investigation of Artemisia gmelinii Webb. ex Stechm.: Isolation and spectroscopic challenges of 3,5-O-dicaffeoyl (epi?) quinic acid and its ethyl ester. Journal of Pharmaceutical and Biomedical Analysis, 2012, 59, 83-89.	2.8	18
140	Cyclomyrsinane and premyrsinane diterpenes from Euphorbia falcata modulate resistance of cancer cells to doxorubicin. Tetrahedron, 2012, 68, 1280-1285.	1.9	28
141	Black Currant Anthocyanins Abrogate Oxidative Stress through Nrf2- Mediated Antioxidant Mechanisms in a Rat Model of Hepatocellular Carcinoma. Current Cancer Drug Targets, 2012, 12, 1244-1257.	1.6	37
142	Comparison of a specific HPLC determination of toxic aconite alkaloids in processed Radix aconiti with a titration method of total alkaloids. Pharmaceutical Biology, 2011, 49, 1097-1101.	2.9	15
143	Diterpene Alkaloids from i>Aconitum anthora i>and Assessment of the hERG-Inhibiting Ability of i>Aconitum i>Alkaloids. Planta Medica, 2011, 77, 368-373.	1.3	16
144	Antiproliferative Constituents of the Roots of <i>Conyza canadensis </i> . Planta Medica, 2011, 77, 1183-1188.	1.3	49

#	Article	IF	CITATIONS
145	Unusual Tigliane Diterpenes from <i>Euphorbia grandicornis</i> . Journal of Natural Products, 2011, 74, 639-643.	3.0	27
146	Antibacterial properties of compounds isolated from Carpobrotus edulis. International Journal of Antimicrobial Agents, 2011, 37, 438-444.	2.5	46
147	Jatrophane Diterpenes from <i>Euphorbia esula</i> as Antiproliferative Agents and Potent Chemosensitizers to Overcome Multidrug Resistance. Journal of Natural Products, 2011, 74, 1453-1461.	3.0	40
148	Xanthane sesquiterpenoids: structure, synthesis and biological activity. Natural Product Reports, 2011, 28, 824.	10.3	86
149	<i>Aconitum</i> lipo-alkaloids – Semisynthetic Products of the Traditional Medicine. Natural Product Communications, 2011, 6, 1934578X1100600.	0.5	8
150	Bioactivity-guided Study of Antiproliferative Activities of Salvia Extracts. Natural Product Communications, 2011, 6, 1934578X1100600.	0.5	4
151	New premyrsinane-type diterpene polyesters from Euphorbia falcata. Tetrahedron, 2011, 67, 7289-7293.	1.9	23
152	Anthocyanin-rich black currant (Ribes nigrum L.) extract affords chemoprevention against diethylnitrosamine-induced hepatocellular carcinogenesis in rats. Journal of Nutritional Biochemistry, 2011, 22, 1035-1046.	4.2	119
153	Alkamides and a neolignan from Echinacea purpurea roots and the interaction of alkamides with G-protein-coupled cannabinoid receptors. Phytochemistry, 2011, 72, 1848-1853.	2.9	38
154	Alkylbenzoquinones with antiproliferative effect against human cancer cell lines from stem of Ardisia kivuensis. Phytochemistry Letters, 2011, 4, 227-230.	1.2	17
155	\hat{l}^2 2-Adrenergic activity of 6-methoxykaempferol-3-0-glucoside on rat uterus: In vitro and in silico studies. European Journal of Pharmacology, 2011, 667, 348-354.	3.5	7
156	Semisynthesis and pharmacological investigation of lipo-alkaloids prepared from aconitine. Fìtoterapìâ, 2011, 82, 365-368.	2.2	24
157	A natural compound from Hydnophytum formicarium induces apoptosis of MCF-7 cells via up-regulation of Bax. Cancer Cell International, 2010, 10, 14.	4.1	13
158	Inhibition of quorumâ€sensing signals by essential oils. Phytotherapy Research, 2010, 24, 782-786.	5.8	118
159	The effect of Echinacea preparations in three laboratory tests of anxiety: comparison with chlordiazepoxide. Phytotherapy Research, 2010, 24, 1605-1613.	5.8	27
160	Bioactivityâ€guided isolation of antiproliferative compounds from <i>Centaurea arenaria</i> . Phytotherapy Research, 2010, 24, 1664-1669.	5.8	40
161	Comparative Study of the Antioxidant Activities of Eleven Salvia Species. Natural Product Communications, 2010, 5, 1934578X1000500.	0.5	9
162	Reversal of Multidrug Resistance by Natural Substances from Plants. Current Topics in Medicinal Chemistry, 2010, 10, 1757-1768.	2.1	120

#	Article	IF	Citations
163	Bioactivity-Guided Isolation of Cytotoxic Sesquiterpenes and Flavonoids from <i>Anthemis ruthenica </i> . Planta Medica, 2010, 76, 94-96.	1.3	19
164	Volatile and some non-volatile chemical constituents of Mediterranean <i>Salvia</i> species beyond their native area. Israel Journal of Plant Sciences, 2010, 58, 273-277.	0.5	13
165	The traditional Hungarian medicinal plant Centaurea sadleriana Janka accelerates wound healing in rats. Journal of Ethnopharmacology, 2010, 127, 193-195.	4.1	34
166	Anthocyanin-rich black currant extract suppresses the growth of human hepatocellular carcinoma cells. Natural Product Communications, 2010, 5, 1613-8.	0.5	40
167	Antiproliferative effect of flavonoids and sesquiterpenoids from <i>Achillea millefolium</i> s.l. on cultured human tumour cell lines. Phytotherapy Research, 2009, 23, 672-676.	5.8	102
168	Antiproliferative activity of Hungarian Asteraceae species against human cancer cell lines. Part II. Phytotherapy Research, 2009, 23, 1109-1115.	5.8	55
169	Isolation and structure determination of new 4,12-dideoxyphorbol esters from Euphorbia pannonica Host Tetrahedron, 2009, 65, 4013-4016.	1.9	11
170	Qualitative and quantitative analysis of aconitine-type and lipo-alkaloids of Aconitum carmichaelii roots. Journal of Chromatography A, 2009, 1216, 2079-2086.	3.7	73
171	Xanthanolides with Antitumour Activity from Xanthium italicum. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2009, 64, 343-349.	1.4	27
172	Antitumor activity of alkaloids derived from Amaryllidaceae species. In Vivo, 2009, 23, 41-8.	1.3	44
173	Antiviral activities of extracts of Euphorbia hirta L. against HIV-1, HIV-2 and SIVmac251. In Vivo, 2009, 23, 429-32.	1.3	22
174	Chemoprevention and inhibition of Pâ€glycoprotein in cancer cells by Chinese medicinal herbs. Phytotherapy Research, 2008, 22, 1671-1676.	5.8	17
175	Natural phenanthrenes and their biological activity. Phytochemistry, 2008, 69, 1084-1110.	2.9	296
176	Supercritical fluid extraction of Vitex agnus castus fruit. Journal of Supercritical Fluids, 2008, 47, 188-194.	3.2	23
177	Bisnorditerpene, Norditerpene, and Lipo-alkaloids from <i>Aconitum toxicum</i> . Journal of Natural Products, 2008, 71, 1779-1782.	3.0	16
178	Antitumour properties of acridone alkaloids on a murine lymphoma cell line. Anticancer Research, 2008, 28, 2737-43.	1.1	20
179	Inhibition of human cytomegalovirus IE gene expression by dihydro-beta-agarofuran sesquiterpenes isolated from Euonymus species. In Vivo, 2008, 22, 787-92.	1.3	7
180	Investigation of Cytotoxic Activity on Human Cancer Cell Lines of Arborinine and Furanoacridones Isolated from Ruta graveolens. Planta Medica, 2007, 73, 41-48.	1.3	45

#	Article	IF	CITATIONS
181	Anthranoyl-substituted Norditerpene Alkaloids from Aconitum vulparia Rchb. and Their Cytotoxic Activities. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2007, 62, 135-141.	0.7	5
182	Supercritical carbon dioxide extraction of sea buckthorn (<i>Hippophae rhamnoides</i> L.) pomace. Journal of the Science of Food and Agriculture, 2007, 87, 2472-2481.	3.5	23
183	Phenanthrenes and a dihydrophenanthrene from Tamus communis and their cytotoxic activity. Phytochemistry, 2007, 68, 687-691.	2.9	14
184	Diterpenoids and flavonoids from the fruits of Vitex agnus-castus and antioxidant activity of the fruit extracts and their constituents. Phytotherapy Research, 2007, 21, 391-394.	5.8	91
185	Antiproliferative activity of Hungarian Asteraceae species against human cancer cell lines. Part I. Phytotherapy Research, 2007, 21, 1200-1208.	5.8	46
186	Structure Elucidation of Norditerpene Alkaloids from Ranunculaceae Species., 2007,, 85-100.		0
187	New MDR modulators and apoptosis inducers from Euphorbia species. Anticancer Research, 2007, 27, 3451-8.	1.1	19
188	Antimicrobial and antiplasmid activities of essential oils. Fìtoterapìâ, 2006, 77, 279-285.	2.2	310
189	C19 and C20 Diterpene Alkaloids fromAconitum toxicumRchb Helvetica Chimica Acta, 2006, 89, 2981-2986.	1.6	30
190	Cytotoxic Phenanthrenes from the Rhizomes of Tamus communis. Planta Medica, 2006, 72, 767-770.	1.3	28
191	Inhibition of Multidrug Resistance of Cancer Cells by Natural Diterpenes, Triterpenes and Carotenoids. Current Pharmaceutical Design, 2006, 12, 287-311.	1.9	83
192	Diterpene and norditerpene alkaloids from Consolida orientalis. Biochemical Systematics and Ecology, 2005, 33, 1081-1085.	1.3	7
193	Leucovernine and Acetylleucovernine, Alkaloids from Leucojum vernum. Journal of Natural Products, 2005, 68, 1588-1591.	3.0	18
194	Alkaloids fromLeucojum vernumand Antiretroviral Activity of Amaryllidaceae Alkaloids. Planta Medica, 2004, 70, 871-873.	1.3	131
195	Pubescenes, Jatrophane Diterpenes, fromEuphorbia pubescens, with Multidrug Resistance Reversing Activity on Mouse Lymphoma Cells. Planta Medica, 2004, 70, 81-84.	1.3	30
196	Rearranged Jatrophane-Type Diterpenes from Euphorbia Species. Evaluation of their Effects on the Reversal of Multidrug Resistance. Planta Medica, 2004, 70, 45-49.	1.3	19
197	Acovulparine, a New Norditerpene Alkaloid fromAconitum vulparia. Helvetica Chimica Acta, 2004, 87, 2125-2130.	1.6	12
198	New tri- and tetracyclic diterpenes from Euphorbia villosa. Tetrahedron, 2004, 60, 5025-5030.	1.9	20

#	Article	IF	Citations
199	Phenylpropanoid glycosides and diterpenoids from Salvia officinalis. Biochemical Systematics and Ecology, 2003, 31, 427-429.	1.3	12
200	Isolation and Structural Characterization of New, Highly Functionalized Diterpenes from Euphorbia serrulata. Helvetica Chimica Acta, 2003, 86, 280-289.	1.6	8
201	Isolation and Structure Determination of New Jatrophane Diterpenoids from Euphorbia platyphyllos L Helvetica Chimica Acta, 2003, 86, 3386-3393.	1.6	18
202	Carpobrotus edulis methanol extract inhibits the MDR ef?ux pumps, enhances killing of phagocytosed S. aureus and promotes immune modulation. Phytotherapy Research, 2003, 17, 512-519.	5.8	33
203	Jatrophane Diterpenoids fromEuphorbiamongolicaas Modulators of the Multidrug Resistance of L5128 Mouse Lymphoma Cells. Journal of Natural Products, 2003, 66, 976-979.	3.0	57
204	New Diterpenoids from the Aerial Parts of Salvia candelabrum. Planta Medica, 2003, 69, 254-257.	1.3	9
205	Diterpenes from the Aerial Parts of Salvia candelabrumand their Protective Effects against Lipid Peroxidation. Planta Medica, 2003, 69, 1156-1159.	1.3	7
206	Antiproliferative Amaryllidaceae Alkaloids Isolated from the Bulbs of Sprekelia formosissima and Hymenocallis × festalis. Planta Medica, 2002, 68, 454-457.	1.3	63
207	Norditerpenoid Alkaloids from Consolidaorientalisand Complete 1H and 13C NMR Signal Assignments of Some Lycoctonine-Type Alkaloids. Journal of Natural Products, 2002, 65, 1069-1072.	3.0	15
208	Discovery and Biological Evaluation of a New Family of Potent Modulators of Multidrug Resistance:Â Reversal of Multidrug Resistance of Mouse Lymphoma Cells by New Natural Jatrophane Diterpenoids Isolated fromEuphorbiaSpecies. Journal of Medicinal Chemistry, 2002, 45, 2425-2431.	6.4	102
209	A new phenanthridine alkaloid from Hymenocallis × festalis. Fìtoterapìâ, 2002, 73, 749-751.	2.2	6
210	Homonuclear Selective One-Dimensional Gradient NMR Experiments in the Structure Determination of Natural Diterpene Derivatives. Monatshefte FÃ $\frac{1}{4}$ r Chemie, 2002, 133, 1249-1261.	1.8	3
211	Salicifoline and salicinolide, new diterpene polyesters from Euphorbia salicifolia. Tetrahedron Letters, 2001, 42, 6581-6584.	1.4	24
212	Euphosalicin, a new diterpene polyester with multidrug resistance reversing activity from Euphorbia salicifolia. Tetrahedron, 2001, 57, 211-215.	1.9	36
213	Antioxidant Activity of Leaves of Salvia Species in Enzyme-Dependent and Enzyme-Independent Systems of Lipid Peroxidation and their Phenolic Constituents. Planta Medica, 2001, 67, 366-368.	1.3	102
214	Cytotoxicities and Anti-Herpes Simplex Virus Activities of Diterpenes Isolated from Euphorbia Species. Planta Medica, 2001, 67, 672-674.	1.3	41
215	Serrulatin A and B, New Diterpene Polyesters from Euphorbia serrulata. Tetrahedron, 2000, 56, 3619-3623.	1.9	17
216	Diterpenoids from Euphorbia peplus. Planta Medica, 2000, 66, 291-294.	1.3	62

#	Article	IF	CITATIONS
217	Protective Effects of the Aerial Parts ofSalvia officinalis, Melissa officinalisandLavandula angustifoliaand their Constituents against Enzyme-Dependent and Enzyme-Independent Lipid Peroxidation. Planta Medica, 1999, 65, 576-578.	1.3	167
218	Jatrophane diterpenoids from Euphorbia peplus. Phytochemistry, 1999, 51, 673-677.	2.9	34
219	Structural characterization and dynamic NMR studies of a new peracylated macrocyclic diterpene. , 1999, 37, 365-370.		16
220	A Novel Lathyrane Diterpenoid from the Roots of Euphorbia lathyris. Journal of Natural Products, 1999, 62, 176-178.	3.0	19
221	Isolation and Structure Revision of Pepluane Diterpenoids from Euphorbia peplus. Journal of Natural Products, 1999, 62, 107-109.	3.0	25
222	Structural characterization and dynamic NMR studies of a new peracylated macrocyclic diterpene. Magnetic Resonance in Chemistry, 1999, 37, 365-370.	1.9	2
223	Jatrophane diterpenoids from Euphorbia esula. Phytochemistry, 1998, 47, 1309-1313.	2.9	23
224	A Stilbene from the Roots ofLeuzeacarthamoides. Journal of Natural Products, 1998, 61, 1298-1299.	3.0	16
225	Flavonolacyl Glycosides of the Aerial Parts of Eryngium campestre. Planta Medica, 1997, 63, 96-96.	1.3	33
226	Macrocyclic Diterpene Polyesters of the Jatrophane Type from Euphorbia esula. Journal of Natural Products, 1997, 60, 331-335.	3.0	55
227	New Sesquiterpene Polyesters from Euonymus Species. Journal of Natural Products, 1995, 58, 1192-1199.	3.0	17
228	Sesquiterpene esters from Euonymus nanus. Phytochemistry, 1994, 35, 1267-1270.	2.9	10
229	Kiautschovin, a Novel Sesquiterpenoid from Euonymus kiautschovicus. Journal of Natural Products, 1994, 57, 320-323.	3.0	4
230	Two sesquiterpene pyridine alkaloids from Euonymus sachalinensis. Phytochemistry, 1993, 34, 879-880.	2.9	12
231	A sesquiterpene polyol ester from Euonymus sachalinensis. Phytochemistry, 1993, 33, 503-505.	2.9	8