

# Yoonmook Kang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3778527/yonmook-kang-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40  
papers

804  
citations

11  
h-index

28  
g-index

42  
ext. papers

962  
ext. citations

5.3  
avg, IF

4.01  
L-index

#	Paper	IF	Citations
40	Potential of NiOx/Nickel Silicide/n+ Poly-Si Contact for Perovskite/TOPCon Tandem Solar Cells. <i>Energies</i> , <b>2022</b> , 15, 870	3.1	4
39	Damage and residual layer analysis of reactive ion etching textured multi-crystalline silicon wafer for application to solar cells. <i>Solar Energy</i> , <b>2022</b> , 233, 111-117	6.8	0
38	19.2%-Efficient Multicrystalline Silicon Solar Cells via Additive-Free Mechanical Grinding Surface Pretreatment for Diamond-Wire-Sawn Wafers. <i>IEEE Journal of Photovoltaics</i> , <b>2021</b> , 11, 36-42	3.7	3
37	Effective Surface Texturing of Diamond-Wire-Sawn Multicrystalline Silicon Wafers Via Crystallization of the Native Surface Amorphous Layer. <i>IEEE Journal of Photovoltaics</i> , <b>2021</b> , 11, 43-49	3.7	2
36	Absorber Delamination-Induced Shunt Defects in Alcohol-Based Solution-Processed Cu(In,Ga)(S,Se) <sub>2</sub> Solar Modules. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 10384-10392	6.1	2
35	Perovskites fabricated on textured silicon surfaces for tandem solar cells. <i>Communications Chemistry</i> , <b>2020</b> , 3,	6.3	17
34	Effective Additive-Free Acidic-Solution Texturing for Surface-Damage-Free Kerfless Silicon Wafers. <i>IEEE Journal of Photovoltaics</i> , <b>2020</b> , 10, 431-437	3.7	4
33	Conformal perovskite films on 100 $\mu$ m <sup>2</sup> textured silicon surface using two-step vacuum process. <i>Thin Solid Films</i> , <b>2020</b> , 693, 137694	2.2	10
32	Multifunctional Effect of p-Doping, Antireflection, and Encapsulation by Polymeric Acid for High Efficiency and Stable Carbon Nanotube-Based Silicon Solar Cells. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1902389	21.8	28
31	Historical Analysis of High-Efficiency, Large-Area Solar Cells: Toward Upscaling of Perovskite Solar Cells. <i>Advanced Materials</i> , <b>2020</b> , 32, e2002202	24	45
30	Recent Progress in Interconnection Layer for Hybrid Photovoltaic Tandems. <i>Advanced Materials</i> , <b>2020</b> , 32, e2002196	24	8
29	Variations in Minority Carrier-Trapping Effects Caused by Hydrogen Passivation in Multicrystalline Silicon Wafer. <i>Energies</i> , <b>2020</b> , 13, 5783	3.1	1
28	Carbon Nanotube Electrode-Based Perovskite/Silicon Tandem Solar Cells. <i>Solar Rrl</i> , <b>2020</b> , 4, 2000353	7.1	8
27	. <i>IEEE Journal of Photovoltaics</i> , <b>2020</b> , 10, 1545-1551	3.7	5
26	Pre-Texturing Thermal Treatment for Saw-Damage-Removal-Free Wet Texturing of Monocrystalline Silicon Wafers. <i>Energies</i> , <b>2020</b> , 13, 6610	3.1	
25	Investigation of Optimum Conditions for Synthesis of Cu(In,Ga)Se <sub>2</sub> Nanoparticles by Refluxing. <i>Journal of the Korean Physical Society</i> , <b>2020</b> , 76, 527-532	0.6	
24	Effective Contact Formation Method on High-Sheet-Resistance Boron-Doped Emitter With Current Injection. <i>IEEE Journal of Photovoltaics</i> , <b>2019</b> , 9, 615-620	3.7	3

23	Impact of Buffer Layer Process and Na on Shunt Paths of Monolithic Series-connected CIGS <sub>Se</sub> Thin Film Solar Cells. <i>Scientific Reports</i> , <b>2019</b> , 9, 3666	4.9	8
22	Characterization of SiN <sub>x</sub> :H thin film as a hydrogen passivation layer for silicon solar cells with passivated contacts. <i>Thin Solid Films</i> , <b>2019</b> , 675, 109-114	2.2	7
21	Sputtering of TiO <sub>2</sub> for High-Efficiency Perovskite and 23.1% Perovskite/Silicon 4-Terminal Tandem Solar Cells. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 6263-6268	6.1	11
20	Optimization of Controllable Factors in the Aluminum Silicon Eutectic Paste and Rear Silicon Nitride Mono-Passivation Layer of PERC Solar Cells. <i>Metals and Materials International</i> , <b>2018</b> , 24, 664-671	2.4	3
19	Potential of chemical rounding for the performance enhancement of pyramid textured p-type emitters and bifacial n-PERT Si cells. <i>Current Applied Physics</i> , <b>2018</b> , 18, 1268-1274	2.6	5
18	Rapid and Accurate Measurement of Ideality Factor and Parasitic Resistances of Thin Film Solar Cells. <i>ECS Journal of Solid State Science and Technology</i> , <b>2018</b> , 7, Q105-Q108	2	1
17	Minimizing Light-Induced Degradation of the Al <sub>2</sub> O <sub>3</sub> Rear Passivation Layer for Highly Efficient PERC Solar Cells. <i>ECS Journal of Solid State Science and Technology</i> , <b>2018</b> , 7, Q253-Q258	2	3
16	Continuously deposited anti-reflection double layer of silicon nitride and silicon oxynitride for selective emitter solar cells by PECVD. <i>Current Applied Physics</i> , <b>2017</b> , 17, 517-521	2.6	8
15	Passivation properties of tunnel oxide layer in passivated contact silicon solar cells. <i>Applied Surface Science</i> , <b>2017</b> , 409, 140-148	6.7	31
14	Relationship between ion migration and interfacial degradation of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite solar cells under thermal conditions. <i>Scientific Reports</i> , <b>2017</b> , 7, 1200	4.9	93
13	Effects of the Cu/(Ga+In) ratio on the bulk and interface properties of Cu(InGa)(SSe) <sub>2</sub> solar cells. <i>Solar Energy Materials and Solar Cells</i> , <b>2016</b> , 149, 195-203	6.4	15
12	Achievement of 17.9% efficiency in 30 B0 cm <sup>2</sup> Cu(In,Ga)(Se,S) <sub>2</sub> solar cell sub-module by sulfurization after selenization with Cd-free buffer. <i>Progress in Photovoltaics: Research and Applications</i> , <b>2016</b> , 24, 175-182	6.8	21
11	UV Degradation and Recovery of Perovskite Solar Cells. <i>Scientific Reports</i> , <b>2016</b> , 6, 38150	4.9	195
10	Influence of Particle Velocity of Copper on Emitter Contact by Cold-Spray Method. <i>Journal of Thermal Spray Technology</i> , <b>2016</b> , 25, 465-472	2.5	3
9	Electric-Field-Induced Degradation of Methylammonium Lead Iodide Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2016</b> , 7, 3091-6	6.4	123
8	Simulation of interdigitated back contact solar cell with trench structure. <i>Journal of Applied Physics</i> , <b>2015</b> , 117, 074503	2.5	9
7	Direct evidence of void passivation in Cu(InGa)(SSe) <sub>2</sub> absorber layers. <i>Applied Physics Letters</i> , <b>2015</b> , 106, 083903	3.4	10
6	Influence of laser damage on the performance of selective emitter solar cell fabricated using laser doping process. <i>Solar Energy Materials and Solar Cells</i> , <b>2015</b> , 132, 215-220	6.4	10

5	Enhancement of the photo conversion efficiencies in Cu(In,Ga)(Se,S) <sub>2</sub> solar cells fabricated by two-step sulfurization process. <i>Applied Physics Letters</i> , <b>2015</b> , 107, 193901	3.4	6
4	Structural, electrical, and optical properties of ZnIn <sub>2</sub> Sn <sub>4</sub> films for silicon heterojunction solar cells. <i>Thin Solid Films</i> , <b>2015</b> , 589, 233-237	2.2	1
3	Effects of annealing on ion-implanted Si for interdigitated back contact solar cell. <i>Current Applied Physics</i> , <b>2012</b> , 12, 1615-1618	2.6	11
2	Well-aligned CdS nanorod/conjugated polymer solar cells. <i>Solar Energy Materials and Solar Cells</i> , <b>2006</b> , 90, 166-174	6.4	90
1	Utilization of Multifunctional Environment-Friendly Organic Dopants Inspired from Nature for Carbon Nanotube-Based Planar Heterojunction Silicon Solar Cells. <i>Advanced Energy and Sustainability Research</i> , 2100155	1.6	0