

Buster Mannheimer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/377867/publications.pdf>

Version: 2024-02-01

28
papers

476
citations

758635

12
h-index

713013

21
g-index

35
all docs

35
docs citations

35
times ranked

592
citing authors

#	ARTICLE	IF	CITATIONS
1	Current and Future Burdens of Heat-Related Hyponatremia: A Nationwide Register-Based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2388-e2393.	1.8	5
2	Bleeding and thromboembolism due to drug-drug interactions with non-vitamin K antagonist oral anticoagulants—a Swedish, register-based cohort study in atrial fibrillation outpatients. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 409-419.	0.8	19
3	Reduced risk for hospitalization due to hyponatraemia in lithium treated patients: A Swedish population-based case-control study. <i>Journal of Psychopharmacology</i> , 2021, 35, 184-189.	2.0	6
4	Association between lipid-lowering agents and severe hyponatremia: a population-based case-control study. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 747-755.	0.8	2
5	Association between newly initiated thiazide diuretics and hospitalization due to hyponatremia. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1049-1055.	0.8	13
6	Time-dependent association between selective serotonin reuptake inhibitors and hospitalization due to hyponatremia. <i>Journal of Psychopharmacology</i> , 2021, 35, 928-933.	2.0	7
7	Non-thiazide diuretics and hospitalization due to hyponatraemia: A population-based case-control study. <i>Clinical Endocrinology</i> , 2021, 95, 520-526.	1.2	2
8	Factors of importance for discontinuation of thiazides associated with hyponatremia in Sweden: A population-based register study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 77-83.	0.9	3
9	Inverse association between glucose-lowering medications and severe hyponatremia: a Swedish population-based case-control study. <i>Endocrine</i> , 2020, 67, 579-586.	1.1	6
10	Associations Between Antihypertensive Medications and Severe Hyponatremia: A Swedish Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3696-e3705.	1.8	16
11	Associations of proton pump inhibitors and hospitalization due to hyponatremia: A population-based case-control study. <i>European Journal of Internal Medicine</i> , 2019, 59, 65-69.	1.0	38
12	Prevalence of potential drug-drug interactions in Swedish pediatric outpatients. <i>PLoS ONE</i> , 2019, 14, e0220685.	1.1	6
13	The Effect of Flucloxacillin on Warfarin Anticoagulation: A Swedish Register-Based Nationwide Cohort Study. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1617-1623.	1.8	5
14	Sex-specific risks of death in patients hospitalized for hyponatremia: a population-based study. <i>Endocrine</i> , 2019, 66, 660-665.	1.1	13
15	The effect of simvastatin on warfarin anticoagulation: a Swedish register-based nationwide cohort study. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1387-1392.	0.8	7
16	Is tramadol associated to bleeding peptic ulcer? A nationwide case-control study in hospitalized Swedish patients. <i>PLoS ONE</i> , 2019, 14, e0215356.	1.1	4
17	Tramadol- and codeine-induced severe hyponatremia: A Swedish population-based case-control study. <i>European Journal of Internal Medicine</i> , 2019, 69, 20-24.	1.0	20
18	Antipsychotics and severe hyponatremia: A Swedish population-based case-control study. <i>European Journal of Internal Medicine</i> , 2019, 60, 71-77.	1.0	32

#	ARTICLE	IF	CITATIONS
19	Differences in associations of antiepileptic drugs and hospitalization due to hyponatremia: A population-based case-control study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 59, 28-33.	0.9	33
20	Differences in Associations of Antidepressants and Hospitalization Due to Hyponatremia. <i>American Journal of Medicine</i> , 2018, 131, 56-63.	0.6	47
21	Risperidone and Venlafaxine Metabolic Ratios Strongly Predict a CYP2D6 Poor Metabolizing Genotype. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 127-134.	1.0	32
22	No Effect of High-Dose Vitamin D Treatment on β -Cell Function, Insulin Sensitivity, or Glucose Homeostasis in Subjects With Abnormal Glucose Tolerance: A Randomized Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 345-352.	4.3	48
23	Limited value of long-term biochemical follow-up in patients with adrenal incidentalomas-a retrospective cohort study. <i>BMC Endocrine Disorders</i> , 2015, 15, 6.	0.9	22
24	No Impact of Vitamin D on the CYP3A Biomarker 4 β -Hydroxycholesterol in Patients with Abnormal Glucose Regulation. <i>PLoS ONE</i> , 2015, 10, e0121984.	1.1	5
25	A limited number of prescribed drugs account for the great majority of drug-drug interactions. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 1375-1383.	0.8	32
26	Risperidone metabolic ratio as a biomarker of individual CYP2D6 genotype in schizophrenic patients. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 695-699.	0.8	10
27	Adherence to Guidelines for Avoiding Drug Interactions Associated with Warfarin - A Nationwide Swedish Register Study. <i>PLoS ONE</i> , 2014, 9, e97388.	1.1	9
28	Impact of Multiple Inhibitors or Substrates of Cytochrome P450 2D6 on Plasma Risperidone Levels in Patients on Polypharmacy. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 565-569.	1.0	33