

Gary Lewin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3779651/gary-lewin-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

14,976
citations

61
h-index

121
g-index

175
ext. papers

16,650
ext. citations

11.3
avg, IF

6.37
L-index

#	Paper	IF	Citations
154	Physiology of the neurotrophins. <i>Annual Review of Neuroscience</i> , 1996 , 19, 289-317	17	1700
153	Severe neuropathies in mice with targeted mutations in the ErbB3 receptor. <i>Nature</i> , 1997 , 389, 725-30	50.4	610
152	The DRASIC cation channel contributes to the detection of cutaneous touch and acid stimuli in mice. <i>Neuron</i> , 2001 , 32, 1071-83	13.9	512
151	Nerve growth factor-induced hyperalgesia in the neonatal and adult rat. <i>Journal of Neuroscience</i> , 1993 , 13, 2136-48	6.6	469
150	Peripheral and central mechanisms of NGF-induced hyperalgesia. <i>European Journal of Neuroscience</i> , 1994 , 6, 1903-12	3.5	449
149	Nerve growth factor and nociception. <i>Trends in Neurosciences</i> , 1993 , 16, 353-9	13.3	441
148	Piezo2 is the major transducer of mechanical forces for touch sensation in mice. <i>Nature</i> , 2014 , 516, 121-5	50.4	439
147	The mammalian sodium channel BNC1 is required for normal touch sensation. <i>Nature</i> , 2000 , 407, 1007-11	50.4	414
146	Isolectin B(4)-positive and -negative nociceptors are functionally distinct. <i>Journal of Neuroscience</i> , 1999 , 19, 6497-505	6.6	390
145	Fructose-driven glycolysis supports anoxia resistance in the naked mole-rat. <i>Science</i> , 2017 , 356, 307-311	33.3	361
144	Hypoalgesia and altered inflammatory responses in mice lacking kinin B1 receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 8140-5	11.5	308
143	Central hyperexcitability triggered by noxious inputs. <i>Current Opinion in Neurobiology</i> , 1993 , 3, 602-10	7.6	301
142	Receptive properties of mouse sensory neurons innervating hairy skin. <i>Journal of Neurophysiology</i> , 1997 , 78, 1841-50	3.2	288
141	The homeodomain factor <i>lhx1</i> distinguishes two major programs of neuronal differentiation in the dorsal spinal cord. <i>Neuron</i> , 2002 , 34, 551-62	13.9	285
140	Roles for the pro-neurotrophin receptor sortilin in neuronal development, aging and brain injury. <i>Nature Neuroscience</i> , 2007 , 10, 1449-57	25.5	220
139	Abundant production of brain-derived neurotrophic factor by adult visceral epithelia. Implications for paracrine and target-derived Neurotrophic functions. <i>American Journal of Pathology</i> , 1999 , 155, 1183-93	5.8	211
138	Specific subtypes of cutaneous mechanoreceptors require neurotrophin-3 following peripheral target innervation. <i>Neuron</i> , 1996 , 16, 287-95	13.9	203

137	Requirement for nerve growth factor in the development of myelinated nociceptors in vivo. <i>Nature</i> , 1991 , 350, 500-2	50.4	200
136	Neurotrophins live or let die: does p75NTR decide?. <i>Neuron</i> , 1997 , 18, 187-90	13.9	197
135	A stomatin-domain protein essential for touch sensation in the mouse. <i>Nature</i> , 2007 , 445, 206-9	50.4	179
134	Mechanosensation and pain. <i>Journal of Neurobiology</i> , 2004 , 61, 30-44		171
133	Point mutation in trkB causes loss of NT4-dependent neurons without major effects on diverse BDNF responses. <i>Neuron</i> , 1998 , 21, 335-45	13.9	169
132	The AMPA receptor subunits GluR-A and GluR-B reciprocally modulate spinal synaptic plasticity and inflammatory pain. <i>Neuron</i> , 2004 , 44, 637-50	13.9	165
131	Tuning Piezo ion channels to detect molecular-scale movements relevant for fine touch. <i>Nature Communications</i> , 2014 , 5, 3520	17.4	160
130	A role for BDNF in mechanosensation. <i>Nature Neuroscience</i> , 1998 , 1, 42-6	25.5	154
129	Cellular sources of enhanced brain-derived neurotrophic factor production in a mouse model of allergic inflammation. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1999 , 21, 537-46	5.7	147
128	Nociceptors: a phylogenetic view. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2009 , 195, 1089-106	2.3	146
127	On the role of nerve growth factor in the development of myelinated nociceptors. <i>Journal of Neuroscience</i> , 1992 , 12, 1896-905	6.6	136
126	Mechanosensitive currents in the neurites of cultured mouse sensory neurones. <i>Journal of Physiology</i> , 2006 , 577, 815-28	3.9	135
125	Sortilin associates with Trk receptors to enhance anterograde transport and neurotrophin signaling. <i>Nature Neuroscience</i> , 2011 , 14, 54-61	25.5	132
124	Direct measurement of TRPV4 and PIEZO1 activity reveals multiple mechanotransduction pathways in chondrocytes. <i>ELife</i> , 2017 , 6,	8.9	131
123	An ultrastructural size principle. <i>Neuroscience</i> , 1994 , 58, 441-6	3.9	129
122	Selective inflammatory pain insensitivity in the African naked mole-rat (<i>Heterocephalus glaber</i>). <i>PLoS Biology</i> , 2008 , 6, e13	9.7	129
121	The mechanosensitive ion channel Piezo2 mediates sensitivity to mechanical pain in mice. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	126
120	The ion channel ASIC1 contributes to visceral but not cutaneous mechanoreceptor function. <i>Gastroenterology</i> , 2004 , 127, 1739-47	13.3	123

119	Neural precursor cells induce cell death of high-grade astrocytomas through stimulation of TRPV1. <i>Nature Medicine</i> , 2012 , 18, 1232-8	50.5	121
118	A T-type calcium channel required for normal function of a mammalian mechanoreceptor. <i>Nature Neuroscience</i> , 2003 , 6, 724-30	25.5	120
117	The molecular and cellular identity of peripheral osmoreceptors. <i>Neuron</i> , 2011 , 69, 332-44	13.9	115
116	The transcription factor c-Maf controls touch receptor development and function. <i>Science</i> , 2012 , 335, 1373-6	33.3	109
115	Altered expression of nerve growth factor in the skin of transgenic mice leads to changes in response to mechanical stimuli. <i>Neuroscience</i> , 1993 , 56, 789-92	3.9	104
114	Regulation of afferent connectivity in the adult spinal cord by nerve growth factor. <i>European Journal of Neuroscience</i> , 1992 , 4, 700-7	3.5	102
113	Regulation of cutaneous C-fiber heat nociceptors by nerve growth factor in the developing rat. <i>Journal of Neurophysiology</i> , 1994 , 71, 941-9	3.2	101
112	Selective activation of nociceptors by P2X receptor agonists in normal and inflamed rat skin. <i>Journal of Physiology</i> , 2001 , 534, 437-45	3.9	98
111	Photoswitchable fatty acids enable optical control of TRPV1. <i>Nature Communications</i> , 2015 , 6, 7118	17.4	96
110	The molecular basis of acid insensitivity in the African naked mole-rat. <i>Science</i> , 2011 , 334, 1557-60	33.3	96
109	cGMP-mediated signaling via cGKIalpha is required for the guidance and connectivity of sensory axons. <i>Journal of Cell Biology</i> , 2002 , 159, 489-98	7.3	93
108	GABA blocks pathological but not acute TRPV1 pain signals. <i>Cell</i> , 2015 , 160, 759-770	56.2	92
107	A new role for neurotrophins: involvement of brain-derived neurotrophic factor and neurotrophin-4 in hair cycle control. <i>FASEB Journal</i> , 1999 , 13, 395-410	0.9	91
106	Immune or Genetic-Mediated Disruption of CASPR2 Causes Pain Hypersensitivity Due to Enhanced Primary Afferent Excitability. <i>Neuron</i> , 2018 , 97, 806-822.e10	13.9	81
105	KCNQ4 K(+) channels tune mechanoreceptors for normal touch sensation in mouse and man. <i>Nature Neuroscience</i> , 2011 , 15, 138-45	25.5	79
104	A new role for neurotrophin-3: involvement in the regulation of hair follicle regression (catagen). <i>American Journal of Pathology</i> , 1998 , 153, 785-99	5.8	79
103	BDNF but not NT-4 is required for normal flexion reflex plasticity and function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 8107-12	11.5	75
102	Developmental waves of mechanosensitivity acquisition in sensory neuron subtypes during embryonic development. <i>EMBO Journal</i> , 2009 , 28, 1479-91	13	71

101	Presynaptically localized cyclic GMP-dependent protein kinase 1 is a key determinant of spinal synaptic potentiation and pain hypersensitivity. <i>PLoS Biology</i> , 2012 , 10, e1001283	9.7	71
100	Stomatin-domain proteins. <i>European Journal of Cell Biology</i> , 2012 , 91, 240-5	6.1	70
99	Evidence for a protein tether involved in somatic touch. <i>EMBO Journal</i> , 2010 , 29, 855-67	13	69
98	Distinct requirements for TrkB and TrkC signaling in target innervation by sensory neurons. <i>Genes and Development</i> , 2002 , 16, 633-45	12.6	69
97	Voltage-gating of mechanosensitive PIEZO channels. <i>Nature Communications</i> , 2018 , 9, 1096	17.4	67
96	PIEZO2 is required for mechanotransduction in human stem cell-derived touch receptors. <i>Nature Neuroscience</i> , 2015 , 18, 10-6	25.5	66
95	Activation of MAPK overrides the termination of myelin growth and replaces Nrg1/ErbB3 signals during Schwann cell development and myelination. <i>Genes and Development</i> , 2014 , 28, 290-303	12.6	65
94	Role of T-type calcium current in identified D-hair mechanoreceptor neurons studied in vitro. <i>Journal of Neuroscience</i> , 2004 , 24, 8480-4	6.6	62
93	The consequences of long-term topical capsaicin application in the rat. <i>Pain</i> , 1991 , 44, 301-310	8	61
92	Stomatin, a MEC-2 like protein, is expressed by mammalian sensory neurons. <i>Molecular and Cellular Neurosciences</i> , 1999 , 13, 391-404	4.8	60
91	Neurotrophins: a link between airway inflammation and airway smooth muscle contractility in asthma?. <i>International Archives of Allergy and Immunology</i> , 1999 , 118, 163-5	3.7	58
90	Neurotrophin-4: a survival factor for adult sensory neurons. <i>Current Biology</i> , 2002 , 12, 1401-4	6.3	57
89	Nociceptive tuning by stem cell factor/c-Kit signaling. <i>Neuron</i> , 2007 , 56, 893-906	13.9	52
88	Hairy sensation. <i>Physiology</i> , 2013 , 28, 142-50	9.8	51
87	Laminin-332 coordinates mechanotransduction and growth cone bifurcation in sensory neurons. <i>Nature Neuroscience</i> , 2011 , 14, 993-1000	25.5	51
86	Nerve growth factor and nociception: from experimental embryology to new analgesic therapy. <i>Handbook of Experimental Pharmacology</i> , 2014 , 220, 251-82	3.2	50
85	Neurotrophin-3 involvement in the regulation of hair follicle morphogenesis. <i>Journal of Investigative Dermatology</i> , 1998 , 111, 279-85	4.3	50
84	GFR alpha2/neurturin signalling regulates noxious heat transduction in isolectin B4-binding mouse sensory neurons. <i>Journal of Physiology</i> , 2002 , 545, 43-50	3.9	50

83	A genetic basis for mechanosensory traits in humans. <i>PLoS Biology</i> , 2012 , 10, e1001318	9.7	49
82	A stomatin dimer modulates the activity of acid-sensing ion channels. <i>EMBO Journal</i> , 2012 , 31, 3635-46	13	48
81	Ultraviolet-B-induced mechanical hyperalgesia: A role for peripheral sensitisation. <i>Pain</i> , 2010 , 150, 141-182		48
80	Stability and plasticity of primary afferent projections following nerve regeneration and central degeneration. <i>European Journal of Neuroscience</i> , 1999 , 11, 457-68	3.5	48
79	Quantitative analysis of peptide levels and neurogenic extravasation following regeneration of afferents to appropriate and inappropriate targets. <i>Neuroscience</i> , 1989 , 33, 67-73	3.9	48
78	Physiological properties of primary sensory neurons appropriately and inappropriately innervating skin in the adult rat. <i>Journal of Neurophysiology</i> , 1991 , 66, 1205-17	3.2	47
77	Peripheral sensitisation of nociceptors via G-protein-dependent potentiation of mechanotransduction currents. <i>Journal of Physiology</i> , 2009 , 587, 3493-503	3.9	45
76	Speed and temperature dependences of mechanotransduction in afferent fibers recorded from the mouse saphenous nerve. <i>Journal of Neurophysiology</i> , 2008 , 100, 2771-83	3.2	45
75	The Cav3.2 T-type calcium channel regulates temporal coding in mouse mechanoreceptors. <i>Journal of Physiology</i> , 2011 , 589, 2229-43	3.9	44
74	Peripheral calcium-permeable AMPA receptors regulate chronic inflammatory pain in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1608-23	15.9	44
73	ASICs and mammalian mechanoreceptor function. <i>Neuropharmacology</i> , 2015 , 94, 80-6	5.5	43
72	The Sensory Coding of Warm Perception. <i>Neuron</i> , 2020 , 106, 830-841.e3	13.9	43
71	Stomatin and sensory neuron mechanotransduction. <i>Journal of Neurophysiology</i> , 2007 , 98, 3802-8	3.2	43
70	Small-molecule inhibition of STOML3 oligomerization reverses pathological mechanical hypersensitivity. <i>Nature Neuroscience</i> , 2017 , 20, 209-218	25.5	42
69	TrkB and neurotrophin-4 are important for development and maintenance of sympathetic preganglionic neurons innervating the adrenal medulla. <i>Journal of Neuroscience</i> , 1998 , 18, 7272-84	6.6	41
68	Rapid molecular evolution of pain insensitivity in multiple African rodents. <i>Science</i> , 2019 , 364, 852-859	33.3	39
67	A somatosensory circuit for cooling perception in mice. <i>Nature Neuroscience</i> , 2014 , 17, 1560-6	25.5	38
66	The sensory mechanotransduction ion channel ASIC2 (acid sensitive ion channel 2) is regulated by neurotrophin availability. <i>Neuroscience</i> , 2005 , 131, 499-511	3.9	38

65	Physiological properties of primary sensory neurons appropriately and inappropriately innervating skeletal muscle in adult rats. <i>Journal of Neurophysiology</i> , 1991 , 66, 1218-31	3.2	38
64	Lipidome determinants of maximal lifespan in mammals. <i>Scientific Reports</i> , 2017 , 7, 5	4.9	37
63	Pro-neurotrophins, sortilin, and nociception. <i>European Journal of Neuroscience</i> , 2014 , 39, 363-74	3.5	35
62	The high threshold mechanotransducer: a status report. <i>Pain</i> , 2006 , 120, 3-7	8	35
61	Stomatin-domain protein interactions with acid-sensing ion channels modulate nociceptor mechanosensitivity. <i>Journal of Physiology</i> , 2013 , 591, 5555-74	3.9	34
60	A plethora of painful molecules. <i>Current Opinion in Neurobiology</i> , 2004 , 14, 443-9	7.6	34
59	Lack of neurotrophin-4 causes selective structural and chemical deficits in sympathetic ganglia and their preganglionic innervation. <i>Journal of Neuroscience</i> , 2001 , 21, 3073-84	6.6	34
58	Hypofunctional TrkA Accounts for the Absence of Pain Sensitization in the African Naked Mole-Rat. <i>Cell Reports</i> , 2016 , 17, 748-758	10.6	33
57	Regulation of ASIC channels by a stomatin/STOML3 complex located in a mobile vesicle pool in sensory neurons. <i>Open Biology</i> , 2012 , 2, 120096	7	31
56	Receptive properties of embryonic chick sensory neurons innervating skin. <i>Journal of Neurophysiology</i> , 1997 , 78, 2560-8	3.2	31
55	Specialized mechanoreceptor systems in rodent glabrous skin. <i>Journal of Physiology</i> , 2018 , 596, 4995-5016	3.6	30
54	Neonatal Anti-NGF Treatment Reduces the Adelta- and C-Fibre Evoked Vasodilator Responses in Rat Skin: Evidence That Nociceptor Afferents Mediate Antidromic Vasodilatation. <i>European Journal of Neuroscience</i> , 1992 , 4, 1213-8	3.5	30
53	Regulation of myelinated nociceptor function by nerve growth factor in neonatal and adult rats. <i>Brain Research Bulletin</i> , 1993 , 30, 245-9	3.9	29
52	Absence of histamine-induced itch in the African naked mole-rat and "rescue" by Substance P. <i>Molecular Pain</i> , 2010 , 6, 29	3.4	27
51	NMDA receptors and activity-dependent tuning of the receptive fields of spinal cord neurons. <i>Nature</i> , 1994 , 369, 482-5	50.4	27
50	Sensory mechanotransduction at membrane-matrix interfaces. <i>Pflugers Archiv European Journal of Physiology</i> , 2015 , 467, 121-32	4.6	26
49	Cultural transmission of vocal dialect in the naked mole-rat. <i>Science</i> , 2021 , 371, 503-507	33.3	26
48	G(q/11) signaling tonically modulates nociceptor function and contributes to activity-dependent sensitization. <i>Pain</i> , 2012 , 153, 184-196	8	25

47	An in vivo tethered toxin approach for the cell-autonomous inactivation of voltage-gated sodium channel currents in nociceptors. <i>Journal of Physiology</i> , 2010 , 588, 1695-707	3.9	24
46	BDNF overexpression induces differential increases among subsets of sympathetic innervation in murine back skin. <i>European Journal of Neuroscience</i> , 1998 , 10, 3276-83	3.5	24
45	TMEM87a/Elkin1, a component of a novel mechano-electrical transduction pathway, modulates melanoma adhesion and migration. <i>ELife</i> , 2020 , 9,	8.9	23
44	Mechano-electrical transduction in chondrocytes. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018 , 45, 481-488	3	22
43	Specific paucity of unmyelinated C-fibers in cutaneous peripheral nerves of the African naked-mole rat: comparative analysis using six species of Bathyergidae. <i>Journal of Comparative Neurology</i> , 2012 , 520, 2785-803	3.4	22
42	Neurotrophins, nociceptors and pain. <i>Current Opinion in Anaesthesiology</i> , 2000 , 13, 573-6	2.9	20
41	Genetic Tracing of Ca _v 3.2 T-Type Calcium Channel Expression in the Peripheral Nervous System. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 70	6.1	19
40	Increase of blood flow in skin and spinal cord following activation of small diameter primary afferents. <i>Brain Research</i> , 1990 , 509, 145-9	3.7	19
39	The neural circuits of thermal perception. <i>Current Opinion in Neurobiology</i> , 2018 , 52, 98-106	7.6	19
38	A role for T-type Ca ²⁺ channels in mechanosensation. <i>Cell Calcium</i> , 2006 , 40, 165-74	4	17
37	Dorsal Horn Plasticity Following Re-routing of Peripheral Nerves: Evidence for Tissue-Specific Neurotrophic Influences from the Periphery. <i>European Journal of Neuroscience</i> , 1991 , 3, 1112-22	3.5	17
36	Functional neurokinin and NMDA receptor activity in an animal naturally lacking substance P: the naked mole-rat. <i>PLoS ONE</i> , 2010 , 5, e15162	3.7	16
35	Neurotrophic factors and pain. <i>Seminars in Neuroscience</i> , 1995 , 7, 227-232		16
34	Fxyd2 regulates A δ and C-fiber mechanosensitivity and is required for the maintenance of neuropathic pain. <i>Scientific Reports</i> , 2016 , 6, 36407	4.9	15
33	Maintenance of modality-specific connections in the spinal cord after neonatal nerve growth factor deprivation. <i>European Journal of Neuroscience</i> , 1996 , 8, 1677-84	3.5	15
32	A Molecular Signature of Myalgia in Myotonic Dystrophy 2. <i>EBioMedicine</i> , 2016 , 7, 205-11	8.8	13
31	USH2A is a Meissner \mathcal{Q} corpuscle protein necessary for normal vibration sensing in mice and humans. <i>Nature Neuroscience</i> , 2021 , 24, 74-81	25.5	13
30	Identification of caveolae-like structures on the surface of intact cells using scanning force microscopy. <i>Journal of Membrane Biology</i> , 2003 , 194, 97-108	2.3	12

29	The Absence of Sensory Axon Bifurcation Affects Nociception and Termination Fields of Afferents in the Spinal Cord. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 19	6.1	11
28	Maf links Neuregulin1 signaling to cholesterol synthesis in myelinating Schwann cells. <i>Genes and Development</i> , 2018 , 32, 645-657	12.6	11
27	Subunit-specific inhibition of acid sensing ion channels by stomatin-like protein 1. <i>Journal of Physiology</i> , 2014 , 592, 557-69	3.9	11
26	SUMOylation of Enzymes and Ion Channels in Sensory Neurons Protects against Metabolic Dysfunction, Neuropathy, and Sensory Loss in Diabetes. <i>Neuron</i> , 2020 , 107, 1141-1159.e7	13.9	11
25	The naked truth: a comprehensive clarification and classification of current myths on naked mole-rat biology. <i>Biological Reviews</i> , 2021 ,	13.5	11
24	Muscle afferents innervating skin form somatotopically appropriate connections in the adult rat dorsal horn. <i>European Journal of Neuroscience</i> , 1993 , 5, 1083-92	3.5	10
23	African Naked Mole-Rats Demonstrate Extreme Tolerance to Hypoxia and Hypercapnia. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1319, 255-269	3.6	10
22	Inhibition of c-Kit signaling is associated with reduced heat and cold pain sensitivity in humans. <i>Pain</i> , 2014 , 155, 1222-1228	8	9
21	Congenital deafness is associated with specific somatosensory deficits in adolescents. <i>Scientific Reports</i> , 2017 , 7, 4251	4.9	8
20	Water-induced finger wrinkles do not affect touch acuity or dexterity in handling wet objects. <i>PLoS ONE</i> , 2014 , 9, e84949	3.7	8
19	A Probabilistic Model for Estimating the Depth and Threshold Temperature of C-fiber Nociceptors. <i>Scientific Reports</i> , 2015 , 5, 17670	4.9	7
18	The Somatosensory World of the African Naked Mole-Rat. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1319, 197-220	3.6	7
17	Independent evolution of pain insensitivity in African mole-rats: origins and mechanisms. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2020 , 206, 313-325	2.3	6
16	Measurement of Vibration Detection Threshold and Tactile Spatial Acuity in Human Subjects. <i>Journal of Visualized Experiments</i> , 2016 ,	1.6	5
15	Removing constraints on neural sprouting. <i>Current Biology</i> , 1992 , 2, 259-61	6.3	5
14	Hearing and Vocalizations in the Naked Mole-Rat. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1319, 157-195	3.6	5
13	Evolution. Natural selection and pain meet at a sodium channel. <i>Science</i> , 2013 , 342, 428-9	33.3	4
12	A Sweet Story of Metabolic Innovation in the Naked Mole-Rat. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1319, 271-286	3.6	4

11	USH2A is a skin end-organ protein necessary for vibration sensing in mice and humans		2
10	Voltage-gating of mechanosensitive PIEZO channels		2
9	William D. Willis, Jr, MD, PhD Memorial Lecture: The evolutionary history of nerve growth factor and nociception. <i>Pain</i> , 2020 , 161 Suppl 1, S36-S47	8	2
8	Collagen Organization Within the Cartilage of Trpv4 Mice Studied with Two-Photon Microscopy and Polarized Second Harmonic Generation. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2020 , 97, 504-514	4.6	2
7	SPFH protein cage—One ring to rule them all.. <i>Cell Research</i> , 2021 ,	24.7	2
6	Naked Mole Rats: Their Extraordinary Sensory World 2010 , 505-512		1
5	Chapter 13 Finding Sensory Neuron Mechanotransduction Components. <i>Current Topics in Membranes</i> , 2006 , 379-414	2.2	1
4	The sensory coding of warm perception		1
3	Immune competence and spleen size scale with colony status in the naked mole-rat		1
2	Immune competence and spleen size scale with colony status in the naked mole-rat.. <i>Open Biology</i> , 2022 , 12, 210292	7	0
1	Blind and naked, but oh so cool: The subterranean world of the naked mole-rat. <i>FASEB Journal</i> , 2009 , 23, 416.4	0.9	