

Jin Huang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3779677/jin-huang-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

4,659
citations

36
h-index

63
g-index

149
ext. papers

5,401
ext. citations

7.2
avg. IF

5.57
L-index

#	Paper	IF	Citations
141	Fuel-Powered DNA Nanomachines for Biosensing and Cancer Therapy.. <i>ChemPlusChem</i> , 2022 , 87, e20220098	12.1	0
140	Acidic microenvironment triggered assembly of activatable three-arm aptamer nanoclave for contrast-enhanced imaging and tumor growth inhibition .. <i>Theranostics</i> , 2022 , 12, 3474-3487	12.1	0
139	Engineering a Facile Aptamer "Molecule-Doctor" with Hairpin-Contained I-Motif Enables Accurate Imaging and Killing of Cancer Cells. <i>Analytical Chemistry</i> , 2021 , 93, 14552-14559	7.8	1
138	Ratiometric Fluorescent DNA Nanostructure for Mitochondrial ATP Imaging in Living Cells Based on Hybridization Chain Reaction. <i>Analytical Chemistry</i> , 2021 , 93, 6715-6722	7.8	17
137	Enzymatic Behavior Regulation-Based Colorimetric and Electrochemiluminescence Sensing of Phosphate Using the Cobalt Oxyhydroxide Nanosheet. <i>Analytical Chemistry</i> , 2021 , 93, 6770-6778	7.8	7
136	Orderly Assembled, Self-Powered FRET Flares for MicroRNA Imaging in Live Cells. <i>Analytical Chemistry</i> , 2021 , 93, 6270-6277	7.8	6
135	A MnO nanosheet-mediated photo-controlled DNAzyme for intracellular miRNA cleavage to suppress cell growth. <i>Analyst</i> , 2021 , 146, 3391-3398	5	0
134	An endogenous stimulus detonated nanocluster-bomb for contrast-enhanced cancer imaging and combination therapy. <i>Chemical Science</i> , 2021 , 12, 12118-12129	9.4	0
133	In Situ Hand-in-Hand DNA Tile Assembly: A pH-Driven and Aptamer-Targeted DNA Nanostructure for TK1 mRNA Visualization and Synergetic Killing of Cancer Cells. <i>Analytical Chemistry</i> , 2021 , 93, 10511-10518	7.8	4
132	Rapid and sensitive detection of Salmonella in milk based on hybridization chain reaction and graphene oxide fluorescence platform. <i>Journal of Dairy Science</i> , 2021 , 104, 12295-12302	4	0
131	A self-assembled DNA nanostructure as a FRET nanoflare for intracellular ATP imaging. <i>Chemical Communications</i> , 2021 , 57, 6257-6260	5.8	3
130	Polymerization and isomerization cyclic amplification for nucleic acid detection with attomolar sensitivity. <i>Chemical Science</i> , 2021 , 12, 4509-4518	9.4	5
129	Dual-MicroRNA-regulation of singlet oxygen generation by a DNA-tetrahedron-based molecular logic device. <i>Chemical Communications</i> , 2021 , 57, 3873-3876	5.8	2
128	Self-Assembled DNA Nanostructures-Based Nanocarriers Enabled Functional Nucleic Acids Delivery.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 2779-2795	4.1	10
127	A DNA tetrahedron-based molecular computation device for the logic sensing of dual microRNAs in living cells. <i>Chemical Communications</i> , 2020 , 56, 5303-5306	5.8	6
126	A fluorescence-positioned hybridization chain reaction system for sensitive detection of Salmonella in milk. <i>Analytical Methods</i> , 2020 , 12, 1958-1965	3.2	7
125	Selection of Affinity Reagents to Neutralize the Hemolytic Toxicity of Melittin Based on a Self-Assembled Nanoparticle Library. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 16040-16049	9.5	6

124	A DNA molecular diagnostic technology with LAMP-like sensitivity based on one pair of hairpin primers-mediated isothermal polymerization amplification. <i>Analytica Chimica Acta</i> , 2020 , 1134, 144-149	6.6	3
123	Self-assembled DNA-Based geometric polyhedrons: Construction and applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 126, 115844	14.6	3
122	Sensitive and specific detection of tumour cells based on a multivalent DNA nanocreeper and a multiplexed fluorescence supersandwich. <i>Chemical Communications</i> , 2020 , 56, 3693-3696	5.8	3
121	Aptamer-tethered self-assembled FRET-flares for microRNA imaging in living cancer cells. <i>Chemical Communications</i> , 2020 , 56, 2463-2466	5.8	9
120	Contributing to liquid biopsy: Optical and electrochemical methods in cancer biomarker analysis. <i>Coordination Chemistry Reviews</i> , 2020 , 415, 213317	23.2	17
119	Photocaged FRET nanoflares for intracellular microRNA imaging. <i>Chemical Communications</i> , 2020 , 56, 6126-6129	5.8	12
118	Engineering DNAzyme cascade for signal transduction and amplification. <i>Analyst, The</i> , 2020 , 145, 1925-1932	19.32	2
117	FRET-based nucleic acid probes: Basic designs and applications in bioimaging. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 124, 115784	14.6	15
116	A DNAzyme cascade for amplified detection of intracellular miRNA. <i>Chemical Communications</i> , 2020 , 56, 10163-10166	5.8	8
115	Amplified FRET Nanoflares: An Endogenous mRNA-Powered Nanomachine for Intracellular MicroRNA Imaging. <i>Angewandte Chemie</i> , 2020 , 132, 20279-20286	3.6	6
114	Amplified FRET Nanoflares: An Endogenous mRNA-Powered Nanomachine for Intracellular MicroRNA Imaging. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 20104-20111	16.4	17
113	Amplified AND logic platform for cell identification. <i>Chemical Communications</i> , 2020 , 56, 11267-11270	5.8	8
112	Intelligent Nanoprobe: Acid-Responsive Drug Release and In Situ Evaluation of Its Own Therapeutic Effect. <i>Analytical Chemistry</i> , 2020 , 92, 12371-12378	7.8	2
111	A Mimosa-Inspired Cell-Surface-Anchored Ratiometric DNA Nanosensor for High-Resolution and Sensitive Response of Target Tumor Extracellular pH. <i>Analytical Chemistry</i> , 2020 , 92, 15104-15111	7.8	8
110	An Autonomous Self-Cleavage DNAzyme Walker for Live Cell MicroRNA Imaging.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 6310-6318	4.1	8
109	I-Motif-Based in Situ Bipedal Hybridization Chain Reaction for Specific Activatable Imaging and Enhanced Delivery of Antisense Oligonucleotides. <i>Analytical Chemistry</i> , 2019 , 91, 12538-12545	7.8	12
108	Dual-microRNA-controlled double-amplified cascaded logic DNA circuits for accurate discrimination of cell subtypes. <i>Chemical Science</i> , 2019 , 10, 1442-1449	9.4	38
107	Linear-hairpin variable primer RT-qPCR for MicroRNA. <i>Chemical Science</i> , 2019 , 10, 2034-2043	9.4	13

106	DNA-Silver Nanocluster Binary Probes for Ratiometric Fluorescent Detection of HPV-related DNA. <i>Chemical Research in Chinese Universities</i> , 2019 , 35, 581-585	2.2	3
105	Rapid synthesis of Au/Ag bimetallic nanoclusters with highly biochemical stability and its applications for temperature and ratiometric pH sensing. <i>Analytica Chimica Acta</i> , 2019 , 1070, 88-96	6.6	15
104	Biomimetic nanochannel membrane for cascade response of borate and cis-hydroxyl compounds: An IMP logic gate device. <i>Chinese Chemical Letters</i> , 2019 , 30, 1397-1400	8.1	5
103	Mitochondria targeted self-assembled ratiometric fluorescent nanoprobe for pH imaging in living cells. <i>Analytical Methods</i> , 2019 , 11, 2097-2104	3.2	6
102	DNA supersandwich assemblies as artificial receptors to mediate intracellular delivery of catalase for efficient ROS scavenging. <i>Chemical Communications</i> , 2019 , 55, 4242-4245	5.8	8
101	Three-Dimensional Molecular Transfer from DNA Nanocages to Inner Gold Nanoparticle Surfaces. <i>ACS Nano</i> , 2019 , 13, 4174-4182	16.7	25
100	Gold nanoparticle based fluorescent oligonucleotide probes for imaging and therapy in living systems. <i>Analyst, The</i> , 2019 , 144, 1052-1072	5	25
99	Ratiometric determination of human papillomavirus-16 DNA by using fluorescent DNA-templated silver nanoclusters and hairpin-blocked DNAzyme-assisted cascade amplification. <i>Mikrochimica Acta</i> , 2019 , 186, 613	5.8	14
98	Colorimetric and fluorescent dual-mode detection of microRNA based on duplex-specific nuclease assisted gold nanoparticle amplification. <i>Analyst, The</i> , 2019 , 144, 4917-4924	5	30
97	Aptamer-Functionalized Activatable DNA Tetrahedron Nanoprobe for PIWI-Interacting RNA Imaging and Regulating in Cancer Cells. <i>Analytical Chemistry</i> , 2019 , 91, 15107-15113	7.8	12
96	Gold nanoparticle-based 2SO-methyl modified DNA probes for breast cancerous theranostics. <i>Talanta</i> , 2018 , 183, 11-17	6.2	11
95	Enhanced Imaging of Specific Cell-Surface Glycosylation Based on Multi-FRET. <i>Analytical Chemistry</i> , 2018 , 90, 6131-6137	7.8	26
94	A simple and sensitive assay for apurinic/aprimidinic endonuclease 1 activity based on host-guest interaction of Cyclodextrin polymer and pyrene. <i>Chinese Chemical Letters</i> , 2018 , 29, 973-976	8.1	3
93	Selection of Aptamers for Hydrophobic Drug Docetaxel To Improve Its Solubility. <i>ACS Applied Bio Materials</i> , 2018 , 1, 168-174	4.1	3
92	A multiplex paper-based nanobiocatalytic system for simultaneous determination of glucose and uric acid in whole blood. <i>Analyst, The</i> , 2018 , 143, 4422-4428	5	13
91	Flexible Assembly of an Enzyme Cascade on a DNA Triangle Prism Nanostructure for the Controlled Biomimetic Generation of Nitric Oxide. <i>ChemBioChem</i> , 2018 , 19, 2099-2106	3.8	7
90	Self-Assembled Supramolecular Nanoparticles for Targeted Delivery and Combination Chemotherapy. <i>ChemMedChem</i> , 2018 , 13, 2037-2044	3.7	14
89	A DNA nanowire based localized catalytic hairpin assembly reaction for microRNA imaging in live cells. <i>Chemical Science</i> , 2018 , 9, 7802-7808	9.4	85

88	Hairpin-fuelled catalytic nanobeacons for amplified microRNA imaging in live cells. <i>Chemical Communications</i> , 2018 , 54, 10336-10339	5.8	26
87	A hybridization-triggered DNAzyme cascade assay for enzyme-free amplified fluorescence detection of nucleic acids. <i>Analyst, The</i> , 2018 , 144, 143-147	5	7
86	Live-Cell MicroRNA Imaging through MnO Nanosheet-Mediated DD-A Hybridization Chain Reaction. <i>ChemBioChem</i> , 2018 , 19, 147-152	3.8	18
85	Two-Color-Based Nanoflares for Multiplexed MicroRNAs Imaging in Live Cells. <i>Nanotheranostics</i> , 2018 , 2, 96-105	5.6	23
84	Low Background Cascade Signal Amplification Electrochemical Sensing Platform for Tumor-Related mRNA Quantification by Target-Activated Hybridization Chain Reaction and Electroactive Cargo Release. <i>Analytical Chemistry</i> , 2018 , 90, 12544-12552	7.8	31
83	Integration of cell-free protein synthesis and purification in one microfluidic chip for on-demand production of recombinant protein. <i>Biomicrofluidics</i> , 2018 , 12, 054102	3.2	6
82	Detection of Nucleic Acids in Complex Samples via Magnetic Microbead-Assisted Catalyzed Hairpin Assembly and "DD-A" FRET. <i>Analytical Chemistry</i> , 2018 , 90, 7164-7170	7.8	33
81	A light-up fluorescence assay for tumor cell detection based on bifunctional split aptamers. <i>Analyst, The</i> , 2018 , 143, 3579-3585	5	15
80	Development of Dual-Aptamers for Constructing Sandwich-Type Pancreatic Polypeptide Assay. <i>ACS Sensors</i> , 2017 , 2, 308-315	9.2	18
79	Self-assembled DNA nanocentipedes as multivalent vehicles for enhanced delivery of CpG oligonucleotides. <i>Chemical Communications</i> , 2017 , 53, 5565-5568	5.8	28
78	Gold Nanoparticle Based Hairpin-Locked-DNAzyme Probe for Amplified miRNA Imaging in Living Cells. <i>Analytical Chemistry</i> , 2017 , 89, 5850-5856	7.8	92
77	Highly Fe-Selective Fluorescent Nanoprobe Based on Ultrabright N/P Codoped Carbon Dots and Its Application in Biological Samples. <i>Analytical Chemistry</i> , 2017 , 89, 7477-7484	7.8	202
76	Scallop-Inspired DNA Nanomachine: A Ratiometric Nanothermometer for Intracellular Temperature Sensing. <i>Analytical Chemistry</i> , 2017 , 89, 12115-12122	7.8	39
75	Gold Nanoparticle Loaded Split-DNAzyme Probe for Amplified miRNA Detection in Living Cells. <i>Analytical Chemistry</i> , 2017 , 89, 8377-8383	7.8	105
74	Self-assembled DNA nanowires as quantitative dual-drug nanocarriers for antitumor chemophotodynamic combination therapy. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 7529-7537	7.3	20
73	DNA tetrahedron nanostructures for biological applications: biosensors and drug delivery. <i>Analyst, The</i> , 2017 , 142, 3322-3332	5	81
72	High Signal-to-Background Ratio Detection of Cancer Cells with Activatable Strategy Based on Target-Induced Self-Assembly of Split Aptamers. <i>Analytical Chemistry</i> , 2017 , 89, 9347-9353	7.8	22
71	MnO nanosheet mediated "DD-A" FRET binary probes for sensitive detection of intracellular mRNA. <i>Chemical Science</i> , 2017 , 8, 668-673	9.4	59

70	Application of Nucleic Acid Aptamers in Polypeptides Researches. <i>Chinese Journal of Analytical Chemistry</i> , 2017 , 45, 1795-1803	1.6	1
69	Use of Cyclodextrin-tethered cationic polymer based fluorescence enhancement of pyrene and hybridization chain reaction for the enzyme-free amplified detection of DNA. <i>Analyst, The</i> , 2016 , 142, 224-228	5	17
68	Self-Assembled DNA Nanocentipede as Multivalent Drug Carrier for Targeted Delivery. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 25733-25740	9.5	54
67	"Sense-and-Treat" DNA Nanodevice for Synergetic Destruction of Circulating Tumor Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 26552-26558	9.5	38
66	Label-Free Carbon-Dots-Based Ratiometric Fluorescence pH Nanoprobes for Intracellular pH Sensing. <i>Analytical Chemistry</i> , 2016 , 88, 7837-43	7.8	195
65	Red blood cell membrane-mediated fusion of hydrophobic quantum dots with living cell membranes for cell imaging. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 4191-4197	7.3	18
64	Programmable Self-Assembly of DNA-Protein Hybrid Hydrogel for Enzyme Encapsulation with Enhanced Biological Stability. <i>Biomacromolecules</i> , 2016 , 17, 1543-50	6.9	35
63	Intelligent Nucleic Acid Functionalized Dual-Responsive Gold Nanoflare: Logic-Gate Nanodevice Visualized by Single-Nanoparticle Imaging. <i>ChemistrySelect</i> , 2016 , 1, 347-353	1.8	8
62	Detection of C-reactive protein using nanoparticle-enhanced surface plasmon resonance using an aptamer-antibody sandwich assay. <i>Chemical Communications</i> , 2016 , 52, 3568-71	5.8	84
61	Fluorescence resonance energy transfer-based hybridization chain reaction for visualization of tumor-related mRNA. <i>Chemical Science</i> , 2016 , 7, 3829-3835	9.4	70
60	Amplified fluorescence detection of adenosine via catalyzed hairpin assembly and host-guest interactions between Cyclodextrin polymer and pyrene. <i>Analyst, The</i> , 2016 , 141, 2502-7	5	18
59	A DNA tetrahedron-based molecular beacon for tumor-related mRNA detection in living cells. <i>Chemical Communications</i> , 2016 , 52, 2346-9	5.8	82
58	Steric hindrance regulated supramolecular assembly between Cyclodextrin polymer and pyrene for alkaline phosphatase fluorescent sensing. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016 , 156, 131-7	4.4	10
57	A supersandwich fluorescence in situ hybridization strategy for highly sensitive and selective mRNA imaging in tumor cells. <i>Chemical Communications</i> , 2016 , 52, 370-3	5.8	22
56	Competition-Mediated FRET-Switching DNA Tetrahedron Molecular Beacon for Intracellular Molecular Detection. <i>ACS Sensors</i> , 2016 , 1, 1445-1452	9.2	45
55	A cell-surface-anchored ratiometric i-motif sensor for extracellular pH detection. <i>Chemical Communications</i> , 2016 , 52, 7818-21	5.8	47
54	Biomimetic synthesis of highly biocompatible gold nanoparticles with amino acid-dithiocarbamate as a precursor for SERS imaging. <i>Nanotechnology</i> , 2016 , 27, 105603	3.4	7
53	Proof of concept for inhibiting metastasis: circulating tumor cell-triggered localized release of anticancer agent via a structure-switching aptamer. <i>Chemical Communications</i> , 2016 , 52, 6789-92	5.8	18

52	Powerful Amplification Cascades of FRET-Based Two-Layer Nonenzymatic Nucleic Acid Circuits. <i>Analytical Chemistry</i> , 2016 , 88, 5857-64	7.8	51
51	Aptazyme-Gold Nanoparticle Sensor for Amplified Molecular Probing in Living Cells. <i>Analytical Chemistry</i> , 2016 , 88, 5981-7	7.8	83
50	Aptamer-based FRET nanoflares for imaging potassium ions in living cells. <i>Chemical Communications</i> , 2016 , 52, 11386-11389	5.8	46
49	FRET Nanoflares for Intracellular mRNA Detection: Avoiding False Positive Signals and Minimizing Effects of System Fluctuations. <i>Journal of the American Chemical Society</i> , 2015 , 137, 8340-3	16.4	225
48	Amplified fluorescence detection of DNA based on catalyzed dynamic assembly and host-guest interaction between β -cyclodextrin polymer and pyrene. <i>Talanta</i> , 2015 , 144, 529-34	6.2	11
47	Multiple amplification detection of microRNA based on the host-guest interaction between β -cyclodextrin polymer and pyrene. <i>Analyst, The</i> , 2015 , 140, 4291-7	5	7
46	Ratiometric fluorescent sensing of pH values in living cells by dual-fluorophore-labeled i-motif nanopores. <i>Analytical Chemistry</i> , 2015 , 87, 8724-31	7.8	101
45	A sensitive detection of T4 polynucleotide kinase activity based on β -cyclodextrin polymer enhanced fluorescence combined with an exonuclease reaction. <i>Chemical Communications</i> , 2015 , 51, 1815-8	5.8	38
44	An enzyme-free and amplified colorimetric detection strategy via target-aptamer binding triggered catalyzed hairpin assembly. <i>Chemical Communications</i> , 2015 , 51, 937-40	5.8	36
43	Colorimetric detection of mercury ion based on unmodified gold nanoparticles and target-triggered hybridization chain reaction amplification. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 136 Pt B, 283-7	4.4	35
42	Tuning transport selectivity of ionic species by phosphoric acid gradient in positively charged nanochannel membranes. <i>Analytical Chemistry</i> , 2015 , 87, 1544-51	7.8	13
41	An enzyme-free and amplified colorimetric detection strategy: assembly of gold nanoparticles through target-catalytic circuits. <i>Analyst, The</i> , 2015 , 140, 1004-7	5	21
40	A multiple amplification strategy for nucleic acid detection based on host-guest interaction between the β -cyclodextrin polymer and pyrene. <i>Analyst, The</i> , 2015 , 140, 2016-22	5	15
39	Competitive host-guest interaction between β -cyclodextrin polymer and pyrene-labeled probes for fluorescence analyses. <i>Analytical Chemistry</i> , 2015 , 87, 2665-71	7.8	43
38	Self-assembled supramolecular nanopores for ratiometric fluorescence measurement of intracellular pH values. <i>Analytical Chemistry</i> , 2015 , 87, 2459-65	7.8	37
37	Target-catalyzed dynamic assembly-based pyrene excimer switching for enzyme-free nucleic acid amplified detection. <i>Analytical Chemistry</i> , 2014 , 86, 4934-9	7.8	72
36	Label-free and non-enzymatic detection of DNA based on hybridization chain reaction amplification and dsDNA-templated copper nanoparticles. <i>Analytica Chimica Acta</i> , 2014 , 827, 74-9	6.6	49
35	Visual and portable strategy for copper(II) detection based on a striplike poly(thymine)-caged and microwell-printed hydrogel. <i>Analytical Chemistry</i> , 2014 , 86, 11263-8	7.8	65

34	I-motif-based nano-flares for sensing pH changes in live cells. <i>Chemical Communications</i> , 2014 , 50, 15768-71	5.7	34
33	Split aptazyme-based catalytic molecular beacons for amplified detection of adenosine. <i>Analyst, The</i> , 2014 , 139, 2994-7	5	16
32	Single-walled carbon nanotubes (SWCNTs)-assisted cell-systematic evolution of ligands by exponential enrichment (cell-SELEX) for improving screening efficiency. <i>Analytical Chemistry</i> , 2014 , 86, 9466-72	7.8	22
31	Anomalous effects of water flow through charged nanochannel membranes. <i>RSC Advances</i> , 2014 , 4, 26729-26737	3.7	37
30	A self-assembled conformational switch: a host-guest stabilized triple stem molecular beacon via a photoactivated and thermal regeneration mode. <i>Chemical Communications</i> , 2014 , 50, 7803-5	5.8	5
29	A novel fluorescent detection for PDGF-BB based on dsDNA-templated copper nanoparticles. <i>Chinese Chemical Letters</i> , 2014 , 25, 9-14	8.1	24
28	Sensitive detection of DNA methyltransferase activity based on rolling circle amplification technology. <i>Chinese Chemical Letters</i> , 2014 , 25, 1047-1051	8.1	15
27	Design and bioanalytical applications of DNA hairpin-based fluorescent probes. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 53, 11-20	14.6	33
26	A facile approach toward multicolor polymers: Supramolecular self-assembly via host-guest interaction. <i>Chinese Chemical Letters</i> , 2014 , 25, 1318-1322	8.1	2
25	Inhibited aptazyme-based catalytic molecular beacon for amplified detection of adenosine. <i>Chinese Chemical Letters</i> , 2014 , 25, 1211-1214	8.1	6
24	Aptamer-mediated indirect quantum dot labeling and fluorescent imaging of target proteins in living cells. <i>Nanotechnology</i> , 2014 , 25, 505502	3.4	12
23	Proximity-dependent protein detection based on enzyme-assisted fluorescence signal amplification. <i>Biosensors and Bioelectronics</i> , 2014 , 51, 255-60	11.8	34
22	Enzyme-free colorimetric detection of DNA by using gold nanoparticles and hybridization chain reaction amplification. <i>Analytical Chemistry</i> , 2013 , 85, 7689-95	7.8	264
21	Molecule-binding dependent assembly of split aptamer and β -cyclodextrin: a sensitive excimer signaling approach for aptamer biosensors. <i>Analytica Chimica Acta</i> , 2013 , 799, 44-50	6.6	19
20	A new strategy for designing a graphene oxide-based DNA hairpin probe: fluorescence upon switching the orientation of the sticky end. <i>Chemical Communications</i> , 2013 , 49, 9827-9	5.8	20
19	Recent advances in fluorescent nucleic acid probes for living cell studies. <i>Analyst, The</i> , 2013 , 138, 62-71	5	55
18	Using personal uric acid meter and enzyme-DNA conjugate for portable and quantitative DNA detection. <i>Sensors and Actuators B: Chemical</i> , 2013 , 186, 515-520	8.5	7
17	Excimer Molecular Beacon 2013 , 123-138		

16	Colorimetric multiplexed analysis of mercury and silver ions by using a unimolecular DNA probe and unmodified gold nanoparticles. <i>Analytical Methods</i> , 2012 , 4, 3320	3.2	29
15	Engineering a unimolecular multifunctional DNA probe for analysis of Hg ²⁺ and Ag ⁺ . <i>Analytical Methods</i> , 2012 , 4, 345	3.2	17
14	Combining physical embedding and covalent bonding for stable encapsulation of quantum dots into agarose hydrogels. <i>Journal of Materials Chemistry</i> , 2012 , 22, 495-501		22
13	G-quadruplex fluorescence quenching ability: a simple and efficient strategy to design a single-labeled DNA probe. <i>Analytical Methods</i> , 2012 , 4, 895	3.2	19
12	Aggregation control of quantum dots through ion-mediated hydrogen bonding shielding. <i>ACS Nano</i> , 2012 , 6, 4973-83	16.7	36
11	Self-assembled aptamer-based drug carriers for bispecific cytotoxicity to cancer cells. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 1630-6	4.5	56
10	Molecular engineering of photoresponsive three-dimensional DNA nanostructures. <i>Chemical Communications</i> , 2011 , 47, 4670-2	5.8	49
9	Amplified detection of cocaine based on strand-displacement polymerization and fluorescence resonance energy transfer. <i>Biosensors and Bioelectronics</i> , 2011 , 28, 450-3	11.8	43
8	Fluorescent nanoparticles for chemical and biological sensing. <i>Science China Chemistry</i> , 2011 , 54, 1157-1176	17.6	37
7	Angiogenin-mediated photosensitizer-aptamer conjugate for photodynamic therapy. <i>ChemMedChem</i> , 2011 , 6, 1778-80	3.7	12
6	Pyrene-Excimer Probes Based on the Hybridization Chain Reaction for the Detection of Nucleic Acids in Complex Biological Fluids. <i>Angewandte Chemie</i> , 2011 , 123, 421-424	3.6	36
5	Self-Assembly of a Bifunctional DNA Carrier for Drug Delivery. <i>Angewandte Chemie</i> , 2011 , 123, 6222-6225	3.6	4
4	Pyrene-excimer probes based on the hybridization chain reaction for the detection of nucleic acids in complex biological fluids. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 401-4	16.4	458
3	Self-assembly of a bifunctional DNA carrier for drug delivery. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 6098-101	16.4	76
2	Competition-mediated pyrene-switching aptasensor: probing lysozyme in human serum with a monomer-excimer fluorescence switch. <i>Analytical Chemistry</i> , 2010 , 82, 10158-63	7.8	66
1	A Dual-Recognition Strategy for Staphylococcus aureus Detection Using Teicoplanin-Modified Magnetic Nanoparticles and IgG-Functionalized Quantum Dots. <i>Food Analytical Methods</i> , 2010 , 1	3.4	0