

Ilkka Antero Ojanper

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/378003/ilkka-antero-ojanpera-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92 papers	2,943 citations	32 h-index	51 g-index
95 ext. papers	3,242 ext. citations	3.3 avg, IF	5.36 L-index

#	Paper	IF	Citations
92	Buprenorphine, Polydrug Use and Deaths 2022 , 1-20		
91	Determination of buprenorphine, norbuprenorphine, naloxone, and their glucuronides in urine by liquid chromatography-tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2021 , 13, 1658-1667	3.5	1
90	Pregabalin and gabapentin in non-opioid poisoning deaths. <i>Forensic Science International</i> , 2021 , 324, 110830	2.6	3
89	Increase in drugs-of-abuse findings in post-mortem toxicology due to COVID-19 restrictions-First observations in Finland. <i>Drug Testing and Analysis</i> , 2021 , 13, 867-870	3.5	5
88	Concomitant drugs with buprenorphine user deaths. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108345	4.9	10
87	Propranolol and metoprolol: Two comparable drugs with very different post-mortem toxicological profiles. <i>Forensic Science International</i> , 2021 , 327, 110978	2.6	3
86	Purity estimation of seized stimulant-type new psychoactive substances without reference standards by nitrogen chemiluminescence detection combined with GC-APCI-QTOFMS. <i>Forensic Science International</i> , 2020 , 312, 110304	2.6	1
85	Fatal EPVP and amphetamine poisoning during a sauna and autoerotic practices. <i>Forensic Science, Medicine, and Pathology</i> , 2020 , 16, 493-497	1.5	4
84	Death in Sauna Associated With a Transdermal Fentanyl Patch. <i>American Journal of Forensic Medicine and Pathology</i> , 2020 , 41, 313-314	1	1
83	Significant decrease in the rate of fatal alcohol poisonings in Finland validated by blood alcohol concentration statistics. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107722	4.9	0
82	Femoral blood concentrations of flualprazolam in 33 postmortem cases. <i>Forensic Science International</i> , 2020 , 307, 110101	2.6	13
81	Quantitative Estimation of 38 Illicit Psychostimulants in Blood by GC-APCI-QTOFMS with Nitrogen Chemiluminescence Detection Based on Three External Calibrators. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 163-172	2.9	5
80	Summary statistics for drug concentrations in post-mortem femoral blood representing all causes of death. <i>Drug Testing and Analysis</i> , 2019 , 11, 1326-1337	3.5	17
79	Enzymatic assay for urine lactose in the assessment of recent intravenous abuse of buprenorphine. <i>Drug Testing and Analysis</i> , 2019 , 11, 1412-1418	3.5	1
78	Toxic lifespan of the synthetic opioid U-47,700 in Finland verified by re-analysis of UPLC-TOF-MS data. <i>Forensic Science International</i> , 2019 , 300, 85-88	2.6	7
77	Single-calibrant quantification of seized synthetic opioids by liquid chromatography-chemiluminescence nitrogen detection. <i>Forensic Science International</i> , 2019 , 305, 110001	2.6	1
76	Quantitative estimation of EPVP metabolites in urine by GC-APCI-QTOFMS with nitrogen chemiluminescence detection based on parent drug calibration. <i>Forensic Science International</i> , 2018 , 286, 12-17	2.6	7

75	How do different extracorporeal circulation systems affect metoprolol bioavailability in coronary artery bypass surgery patients. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 785-792	2.8	4
74	Non-medical use of psychoactive prescription drugs is associated with fatal poisoning. <i>Addiction</i> , 2018 , 113, 464-472	4.6	25
73	High buprenorphine-related mortality is persistent in Finland. <i>Forensic Science International</i> , 2018 , 291, 76-82	2.6	18
72	Development of a GC-APCI-QTOFMS library for new psychoactive substances and comparison to a commercial ESI library. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2007-2013	4.4	8
71	Polydrug abuse among opioid maintenance treatment patients is related to inadequate dose of maintenance treatment medicine. <i>BMC Psychiatry</i> , 2017 , 17, 245	4.2	36
70	Comparison of Post-targeted and Pre-targeted Urine Drug Screening by UHPLC-HR-QTOFMS. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 623-630	2.9	16
69	The relationship between bupropion and suicide in post-mortem investigations. <i>Forensic Science International</i> , 2016 , 266, 343-348	2.6	5
68	Concurrent estimation of metabolite concentrations along with parent drug quantification in post-mortem blood. <i>Forensic Science International</i> , 2016 , 267, 110-114	2.6	3
67	Fatal toxicity index of medicinal drugs based on a comprehensive toxicology database. <i>International Journal of Legal Medicine</i> , 2016 , 130, 1209-16	3.1	42
66	Patterns of drug abuse among drug users with regular and irregular attendance for treatment as detected by comprehensive UHPLC-HR-TOF-MS. <i>Drug Testing and Analysis</i> , 2016 , 8, 39-45	3.5	16
65	Simultaneous identification and quantification of new psychoactive substances in blood by GC-APCI-QTOFMS coupled to nitrogen chemiluminescence detection without authentic reference standards. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 3395-400	4.4	18
64	New psychoactive substances as part of polydrug abuse within opioid maintenance treatment revealed by comprehensive high-resolution mass spectrometric urine drug screening. <i>Human Psychopharmacology</i> , 2016 , 31, 44-52	2.3	39
63	Ethylene Glycol and Metabolite Concentrations in Fatal Ethylene Glycol Poisonings. <i>Journal of Analytical Toxicology</i> , 2015 , 39, 481-5	2.9	7
62	Photodiode array to charged aerosol detector response ratio enables comprehensive quantitative monitoring of basic drugs in blood by ultra-high performance liquid chromatography. <i>Analytica Chimica Acta</i> , 2015 , 865, 1-7	6.6	11
61	The effect of banning MDPV on the incidence of MDPV-positive findings among users of illegal drugs and on court decisions in traffic cases in Finland. <i>International Journal of Legal Medicine</i> , 2015 , 129, 741-9	3.1	19
60	Comparison between drug screening by immunoassay and ultra-high performance liquid chromatography/high-resolution time-of-flight mass spectrometry in post-mortem urine. <i>Drug Testing and Analysis</i> , 2015 , 7, 420-7	3.5	25
59	Mitochondrial respiratory dysfunction due to the conversion of substituted cathinones to methylbenzamides in SH-SY5Y cells. <i>Scientific Reports</i> , 2015 , 5, 14924	4.9	27
58	Sedative-hypnotics are widely abused by drivers apprehended for driving under the influence of drugs. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 339-46	3.2	12

57	Compensation of matrix effects in a standard addition method for metformin in postmortem blood using liquid chromatography-electrospray-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2015 , 39, 359-64	2.9	22
56	Manganese-enhanced magnetic resonance imaging reveals differential long-term neuroadaptation after methamphetamine and the substituted cathinone 4-methylmethcathinone (mephedrone). <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	3
55	Comparison of breath-alcohol screening test results with venous blood alcohol concentration in suspected drunken drivers. <i>Forensic Science International</i> , 2014 , 239, 57-61	2.6	21
54	Urine naloxone concentration at different phases of buprenorphine maintenance treatment. <i>Drug Testing and Analysis</i> , 2014 , 6, 220-5	3.5	18
53	Straightforward single-calibrant quantification of seized designer drugs by liquid chromatography-chemiluminescence nitrogen detection. <i>Forensic Science International</i> , 2014 , 237, 119-25	2.6	14
52	Profiles of pregabalin and gabapentin abuse by postmortem toxicology. <i>Forensic Science International</i> , 2014 , 241, 1-6	2.6	81
51	Pregabalin serum levels in apprehended drivers. <i>Forensic Science International</i> , 2014 , 243, 112-6	2.6	20
50	Prescription opioid abuse based on representative postmortem toxicology. <i>Forensic Science International</i> , 2014 , 245, 121-5	2.6	20
49	Keto amphetamine toxicity-focus on the redox reactivity of the cathinone designer drug mephedrone. <i>Toxicological Sciences</i> , 2014 , 141, 120-31	4.4	29
48	Drug concentrations in post-mortem femoral blood compared with therapeutic concentrations in plasma. <i>Drug Testing and Analysis</i> , 2014 , 6, 308-16	3.5	61
47	In silico and in vitro metabolism studies support identification of designer drugs in human urine by liquid chromatography/quadrupole-time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 6697-709	4.4	55
46	A high-sensitivity ultra-high performance liquid chromatography/high-resolution time-of-flight mass spectrometry (UHPLC-HR-TOFMS) method for screening synthetic cannabinoids and other drugs of abuse in urine. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 8463-74	4.4	101
45	Parenteral buprenorphine-naloxone abuse is a major cause of fatal buprenorphine-related poisoning. <i>Forensic Science International</i> , 2013 , 232, 11-5	2.6	23
44	Prevalence and blood concentrations of desoxypipradrol (2-DPMP) in drivers suspected of driving under the influence of drugs and in post-mortem cases. <i>Forensic Science International</i> , 2013 , 226, 146-51	2.6	7
43	Application of electrospray ionization product ion spectra for identification with atmospheric pressure matrix-assisted laser desorption/ionization mass spectrometry - a case study with seized drugs. <i>Drug Testing and Analysis</i> , 2013 , 5, 68-73	3.5	2
42	Post-mortem vitreous humour as potential specimen for detection of insulin analogues by LC-MS/MS. <i>Forensic Science International</i> , 2013 , 233, 328-32	2.6	21
41	Meconium drug testing reveals maternal misuse of medicinal opioids among addicted mothers. <i>Drug Testing and Analysis</i> , 2013 , 5, 529-33	3.5	9
40	Measuring insulin in human vitreous humour using LC-MS/MS. <i>Drug Testing and Analysis</i> , 2012 , 4, 53-6	3.5	34

39	Benzodiazepines and alcohol are associated with cases of fatal buprenorphine poisoning. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 301-9	2.8	99
38	Comparison of fatal poisonings by prescription opioids. <i>Forensic Science International</i> , 2012 , 222, 327-31	2.6	71
37	Phenazepam abuse in Finland: findings from apprehended drivers, post-mortem cases and police confiscations. <i>Forensic Science International</i> , 2012 , 220, 111-7	2.6	34
36	Current use of high-resolution mass spectrometry in drug screening relevant to clinical and forensic toxicology and doping control. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 1203-20	4.4	143
35	Urine analysis of 3,4-methylenedioxypyrovalerone in opioid-dependent patients by gas chromatography-mass spectrometry. <i>Therapeutic Drug Monitoring</i> , 2011 , 33, 257-63	3.2	62
34	Drugs related to motor vehicle crashes in northern European countries: a study of fatally injured drivers. <i>Accident Analysis and Prevention</i> , 2011 , 43, 1920-1926	6.1	40
33	Fatal venlafaxine poisonings are associated with a high prevalence of drug interactions. <i>International Journal of Legal Medicine</i> , 2011 , 125, 349-58	3.1	19
32	Specific screening method for dextran and hydroxyethyl starch in human urine by size exclusion chromatography-in-source collision-induced dissociation-time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 563-71	4.4	8
31	Evaluation of a high resolving power time-of-flight mass spectrometer for drug analysis in terms of resolving power and acquisition rate. <i>Journal of the American Society for Mass Spectrometry</i> , 2011 , 22, 379-85	3.5	33
30	Nicotine, alcohol, and drug findings in young adults in a population-based postmortem database. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 763-71	4.9	12
29	Vitreous humor as an alternative matrix for comprehensive drug screening in postmortem toxicology by liquid chromatography-time-of-flight mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2010 , 34, 312-8	2.9	48
28	Differentiation of structural isomers in a target drug database by LC/Q-TOFMS using fragmentation prediction. <i>Drug Testing and Analysis</i> , 2010 , 2, 259-70	3.5	29
27	Broad-spectrum drug screening of meconium by liquid chromatography with tandem mass spectrometry and time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 925-35	4.4	48
26	Adverse interaction of warfarin and paracetamol: evidence from a post-mortem study. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 97-103	2.8	26
25	Prevalence of adverse drug combinations in a large post-mortem toxicology database. <i>International Journal of Legal Medicine</i> , 2009 , 123, 109-15	3.1	17
24	In silico methods for predicting metabolism and mass fragmentation applied to quetiapine in liquid chromatography/time-of-flight mass spectrometry urine drug screening. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 506-14	2.2	65
23	Generic sample preparation and dual polarity liquid chromatography-time-of-flight mass spectrometry for high-throughput screening in doping analysis. <i>Drug Testing and Analysis</i> , 2009 , 1, 250-66	3.5	61
22	Inadequate Dose of Opioid-agonist Medication is Related to Misuse of Benzodiazepines. <i>Addictive Disorders and Their Treatment</i> , 2009 , 8, 145-153	0.5	4

21	Screening for basic drugs in hair of drug addicts by liquid chromatography/time-of-flight mass spectrometry. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 717-24	3.2	71
20	An epidemic of fatal 3-methylfentanyl poisoning in Estonia. <i>International Journal of Legal Medicine</i> , 2008 , 122, 395-400	3.1	50
19	Comprehensive Toxicological and Forensic Drug Screening by LC/TOF-MS 2008 , 173-195		1
18	A general screening method for doping agents in human urine by solid phase extraction and liquid chromatography/time-of-flight mass spectrometry. <i>Analytica Chimica Acta</i> , 2007 , 585, 94-102	6.6	140
17	Single-calibrant quantification of drugs in plasma and whole blood by liquid chromatography-chemiluminescence nitrogen detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 856, 239-44	3.2	5
16	Quantification of drugs in plasma without primary reference standards by liquid chromatography-chemiluminescence nitrogen detection: application to tramadol metabolite ratios. <i>Therapeutic Drug Monitoring</i> , 2007 , 29, 423-8	3.2	7
15	Blood levels of 3-methylfentanyl in 3 fatal poisoning cases. <i>American Journal of Forensic Medicine and Pathology</i> , 2006 , 27, 328-31	1	31
14	Isotopic pattern and accurate mass determination in urine drug screening by liquid chromatography/time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 1161-7	2.2	196
13	Application of accurate mass measurement to urine drug screening. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 34-40	2.9	58
12	Newer antidepressants: evaluation of fatal toxicity index and interaction with alcohol based on Finnish postmortem data. <i>International Journal of Legal Medicine</i> , 2005 , 119, 344-8	3.1	32
11	Comparison of product ion spectra obtained by liquid chromatography/triple-quadrupole mass spectrometry for library search. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 1039-46	2.2	59
10	Analysis of street drugs in seized material without primary reference standards. <i>Analytical Chemistry</i> , 2004 , 76, 7375-9	7.8	63
9	Screening for basic drugs in 2-mL urine samples by dual-plate overpressured layer chromatography and comparison with gas chromatography-mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2003 , 27, 226-32	2.9	35
8	Performance of immunoassays in screening for opiates, cannabinoids and amphetamines in post-mortem blood. <i>Forensic Science International</i> , 2003 , 131, 148-55	2.6	34
7	Toxicological screening with formula-based metabolite identification by liquid chromatography/time-of-flight mass spectrometry. <i>Analytical Chemistry</i> , 2003 , 75, 5710-8	7.8	128
6	Alcohol and Benzodiazepines in Fatal Poisonings. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 956-959	3.7	50
5	Toxicological screening of urine for drugs by liquid chromatography/time-of-flight mass spectrometry with automated target library search based on elemental formulas. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 521-6	2.2	74
4	Quantitative screening for benzodiazepines in blood by dual-column gas chromatography and comparison of the results with urine immunoassay. <i>Journal of Analytical Toxicology</i> , 2000 , 24, 46-53	2.9	25

- 3 Alcohol and drugs in suicides. *British Journal of Psychiatry*, **1996**, 169, 75-80 5.4 77
- 2 Automated quantitative screening for acidic and neutral drugs in whole blood by dual-column capillary gas chromatography. *Journal of Analytical Toxicology*, **1991**, 15, 204-8 2.9 21
- 1 Combined Use of Normal and Reversed Phase Thin Layer Chromatography in the Screening for Basic and Quaternary Drugs. *Journal of Liquid Chromatography and Related Technologies*, **1991**, 14, 1435-1446 16