

Asaad Ahmed Ghanem

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/378008/asaad-ahmed-ghanem-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

487
citations

13
h-index

21
g-index

34
ext. papers

542
ext. citations

1.7
avg, IF

3.65
L-index

#	Paper	IF	Citations
31	Ghrelin Levels in Patients With Primary Open-Angle Glaucoma. <i>Asia-Pacific Journal of Ophthalmology</i> , 2014 , 3, 126-9	3.5	
30	Hepcidin Prohormone Levels in Patients with Primary Open-Angle Glaucoma. <i>Open Journal of Ophthalmology</i> , 2014 , 04, 18-23	0.2	1
29	Intravitreal Bevacizumab with Grid Photocoagulation for Recurrent Macular Edema Secondary to Retinal Vein Occlusion. <i>Open Journal of Ophthalmology</i> , 2014 , 04, 6-11	0.2	
28	Secondary piggyback implantation versus IOL exchange for symptomatic pseudophakic residual ametropia. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2013 , 251, 1861-6	3.8	27
27	Outcome of a Single Intravitreal Bevacizumab Injection on the Visual Acuity and Course of Pars Plana Vitrectomy in Proliferative Diabetic Retinopathy. <i>Current Eye Research</i> , 2013 ,	2.9	2
26	Homocysteine and hydroxyproline levels in patients with primary open-angle glaucoma. <i>Current Eye Research</i> , 2012 , 37, 712-8	2.9	21
25	One-Haptic Fixation of Posterior Chamber Intraocular Lenses without Scleral Flaps. <i>Journal of Ophthalmology</i> , 2012 , 2012, 891839	2	9
24	Can opposite clear corneal incisions have a role with post-laser in situ keratomileusis astigmatism?. <i>Middle East African Journal of Ophthalmology</i> , 2012 , 19, 222-6	0.9	2
23	Evaluation of collagen crosslinking in keratoconus eyes with Kera intracorneal ring implantation. <i>European Journal of Ophthalmology</i> , 2012 , 22 Suppl 7, S62-8	1.9	25
22	Myocilin levels in the aqueous humor of open-angle glaucoma patients. <i>Interventional Medicine & Applied Science</i> , 2012 , 4, 42-47	0.7	
21	A case of recurrent transient monocular visual loss after receiving sildenafil. <i>Case Reports in Ophthalmological Medicine</i> , 2011 , 2011, 645089	0.7	
20	Pentosidine and N-carboxymethyl-lysine: biomarkers for type 2 diabetic retinopathy. <i>European Journal of Ophthalmology</i> , 2011 , 21, 48-54	1.9	52
19	Connective tissue growth factor and tissue inhibitor of matrix metalloproteinase-2 in patients with exfoliative glaucoma. <i>Current Eye Research</i> , 2011 , 36, 540-5	2.9	15
18	Endothelin-1 and nitric oxide levels in patients with glaucoma. <i>Ophthalmic Research</i> , 2011 , 46, 98-102	2.9	39
17	Wavefront-optimized ablation versus topography-guided customized ablation in myopic LASIK: comparative study of higher order aberrations. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2011 , 42, 314-20	1.4	34
16	Tumor Necrosis Factor- α and Interleukin-6 Levels in Patients with Primary Open-Angle Glaucoma. <i>Journal of Clinical & Experimental Ophthalmology</i> , 2011 , 02,	0	5
15	Diagnostic Value of Color Doppler Imaging and Pattern Visual Evoked Potential in Primary Open-Angle Glaucoma. <i>Journal of Clinical & Experimental Ophthalmology</i> , 2011 ,	0	3

14	Serotonin and hydroxyindolacetic acid levels in aqueous humor of patients with primary open-angle glaucoma. <i>Interventional Medicine & Applied Science</i> , 2011 , 3, 55-59	0.7	
13	Accuracy of intraocular lens power calculation in high myopia. <i>Oman Journal of Ophthalmology</i> , 2010 , 3, 126-30	0.7	31
12	Graves ophthalmopathy and psychoendocrinopathies. <i>Middle East African Journal of Ophthalmology</i> , 2010 , 17, 169-74	0.9	3
11	Correlation of central corneal thickness and optic nerve head topography in patients with primary open-angle glaucoma. <i>Oman Journal of Ophthalmology</i> , 2010 , 3, 75-80	0.7	13
10	MRI in diagnosis of orbital masses. <i>Current Eye Research</i> , 2010 , 35, 986-91	2.9	26
9	Laser in situ keratomileusis for treated myopic anisometropic amblyopia in children. <i>Saudi Journal of Ophthalmology</i> , 2010 , 24, 3-8	0.9	7
8	Evaluation of the role of timolol 0.1% gel in myopic regression after laser in situ keratomileusis. <i>Saudi Journal of Ophthalmology</i> , 2010 , 24, 81-6	0.9	7
7	Facilitation of amblyopia management by laser in situ keratomileusis in children with myopic anisometropia. <i>Current Eye Research</i> , 2010 , 35, 281-6	2.9	8
6	Lens cadmium, lead, and serum vitamins C, E, and beta carotene in cataractous smoking patients. <i>Current Eye Research</i> , 2010 , 35, 23-30	2.9	17
5	Oxidative stress markers in patients with primary open-angle glaucoma. <i>Current Eye Research</i> , 2010 , 35, 295-301	2.9	99
4	Erythropoietin and soluble CD44 levels in patients with primary open-angle glaucoma. <i>Clinical and Experimental Ophthalmology</i> , 2010 , 38, 560-5	2.4	26
3	Intravitreal bevacizumab (avastin) as an adjuvant treatment in cases of neovascular glaucoma. <i>Middle East African Journal of Ophthalmology</i> , 2009 , 16, 75-9	0.9	9
2	Comparative study of phacoemulsification-subscleral trabeculectomy versus phacoemulsification-deep sclerectomy. <i>Saudi Journal of Ophthalmology</i> , 2009 , 23, 189-96	0.9	1
1	Relationship Between Vascular Endothelial Growth Factor and Interleukin-6 in Diabetic Retinopathy. <i>Pakistan Journal of Biological Sciences</i> , 2004 , 7, 1858-1864	0.8	3