

Kjetil Bjornevik

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/3780695/publications.pdf](https://exaly.com/author-pdf/3780695/publications.pdf)

Version: 2024-02-01

45
papers

2,951
citations

301703

21
h-index

218420

45
g-index

47
all docs

47
docs citations

47
times ranked

4735
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Childbirth delivery mode and the risk of multiple sclerosis: a prospective population-based study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2024, 95, 8-13. | 6.0 | 1 |
| 2 | Epstein-Barr virus as a leading cause of multiple sclerosis: mechanisms and implications. <i>Nature Reviews Neurology</i> , 2023, 19, 160-171. | 10.0 | 69 |
| 3 | Long-Term Intake of Folate, Vitamin B6, and Vitamin B12 and the Incidence of Parkinson's Disease in a Sample of U.S. Women and Men. <i>Movement Disorders</i> , 2023, 38, 866-879. | 4.3 | 6 |
| 4 | Metagenomics of the Gut Microbiome in Parkinson's Disease: Prodromal Changes. <i>Annals of Neurology</i> , 2023, 94, 486-501. | 5.8 | 9 |
| 5 | Subjective Cognitive Decline in Women with Features Suggestive of Prodromal Parkinson's Disease. <i>Movement Disorders</i> , 2023, 38, 1473-1482. | 4.3 | 3 |
| 6 | The intricate connection between diabetes mellitus and Parkinson's disease. <i>European Journal of Epidemiology</i> , 2023, 38, 587-589. | 5.8 | 1 |
| 7 | Association Between Use of Any of the Drugs Prescribed in Norway and the Subsequent Risk of Parkinson Disease. <i>Neurology</i> , 2023, 101, . | 1.1 | 1 |
| 8 | Intake of carbohydrates and SFA and risk of CHD in middle-age adults: the Hordaland Health Study (HUSK). <i>Public Health Nutrition</i> , 2022, 25, 634-648. | 2.4 | 5 |
| 9 | Aging with multiple sclerosis: A longitudinal study of physical function, mental health, and memory in two cohorts of US women. <i>Multiple Sclerosis Journal</i> , 2022, 28, 121-131. | 3.3 | 5 |
| 10 | The human gut microbiota in people with amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021, 22, 186-194. | 2.1 | 57 |
| 11 | Pre-diagnostic plasma lipid levels and the risk of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021, 22, 133-143. | 2.1 | 13 |
| 12 | MRI Lesion State Modulates the Relationship Between Serum Neurofilament Light and Age in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2021, 31, 388-393. | 2.0 | 8 |
| 13 | Low vitamin D, but not tobacco use or high BMI, is associated with long-term disability progression in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 50, 102801. | 2.1 | 14 |
| 14 | Prediagnostic Neurofilament Light Chain Levels in Amyotrophic Lateral Sclerosis. <i>Neurology</i> , 2021, 97, . | 1.1 | 29 |
| 15 | Serum Neurofilament Light Chain Levels in Patients With Presymptomatic Multiple Sclerosis. <i>JAMA Neurology</i> , 2020, 77, 58. | 9.3 | 161 |
| 16 | Ultra-processed food consumption during childhood and asthma in adolescence: Data from the 2004 Pelotas birth cohort study. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 27-37. | 2.5 | 23 |
| 17 | Big health data and Parkinson's disease epidemiology: Challenges and opportunities. <i>Parkinsonism and Related Disorders</i> , 2020, 71, 58-59. | 2.2 | 2 |
| 18 | Tenofovir as a treatment option for multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 46, 102569. | 2.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Diet pattern and prodromal features of Parkinson disease. <i>Neurology</i> , 2020, 95, e2095-e2108. | 1.1 | 54 |
| 20 | Temporal association of sNfL and gadâ€œenhancing lesions in multiple sclerosis. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 945-955. | 3.7 | 41 |
| 21 | Prediagnostic plasma polyunsaturated fatty acids and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2020, 94, e811-e819. | 1.1 | 19 |
| 22 | Plasma Metabolomic Markers of Insulin Resistance and Diabetes and Rate of Incident Parkinsonâ€™s Disease. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1011-1021. | 2.9 | 6 |
| 23 | Prediagnostic plasma branched-chain amino acids and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2019, 92, e2081-e2088. | 1.1 | 5 |
| 24 | Î±-Linolenic acid is associated with MRI activity in a prospective cohort of multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2019, 25, 987-993. | 3.3 | 17 |
| 25 | Liver injury with drugs used for multiple sclerosis: A contemporary analysis of the FDA Adverse Event Reporting System. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1633-1640. | 3.3 | 22 |
| 26 | Shedding light on the link between early life sun exposure and risk of multiple sclerosis: results from the EnvIMS Study. <i>International Journal of Epidemiology</i> , 2019, 48, 1073-1082. | 2.0 | 11 |
| 27 | Pre-diagnostic plasma urate and the risk of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2018, 19, 194-200. | 2.1 | 11 |
| 28 | Diabetes is associated with decreased migraine risk: A nationwide cohort study. <i>Cephalgia</i> , 2018, 38, 1759-1764. | 4.2 | 14 |
| 29 | Urate and the risk of Parkinson's disease in men and women. <i>Parkinsonism and Related Disorders</i> , 2018, 52, 76-82. | 2.2 | 44 |
| 30 | Environmental modifiable risk factors for multiple sclerosis: Report from the 2016ECTRIMS focused workshop. <i>Multiple Sclerosis Journal</i> , 2018, 24, 590-603. | 3.3 | 110 |
| 31 | Physical activity is associated with a decreased multiple sclerosis risk: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2018, 24, 150-157. | 3.3 | 50 |
| 32 | Body size and physical exercise, and the risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2018, 24, 270-278. | 3.3 | 32 |
| 33 | Neurofilament light chain predicts disease activity in relapsing-remitting MS. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2018, 5, e422. | 6.8 | 117 |
| 34 | Multiple sclerosis as an adverse drug reaction: clues from the FDA Adverse Event Reporting System. <i>Expert Opinion on Drug Safety</i> , 2018, 17, 869-874. | 2.5 | 10 |
| 35 | Level of education and multiple sclerosis risk over a 50-year period: Registry-based sibling study. <i>Multiple Sclerosis Journal</i> , 2017, 23, 213-219. | 3.3 | 19 |
| 36 | Polyunsaturated fatty acids and the risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1830-1838. | 3.3 | 75 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | β2-Adrenoreceptor is a regulator of the α-synuclein gene driving risk of Parkinson's disease. <i>Science</i> , 2017, 357, 891-898. | 19.8 | 359 |
| 38 | Negative interaction between smoking and EBV in the risk of multiple sclerosis: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1018-1024. | 3.3 | 23 |
| 39 | Preclinical disease activity in multiple sclerosis: A prospective study of cognitive performance prior to first symptom. <i>Annals of Neurology</i> , 2016, 80, 616-624. | 5.8 | 94 |
| 40 | Level of education and multiple sclerosis risk after adjustment for known risk factors: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2016, 22, 104-111. | 3.3 | 36 |
| 41 | Timing of use of cod liver oil, a vitamin D source, and multiple sclerosis risk: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1856-1864. | 3.3 | 59 |
| 42 | Body size and the risk of multiple sclerosis in Norway and Italy: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 388-395. | 3.3 | 97 |
| 43 | Season of infectious mononucleosis and risk of multiple sclerosis at different latitudes; the EnvIMS Study. <i>Multiple Sclerosis Journal</i> , 2014, 20, 669-674. | 3.3 | 32 |
| 44 | Sun exposure and multiple sclerosis risk in Norway and Italy: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1042-1049. | 3.3 | 86 |
| 45 | Celiac disease as a model for understanding multiple sclerosis. <i>Nature Reviews Neurology</i> , 0, , . | 10.0 | 0 |