
## **Cheryl Battersby**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3783454/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Incidence of neonatal necrotising enterocolitis in high-income countries: a systematic review. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F182-F189.	2.8	173
2	Survival of very preterm infants admitted to neonatal care in England 2008–2014: time trends and regional variation. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F208-F215.	2.8	137
3	Incidence and enteral feed antecedents of severe neonatal necrotising enterocolitis across neonatal networks in England, 2012–13: a whole-population surveillance study. The Lancet Gastroenterology and Hepatology, 2017, 2, 43-51.	8.1	93
4	Development of a Gestational Age–Specific Case Definition for Neonatal Necrotizing Enterocolitis. JAMA Pediatrics, 2017, 171, 256.	6.2	82
5	The United Kingdom National Neonatal Research Database: A validation study. PLoS ONE, 2018, 13, e0201815.	2.5	55
6	Term admissions to neonatal units in England: a role for transitional care? A retrospective cohort study. BMJ Open, 2017, 7, e016050.	1.9	41
7	The impact of a regional care bundle on maternal breast milk use in preterm infants: outcomes of the East of England quality improvement programme. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F395-F401.	2.8	22
8	Birthweight and patterns of postnatal weight gain in very and extremely preterm babies in England and Wales, 2008–19: a cohort study. The Lancet Child and Adolescent Health, 2021, 5, 719-728.	5.6	19
9	Feeding during neonatal therapeutic hypothermia, assessed using routinely collected National Neonatal Research Database data: a retrospective, UK population-based cohort study. The Lancet Child and Adolescent Health, 2021, 5, 408-416.	5.6	17
10	Developing routinely recorded clinical data from electronic patient records as a national resource to improve neonatal health care: the Medicines for Neonates research programme. Programme Grants for Applied Research, 2019, 7, 1-396.	1.0	17
11	Use of pasteurised human donor milk across neonatal networks in England. Early Human Development, 2018, 118, 32-36.	1.8	16
12	Changes in neonatal admissions, care processes and outcomes in England and Wales during the COVID-19 pandemic: a whole population cohort study. BMJ Open, 2021, 11, e054410.	1.9	16
13	Validation of transcutaneous bilirubinometry during phototherapy for detection and monitoring of neonatal jaundice in a low-income setting. Paediatrics and International Child Health, 2020, 40, 25-29.	1.0	12
14	Changing clinical characteristics of infants treated for hypoxic-ischaemic encephalopathy in England, Wales and Scotland: a population-based study using the National Neonatal Research Database. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2021, 106, 501-508.	2.8	12
15	Optimising nutrition during therapeutic hypothermia. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2019, 104, F230-F231.	2.8	10
16	Identification of variation in nutritional practice in neonatal units in England and association with clinical outcomes using agnostic machine learning. Scientific Reports, 2021, 11, 7178.	3.3	10
17	Study protocol: optimising newborn nutrition during and after neonatal therapeutic hypothermia in the United Kingdom: observational study of routinely collected data using propensity matching. BMJ Open, 2018, 8, e026739.	1.9	9
18	Incorporating parent, former patient and clinician perspectives in the design of a national UK double-cluster, randomised controlled trial addressing uncertainties in preterm nutrition. BMJ Paediatrics Open, 2021, 5, e001112.	1.4	9

CHERYL BATTERSBY

#	Article	IF	CITATIONS
19	Why is Kangaroo Mother Care not yet scaled in the UK? A systematic review and realist synthesis of a frugal innovation for newborn care. BMJ Innovations, 2022, 8, 9-20.	1.7	9
20	Planned delivery or expectant management in preeclampsia: an individual participant data meta-analysis. American Journal of Obstetrics and Gynecology, 2022, 227, 218-230.e8.	1.3	9
21	Comparison of NICE Guideline CG149 and the Sepsis Risk Calculator for the Management of Early-Onset Sepsis on the Postnatal Ward. Neonatology, 2021, 118, 562-568.	2.0	8
22	Challenges in Advancing Necrotizing Enterocolitis Research. Clinics in Perinatology, 2019, 46, 19-27.	2.1	7
23	Outcomes in relation to early parenteral nutrition use in preterm neonates born between 30 and 33 weeks' gestation: a propensity score matched observational study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 131-136.	2.8	6
24	Early versus later initiation of parenteral nutrition for very preterm infants: a propensity score-matched observational study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 137-142.	2.8	6
25	Increase in the use of inhaled nitric oxide in neonatal intensive care units in England: a retrospective population study. BMJ Paediatrics Open, 2021, 5, e000897.	1.4	5
26	Administration of parenteral nutrition during therapeutic hypothermia: a population level observational study using routinely collected data held in the National Neonatal Research Database. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2021, 106, 608-613.	2.8	4
27	Nutritional management in newborn babies receiving therapeutic hypothermia: two retrospective observational studies using propensity score matching. Health Technology Assessment, 2021, 25, 1-106.	2.8	4
28	Review of a frugal cooling mattress to induce therapeutic hypothermia for treatment of hypoxic-ischaemic encephalopathy in the UK NHS. Globalization and Health, 2022, 18, 43.	4.9	4
29	Timing of neonatal stoma closure: a survey of health professional perspectives and current practice. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 448-450.	2.8	3
30	O-045 Incidence And Outcomes Of Severe Necrotising Enterocolitis In Infants Less Than 32 Weeks Gestation: A Prospective Population Study. Archives of Disease in Childhood, 2014, 99, A38.1-A38.	1.9	2
31	G529(P) Enteral feed exposures in preterm infants born less than 32 weeks in England. Archives of Disease in Childhood, 2014, 99, A54-A54.	1.9	0
32	Proposed Definition of Necrotizing Enterocolitis May Be of Limited Value—Reply. JAMA Pediatrics, 2017, 171, 711.	6.2	0
33	Post-natal growth of very preterm neonates – Authors' reply. The Lancet Child and Adolescent Health, 2022, 6, e11.	5.6	0