POORNIMA VIJAYAN P

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3783691/poornima-vijayan-p-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

978 19 31 33 h-index g-index citations papers 4.66 1,112 35 4.5 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
33	Integration of antifouling properties into epoxy coatings: a review 2022 , 19, 269		2
32	Sugarcane Bagasse-Derived Activated Carbon- (AC-) Epoxy Vitrimer Biocomposite: Thermomechanical and Self-Healing Performance. <i>International Journal of Polymer Science</i> , 2021 , 2021, 1-7	2.4	4
31	Evaluation of Corrosion Protection of Self-Healing Coatings Containing Tung and Copaiba Oil Microcapsules. <i>International Journal of Polymer Science</i> , 2021 , 2021, 1-13	2.4	3
30	Effect of Nickel Doping on the Cure Kinetics of Epoxy/Fe3O4 Nanocomposites. <i>Journal of Composites Science</i> , 2020 , 4, 102	3	2
29	A Comparative Study on Cure Kinetics of Layered Double Hydroxide (LDH)/Epoxy Nanocomposites. <i>Journal of Composites Science</i> , 2020 , 4, 111	3	9
28	Self-Repairing Composites for Corrosion Protection: A Review on Recent Strategies and Evaluation Methods. <i>Materials</i> , 2019 , 12,	3.5	21
27	Biomimetic multifunctional materials: a review. <i>Emergent Materials</i> , 2019 , 2, 391-415	3.5	11
26	TiO2/Halloysite hybrid filler reinforced epoxy nanocomposites. <i>Polymer Composites</i> , 2018 , 39, E2426-E2	<u>2</u> 435	13
25	The role of clay modifier on cure characteristics and properties of epoxy/clay/carboxyl-terminated poly(butadiene-co-acrylonitrile) (CTBN) hybrid. <i>Materials Technology</i> , 2017 , 32, 171-177	2.1	11
24	Biowaste chicken eggshell powder as a potential cure modifier for epoxy/anhydride systems: competitiveness with terpolymer-modified calcium carbonate at low loading levels. <i>RSC Advances</i> , 2017 , 7, 2218-2230	3.7	50
23	To What Extent Can Hyperelastic Models Make Sense the Effect of Clay Surface Treatment on the Mechanical Properties of Elastomeric Nanocomposites?. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1700036	3.9	12
22	Cure kinetics of epoxy/MWCNTs nanocomposites: Isothermal calorimetric and rheological analyses. <i>Progress in Organic Coatings</i> , 2017 , 108, 75-83	4.8	51
21	Elastomer/thermoplastic modified epoxy nanocomposites: The hybrid effect of thicrothand flanoll scale. <i>Materials Science and Engineering Reports</i> , 2017 , 116, 1-29	30.9	68
20	3D architectures of titania nanotubes and graphene with efficient nanosynergy for supercapacitors. <i>Materials and Design</i> , 2017 , 117, 203-212	8.1	36
19	A comparative study on long term stability of self-healing epoxy coating with different inorganic nanotubes as healing agent reservoirs. <i>EXPRESS Polymer Letters</i> , 2017 , 11, 863-872	3.4	10
18	Calorimetric analysis and molecular dynamics simulation of cure kinetics of epoxy/chitosan-modified Fe3O4 nanocomposites. <i>Progress in Organic Coatings</i> , 2017 , 112, 176-186	4.8	52
17	Cellulose nanofibers to assist the release of healing agents in epoxy coatings. <i>Progress in Organic Coatings</i> , 2017 , 112, 127-132	4.8	37

LIST OF PUBLICATIONS

16	Flexible Pressure Sensor Based on PVDF Nanocomposites Containing Reduced Graphene Oxide-Titania Hybrid Nanolayers. <i>Polymers</i> , 2017 , 9,	4.5	77
15	Solvent Uptake of Liquid Rubber Toughened Epoxy/Clay Nanocomposites. <i>Advances in Polymer Technology</i> , 2016 , 35,	1.9	6
14	Halloysite Nanotube as Multifunctional Component in Epoxy Protective Coating. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 11186-11192	3.9	48
13	Copper oxide nanoparticles in an epoxy network: microstructure, chain confinement and mechanical behaviour. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 19655-67	3.6	35
12	Containers For self-healing epoxy composites and coating: Trends and advances. <i>EXPRESS Polymer Letters</i> , 2016 , 10, 506-524	3.4	43
11	TiO nanotubes and mesoporous silica as containers in self-healing epoxy coatings. <i>Scientific Reports</i> , 2016 , 6, 38812	4.9	35
10	Volume Shrinkage and Cure Kinetics in Carboxyl-Terminated Poly(butadiene-co-acrylonitrile) (CTBN) Modified Epoxy/Clay Nanocomposites. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2015 , 52, 353-359	2.2	13
9	Volume shrinkage and rheological studies of epoxidised and unepoxidised poly(styrene-block-butadiene-block-styrene) triblock copolymer modified epoxy resin-diamino diphenyl methane nanostructured blend systems. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 12760-	3.6 - 70	26
8	Liquid-rubber-modified epoxy/clay nanocomposites: effect of dispersion methods on morphology and ultimate properties. <i>Polymer Bulletin</i> , 2015 , 72, 1703-1722	2.4	23
7	Mechanical and thermal properties of epoxy/silicon carbide nanofiber composites. <i>Polymers for Advanced Technologies</i> , 2015 , 26, 142-146	3.2	19
6	Cuprous oxide nanoparticles in epoxy network: Cure reaction, morphology, and thermal stability. <i>Polymer Engineering and Science</i> , 2015 , 55, 2293-2306	2.3	4
5	Selective localisation of multi walled carbon nanotubes in polypropylene/natural rubber blends to reduce the percolation threshold. <i>Composites Science and Technology</i> , 2015 , 116, 9-17	8.6	68
4	Liquid rubber and silicon carbide nanofiber modified epoxy nanocomposites: Volume shrinkage, cure kinetics and properties. <i>Composites Science and Technology</i> , 2014 , 102, 65-73	8.6	30
3	Effect of organically modified nanoclay on the miscibility, rheology, morphology and properties of epoxy/carboxyl-terminated (butadiene-co-acrylonitrile) blend. <i>Soft Matter</i> , 2013 , 9, 2899	3.6	87
2	Clay nanostructure and its localisation in an epoxy/liquid rubber blend. RSC Advances, 2013, 3, 24634	3.7	30
1	Effect of nanoclay and carboxyl-terminated (butadiene-co-acrylonitrile) (CTBN) rubber on the reaction induced phase separation and cure kinetics of an epoxy/cyclic anhydride system. <i>Journal of Materials Science</i> , 2012 , 47, 5241-5253	4.3	42