

Michael Jf Hubank

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3784642/publications.pdf>

Version: 2024-02-01

77
papers

4,819
citations

101496

36
h-index

98753

67
g-index

80
all docs

80
docs citations

80
times ranked

7867
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Insertional mutagenesis combined with acquired somatic mutations causes leukemogenesis following gene therapy of SCID-X1 patients. <i>Journal of Clinical Investigation</i> , 2008, 118, 3143-3150. | 3.9 | 1,069 |
| 2 | Longitudinal Liquid Biopsy and Mathematical Modeling of Clonal Evolution Forecast Time to Treatment Failure in the PROSPECT-C Phase II Colorectal Cancer Clinical Trial. <i>Cancer Discovery</i> , 2018, 8, 1270-1285. | 7.7 | 187 |
| 3 | Homologous recombination DNA repair deficiency and PARP inhibition activity in primary triple negative breast cancer. <i>Nature Communications</i> , 2020, 11, 2662. | 5.8 | 157 |
| 4 | Infant High-Grade Gliomas Comprise Multiple Subgroups Characterized by Novel Targetable Gene Fusions and Favorable Outcomes. <i>Cancer Discovery</i> , 2020, 10, 942-963. | 7.7 | 157 |
| 5 | Sperm-Induced Modification of the Oviductal Gene Expression Profile After Natural Insemination in Mice. <i>Biology of Reproduction</i> , 2004, 71, 60-65. | 1.2 | 147 |
| 6 | Specific gene expression profiles in systemic juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 1954-1965. | 6.7 | 135 |
| 7 | DNA-dependent protein kinase is not required for the p53-dependent response to DNA damage. <i>Nature</i> , 1999, 400, 81-83. | 13.7 | 132 |
| 8 | Hypomethylation of WNT5A, CRIP1 and S100P in prostate cancer. <i>Oncogene</i> , 2007, 26, 6560-6565. | 2.6 | 132 |
| 9 | A novel CDK inhibitor, CYC202 (R-roscovitine), overcomes the defect in p53-dependent apoptosis in B-CLL by down-regulation of genes involved in transcription regulation and survival. <i>Blood</i> , 2005, 105, 4484-4491. | 0.6 | 129 |
| 10 | Evaluating the analytical validity of circulating tumor DNA sequencing assays for precision oncology. <i>Nature Biotechnology</i> , 2021, 39, 1115-1128. | 9.4 | 126 |
| 11 | Prox1 maintains muscle structure and growth in the developing heart. <i>Development (Cambridge)</i> , 2009, 136, 495-505. | 1.2 | 112 |
| 12 | Effective Transplantation of Photoreceptor Precursor Cells Selected via Cell Surface Antigen Expression. <i>Stem Cells</i> , 2011, 29, 1391-1404. | 1.4 | 107 |
| 13 | [19] cDNA representational difference analysis: A sensitive and flexible method for identification of differentially expressed genes. <i>Methods in Enzymology</i> , 1999, 303, 325-349. | 0.4 | 102 |
| 14 | Ranked prediction of p53 targets using hidden variable dynamic modeling. <i>Genome Biology</i> , 2006, 7, R25. | 13.9 | 102 |
| 15 | Genomic Classification and Clinical Outcome in Rhabdomyosarcoma: A Report From an International Consortium. <i>Journal of Clinical Oncology</i> , 2021, 39, 2859-2871. | 0.8 | 101 |
| 16 | Discovery of genes with highly restricted expression patterns in the <i>Drosophila</i> wing disc using DNA oligonucleotide microarrays. <i>Development (Cambridge)</i> , 2003, 130, 659-670. | 1.2 | 98 |
| 17 | Microarray analysis reveals that TP53- and ATM-mutant B-CLLs share a defect in activating proapoptotic responses after DNA damage but are distinguished by major differences in activating prosurvival responses. <i>Blood</i> , 2004, 103, 291-300. | 0.6 | 94 |
| 18 | Maternal diet programs embryonic kidney gene expression. <i>Physiological Genomics</i> , 2005, 22, 48-56. | 1.0 | 90 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Biologic predictors of extension of oligoarticular juvenile idiopathic arthritis as determined from synovial fluid cellular composition and gene expression. <i>Arthritis and Rheumatism</i> , 2010, 62, 896-907. | 6.7 | 71 |
| 20 | Inactivating <i>NF1</i> Mutations Are Enriched in Advanced Breast Cancer and Contribute to Endocrine Therapy Resistance. <i>Clinical Cancer Research</i> , 2020, 26, 608-622. | 3.2 | 71 |
| 21 | Subtype-Specific <i>FBXW7</i> Mutation and <i>MYCN</i> Copy Number Gain in Wilms' Tumor. <i>Clinical Cancer Research</i> , 2010, 16, 2036-2045. | 3.2 | 69 |
| 22 | K ATP Channel Gene Expression Is Induced by Urocortin and Mediates Its Cardioprotective Effect. <i>Circulation</i> , 2002, 106, 1556-1562. | 1.6 | 66 |
| 23 | Down-regulation of the dopamine receptor D2 in mice lacking ataxin 1. <i>Human Molecular Genetics</i> , 2007, 16, 2122-2134. | 1.4 | 61 |
| 24 | From the top down: towards a predictive biology of signalling networks. <i>Trends in Biotechnology</i> , 2003, 21, 290-293. | 4.9 | 58 |
| 25 | STAT-1 facilitates the ATM activated checkpoint pathway following DNA damage. <i>Journal of Cell Science</i> , 2005, 118, 1629-1639. | 1.2 | 54 |
| 26 | Genomic profile of advanced breast cancer in circulating tumour DNA. <i>Nature Communications</i> , 2021, 12, 2423. | 5.8 | 54 |
| 27 | Effects of ADMA upon Gene Expression: An Insight into the Pathophysiological Significance of Raised Plasma ADMA. <i>PLoS Medicine</i> , 2005, 2, e264. | 3.9 | 52 |
| 28 | Optimised ARID1A immunohistochemistry is an accurate predictor of <i>ARID1A</i> mutational status in gynaecological cancers. <i>Journal of Pathology: Clinical Research</i> , 2018, 4, 154-166. | 1.3 | 51 |
| 29 | Urocortin protects cardiac myocytes from ischemia/reperfusion injury by attenuating calcium insensitive phospholipase A 2 gene expression. <i>FASEB Journal</i> , 2003, 17, 2313-2315. | 0.2 | 49 |
| 30 | Generation of novel pharmacogenomic candidates in response to methotrexate in juvenile idiopathic arthritis: correlation between gene expression and genotype. <i>Pharmacogenetics and Genomics</i> , 2010, 20, 665-676. | 0.7 | 49 |
| 31 | Tnfaip8 is an essential gene for the regulation of glucocorticoid-mediated apoptosis of thymocytes. <i>Cell Death and Differentiation</i> , 2010, 17, 316-323. | 5.0 | 49 |
| 32 | Fitting ordinary differential equations to short time course data. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2008, 366, 519-544. | 1.6 | 47 |
| 33 | Ultra-Sensitive Mutation Detection and Genome-Wide DNA Copy Number Reconstruction by Error-Corrected Circulating Tumor DNA Sequencing. <i>Clinical Chemistry</i> , 2018, 64, 1626-1635. | 1.5 | 46 |
| 34 | Sterol O-Acyltransferase 1 (SOAT1, ACAT) Is a Novel Target of Steroidogenic Factor-1 (SF-1, NR5A1). <i>Trends in Biotechnology</i> , 2018, 36, 45-52. | 1.8 | 45 |
| 35 | Cardioprotection mediated by urocortin is dependent upon PKC μ activation. <i>FASEB Journal</i> , 2005, 19, 1-18. | 0.2 | 44 |
| 36 | A tailored molecular profiling programme for children with cancer to identify clinically actionable genetic alterations. <i>European Journal of Cancer</i> , 2019, 121, 224-235. | 1.3 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Prospective gene expression analysis accurately subtypes acute leukaemia in children and establishes a commonality between hyperdiploidy and t(12;21) in acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2005, 130, 26-35. | 1.2 | 39 |
| 38 | Robustness of the p53 network and biological hackers. <i>FEBS Letters</i> , 2005, 579, 3037-3042. | 1.3 | 38 |
| 39 | New targets of urocortin-mediated cardioprotection. <i>Journal of Molecular Endocrinology</i> , 2010, 45, 69-85. | 1.1 | 36 |
| 40 | The E2A-HLF oncogenic fusion protein acts through Lmo2 and Bcl-2 to immortalize hematopoietic progenitors. <i>Leukemia</i> , 2011, 25, 321-330. | 3.3 | 36 |
| 41 | Triplet Therapy with Palbociclib, Taselisib, and Fulvestrant in <i>PIK3CA</i> -Mutant Breast Cancer and Doublet Palbociclib and Taselisib in Pathway-Mutant Solid Cancers. <i>Cancer Discovery</i> , 2021, 11, 92-107. | 7.7 | 36 |
| 42 | Radiation-induced delayed cell death in a hypomorphic Artemis cell line. <i>Human Molecular Genetics</i> , 2006, 15, 1303-1311. | 1.4 | 35 |
| 43 | Differential gene expression in the hippocampus of the Df1/+ mice: A model for 22q11.2 deletion syndrome and schizophrenia. <i>Brain Research</i> , 2007, 1139, 48-59. | 1.1 | 33 |
| 44 | Microarray analysis of the Df1 mouse model of the 22q11 deletion syndrome. <i>Human Genetics</i> , 2005, 116, 486-496. | 1.8 | 27 |
| 45 | ChIP-chip analysis reveals angiotensin 2 (Ang2, ANGPT2) as a novel target of steroidogenic factor-1 (SF-1, NR5A1) in the human adrenal gland. <i>FASEB Journal</i> , 2011, 25, 1166-1175. | 0.2 | 27 |
| 46 | Telomere elongation through hTERT immortalization leads to chromosome repositioning in control cells and genomic instability in Hutchinson-Gilford progeria syndrome fibroblasts, expressing a novel SUN1 isoform. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 341-356. | 1.5 | 27 |
| 47 | Droplet digital PCR-based detection of circulating tumor DNA from pediatric high grade and diffuse midline glioma patients. <i>Neuro-Oncology Advances</i> , 2021, 3, v03013. | 0.4 | 27 |
| 48 | The cardioprotective effect of urocortin during ischaemia/reperfusion involves the prevention of mitochondrial damage. <i>Biochemical and Biophysical Research Communications</i> , 2004, 321, 479-486. | 1.0 | 26 |
| 49 | Repurposing Vandetanib plus Everolimus for the Treatment of <i>ACVR1</i> -Mutant Diffuse Intrinsic Pontine Glioma. <i>Cancer Discovery</i> , 2022, 12, 416-431. | 7.7 | 25 |
| 50 | Microarray interrogation of human metanephric mesenchymal cells highlights potentially important molecules in vivo. <i>Physiological Genomics</i> , 2007, 28, 193-202. | 1.0 | 24 |
| 51 | Dissection of a complex transcriptional response using genome-wide transcriptional modelling. <i>Molecular Systems Biology</i> , 2009, 5, 327. | 3.2 | 22 |
| 52 | Genome-Wide Analysis of Alternative Splicing in Medulloblastoma Identifies Splicing Patterns Characteristic of Normal Cerebellar Development. <i>Cancer Research</i> , 2011, 71, 2045-2055. | 0.4 | 21 |
| 53 | Gene expression profiling and its application in studies of haematological malignancy. <i>British Journal of Haematology</i> , 2004, 124, 577-594. | 1.2 | 17 |
| 54 | Development of a targeted sequencing approach to identify prognostic, predictive and diagnostic markers in paediatric solid tumours. <i>Oncotarget</i> , 2017, 8, 112036-112050. | 0.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cardiovascular GO Annotation Initiative Year 1 Report: Why Cardiovascular GO?. <i>Proteomics</i> , 2008, 8, 1950-1953. | 1.3 | 15 |
| 56 | DIPG Harbors Alterations Targetable by MEK Inhibitors, with Acquired Resistance Mechanisms Overcome by Combinatorial Inhibition. <i>Cancer Discovery</i> , 2022, 12, 712-729. | 7.7 | 15 |
| 57 | Analysis of Gene Transcription in Cells Lacking DNA-PK Activity. <i>Radiation Research</i> , 2001, 156, 167-176. | 0.7 | 13 |
| 58 | SARS-CoV-2 detection by a clinical diagnostic RT-LAMP assay. <i>Wellcome Open Research</i> , 2021, 6, 9. | 0.9 | 13 |
| 59 | Isolation and functional assessment of common, polymorphic variants of the B-MYB proto-oncogene associated with a reduced cancer risk. <i>Oncogene</i> , 2008, 27, 2929-2933. | 2.6 | 12 |
| 60 | Microarray analysis of mitogenic effects of T3 on the rat liver. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 1926-1933. | 1.4 | 12 |
| 61 | Circulating tumour DNA sequencing to determine therapeutic response and identify tumour heterogeneity in patients with paediatric solid tumours. <i>European Journal of Cancer</i> , 2022, 162, 209-220. | 1.3 | 12 |
| 62 | E4BP4 expression is regulated by the t(17;19)-associated oncoprotein E2A-HLF in pro-B cells. <i>British Journal of Haematology</i> , 2004, 125, 560-567. | 1.2 | 9 |
| 63 | Revealing Individual Signatures of Human T Cell CDR3 Sequence Repertoires with Kidera Factors. <i>PLoS ONE</i> , 2014, 9, e86986. | 1.1 | 9 |
| 64 | Expression of the excision repair gene, ERCC3 (excision repair cross-complementing), during mouse development. <i>Developmental Brain Research</i> , 1994, 81, 66-76. | 2.1 | 8 |
| 65 | Transcriptional changes in trichothiodystrophy cells. <i>DNA Repair</i> , 2008, 7, 1364-1371. | 1.3 | 8 |
| 66 | rHVDM: an R package to predict the activity and targets of a transcription factor. <i>Bioinformatics</i> , 2009, 25, 419-420. | 1.8 | 8 |
| 67 | Correction of scaling mismatches in oligonucleotide microarray data. <i>BMC Bioinformatics</i> , 2006, 7, 251. | 1.2 | 7 |
| 68 | rHVDM â€” a fast and user-friendly R package to predict transcription factor targets from microarray time series data. <i>BMC Systems Biology</i> , 2007, 1, . | 3.0 | 4 |
| 69 | Identification of a novel genetic locus associated with immune mediated thrombotic thrombocytopenic purpura. <i>Haematologica</i> , 2021, , . | 1.7 | 2 |
| 70 | Response of NOTCH1-Activated Tracheal Adenoid Cystic Carcinoma to the Gamma Secretase Inhibitor Nirogacestat. <i>JCO Precision Oncology</i> , 2021, 5, 1579-1583. | 1.5 | 1 |
| 71 | Genome-Wide Methylation Analysis of Patients with Diffuse Large B Cell Lymphoma Treated on the UK NCRI R-CHOP 14 Vs 21 Trial. <i>Blood</i> , 2016, 128, 1747-1747. | 0.6 | 0 |
| 72 | Comparison of Three Assays for Identification of IDH Mutations in AML. <i>Blood</i> , 2019, 134, 5195-5195. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | MODL-19. DIPG HARBOUR ALTERATIONS TARGETABLE BY MEK INHIBITORS, WITH ACQUIRED RESISTANCE MECHANISMS OVERCOME BY COMBINATORIAL UP- OR DOWN-STREAM INHIBITION. <i>Neuro-Oncology</i> , 2020, 22, iii414-iii414. | 0.6 | 0 |
| 74 | Targeted Next Generation Sequencing Improves Diagnosis in Unclassifiable Leukemic Indolent B-Cell Non-Hodgkin Lymphoma and Identifies a Subset with Recurrent MYD88 Mutations in a Prospective Multicentre Study. <i>Blood</i> , 2020, 136, 12-13. | 0.6 | 0 |
| 75 | EXTH-46. ARTIFICIAL INTELLIGENCE-BASED IDENTIFICATION OF COMBINED VANDETANIB AND EVEROLIMUS IN THE TREATMENT OF ACVR1-MUTANT DIFFUSE INTRINSIC PONTINE GLIOMA. <i>Neuro-Oncology</i> , 2020, 22, ii97-ii97. | 0.6 | 0 |
| 76 | DDRE-07. DIPG HARBOUR ALTERATIONS TARGETABLE BY MEK INHIBITORS, WITH ACQUIRED RESISTANCE MECHANISMS OVERCOME BY COMBINATORIAL INHIBITION. <i>Neuro-Oncology</i> , 2020, 22, ii62-ii62. | 0.6 | 0 |
| 77 | DIPG-41. Multi-omic profiling of patient-derived subclones identifies aggressive cellular subpopulations in paediatric diffuse high-grade gliomas (PDHGGs). <i>Neuro-Oncology</i> , 2022, 24, i27-i28. | 0.6 | 0 |