

Dean McMillan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3785009/publications.pdf>

Version: 2024-02-01

97
papers

5,028
citations

186209

28
h-index

102432

66
g-index

101
all docs

101
docs citations

101
times ranked

7344
citing authors

#	ARTICLE	IF	CITATIONS
1	Can We Prevent Depression in At-Risk Older Adults Using Self-Help? The UK SHARD Trial of Behavioral Activation. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 197-207.	0.6	10
2	Predicting relapse or recurrence of depression: systematic review of prognostic models. <i>British Journal of Psychiatry</i> , 2022, 221, 448-458.	1.7	13
3	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluation—the Community Pharmacies Mood Intervention Study (CHEMIST). <i>Pilot and Feasibility Studies</i> , 2022, 8, 27.	0.5	3
4	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. <i>Public Health Research</i> , 2022, 10, 1-160.	0.5	2
5	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856.	1.1	7
6	Cognitive, behavioural or cognitive-behavioural self-help interventions for subclinical depression in older adults: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 308, 384-390.	2.0	4
7	Using routine outcome measures as clinical process tools: Maximising the therapeutic yield in the <scp>IAPT</scp> programme when working remotely. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, , .	1.3	5
8	Women's experiences of perinatal depression: Symptoms, barriers and enablers to disclosure, and effects on daily life and interaction within the family. <i>Midwifery</i> , 2022, 112, 103389.	1.0	2
9	Social relationships within university undergraduate accommodation: a qualitative study. <i>Journal of Further and Higher Education</i> , 2021, 45, 1469-1482.	1.4	2
10	Barriers to attending initial psychological therapy service appointments for common mental health problems: A mixed-methods systematic review. <i>Journal of Affective Disorders</i> , 2021, 284, 44-63.	2.0	7
11	Prognostic models for predicting relapse or recurrence of major depressive disorder in adults. <i>The Cochrane Library</i> , 2021, 2021, CD013491.	1.5	13
12	Cost-effectiveness of feedback-informed psychological treatment: Evidence from the IAPT-FIT trial. <i>Behaviour Research and Therapy</i> , 2021, 142, 103873.	1.6	16
13	The development and validation of a prognostic model to PREDICT Relapse of depression in adult patients in primary care: protocol for the PREDICTR study. <i>Diagnostic and Prognostic Research</i> , 2021, 5, 12.	0.8	3
14	Mitigating the impacts of COVID-19: where are the mental health trials?. <i>Lancet Psychiatry</i> , the, 2021, 8, 647-650.	3.7	15
15	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003779.	3.9	31
16	A comparison of the effects of sudden gains and depression spikes on short- and long-term depressive symptoms in a randomized controlled trial of behavioral activation and cognitive behavioural therapy.. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 957-969.	1.6	3
17	Effectiveness and adherence of telephone-administered psychotherapy for depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020, 260, 514-526.	2.0	55
18	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	4.0	67

#	ARTICLE	IF	CITATIONS
19	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	2.7	175
20	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale "Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	1.2	33
21	The role of relapse prevention for depression in collaborative care: A systematic review. <i>Journal of Affective Disorders</i> , 2020, 265, 618-644.	2.0	15
22	Collaborative care for depression in older adults: How much is enough?. <i>Behaviour Research and Therapy</i> , 2020, 135, 103725.	1.6	0
23	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis. <i>PLoS Medicine</i> , 2020, 17, e1003262.	3.9	154
24	Out of pocket expenses in obsessive compulsive disorder. <i>Journal of Mental Health</i> , 2020, , 1-6.	1.0	0
25	Predicting and preventing relapse of depression in primary care. <i>British Journal of General Practice</i> , 2020, 70, 54-55.	0.7	12
26	Are there interactional differences between telephone and face-to-face psychological therapy? A systematic review of comparative studies. <i>Journal of Affective Disorders</i> , 2020, 265, 120-131.	2.0	118
27	Frailty and depression predict instrumental activities of daily living in older adults: A population-based longitudinal study using the CARE75+ cohort. <i>PLoS ONE</i> , 2020, 15, e0243972.	1.1	21
28	Cost-effectiveness of brief structured interventions to discontinue long-term benzodiazepine use: an economic analysis alongside a randomised controlled trial. <i>HRB Open Research</i> , 2020, 3, 33.	0.3	0
29	Interventions for adults with a history of complex traumatic events: the INCiTE mixed-methods systematic review. <i>Health Technology Assessment</i> , 2020, 24, 1-312.	1.3	19
30	Title is missing!. , 2020, 17, e1003262.		0
31	Title is missing!. , 2020, 17, e1003262.		0
32	Title is missing!. , 2020, 17, e1003262.		0
33	Title is missing!. , 2020, 17, e1003262.		0
34	Title is missing!. , 2020, 17, e1003262.		0
35	Title is missing!. , 2020, 15, e0243972.		0
36	Title is missing!. , 2020, 15, e0243972.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0243972.		0
38	Title is missing!. , 2020, 15, e0243972.		0
39	Title is missing!. , 2020, 15, e0243972.		0
40	Title is missing!. , 2020, 15, e0243972.		0
41	Responsible journalism, imitative suicide, and transgender populations: A systematic review of UK newspapers. <i>Journal of Gay and Lesbian Mental Health</i> , 2019, 23, 276-288.	0.8	5
42	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1803.	1.1	34
43	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. <i>Pilot and Feasibility Studies</i> , 2019, 5, 71.	0.5	4
44	Pharmacy-based management for depression in adults. <i>The Cochrane Library</i> , 2019, 12, CD013299.	1.5	22
45	Predicting persistent depressive symptoms in older adults: A machine learning approach to personalised mental healthcare. <i>Journal of Affective Disorders</i> , 2019, 246, 857-860.	2.0	69
46	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. <i>Depression and Anxiety</i> , 2019, 36, 82-92.	2.0	16
47	Using Implementation Intentions to Prevent Relapse after Psychological Treatment for Depression – the SMART Intervention. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 626-632.	0.9	5
48	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	1.7	53
49	Diagnostic accuracy of the Geriatric Depression Scale-30, Geriatric Depression Scale-15, Geriatric Depression Scale-5 and Geriatric Depression Scale-4 for detecting major depression: protocol for a systematic review and individual participant data meta-analysis. <i>BMJ Open</i> , 2018, 8, e026598.	0.8	24
50	Clinical and cost-effectiveness of one-session treatment (OST) versus multisession cognitive-behavioural therapy (CBT) for specific phobias in children: protocol for a non-inferiority randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e025031.	0.8	15
51	Feedback-informed treatment versus usual psychological treatment for depression and anxiety: a multisite, open-label, cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 564-572.	3.7	86
52	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. <i>Public Health Research</i> , 2018, 6, 1-76.	0.5	4
53	Effect of Collaborative Care vs Usual Care on Depressive Symptoms in Older Adults With Subthreshold Depression. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 728.	3.8	95
54	How durable is the effect of low intensity CBT for depression and anxiety? Remission and relapse in a longitudinal cohort study. <i>Behaviour Research and Therapy</i> , 2017, 94, 1-8.	1.6	97

#	ARTICLE	IF	CITATIONS
55	Is behavioural activation effective in the treatment of depression in young people? A systematic review and meta-analysis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017, 90, 770-796.	1.3	62
56	Are there researcher allegiance effects in diagnostic validation studies of the PHQ-9? A systematic review and meta-analysis. <i>BMJ Open</i> , 2017, 7, e015247.	0.8	18
57	Improving the efficiency of psychological treatment using outcome feedback technology. <i>Behaviour Research and Therapy</i> , 2017, 99, 89-97.	1.6	58
58	The Role of Practice Research Networks (PRN) in the Development and Implementation of Evidence: The Northern Improving Access to Psychological Therapies PRN Case Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 919-931.	1.2	16
59	Cost and outcome of behavioural activation versus cognitive behavioural therapy for depression (COBRA): a qualitative process evaluation. <i>BMJ Open</i> , 2017, 7, e014161.	0.8	16
60	Decreasing rates of disorganised attachment in infants and young children, who are at risk of developing, or who already have disorganised attachment. A systematic review and meta-analysis of early parenting interventions. <i>PLoS ONE</i> , 2017, 12, e0180858.	1.1	23
61	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. <i>PLoS Medicine</i> , 2017, 14, e1002337.	3.9	25
62	Case complexity as a guide for psychological treatment selection.. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 835-853.	1.6	58
63	Collaborative care and active surveillance for Screen-Positive ElDeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-196.	1.3	12
64	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). <i>Health Technology Assessment</i> , 2017, 21, 1-132.	1.3	41
65	Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017, 21, 1-366.	1.3	24
66	Collaborative care for Screen-Positive ElDeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-252.	1.3	56
67	Identifying depression with the PHQ-2: A diagnostic meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 203, 382-395.	2.0	144
68	The diagnostic accuracy of brief versions of the Geriatric Depression Scale: a systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 837-857.	1.3	186
69	Identification of depression in women during pregnancy and the early postnatal period using the Whooley questions and the Edinburgh Postnatal Depression Scale: protocol for the Born and Bred in Yorkshire: PeriNatal Depression Diagnostic Accuracy (BaBY PaNDA) study. <i>BMJ Open</i> , 2016, 6, e011223.	0.8	16
70	Effectiveness of Transdiagnostic Cognitive Behaviour Therapy for Anxiety and Depression in Adults: A Systematic Review and Meta-analysis. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 673-690.	0.9	90
71	Social Stories in mainstream schools for children with autism spectrum disorder: a feasibility randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e011748.	0.8	21
72	Diagnostic accuracy of the Depression subscale of the Hospital Anxiety and Depression Scale (HADS-D) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2016, 6, e011913.	0.8	22

#	ARTICLE	IF	CITATIONS
73	A multi-service practice research network study of large group psychoeducational cognitive behavioural therapy. <i>Behaviour Research and Therapy</i> , 2016, 87, 155-161.	1.6	29
74	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2016, 388, 871-880.	6.3	427
75	Relationship between employment and mental health outcomes following Cardiac Rehabilitation: an observational analysis from the National Audit of Cardiac Rehabilitation. <i>International Journal of Cardiology</i> , 2016, 220, 851-854.	0.8	8
76	Screening for anxiety disorders with the GAD-7 and GAD-2: a systematic review and diagnostic meta-analysis. <i>General Hospital Psychiatry</i> , 2016, 39, 24-31.	1.2	972
77	Social Stories to alleviate challenging behaviour and social difficulties exhibited by children with autism spectrum disorder in mainstream schools: design of a manualised training toolkit and feasibility study for a cluster randomised controlled trial with nested qualitative and cost-effectiveness components. <i>Health Technology Assessment</i> , 2016, 20, 1-258.	1.3	22
78	Diagnostic accuracy of the Whooley questions for the identification of depression: a diagnostic meta-analysis. <i>BMJ Open</i> , 2015, 5, e008913.	0.8	66
79	Screening and case finding for major depressive disorder using the Patient Health Questionnaire (PHQ-9): a meta-analysis. <i>General Hospital Psychiatry</i> , 2015, 37, 567-576.	1.2	234
80	Faith-adapted psychological therapies for depression and anxiety: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2015, 176, 183-196.	2.0	75
81	A diagnostic meta-analysis of the Patient Health Questionnaire-9 (PHQ-9) algorithm scoring method as a screen for depression. <i>General Hospital Psychiatry</i> , 2015, 37, 67-75.	1.2	490
82	Diagnostic accuracy of the Whooley depression tool in older adults in UK primary care. <i>Journal of Affective Disorders</i> , 2015, 182, 39-43.	2.0	8
83	Feasibility Randomized Controlled Trial of Cognitive and Behavioral Interventions for Depression Symptoms in Patients Accessing Drug and Alcohol Treatment. <i>Journal of Substance Abuse Treatment</i> , 2015, 55, 6-14.	1.5	24
84	Interventions for preventing relapse or recurrence of depression in primary health care settings: A systematic review. <i>Preventive Medicine</i> , 2015, 76, S16-S21.	1.6	16
85	Screening for psychological and mental health difficulties in young people who offend: a systematic review and decision model. <i>Health Technology Assessment</i> , 2015, 19, 1-128.	1.3	5
86	Clinical effectiveness and cost-effectiveness of parenting interventions for children with severe attachment problems: a systematic review and meta-analysis. <i>Health Technology Assessment</i> , 2015, 19, 1-348.	1.3	32
87	Heterogeneity in Patient-Reported Outcomes following Low-Intensity Mental Health Interventions: A Multilevel Analysis. <i>PLoS ONE</i> , 2014, 9, e99658.	1.1	16
88	Autism Spectrum Social Stories In Schools Trial (ASSIST): study protocol for a feasibility randomised controlled trial analysing clinical and cost-effectiveness of Social Stories in mainstream schools. <i>BMJ Open</i> , 2014, 4, e005952-e005952.	0.8	10
89	CASPER plus (Collaborative care in Screen-Positive Elders with major depressive disorder): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 451.	0.7	16
90	Adapting manualized Behavioural Activation treatment for older adults with depression. <i>The Cognitive Behaviour Therapist</i> , 2014, 7, .	0.4	21

#	ARTICLE	IF	CITATIONS
91	Sudden gains in behavioural activation for depression. Behaviour Research and Therapy, 2014, 60, 34-38.	1.6	21
92	A randomised evaluation of Collaborative care and active surveillance for Screen-Positive Elders with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. Trials, 2011, 12, 225.	0.7	27
93	Defining successful treatment outcome in depression using the PHQ-9: A comparison of methods. Journal of Affective Disorders, 2010, 127, 122-129.	2.0	179
94	A systematic review of behavioral experiments vs. exposure alone in the treatment of anxiety disorders: A case of exposure while wearing the emperor's new clothes?. Clinical Psychology Review, 2010, 30, 467-478.	6.0	96
95	A stepped care intervention is effective for elderly people with subthreshold depression or anxiety. Evidence-Based Mental Health, 2009, 12, 115-115.	2.2	0
96	Cognitive or behavioural interventions (or both) to prevent or mitigate loneliness in adolescents, adults, and older adults. The Cochrane Library, 0, , .	1.5	8
97	Pharmacy-based management for depression in adults. The Cochrane Library, 0, , .	1.5	3