

Alexandre Hertig

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3785730/alexandre-hertig-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

2,831
citations

30
h-index

49
g-index

137
ext. papers

3,661
ext. citations

5.4
avg, IF

5.01
L-index

#	Paper	IF	Citations
118	Impact of targeted hypothermia in expanded-criteria organ donors on recipient kidney-graft function: study protocol for a multicentre randomised controlled trial (HYPOREME).. <i>BMJ Open</i> , 2022 , 12, e052845	3	
117	Acute interstitial nephritis: aetiology and management. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1799-1802	4.3	0
116	Decision-making based on sFlt-1/PlGF ratios: are immunoassay results interchangeable for diagnosis or prognosis of preeclampsia?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, e87-e89	5.9	4
115	Prevention and treatment of nutritional complications after bariatric surgery. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 238-251	18.8	13
114	Living kidney donor evaluation for all candidates with normal estimated GFR for age. <i>Transplant International</i> , 2021 , 34, 1123-1133	3	1
113	Transplant rejections associated with immune checkpoint inhibitors: A pharmacovigilance study and systematic literature review. <i>European Journal of Cancer</i> , 2021 , 148, 36-47	7.5	10
112	Impact of pre-eclampsia on renal outcome in sickle cell disease patients. <i>British Journal of Haematology</i> , 2021 , 194, 1053-1062	4.5	2
111	Transplantation Outcome in Recipients Engrafted With Organs Recovered From the First French Deceased Donor With a SARS-COV-2 Vaccine-induced Thrombotic Thrombocytopenia. <i>Transplantation</i> , 2021 , 105, e84-e86	1.8	1
110	Lessons from the impact of COVID-19 on medical educational continuity and practices. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2021 , 45, 390-398	1.9	5
109	Recovery of kidney function in patients treated with maintenance dialysis-a report from the ERA-EDTA Registry. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1078-1087	4.3	1
108	Temporal trends in living kidney donation in France between 2007 and 2017. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 730-738	4.3	5
107	Shiga Toxin-Associated Hemolytic Uremic Syndrome in Adults, France, 2009-2017. <i>Emerging Infectious Diseases</i> , 2021 , 27, 1876-1885	10.2	0
106	Clinical Utility of Biochemical Markers for the Prediction of COVID-19-Related Mortality in Kidney Transplant Recipients. <i>Kidney International Reports</i> , 2021 , 6, 2689-2693	4.1	2
105	Long-term health-related quality of life outcomes of adults with pediatric onset of frequently relapsing or steroid-dependent nephrotic syndrome. <i>Journal of Nephrology</i> , 2021 , 1	4.8	0
104	IMPact of the COVID-19 epidemic on the moRTALity of kidney transplant recipients and candidates in a French Nationwide registry sTudy (IMPORTANT). <i>Kidney International</i> , 2020 , 98, 1568-1577	9.9	47
103	Severe HELLP syndrome masquerading as thrombocytopenic thrombotic purpura: a case report. <i>BMC Nephrology</i> , 2020 , 21, 204	2.7	1
102	Endothelial-to-mesenchymal transition compromises vascular integrity to induce Myc-mediated metabolic reprogramming in kidney fibrosis. <i>Science Signaling</i> , 2020 , 13,	8.8	17

101	Severe Infection in Anti-Glomerular Basement Membrane Disease: A Retrospective Multicenter French Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
100	Microvasculature partial endothelial mesenchymal transition in early posttransplant biopsy with acute tubular necrosis identifies poor recovery renal allografts. <i>American Journal of Transplantation</i> , 2020 , 20, 2400-2412	8.7	3
99	Shiga Toxin-Associated Hemolytic Uremic Syndrome: A Narrative Review. <i>Toxins</i> , 2020 , 12,	4.9	46
98	Clinical and histological differences between adults and children in new onset IgA nephropathy. <i>Pediatric Nephrology</i> , 2020 , 35, 1897-1905	3.2	5
97	Altered proximal tubular cell glucose metabolism during acute kidney injury is associated with mortality. <i>Nature Metabolism</i> , 2020 , 2, 732-743	14.6	26
96	Fibrosis and cancer: shared features and mechanisms suggest common targeted therapeutic approaches. <i>Nephrology Dialysis Transplantation</i> , 2020 ,	4.3	7
95	An initial report from the French SOT COVID Registry suggests high mortality due to COVID-19 in recipients of kidney transplants. <i>Kidney International</i> , 2020 , 98, 1549-1558	9.9	109
94	Management of thrombotic microangiopathy in pregnancy and postpartum: report from an international working group. <i>Blood</i> , 2020 , 136, 2103-2117	2.2	23
93	Post-partum acute kidney injury: sorting placental and non-placental thrombotic microangiopathies using the trajectory of biomarkers. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1538-1546	4.3	8
92	Prediction system for risk of allograft loss in patients receiving kidney transplants: international derivation and validation study. <i>BMJ, The</i> , 2019 , 366, l4923	5.9	82
91	Reply to Chousterman : Delaying Renal Replacement Therapy Could Be Harmful in Patients with Acute Brain Injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 646-647	10.2	0
90	Epitope load identifies kidney transplant recipients at risk of allosensitization following minimization of immunosuppression. <i>Kidney International</i> , 2019 , 95, 1471-1485	9.9	15
89	Markers of graft microvascular endothelial injury may identify harmful donor-specific anti-HLA antibodies and predict kidney allograft loss. <i>American Journal of Transplantation</i> , 2019 , 19, 2434-2445	8.7	12
88	Early Acute Microvascular Kidney Transplant Rejection in the Absence of Anti-HLA Antibodies Is Associated with Preformed IgG Antibodies against Diverse Glomerular Endothelial Cell Antigens. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 692-709	12.7	54
87	Prognostic Factors in Anti-glomerular Basement Membrane Disease: A Multicenter Study of 119 Patients. <i>Frontiers in Immunology</i> , 2019 , 10, 1665	8.4	12
86	Reply to the Letter: Thrombotic microangiopathy in adult-onset Still disease: the story is just beginning. <i>Expert Review of Clinical Immunology</i> , 2019 , 15, 1125-1126	5.1	
85	Timing of Renal Replacement Therapy for Severe Acute Kidney Injury in Critically Ill Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 1066-1075	10.2	15
84	ELABELA concentration is not decreased in maternal plasma before the onset of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 284-285	6.4	10

83	Sildenafil for the treatment of preeclampsia, an update: should we still be enthusiastic?. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1819-1826	4.3	4
82	Why kidneys fail post-partum: a tubulocentric viewpoint. <i>Journal of Nephrology</i> , 2018 , 31, 645-651	4.8	7
81	Diagnosis and management of asymptomatic bacteriuria in kidney transplant recipients: a survey of current practice in Europe. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1661-1668	4.3	20
80	Immunosuppressive Treatment in Children With IgA Nephropathy and the Clinical Value of Podocytopathic Features. <i>Kidney International Reports</i> , 2018 , 3, 916-925	4.1	22
79	Urinary mRNA analysis of biomarkers to epithelial mesenchymal transition of renal allograft. <i>Nephrologie Et Therapeutique</i> , 2018 , 14, 153-161	0.6	3
78	Red urine, updated for the nephrologist: a case report. <i>BMC Nephrology</i> , 2018 , 19, 133	2.7	1
77	Abnormal steroidogenesis and aromatase activity in preeclampsia. <i>Placenta</i> , 2018 , 69, 40-49	3.4	21
76	Atypical haemolytic and uraemic syndrome: how can we protect the kidneys?. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1708-1711	4.3	
75	FP731MARKERS OF MICRO-VASCULAR ENDOTHELIAL CELL ACTIVATION IDENTIFY POOR RENAL GRAFT OUTCOME IN EARLY BIOPSY WITH ACUTE TUBULAR NECROSIS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i292-i292	4.3	
74	Increased Fatty Acid Oxidation in Differentiated Proximal Tubular Cells Surviving a Reversible Episode of Acute Kidney Injury. <i>Cellular Physiology and Biochemistry</i> , 2018 , 47, 1338-1351	3.9	11
73	Isolated v-lesion in kidney transplant recipients: Characteristics, association with DSA, and histological follow-up. <i>American Journal of Transplantation</i> , 2018 , 18, 972-981	8.7	9
72	FP268POST PARTUM ACUTE KIDNEY INJURY: SORTING PLACENTAL AND NON-PLACENTAL THROMBOTIC MICROANGIOPATHIES USING THE TRAJECTORY OF BIOMARKERS.. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i120-i121	4.3	0
71	FO033MALIGNANT NEPHROANGIOSCLEROSIS IN YOUNG PATIENTS WITH MALIGNANT HYPERTENSION. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i32-i32	4.3	
70	LDL-apheresis to decrease sFlt-1 during early severe preeclampsia: Report of two cases from a discontinued phase II trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 231, 70-74	2.4	5
69	Early Differentiation of Shiga Toxin-Associated Hemolytic Uremic Syndrome in Critically Ill Adults With Thrombotic Microangiopathy Syndromes. <i>Critical Care Medicine</i> , 2018 , 46, e904-e911	1.4	6
68	SaO062OUTCOMES OF ACUTE KIDNEY INJURY DEPEND ON INITIAL CLINICAL FEATURES: A NATIONAL FRENCH COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i341-i341	4.3	
67	Outcomes of acute kidney injury depend on initial clinical features: a national French cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 2218-2227	4.3	9
66	Urinary transcriptomics reveals patterns associated with subclinical injury of the renal allograft. <i>Biomarkers in Medicine</i> , 2018 , 12, 427-438	2.3	3

65	Anti-Factor B and Anti-C3b Autoantibodies in C3 Glomerulopathy and Ig-Associated Membranoproliferative GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 1603-1613	12.7	56
64	The clinicopathologic characteristics of kidney diseases related to monotypic IgA deposits. <i>Kidney International</i> , 2017 , 91, 720-728	9.9	31
63	Glomerular common gamma chain confers B- and T-cell-independent protection against glomerulonephritis. <i>Kidney International</i> , 2017 , 91, 1146-1158	9.9	9
62	Warfarin-related nephropathy induced by three different vitamin K antagonists: analysis of 13 biopsy-proven cases. <i>CKJ: Clinical Kidney Journal</i> , 2017 , 10, 381-388	4.5	21
61	Rapid Occurrence of Chronic Kidney Disease in Patients Experiencing Reversible Acute Kidney Injury after Cardiac Surgery. <i>Anesthesiology</i> , 2017 , 126, 39-46	4.3	24
60	From Pregnancy to Preeclampsia: A Key Role for Estrogens. <i>Endocrine Reviews</i> , 2017 , 38, 123-144	27.2	83
59	Stress Response Gene Nupr1 Alleviates Cyclosporin A Nephrotoxicity In Vivo. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 545-556	12.7	10
58	Snail and kidney fibrosis. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 224-233	4.3	24
57	Long-term outcome after early cyclosporine withdrawal in kidney transplantation: ten years after. <i>Clinical Transplantation</i> , 2016 , 30, 1480-1487	3.8	5
56	How to assess the role of Pt and Zn in the nephrotoxicity of Pt anti-cancer drugs? An investigation combining XRF and statistical analysis: Part I: On mice. <i>Comptes Rendus Chimie</i> , 2016 , 19, 1580-1585	2.7	8
55	Lymphocyte-depleting induction and steroid minimization after kidney transplantation: A review. <i>Nefrologia</i> , 2016 , 36, 469-480	1.5	8
54	Markers of Endothelial-to-Mesenchymal Transition: Evidence for Antibody-Endothelium Interaction during Antibody-Mediated Rejection in Kidney Recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 324-32	12.7	24
53	Renal Cortical Necrosis in Postpartum Hemorrhage: A Case Series. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 50-7	7.4	54
52	Evaluation of the ability of bone marrow derived cells to engraft the kidney and promote renal tubular regeneration in mice following exposure to cisplatin. <i>Renal Failure</i> , 2016 , 38, 521-9	2.9	5
51	Ex vivo analysis of renal proximal tubular cells. <i>BMC Cell Biology</i> , 2015 , 16, 12		16
50	Quiz Page September 2015: Acute Kidney Injury Following Gastric Bypass. <i>American Journal of Kidney Diseases</i> , 2015 , 66, A17-9	7.4	1
49	Idiopathic lung fibrosis and anti myeloperoxidase glomerulonephritis: the tree that hides the forest. <i>BMC Pulmonary Medicine</i> , 2015 , 15, 130	3.5	9
48	How tubular epithelial cells dictate the rate of renal fibrogenesis?. <i>World Journal of Nephrology</i> , 2015 , 4, 367-73	3.6	19

47	Alteration of Fatty Acid Oxidation in Tubular Epithelial Cells: From Acute Kidney Injury to Renal Fibrogenesis. <i>Frontiers in Medicine</i> , 2015 , 2, 52	4.9	79
46	Rabbit antithymocyte globulin induction and risk of post-transplant lymphoproliferative disease in adult and pediatric solid organ transplantation: An update. <i>Transplant Immunology</i> , 2015 , 32, 179-87	1.7	35
45	Renal impairment an impediment to heart transplantation?. <i>Iranian Journal of Kidney Diseases</i> , 2015 , 9, 77-83	0.9	
44	Genetic background-dependent thrombotic microangiopathy is related to vascular endothelial growth factor receptor 2 signaling during anti-glomerular basement membrane glomerulonephritis in mice. <i>American Journal of Pathology</i> , 2014 , 184, 2438-49	5.8	9
43	Description and predictive factors of infection in patients with chronic kidney disease admitted to the critical care unit. <i>Journal of Infection</i> , 2014 , 68, 105-15	18.9	12
42	The spectrum of chronic CD8+ T-cell expansions: clinical features in 14 patients. <i>PLoS ONE</i> , 2014 , 9, e91505	3.7	3
41	Administration of recombinant soluble urokinase receptor per se is not sufficient to induce podocyte alterations and proteinuria in mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 1662-8	12.7	58
40	Donor ABCB1 genetic polymorphisms influence epithelial-to-mesenchyme transition in tacrolimus-treated kidney recipients. <i>Pharmacogenomics</i> , 2014 , 15, 2011-24	2.6	12
39	Progression of pulse pressure in kidney recipients durably exposed to CsA is a risk factor for epithelial phenotypic changes: an ancillary study of the CONCEPT trial. <i>Transplant International</i> , 2014 , 27, 344-52	3	3
38	Expression of the transcriptional regulator snail1 in kidney transplants displaying epithelial-to-mesenchymal transition features. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 2136-44	4.3	17
37	Report of the inefficacy of eculizumab in two cases of severe antibody-mediated rejection of renal grafts. <i>Transplantation</i> , 2014 , 98, 1056-9	1.8	52
36	Bilirubin-associated acute tubular necrosis in a kidney transplant recipient. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 782-5	7.4	23
35	Levofloxacin for the treatment of pyelonephritis. <i>Expert Opinion on Pharmacotherapy</i> , 2013 , 14, 1241-53	4	7
34	Preeclamptic plasma induces transcription modifications involving the AP-1 transcriptional regulator JDP2 in endothelial cells. <i>American Journal of Pathology</i> , 2013 , 183, 1993-2006	5.8	19
33	EMT-MET in renal disease: should we curb our enthusiasm?. <i>Cancer Letters</i> , 2013 , 341, 24-9	9.9	30
32	Preeclampsia-like symptoms induced in mice by fetoplacental expression of STOX1 are reversed by aspirin treatment. <i>Hypertension</i> , 2013 , 61, 662-8	8.5	81
31	Clinical and histological predictors of long-term kidney graft survival. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1362-70	4.3	21
30	Cyclosporine A impairs nucleotide binding oligomerization domain (Nod1)-mediated innate antibacterial renal defenses in mice and human transplant recipients. <i>PLoS Pathogens</i> , 2013 , 9, e1003152	7.6	38

29	Acute kidney failure with renal carcinomatous lymphangitis secondary to advanced colon cancer. <i>Kidney International</i> , 2013 , 84, 420	9.9	1
28	Unrecognized sequence homologies may confound genome-wide association studies. <i>Nucleic Acids Research</i> , 2012 , 40, 4774-82	20.1	11
27	Acute pulmonary oedema in chronic dialysis patients admitted into an intensive care unit. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 603-7	4.3	19
26	Tubular nuclear accumulation of Snail and epithelial phenotypic changes in human myeloma cast nephropathy. <i>Human Pathology</i> , 2011 , 42, 1142-8	3.7	7
25	Epithelial phenotypic changes detect cyclosporine in vivo nephrotoxicity at a reversible stage. <i>Transplantation</i> , 2011 , 92, 993-8	1.8	18
24	Epithelial-to-mesenchymal transition predicts cyclosporine nephrotoxicity in renal transplant recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1375-81	12.7	35
23	Vitronectin dictates intraglomerular fibrinolysis in immune-mediated glomerulonephritis. <i>FASEB Journal</i> , 2011 , 25, 3543-53	0.9	7
22	New markers in preeclampsia. <i>Clinica Chimica Acta</i> , 2010 , 411, 1591-5	6.2	38
21	Renal studies provide an insight into cardiac extracellular matrix remodeling during health and disease. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 497-503	5.8	8
20	Steroid profiling in preeclamptic women: evidence for aromatase deficiency. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 477.e1-9	6.4	65
19	Analysis of independent microarray datasets of renal biopsies identifies a robust transcript signature of acute allograft rejection. <i>Transplant International</i> , 2009 , 22, 293-302	3	63
18	Chronic allograft nephropathy—a clinical syndrome: early detection and the potential role of proliferation signal inhibitors. <i>Clinical Transplantation</i> , 2009 , 23, 769-77	3.8	14
17	Response of human renal tubular cells to cyclosporine and sirolimus: a toxicogenomic study. <i>Toxicology and Applied Pharmacology</i> , 2008 , 229, 184-96	4.6	41
16	How should women with pre-eclampsia be followed up? New insights from mechanistic studies. <i>Nature Clinical Practice Nephrology</i> , 2008 , 4, 503-9		14
15	Early epithelial phenotypic changes predict graft fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 1584-91	12.7	105
14	TLR4 facilitates translocation of bacteria across renal collecting duct cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 2364-74	12.7	44
13	Hypertensive disorders of pregnancy: future perspectives. A French point of view. <i>Current Opinion in Obstetrics and Gynecology</i> , 2008 , 20, 107-9	2.4	3
12	Hormonal control of the renal immune response and antibacterial host defense by arginine vasopressin. <i>Journal of Experimental Medicine</i> , 2007 , 204, 2837-52	16.6	56

11	Candida albicans arteritis transmitted by conservative liquid after renal transplantation: a report of four cases and review of the literature. <i>Transplantation</i> , 2006 , 82, 1163-7	1.8	51
10	PAI-1 in diabetic nephropathy. <i>Kidney International</i> , 2005 , 68, 1372-3; author reply 1373	9.9	0
9	Maternal serum sFlt1 concentration is an early and reliable predictive marker of preeclampsia. <i>Clinical Chemistry</i> , 2004 , 50, 1702-3	5.5	159
8	Role of the coagulation/fibrinolysis system in fibrin-associated glomerular injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 844-53	12.7	59
7	Plasminogen activator inhibitor type 1: the two faces of the same coin. <i>Current Opinion in Nephrology and Hypertension</i> , 2004 , 13, 39-44	3.5	10
6	Normocalcemic primary hyperparathyroidism: evidence for a generalized target-tissue resistance to parathyroid hormone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 4641-8	5.6	139
5	SLE and idiopathic nephrotic syndrome: coincidence or not?. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 1179-84	7.4	60
4	Chronic graft dysfunction in renal transplant patients: potential role of plasminogen activator inhibitor type 1. <i>Transplantation</i> , 2002 , 73, 1290-5	1.8	10
3	Prognostic value of plasminogen activator inhibitor type 1 mRNA in microdissected glomeruli from transplanted kidneys. <i>Transplantation</i> , 2001 , 72, 1256-61	1.8	10
2	Plasminogen activator inhibitor type 1 is a potential target in renal fibrogenesis. <i>Kidney International</i> , 2000 , 58, 1841-50	9.9	155
1	Encrusted pyelitis of native kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2000 , 11, 1138-1140	1.4	27