

Alexander Ordynets

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3786418/publications.pdf>

Version: 2024-02-01

19
papers

195
citations

1163117

8
h-index

1125743

13
g-index

28
all docs

28
docs citations

28
times ranked

354
citing authors

#	ARTICLE	IF	CITATIONS
1	Geometric morphometric analysis of spore shapes improves identification of fungi. PLoS ONE, 2021, 16, e0250477.	2.5	1
2	Species Diversity With Comprehensive Annotations of Wood-Inhabiting Poroid and Corticioid Fungi in Uzbekistan. Frontiers in Microbiology, 2020, 11, 598321.	3.5	39
3	Morphologically similar but not closely related: the long-spored species of Subulicystidium (Trechisporales, Basidiomycota). Mycological Progress, 2020, 19, 691-703.	1.4	5
4	First new species of Fulvifomes (Hymenochaetales, Basidiomycota) from tropical Africa. Mycological Progress, 2019, 18, 1383-1393.	1.4	13
5	Do plant-based biogeographical regions shape aphylloroid fungal communities in Europe?. Journal of Biogeography, 2018, 45, 1182-1195.	3.0	15
6	Didymocyrtis trassii sp. nov. and other lichenicolous fungi on Cetraria aculeata. Lichenologist, 2018, 50, 529-540.	0.8	3
7	Short-spored Subulicystidium (Trechisporales, Basidiomycota): high morphological diversity and only partly clear species boundaries. MycoKeys, 2018, 35, 41-99.	1.9	11
8	<i>Hyphodontia</i> (Hymenochaetales, Basidiomycota) and similar taxa from Central Asia. Botany, 2017, 95, 1041-1056.	1.0	18
9	Aphylloroid fungi in insular woodlands of eastern Ukraine. Biodiversity Data Journal, 2017, 5, e22426.	0.8	4
10	Fungi and fungus-like organisms of Homilsha Forests National Park, Ukraine. Mycotaxon, 2017, 132, 705-705.	0.3	20
11	<i>Hyphodontia borbonica</i> , a new species from La Reunion. Mycological Progress, 2015, 14, 1.	1.4	13
12	Two new <i>Trechispora</i> species from La Reunion Island. Mycological Progress, 2015, 14, 1.	1.4	11
13	Naturalness of selected European beech forests reflected by fungal inventories: a first checklist of fungi of the UNESCO World Natural Heritage Kellerwald-Edersee National Park in Germany. Mycological Progress, 2015, 14, 1.	1.4	4
14	The <i>Phanerochaete sordida</i> group (Polyporales, Basidiomycota) in temperate Eurasia, with a note on <i>Phanerochaete pallida</i> . Mycological Progress, 2015, 14, 1.	1.4	17
15	Fungal diversity of the Kellerwald-Edersee National Park – indicator species of nature value and conservation. Nova Hedwigia, 2014, 99, 129-144.	0.4	2
16	First data about fungal diversity of the "Trekhibzenskyi Step" division of the Luhansk Nature Reserve. Chornomorski Botanical Journal, 2013, 9, 57-83.	0.1	2
17	Aphylloroid fungi of "Iziumska luka" Regional Landscape Park and adjacent areas (Kharkiv region, Ukraine). Mycological Progress, 2013, 12, 1-14.	0.1	2
18	New for Ukraine species of corticioid fungi from "Svyaty Gory" National Nature Park. Chornomorski Botanical Journal, 2009, 5, 599-608.	0.1	2

#	ARTICLE	IF	CITATIONS
19	New records of corticioid fungi with heterobasidia from Ukraine. Turkish Journal of Botany, 0, , .	1.2	5