

Yasuyuki Yamashita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3786624/publications.pdf>

Version: 2024-02-01

176
papers

2,684
citations

230014

27
h-index

340414

39
g-index

177
all docs

177
docs citations

177
times ranked

3796
citing authors

#	ARTICLE	IF	CITATIONS
1	Hybrid deep-learning-based denoising method for compressed sensing in pituitary MRI: comparison with the conventional wavelet-based denoising method. <i>European Radiology</i> , 2022, 32, 4527-4536.	2.3	6
2	Effects of Deep Learning Reconstruction Technique in High-Resolution Non-contrast Magnetic Resonance Coronary Angiography at a 3-Tesla Machine. <i>Canadian Association of Radiologists Journal</i> , 2021, 72, 120-127.	1.1	21
3	A preliminary study of deep learning-based reconstruction specialized for denoising in high-frequency domain: usefulness in high-resolution three-dimensional magnetic resonance cisternography of the cerebellopontine angle. <i>Neuroradiology</i> , 2021, 63, 63-71.	1.1	20
4	Virtual Monochromatic Image Quality from Dual-Layer Dual-Energy Computed Tomography for Detecting Brain Tumors. <i>Korean Journal of Radiology</i> , 2021, 22, 951.	1.5	5
5	Non-contrast renal MRA using multi-shot gradient echo EPI at 3-T MRI. <i>European Radiology</i> , 2021, 31, 5959-5966.	2.3	2
6	Hybrid of Compressed Sensing and Parallel Imaging Applied to Three-dimensional Isotropic T ₂ -weighted Turbo Spin-echo MR Imaging of the Lumbar Spine. <i>Magnetic Resonance in Medical Sciences</i> , 2020, 19, 48-55.	1.1	20
7	Prospective Comparison of 70-kVp Single-Energy CT versus Dual-Energy CT: Which is More Suitable for CT Angiography with Low Contrast Media Dosage?. <i>Academic Radiology</i> , 2020, 27, e116-e122.	1.3	8
8	Dual-layer spectral CT improves image quality of multiphasic pancreas CT in patients with pancreatic ductal adenocarcinoma. <i>European Radiology</i> , 2020, 30, 394-403.	2.3	46
9	Myocardial extracellular volume quantification in cardiac CT: comparison of the effects of two different iterative reconstruction algorithms with MRI as a reference standard. <i>European Radiology</i> , 2020, 30, 691-701.	2.3	18
10	Deep Learning Based Noise Reduction for Brain MR Imaging: Tests on Phantoms and Healthy Volunteers. <i>Magnetic Resonance in Medical Sciences</i> , 2020, 19, 195-206.	1.1	134
11	Perfusion abnormality on three-dimensional arterial spin labeling in patients with acute encephalopathy with biphasic seizures and late reduced diffusion. <i>Journal of the Neurological Sciences</i> , 2020, 408, 116558.	0.3	10
12	An initial experience of machine learning based on multi-sequence texture parameters in magnetic resonance imaging to differentiate glioblastoma from brain metastases. <i>Journal of the Neurological Sciences</i> , 2020, 410, 116514.	0.3	21
13	Clinical usefulness of quantification of myocardial blood flow and flow reserve using CZT-SPECT for detecting coronary artery disease in patients with normal stress perfusion imaging. <i>Journal of Cardiology</i> , 2020, 75, 400-409.	0.8	23
14	Diagnostic Performance of ¹²³ I-FPCIT SPECT Specific Binding Ratio in Progressive Supranuclear Palsy: Use of Core Clinical Features and MRI for Comparison. <i>American Journal of Roentgenology</i> , 2020, 215, 1443-1448.	1.0	5
15	A primer for understanding radiology articles about machine learning and deep learning. <i>Diagnostic and Interventional Imaging</i> , 2020, 101, 765-770.	1.8	78
16	Adrenal Adenomas versus Metastases: Diagnostic Performance of Dual-Energy Spectral CT Virtual Noncontrast Imaging and Iodine Maps. <i>Radiology</i> , 2020, 296, 324-332.	3.6	66
17	Diagnostic Performance of Dual-Layer Computed Tomography for Deep Vein Thrombosis in Indirect Computed Tomography Venography. <i>Circulation Journal</i> , 2020, 84, 636-641.	0.7	4
18	Usefulness of Virtual Monochromatic Dual-Layer Computed Tomographic Imaging for Breast Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2020, 44, 78-82.	0.5	6

#	ARTICLE	IF	CITATIONS
19	Metal Artifact Reduction in Head CT Performed for Patients with Deep Brain Stimulation Devices: Effectiveness of a Single-Energy Metal Artifact Reduction Algorithm. <i>American Journal of Neuroradiology</i> , 2020, 41, 231-237.	1.2	8
20	A diagnostic strategy for Lewy body disease using DAT-SPECT, MIBG and Combined index. <i>Annals of Nuclear Medicine</i> , 2020, 34, 415-423.	1.2	7
21	Trends in Diagnostic Imaging of Cardiac Amyloidosis: Emerging Knowledge and Concepts. <i>Radiographics</i> , 2020, 40, 961-981.	1.4	29
22	Comprehensive assessment of takotsubo cardiomyopathy by cardiac computed tomography. <i>Emergency Radiology</i> , 2019, 26, 109-112.	1.0	7
23	Clinical potential of dual-energy cardiac CT in cardiac amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 91-92.	1.4	1
24	Combination of Commonly Examined Parameters Is a Useful Predictor of Positive ^{99m}Tc -Labeled Pyrophosphate Scintigraphy Findings in Elderly Patients With Suspected Transthyretin Cardiac Amyloidosis. <i>Circulation Journal</i> , 2019, 83, 1698-1708.	0.7	33
25	CT texture analysis for the prediction of KRAS mutation status in colorectal cancer via a machine learning approach. <i>European Journal of Radiology</i> , 2019, 118, 38-43.	1.2	35
26	Combining quantitative susceptibility mapping to the morphometric index in differentiating between progressive supranuclear palsy and Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2019, 406, 116443.	0.3	16
27	Tc - 99m PMT scintigraphy in the diagnosis of pediatric biliary atresia. <i>Japanese Journal of Radiology</i> , 2019, 37, 841-849.	1.0	3
28	Machine Learning to Differentiate T2-Weighted Hyperintense Uterine Leiomyomas from Uterine Sarcomas by Utilizing Multiparametric Magnetic Resonance Quantitative Imaging Features. <i>Academic Radiology</i> , 2019, 26, 1390-1399.	1.3	27
29	Impact of Repeated Hepatectomy on Liver Regeneration in Hepatocellular Carcinoma: A Propensity Score-based Analysis. <i>Anticancer Research</i> , 2019, 39, 965-970.	0.5	4
30	Efficacy of repeated balloon venoplasty for treatment of hepatic venous outflow obstruction after pediatric living donor liver transplantation: A single institution experience. <i>Pediatric Transplantation</i> , 2019, 23, e13522.	0.5	4
31	Myocardial extracellular volume quantification using CT for the identification of occult cardiac amyloidosis in patients with severe aortic stenosis referred for transcatheter aortic valve replacement. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 97-98.	1.4	11
32	Myocardial Late Iodine Enhancement and Extracellular Volume Quantification with Dual-Layer Spectral Detector Dual-Energy Cardiac CT. <i>Radiology: Cardiothoracic Imaging</i> , 2019, 1, e180003.	0.9	48
33	Contrast Enhancement Boost Technique at Aortic Computed Tomography Angiography: Added Value for the Evaluation of Type II Endoleaks After Endovascular Aortic Aneurysm Repair. <i>Academic Radiology</i> , 2019, 26, 1435-1440.	1.3	10
34	Basal septal perforator vein mimicking the late iodine enhancement in delayed phase cardiac CT for myocardial scar assessment. <i>Radiology Case Reports</i> , 2019, 14, 588-590.	0.2	3
35	Epicardial fat volume measured on nongated chest CT is a predictor of coronary artery disease. <i>European Radiology</i> , 2019, 29, 3638-3646.	2.3	25
36	Impact of hybrid FDG-PET/CT on gross tumor volume definition of cervical esophageal cancer: reducing interobserver variation. <i>Journal of Radiation Research</i> , 2019, 60, 348-352.	0.8	15

#	ARTICLE	IF	CITATIONS
37	Impact of 99mTc-GSA SPECT Image-Guided Inverse Planning on Dose-Response Parameters for Stereotactic Body Radiation Therapy Planning for Patients With Hepatocellular Carcinoma: A Dosimetric Comparison Study. <i>Dose-Response</i> , 2019, 17, 155932581983214.	0.7	10
38	Dual-Energy Computed Tomography for Evaluating Acute Brain Infarction of Middle Cerebral Artery Territories: Optimization of Voltage Settings in Virtual Monoenergetic Imaging. <i>Journal of Computer Assisted Tomography</i> , 2019, 43, 460-466.	0.5	8
39	Takotsubo Cardiomyopathy Mimicking Acute Coronary Syndrome—Extracellular Volume Quantification Using Cardiac Computed Tomography. <i>Circulation Journal</i> , 2019, 83, 1613.	0.7	4
40	Low contrast material dose coronary computed tomographic angiography using a dual-layer spectral detector system in patients at risk for contrast-induced nephropathy. <i>British Journal of Radiology</i> , 2019, 92, 20180215.	1.0	15
41	Base-to-apex gradient pattern of cardiac impairment identified on myocardial T1 mapping in cardiac amyloidosis. <i>Radiology Case Reports</i> , 2019, 14, 72-74.	0.2	3
42	Dual-layer dual-energy computed tomography for the assessment of hypovascular hepatic metastases: impact of closing k-edge on image quality and lesion detectability. <i>European Radiology</i> , 2019, 29, 2837-2847.	2.3	35
43	CT-guided percutaneous radiofrequency ablation for lung metastases from colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2019, 24, 288-295.	1.0	27
44	Nonval30Met mutation, septal hypertrophy, and cardiac denervation in patients with mutant transthyretin amyloidosis. <i>ESC Heart Failure</i> , 2019, 6, 122-130.	1.4	12
45	Reliability of MRI-Derived Depth of Invasion of Oral Tongue Cancer. <i>Academic Radiology</i> , 2019, 26, e180-e186.	1.3	45
46	Spiral flow-generating tube for saline chaser improves aortic enhancement in Gd-EOB-DTPA-enhanced hepatic MRI. <i>European Radiology</i> , 2019, 29, 2009-2016.	2.3	3
47	Coronary arterial microfistulae with meandering dilated coronary arteries and noncompaction-like myocardium. <i>Cardiology Journal</i> , 2019, 26, 95-96.	0.5	1
48	Brain computed tomography using iterative reconstruction to diagnose acute middle cerebral artery stroke: usefulness in combination of narrow window setting and thin slice reconstruction. <i>Neuroradiology</i> , 2018, 60, 373-379.	1.1	11
49	Cardiac diffusion-weighted magnetic resonance imaging for assessment of cardiac metastasis. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 683-683.	0.5	5
50	Clinical Usefulness of Dual-Energy Cardiac Computed Tomography in Acute Coronary Syndrome Using a Dual-Layer Spectral Detector Scanner. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007277.	1.3	1
51	Magnetic resonance cholangiopancreatography with GRASE sequence at 3.0T: does it improve image quality and acquisition time as compared with 3D TSE?. <i>European Radiology</i> , 2018, 28, 2436-2443.	2.3	41
52	Reducing artifacts of gadoxetate disodium-enhanced MRI with oxygen inhalation in patients with prior episode of arterial phase motion: intra-individual comparison. <i>Clinical Imaging</i> , 2018, 52, 11-15.	0.8	6
53	3D hybrid profile order technique in a single breath-hold 3D T2-weighted fast spin-echo sequence: Usefulness in diagnosis of small liver lesions. <i>European Journal of Radiology</i> , 2018, 98, 113-117.	1.2	4
54	Correlation of left ventricular dyssynchrony on gated myocardial perfusion SPECT analysis with extent of late gadolinium enhancement on cardiac magnetic resonance imaging in hypertrophic cardiomyopathy. <i>Heart and Vessels</i> , 2018, 33, 623-629.	0.5	6

#	ARTICLE	IF	CITATIONS
55	Simultaneous acquisition of MR angiography and diagnostic images of abdomen at view-sharing multiarterial phases and comparing the effect of two different contrast agents. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 102-110.	1.9	2
56	Late iodine enhancement and myocardial extracellular volume quantification in cardiac amyloidosis by using dual-energy cardiac computed tomography performed on a dual-layer spectral detector scanner. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2018, 25, 137-138.	1.4	8
57	Model-based Iterative Reconstruction in Low-radiation-dose Computed Tomography Colonography. <i>Academic Radiology</i> , 2018, 25, 415-422.	1.3	7
58	Hepatic sclerosed hemangioma with special attention to diffusion-weighted magnetic resonance imaging. <i>Surgical Case Reports</i> , 2018, 4, 3.	0.2	10
59	Saturation Recovery Myocardial T ₁ Mapping with a Composite Radiofrequency Pulse on a 3T MR Imaging System. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 35-41.	1.1	5
60	Image quality characteristics for virtual monoenergetic images using dual-layer spectral detector CT: Comparison with conventional tube-voltage images. <i>Physica Medica</i> , 2018, 49, 5-10.	0.4	25
61	Application of 80-kVp scan and raw-data based iterative reconstruction for reduced iodine load abdominal-pelvic CT in patients at risk of contrast-induced nephropathy referred for oncological assessment: Effects on radiation dose, image quality and renal function. <i>British Journal of Radiology</i> , 2018, 91, 20170632.	1.0	8
62	Plan quality and delivery time comparisons between volumetric modulated arc therapy and intensity modulated radiation therapy for scalp angiosarcoma: A planning study. <i>Journal of Medical Radiation Sciences</i> , 2018, 65, 39-47.	0.8	19
63	Late gadolinium enhancement on cardiac magnetic resonance imaging is associated with coronary endothelial dysfunction in patients with dilated cardiomyopathy. <i>Heart and Vessels</i> , 2018, 33, 393-402.	0.5	8
64	Four-dimensional cone-beam computed tomography-guided radiotherapy for gastric lymphoma. <i>Japanese Journal of Radiology</i> , 2018, 36, 159-163.	1.0	4
65	Dual-layer DECT for multiphasic hepatic CT with 50 percent iodine load: a matched-pair comparison with a 120kVp protocol. <i>European Radiology</i> , 2018, 28, 1719-1730.	2.3	37
66	Dual-region-of-interest bolus-tracking technique for coronary computed tomographic angiography on a 320-row scanner: reduction in the interpatient variability of arterial contrast enhancement. <i>British Journal of Radiology</i> , 2018, 91, 20170541.	1.0	7
67	Shunt-preserving disconnection of the portal to systemic circulation in patients with hepatic encephalopathy. <i>Acta Radiologica</i> , 2018, 59, 441-447.	0.5	3
68	Contrast enhancement in abdominal computed tomography: influence of photon energy of different scanners. <i>British Journal of Radiology</i> , 2018, 91, 20170285.	1.0	6
69	Recent advances in diagnosis and treatment of cardiac amyloidosis. <i>Journal of Cardiology</i> , 2018, 71, 135-143.	0.8	39
70	Differentiating between Alzheimer Disease Patients and Controls with Phase-difference-enhanced Imaging at 3T: A Feasibility Study. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 283-292.	1.1	3
71	Single-Breath-Hold Whole-heart Unenhanced Coronary MRA Using Multi-shot Gradient Echo EPI at 3T: Comparison with Free-breathing Turbo-field-echo Coronary MRA on Healthy Volunteers. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 161-167.	1.1	2
72	Additive Value of 3T 3D CISS Imaging to Conventional MRI for Assessing the Abnormal Vessels of Spinal Dural Arteriovenous Fistulae. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 218-222.	1.1	3

#	ARTICLE	IF	CITATIONS
73	Teaching NeuroImages: Morphology of lumbosacral dorsal root ganglia and plexus in hereditary transthyretin amyloidosis. <i>Neurology</i> , 2018, 91, e1834-e1835.	1.5	6
74	Perfusion abnormality on three-dimensional arterial spin labeling with a 3T MR system in pediatric and adolescent patients with migraine. <i>Journal of the Neurological Sciences</i> , 2018, 395, 41-46.	0.3	16
75	Dual-energy computed tomography colonography using dual-layer spectral detector computed tomography: Utility of virtual monochromatic imaging for electronic cleansing. <i>European Journal of Radiology</i> , 2018, 108, 7-12.	1.2	9
76	Effect of metal-containing topical agents on surface doses received during external irradiation. <i>Journal of Radiation Research</i> , 2018, 59, 794-799.	0.8	5
77	Machine learning based on multi-parametric magnetic resonance imaging to differentiate glioblastoma multiforme from primary cerebral nervous system lymphoma. <i>European Journal of Radiology</i> , 2018, 108, 147-154.	1.2	41
78	Radiation Dose Reduction at Pediatric CT: Use of Low Tube Voltage and Iterative Reconstruction. <i>Radiographics</i> , 2018, 38, 1421-1440.	1.4	84
79	Utility of Single-Photon Emission Computed Tomography/Computed Tomography Fusion Imaging With ^{99m} Tc-Pyrophosphate Scintigraphy in the Assessment of Cardiac Transthyretin Amyloidosis. <i>Circulation Journal</i> , 2018, 82, 1970-1971.	0.7	6
80	Emergency radiology after a massive earthquake: clinical perspective. <i>Japanese Journal of Radiology</i> , 2018, 36, 641-648.	1.0	7
81	Advanced parametric imaging for evaluation of Crohn's disease using dual-energy computed tomography enterography. <i>Radiology Case Reports</i> , 2018, 13, 709-712.	0.2	7
82	Analysis for the primary predictive factor for the incidence of esophageal injury after ablation of atrial fibrillation. <i>Journal of Cardiology</i> , 2018, 72, 480-487.	0.8	2
83	The Usefulness of Dual-Layer Spectral Computed Tomography for Myelography: A Case Report and Review of the Literature. <i>Case Reports in Orthopedics</i> , 2018, 2018, 1-4.	0.1	2
84	The effect of heart rate on coronary plaque measurements in 320-row coronary CT angiography. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1977-1985.	0.7	3
85	Circumventricular organs of human brain visualized on post-contrast 3D fluid-attenuated inversion recovery imaging. <i>Neuroradiology</i> , 2018, 60, 583-590.	1.1	10
86	Quantification of myocardial perfusion reserve using dynamic SPECT images of patients with chronic kidney disease. <i>Journal of Cardiology</i> , 2018, 71, 174-180.	0.8	4
87	Effect of contrast material injection duration on arterial enhancement at CT in patients with various cardiac indices: Analysis using computer simulation. <i>PLoS ONE</i> , 2018, 13, e0191347.	1.1	18
88	Basic Concepts of Contrast Injection Protocols for Coronary Computed Tomography Angiography. <i>Current Cardiology Reviews</i> , 2018, 15, 24-29.	0.6	10
89	Liver Function in Areas of Hepatic Venous Congestion After Hepatectomy for Liver Cancer: ^{99m} Tc-GSA SPECT/CT Fused Imaging Study. <i>Anticancer Research</i> , 2018, 38, 3089-3095.	0.5	6
90	Role of Noninvasive Diagnostic Imaging in Cardiac Amyloidosis: A Review. <i>Cardiovascular Imaging Asia</i> , 2018, 2, 97.	0.1	4

#	ARTICLE	IF	CITATIONS
91	Doseâ€‘function Histogram Evaluation Using 99mTc-GSA SPECT/CT Images for Stereotactic Body Radiation Therapy Planning for Hepatocellular Carcinoma Patients: A Dosimetric Parameter Comparison. <i>Anticancer Research</i> , 2018, 38, 1511-1516.	0.5	8
92	Partially calcified plaque mimicking the â€œnapkin-ring signâ€‘on coronary CT angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 244.	0.7	0
93	Feasibility of Iterative Model Reconstruction for Unenhanced Lumbar CT. <i>Radiology</i> , 2017, 284, 153-160.	3.6	11
94	Preoperative High Maximum Standardized Uptake Value in Association with Glucose Transporter 1 Predicts Poor Prognosis in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 2040-2046.	0.7	30
95	Improved Estimation of Coronary Plaque and Luminal Attenuation Using a Vendor-specific Model-based Iterative Reconstruction Algorithm in Contrast-enhanced CT Coronary Angiography. <i>Academic Radiology</i> , 2017, 24, 1070-1078.	1.3	13
96	Clinical potential of retrospective on-demand spectral analysis using dual-layer spectral detector-computed tomography in ischemia complicating small-bowel obstruction. <i>Emergency Radiology</i> , 2017, 24, 431-434.	1.0	18
97	Cardiovascular magnetic resonance myocardial T1 mapping to detect and quantify cardiac involvement in familial amyloid polyneuropathy. <i>European Radiology</i> , 2017, 27, 4631-4638.	2.3	17
98	Shape and Enhancement Characteristics of Pancreatic Neuroendocrine Tumor on Preoperative Contrast-enhanced Computed Tomography May be Prognostic Indicators. <i>Annals of Surgical Oncology</i> , 2017, 24, 1399-1405.	0.7	21
99	Diagnosis of dementia with Lewy bodies: can ¹²³ I-IMP and ¹²³ I-MIBG scintigraphy yield new core features?. <i>British Journal of Radiology</i> , 2017, 90, 20160156.	1.0	9
100	Correlation between microvascular dysfunction and B-type natriuretic peptide levels in non-ischemic heart failure patients with cardiac fibrosis. <i>International Journal of Cardiology</i> , 2017, 228, 881-885.	0.8	11
101	Tumor motion changes in stereotactic body radiotherapy for liver tumors: an evaluation based on four-dimensional cone-beam computed tomography and fiducial markers. <i>Radiation Oncology</i> , 2017, 12, 61.	1.2	47
102	Measuring hepatic functional reserve using T1 mapping of Gd-EOB-DTPA enhanced 3T MR imaging: A preliminary study comparing with 99m Tc GSA scintigraphy and signal intensity based parameters. <i>European Journal of Radiology</i> , 2017, 92, 116-123.	1.2	28
103	Cerebral bone subtraction CT angiography using 80ÂkVp and sinogram-affirmed iterative reconstruction: contrast medium and radiation dose reduction with improvement of image quality. <i>Neuroradiology</i> , 2017, 59, 127-134.	1.1	8
104	CT venography after knee replacement surgery: comparison of dual-energy CT-based monochromatic imaging and single-energy metal artifact reduction techniques on a 320-row CT scanner. <i>Acta Radiologica Open</i> , 2017, 6, 205846011769346.	0.3	12
105	Development and validation of a logistic regression model to distinguish transition zone cancers from benign prostatic hyperplasia on multi-parametric prostate MRI. <i>European Radiology</i> , 2017, 27, 3600-3608.	2.3	22
106	Diagnosis of small posterior fossa stroke on brain CT: effect of iterative reconstruction designed for brain CT on detection performance. <i>European Radiology</i> , 2017, 27, 3710-3715.	2.3	12
107	The Influence of Iterative Reconstruction on Coronary Artery Calcium Scoringâ€‘Phantom and Clinical Studies. <i>Academic Radiology</i> , 2017, 24, 295-301.	1.3	8
108	Radiation dose reduction using 100-kVp and a sinogram-affirmed iterative reconstruction algorithm in adolescent head CT: Impact on greyâ€‘white matter contrast and image noise. <i>European Radiology</i> , 2017, 27, 2717-2725.	2.3	9

#	ARTICLE	IF	CITATIONS
109	Vectors through a cross-sectional image (VCI): A visualization method for four-dimensional motion analysis for cardiac computed tomography. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 468-473.	0.7	5
110	Comparison between multi-shot gradient echo EPI and balanced SSFP in unenhanced 3T MRA of thoracic aorta in healthy volunteers. <i>European Journal of Radiology</i> , 2017, 96, 85-90.	1.2	3
111	Hepatic fat quantification using automated six-point Dixon: Comparison with conventional chemical shift based sequences and computed tomography. <i>Clinical Imaging</i> , 2017, 45, 111-117.	0.8	4
112	Appropriate imaging utilization in Japan: a survey of accredited radiology training hospitals. <i>Japanese Journal of Radiology</i> , 2017, 35, 648-654.	1.0	10
113	Concurrent chemoradiotherapy with S-1 in patients with stage III-IV oral squamous cell carcinoma: A retrospective analysis of nodal classification based on the neck node level. <i>Molecular and Clinical Oncology</i> , 2017, 7, 140-144.	0.4	5
114	Breast dose reduction for chest CT by modifying the scanning parameters based on the pre-scan size-specific dose estimate (SSDE). <i>European Radiology</i> , 2017, 27, 2267-2274.	2.3	11
115	Using 80 kVp on a 320-row scanner for hepatic multiphase CT reduces the contrast dose by 50% in patients at risk for contrast-induced nephropathy. <i>European Radiology</i> , 2017, 27, 812-820.	2.3	28
116	Benefit of 3T Diffusion-weighted Imaging in Comparison to Contrast-enhanced MR Imaging for the Evaluation of Disseminated Lesions in Primary Malignant Brain Tumors. <i>Magnetic Resonance in Medical Sciences</i> , 2017, 16, 217-222.	1.1	2
117	Identification and Assessment of Cardiac Amyloidosis by Myocardial Strain Analysis of Cardiac Magnetic Resonance Imaging. <i>Circulation Journal</i> , 2017, 81, 1014-1021.	0.7	34
118	Successful transarterial embolization with cellulose porous beads for occipital haemangioma in an infant with Kasabach-Merritt syndrome. <i>BJR case Reports</i> , 2017, 3, 20170004.	0.1	3
119	Radiotherapy for T3N0 glottic carcinoma without cord fixation: elective nodal irradiation or not?. <i>Oncotarget</i> , 2017, 8, 79761-79766.	0.8	3
120	Napkin-Ring Sign on Coronary Computed Tomography Angiography-Tiered Enhancement of Coronary Lumen and Plaque. <i>Cardiovascular Imaging Asia</i> , 2017, 1, 205.	0.1	0
121	Efficacy of the projection onto convex sets (POCS) algorithm at Gd-EOB-DTPA-enhanced hepatobiliary-phase hepatic MRI. <i>SpringerPlus</i> , 2016, 5, 1311.	1.2	5
122	Usefulness of 3D hybrid profile order technique with 3T magnetic resonance cholangiography: Comparison of image quality and acquisition time. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1346-1353.	1.9	14
123	Incidence and risk factors of synchronous colorectal cancer in patients with esophageal cancer: an analysis of 480 consecutive colonoscopies before surgery. <i>International Journal of Clinical Oncology</i> , 2016, 21, 1079-1084.	1.0	6
124	Transluminal attenuation-gradient coronary CT angiography on a 320-MDCT volume scanner: Effect of scan timing, coronary artery stenosis, and cardiac output using a contrast medium flow phantom. <i>Physica Medica</i> , 2016, 32, 1415-1421.	0.4	9
125	Low-tube-voltage selection for non-contrast-enhanced CT: Comparison of the radiation dose in pediatric and adult phantoms. <i>Physica Medica</i> , 2016, 32, 197-201.	0.4	12
126	Submillisievert Radiation Dose Coronary CT Angiography. <i>Academic Radiology</i> , 2016, 23, 1393-1401.	1.3	22

#	ARTICLE	IF	CITATIONS
127	Sentinel lymph node biopsy reduces the incidence of secondary neck metastasis in patients with oral squamous cell carcinoma. <i>Molecular and Clinical Oncology</i> , 2016, 5, 57-60.	0.4	14
128	Radiation therapy for nasopharyngeal carcinoma: the predictive value of interim survival assessment. <i>Journal of Radiation Research</i> , 2016, 57, 541-547.	0.8	9
129	Additive value of 320-section low-dose dynamic volume CT in relation to 3-T MRI for the preoperative evaluation of brain tumors. <i>Japanese Journal of Radiology</i> , 2016, 34, 691-699.	1.0	2
130	¹²³ I-MIBG myocardial scintigraphy for the evaluation of Lewy body disease: are delayed images essential? Is visual assessment useful?. <i>British Journal of Radiology</i> , 2016, 89, 20160144.	1.0	10
131	Clinical application of navigator-gated three-dimensional balanced turbo-field-echo magnetic resonance cholangiopancreatography at 3ÅT: prospective intraindividual comparison with 1.5ÅT. <i>Abdominal Radiology</i> , 2016, 41, 1285-1292.	1.0	2
132	Relationship between diverse patient body size- and image acquisition-related factors, and quantitative and qualitative image quality in coronary computed tomography angiography: a multicenter observational study. <i>Japanese Journal of Radiology</i> , 2016, 34, 548-555.	1.0	6
133	CT Angiography in Patients with Peripheral Arterial Disease. <i>Academic Radiology</i> , 2016, 23, 1283-1289.	1.3	5
134	Prediction of sentinel lymph node status using single-photon emission computed tomography (SPECT)/computed tomography (CT) imaging of breast cancer. <i>Surgery Today</i> , 2016, 46, 214-223.	0.7	8
135	Tumor/normal esophagus ratio in 18F-fluorodeoxyglucose positron emission tomography/computed tomography for response and prognosis stratification after neoadjuvant chemotherapy for esophageal squamous cell carcinoma. <i>Journal of Gastroenterology</i> , 2016, 51, 788-795.	2.3	18
136	The essence of the Japan Radiological Society/Japanese College of Radiology Imaging Guideline. <i>Japanese Journal of Radiology</i> , 2016, 34, 43-79.	1.0	13
137	Impact of Knowledge-Based Iterative Model Reconstruction in Abdominal Dynamic CT With Low Tube Voltage and Low Contrast Dose. <i>American Journal of Roentgenology</i> , 2016, 206, 687-693.	1.0	24
138	Effect of iterative reconstruction on variability and reproducibility of epicardial fat volume quantification by cardiac CT. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 150-155.	0.7	10
139	Effect of Esophagus Position on Surgical Difficulty and Postoperative Morbidities After Thoracoscopic Esophagectomy. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2016, 28, 172-179.	0.4	12
140	Evaluation of the Effect of Intracoronary Attenuation on Coronary Plaque Measurements Using a Dual-phase Coronary CT Angiography Technique on a 320-row CT Scanner—In Vivo Validation Study. <i>Academic Radiology</i> , 2016, 23, 315-320.	1.3	6
141	Late gadolinium enhancement on cardiac magnetic resonance predicts coronary vasomotor abnormality and myocardial lactate production in patients with chronic heart failure. <i>Heart and Vessels</i> , 2016, 31, 1969-1979.	0.5	4
142	Comparison of iterative model, hybrid iterative, and filtered back projection reconstruction techniques in low-dose brain CT: impact of thin-slice imaging. <i>Neuroradiology</i> , 2016, 58, 245-251.	1.1	25
143	Reduction of metallic coil artefacts in computed tomography body imaging: effects of a new single-energy metal artefact reduction algorithm. <i>European Radiology</i> , 2016, 26, 1378-1386.	2.3	40
144	256-Slice coronary computed tomographic angiography in patients with atrial fibrillation: optimal reconstruction phase and image quality. <i>European Radiology</i> , 2016, 26, 55-63.	2.3	14

#	ARTICLE	IF	CITATIONS
145	Reducing the Radiation Dose for CT Colonography. <i>Academic Radiology</i> , 2016, 23, 155-162.	1.3	10
146	Clinical impact of model-based type iterative reconstruction with fast reconstruction time on image quality of low-dose screening chest CT. <i>Acta Radiologica</i> , 2016, 57, 295-302.	0.5	24
147	Effects of a high-pitch protocol and a hybrid iterative reconstruction algorithm on image quality of cerebral subtracted 3D CT angiography. <i>Japanese Journal of Radiology</i> , 2015, 33, 687-693.	1.0	2
148	Hepatic angiomyolipoma with special attention to radiologic imaging. <i>Surgical Case Reports</i> , 2015, 1, 38.	0.2	2
149	A newly-developed metal artifact reduction algorithm improves the visibility of oral cavity lesions on 320-MDCT volume scans. <i>Physica Medica</i> , 2015, 31, 66-71.	0.4	40
150	Evaluation of the relationship between T1 and T2 values and patella cartilage degeneration in patients of the same age group. <i>European Journal of Radiology</i> , 2015, 84, 463-468.	1.2	13
151	Low contrast and radiation dose coronary CT angiography using a 320-row system and a refined contrast injection and timing method. <i>Journal of Cardiovascular Computed Tomography</i> , 2015, 9, 19-27.	0.7	58
152	Effect of branched-chain amino acid supplementation on functional liver regeneration in patients undergoing portal vein embolization and sequential hepatectomy: a randomized controlled trial. <i>Journal of Gastroenterology</i> , 2015, 50, 1197-1205.	2.3	38
153	Evaluation of appropriateness of second-generation 320-row computed tomography for coronary artery disease. <i>SpringerPlus</i> , 2015, 4, 109.	1.2	2
154	Added value of a single-energy projection-based metal-artifact reduction algorithm for the computed tomography evaluation of oral cavity cancers. <i>Japanese Journal of Radiology</i> , 2015, 33, 650-656.	1.0	22
155	Validity of the size-specific dose estimate in adults undergoing coronary CT angiography: comparison with the volume CT dose index. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 205-211.	0.7	10
156	Low contrast dose protocol involving a 100 kVp tube voltage for hypervascular hepatocellular carcinoma in patients with renal dysfunction. <i>Japanese Journal of Radiology</i> , 2015, 33, 566-576.	1.0	9
157	Patient-specific tube-voltage selection at coronary CT angiography based on the combination of X-ray attenuation on scout views and body mass index: how can appropriate radiation dose be achieved?. <i>Acta Radiologica</i> , 2015, 56, 1171-1179.	0.5	0
158	Simultaneous achievement of accurate CT number and image quality improvement for myocardial perfusion CT at 320-MDCT volume scanning. <i>Physica Medica</i> , 2015, 31, 702-707.	0.4	2
159	Optimized Subtraction Coronary CT Angiography Protocol for Clinical Use with Short Breath-Holding Time—Initial Experience. <i>Academic Radiology</i> , 2015, 22, 117-120.	1.3	14
160	Improved image quality at 256-slice coronary CT angiography in patients with a high heart rate and coronary artery disease: comparison with 64-slice CT imaging. <i>Acta Radiologica</i> , 2015, 56, 1308-1314.	0.5	8
161	(99m)Tc-GSA SPECT/CT fused images for assessment of hepatic function and hepatectomy planning. <i>Annals of Translational Medicine</i> , 2015, 3, 17.	0.7	6
162	Single-breath-hold whole-heart coronary MRA in healthy volunteers at 3.0-T MRI. <i>SpringerPlus</i> , 2014, 3, 667.	1.2	8

#	ARTICLE	IF	CITATIONS
163	Contrast material and radiation dose reduction strategy for triple-rule-out cardiac CT angiography: feasibility study of non-ECC-gated low kVp scan of the whole chest following coronary CT angiography. <i>Acta Radiologica</i> , 2014, 55, 1186-1196.	0.5	10
164	Low-contrast-dose protocol in cardiac CT: 20% contrast dose reduction using 100%kVp and high-tube-current-time setting in 256-slice CT. <i>Acta Radiologica</i> , 2014, 55, 545-553.	0.5	13
165	Correlation Between Extent of Myocardial Fibrosis Assessed by Cardiac Magnetic Resonance and Cardiac Troponin T Release in Patients With Nonischemic Heart Failure. <i>American Journal of Cardiology</i> , 2014, 113, 1697-1704.	0.7	19
166	Image quality assessment of an iterative reconstruction algorithm applied to abdominal CT imaging. <i>Physica Medica</i> , 2014, 30, 527-534.	0.4	27
167	Effect of a hydrophilic and a hydrophobic statin on cardiac salvage after ST-elevated acute myocardial infarction – A pilot study. <i>Atherosclerosis</i> , 2014, 237, 251-258.	0.4	19
168	Automatic exposure control at single- and dual-heartbeat CTCA on a 320-MDCT volume scanner: Effect of heart rate, exposure phase window setting, and reconstruction algorithm. <i>Physica Medica</i> , 2014, 30, 385-390.	0.4	11
169	Value of knowledge-based iterative model reconstruction in low-kV 256-slice coronary CT angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2014, 8, 115-123.	0.7	53
170	A Knowledge-based Iterative Model Reconstruction Algorithm. <i>Academic Radiology</i> , 2014, 21, 104-110.	1.3	53
171	Myocardial bridging is associated with coronary atherosclerosis in the segment proximal to the site of bridging. <i>Journal of Cardiology</i> , 2014, 63, 134-139.	0.8	42
172	Quantitative index calculated by (99m)Tc-GSA scintigraphy. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2014, 26, 641-3.	0.7	0
173	Coronary artery tree and myocardial perfusion in patients with tako-tsubo cardiomyopathy: Evaluation with coronary digital subtraction angiography. <i>Journal of Cardiology Cases</i> , 2011, 4, e71-e75.	0.2	1
174	Heat shock treatment with mild electrical stimulation safely reduced inflammatory markers in healthy male subjects. <i>Obesity Research and Clinical Practice</i> , 2010, 4, e101-e109.	0.8	14
175	Predictors of coronary heart disease in Japanese patients with type 2 diabetes: Screening for coronary artery stenosis using multidetector computed tomography. <i>Journal of Diabetes Investigation</i> , 2010, 1, 50-55.	1.1	4
176	Balloon-occluded arterial infusion therapy in the treatment of primary and recurrent gynecologic malignancies. <i>CardioVascular and Interventional Radiology</i> , 1989, 12, 188-195.	0.9	15