

Chris Mills

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3787306/chris-mills-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

2,430
citations

30
h-index

45
g-index

96
ext. papers

2,669
ext. citations

5.6
avg, IF

4.73
L-index

#	Paper	IF	Citations
94	Environmentally-induced fluctuations in year-class strength and their implications for management. <i>Journal of Fish Biology</i> , 1985 , 27, 209-226	1.9	143
93	Inorganics-in-organics recent developments and outlook for 4G polymer solar cells. <i>Nanoscale</i> , 2013 , 5, 8411-27	7.7	132
92	Triboelectric nanogenerators: providing a fundamental framework. <i>Energy and Environmental Science</i> , 2017 , 10, 1801-1811	35.4	130
91	High sensitivity organic inorganic hybrid X-ray detectors with direct transduction and broadband response. <i>Nature Communications</i> , 2018 , 9, 2926	17.4	102
90	Direct voltammetric determination of gold nanoparticles using graphite-epoxy composite electrode. <i>Electrochimica Acta</i> , 2005 , 50, 3702-3707	6.7	89
89	Hybrid graphene-metal oxide solution processed electron transport layers for large area high-performance organic photovoltaics. <i>Advanced Materials</i> , 2014 , 26, 2078-83	24	84
88	Stem cell differentiation by functionalized micro- and nanostructured surfaces. <i>Nanomedicine</i> , 2009 , 4, 65-82	5.6	77
87	Low cost micro-Coulter counter with hydrodynamic focusing. <i>Microfluidics and Nanofluidics</i> , 2007 , 3, 171-186	18.6	61
86	Memory effect in the current-voltage characteristic of a low-band gap conjugated polymer. <i>Journal of Applied Physics</i> , 2001 , 90, 306-309	2.5	60
85	Focused ion beam/scanning electron microscopy characterization of cell behavior on polymer micro-/nanopatterned substrates: a study of cell-substrate interactions. <i>Micron</i> , 2008 , 39, 111-6	2.3	56
84	Reproduction and life history 1991 , 483-508		56
83	A unified theoretical model for Triboelectric Nanogenerators. <i>Nano Energy</i> , 2018 , 48, 391-400	17.1	52
82	Variations in the sizes of gonads, eggs and larvae of the dace, <i>Leuciscus leuciscus</i> . <i>Environmental Biology of Fishes</i> , 1985 , 13, 277-287	1.6	50
81	Heavy metallic oxide nanoparticles for enhanced sensitivity in semiconducting polymer x-ray detectors. <i>Nanotechnology</i> , 2012 , 23, 235502	3.4	47
80	Graphene oxide hole transport layers for large area, high efficiency organic solar cells. <i>Applied Physics Letters</i> , 2014 , 105, 073304	3.4	45
79	Production of structures for microfluidics using polymer imprint techniques. <i>Microelectronic Engineering</i> , 2005 , 78-79, 695-700	2.5	45
78	The effect of extreme northerly climatic conditions on the life history of the minnow, <i>Phoxinus phoxinus</i> (L.). <i>Journal of Fish Biology</i> , 1988 , 33, 545-561	1.9	45

77	The band structure of graphene oxide examined using photoluminescence spectroscopy. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 12484-12491	7.1	44
76	Characterization of thick film poly(triarylamine) semiconductor diodes for direct x-ray detection. <i>Journal of Applied Physics</i> , 2009 , 106, 064513	2.5	40
75	Complex microstructured 3D surfaces using chitosan biopolymer. <i>Small</i> , 2009 , 5, 614-20	11	39
74	Enhanced x-ray detection sensitivity in semiconducting polymer diodes containing metallic nanoparticles. <i>Journal Physics D: Applied Physics</i> , 2013 , 46, 275102	3	37
73	Thin film hexagonal gold grids as transparent conducting electrodes in organic light emitting diodes. <i>Laser and Photonics Reviews</i> , 2014 , 8, 172-179	8.3	37
72	Achieving a stable time response in polymeric radiation sensors under charge injection by X-rays. <i>ACS Applied Materials & Interfaces</i> , 2010 , 2, 1692-9	9.5	36
71	Mesenchymal stem cell differentiation on microstructured poly (methyl methacrylate) substrates. <i>Annals of Anatomy</i> , 2009 , 191, 136-44	2.9	35
70	THE INFLUENCE OF CLIMATE ON METABOLIC AND THERMAL RESPONSES OF INFANT CARIBOU. <i>Canadian Journal of Zoology</i> , 1961 , 39, 845-856	1.5	34
69	Transparent micro- and nanopatterned poly(lactic acid) for biomedical applications. <i>Journal of Biomedical Materials Research - Part A</i> , 2006 , 76, 781-7	5.4	32
68	Electropolymerization of nano-dimensioned polypyrrole micro-ring arrays on gold substrates prepared using submerged micro-contact printing. <i>Nanotechnology</i> , 2007 , 18, 485301	3.4	32
67	Submerged microcontact printing (SmuCP): an unconventional printing technique of thiols using high aspect ratio, elastomeric stamps. <i>Langmuir</i> , 2005 , 21, 12060-3	4	32
66	Pt-free spray coated reduced graphene oxide counter electrodes for dye sensitized solar cells. <i>Solar Energy</i> , 2016 , 137, 143-147	6.8	30
65	An Experimental Study of the Population Dynamics of an Ectoparasitic Digenean, <i>Transversotrema patialense</i> : The Cercarial and Adult Stages. <i>Journal of Animal Ecology</i> , 1977 , 46, 555	4.7	30
64	Micro/nanopatterning of proteins via contact printing using high aspect ratio PMMA stamps and nanoimprint apparatus. <i>Langmuir</i> , 2007 , 23, 8614-8	4	29
63	Inverted microcontact printing on polystyrene-block-poly(tert-butyl acrylate) films: a versatile approach to fabricate structured biointerfaces across the length scales. <i>Langmuir</i> , 2008 , 24, 8841-9	4	26
62	Micro- and nanostructuring of poly(ethylene-2,6-naphthalate) surfaces, for biomedical applications, using polymer replication techniques. <i>Nanotechnology</i> , 2005 , 16, 369-375	3.4	26
61	All-digital interface ASIC for a QCM-based electronic nose. <i>Sensors and Actuators B: Chemical</i> , 2004 , 103, 31-36	8.5	25
60	Microsystems for optical gas sensing incorporating the solvatochromic dye Nile Red. <i>Sensors and Actuators B: Chemical</i> , 2003 , 92, 73-80	8.5	25

59	Effects of space charge at the conjugated polymer/electrode interface. <i>Journal of Applied Physics</i> , 2002 , 91, 5182-5189	2.5	25
58	Factors affecting the survival of dace, <i>Leuciscus leuciscus</i> (L.), in the early post-hatching period. <i>Journal of Fish Biology</i> , 1982 , 20, 645-655	1.9	24
57	Silver grid transparent conducting electrodes for organic light emitting diodes. <i>Organic Electronics</i> , 2014 , 15, 3492-3500	3.5	23
56	The attachment of dace, <i>Leuciscus leuciscus</i> L., eggs to the spawning substratum and the influence of changes in water current on their survival. <i>Journal of Fish Biology</i> , 1981 , 19, 129-134	1.9	23
55	The age, growth and reproduction of the stone loach <i>Noemacheilus barbatulus</i> (L.) in a Dorset chalk stream. <i>Freshwater Biology</i> , 1983 , 13, 283-292	3.1	23
54	Directional alignment of MG63 cells on polymer surfaces containing point microstructures. <i>Small</i> , 2007 , 3, 871-9	11	20
53	Direct detection of 6 MV x-rays from a medical linear accelerator using a semiconducting polymer diode. <i>Physics in Medicine and Biology</i> , 2013 , 58, 4471-82	3.8	18
52	Study on temperature dependent resistivity of indium-doped cadmium zinc telluride. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 035105	3	18
51	A Multiplexed Impedance Analyzer for Characterizing Polymer-Coated QCM Sensor Arrays. <i>IEEE Sensors Journal</i> , 2006 , 6, 996-1002	4	18
50	Millimeter-Scale Unipolar Transport in High Sensitivity Organic-Inorganic Semiconductor X-ray Detectors. <i>ACS Nano</i> , 2019 , 13, 6973-6981	16.7	17
49	Micro- and nanostructuring of freestanding, biodegradable, thin sheets of chitosan via soft lithography. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 85, 242-7	5.4	17
48	Focused ion beam production of nanoelectrode arrays. <i>Materials Science and Engineering C</i> , 2008 , 28, 777-780	8.3	17
47	Solution processed naphthalene diimide derivative as electron transport layers for enhanced brightness and efficient polymer light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 3347	7.1	15
46	Atomic Force Microscopy Characterization of a Microcontact Printed, Self-Assembled Thiol Monolayer for Use in Biosensors. <i>Analytical Letters</i> , 2006 , 39, 1721-1734	2.2	15
45	Current and future uses of breath analysis as a diagnostic tool. <i>Veterinary Record</i> , 2004 , 154, 353-60	0.9	15
44	Investigations into a low band gap, semiconducting polymer. <i>Synthetic Metals</i> , 1999 , 102, 1000-1001	3.6	15
43	Flexible radiation dosimeters incorporating semiconducting polymer thick films 2009 ,		13
42	Density-Dependent Survival and Reproduction Within Populations of the Ectoparasitic Digenean <i>Transversotrema patialense</i> on the Fish Host. <i>Journal of Animal Ecology</i> , 1979 , 48, 383	4.7	13

41	Polymer-based micro-sensor paired arrays for the determination of primary alcohol vapors. <i>Sensors and Actuators B: Chemical</i> , 2007 , 125, 85-91	8.5	12
40	Influence of surface modification on vitality and differentiation of Caco-2 cells. <i>Differentiation</i> , 2007 , 75, 308-17	3.5	12
39	The true status of solar cell technology. <i>Nature Photonics</i> , 2015 , 9, 207-208	33.9	11
38	Adsorbent 2D and 3D carbon matrices with protected magnetic iron nanoparticles. <i>Nanoscale</i> , 2015 , 7, 17441-9	7.7	11
37	Forced Soft Lithography (FSL): Production of Micro- and Nanostructures in Thin Freestanding Sheets of Chitosan Biopolymer. <i>Advanced Materials</i> , 2007 , 19, 3696-3701	24	11
36	The use of high glass temperature polymers in the production of transparent, structured surfaces using nanoimprint lithography. <i>Microelectronic Engineering</i> , 2008 , 85, 1897-1901	2.5	11
35	Temperature-dependent survival and reproduction within populations of the ectoparasitic digenean <i>Transversotrema patialense</i> on the fish host. <i>Parasitology</i> , 1980 , 81, 91-102	2.7	11
34	Controlled growth and spray deposition of silver nanowires for ITO-free, flexible, and high brightness OLEDs. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017 , 214, 1600561	1.6	10
33	Physicochemical characterisation of reduced graphene oxide for conductive thin films.. <i>RSC Advances</i> , 2018 , 8, 37540-37549	3.7	10
32	High efficiency air stable organic photovoltaics with an aqueous inorganic contact. <i>Nanoscale</i> , 2015 , 7, 14241-7	7.7	9
31	Simultaneous biochemical and topographical patterning on curved surfaces using biocompatible sacrificial molds. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 98, 229-34	5.4	9
30	Detection of Olfactory Receptor I7 Self-Assembled Multilayer Formation and Immobilization Using a Quartz Crystal Microbalance. <i>Analytical Letters</i> , 2006 , 39, 1735-1745	2.2	9
29	Simultaneous optical and electrical modeling of plasmonic light trapping in thin-film amorphous silicon photovoltaic devices. <i>Journal of Photonics for Energy</i> , 2015 , 5, 057007	1.2	8
28	Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. <i>Journal of Display Technology</i> , 2014 , 10, 125-131		8
27	Polymer-based technology platform for robust electrochemical sensing using gold microelectrodes. <i>Sensors and Actuators B: Chemical</i> , 2012 , 161, 279-284	8.5	8
26	Nanoembossed Polymer Substrates for Biomedical Surface Interaction Studies. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 4588-4594	1.3	8
25	Achieving 6.7% Efficiency in P3HT/Indene-C70 Bisadduct Solar Cells through the Control of Vertical Volume Fraction Distribution and Optimized Regio-Isomer Ratios. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600362	6.4	7
24	Hybrid metal grid-polymer-carbon nanotube electrodes for high luminance organic light emitting diodes. <i>Nanotechnology</i> , 2014 , 25, 345202	3.4	7

23	Metal-Carbon Interactions on Reduced Graphene Oxide under Facile Thermal Treatment: Microbiological and Cell Assay. <i>Journal of Nanomaterials</i> , 2017 , 2017, 1-10	3.2	6
22	Sharp high-aspect-ratio AFM tips fabricated by a combination of deep reactive ion etching and focused ion beam techniques. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 497-501	1.3	6
21	Characterization of a self-assembled monolayer based on a calix[4]crown-5 derivate: fabrication of a chemical sensor sensitive to calcium. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 413-20	1.3	5
20	Langmuir and LangmuirBlodgett (LB) films of 4-dicyanomethylene,4H-cyclopenta[2,1B,3,4B?]dithiophene. <i>Thin Solid Films</i> , 2000 , 366, 249-254	2.2	5
19	Filtration properties of hierarchical carbon nanostructures deposited on carbon fibre fabrics. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 115305	3	4
18	Comparison of the x-ray spectroscopy response and charge transport properties of semi-insulating In/Al doped CdZnTe crystals. <i>Journal of Applied Physics</i> , 2009 , 105, 083101	2.5	4
17	The electrical characteristics of a heterojunction diode formed from an aniline oligomer LB-deposited onto poly(3-methylthiophene). <i>Journal of Materials Chemistry</i> , 2000 , 10, 91-97		4
16	The preparation and characterisation of polymeric macrostructures (command surfaces) using electropolymerisation. <i>Journal of Materials Chemistry</i> , 2000 , 10, 1551-1554		4
15	Charge Funneling through Metal Electrode Structuring for High-Efficiency Gains in Polymer Solar Cells. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600049	6.4	3
14	X-ray micro-computed tomography as a non-destructive tool for imaging the uptake of metal nanoparticles by graphene-based 3D carbon structures. <i>Nanoscale</i> , 2019 , 11, 14734-14741	7.7	3
13	Large-area, nanoimprint-assisted microcontact stripping for the fabrication of microarrays of fouling/nonfouling nanostructures. <i>Small</i> , 2009 , 5, 1133-7	11	3
12	A novel point of care diagnostic device: impedimetric detection of a biomarker in whole blood. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 115-8		3
11	Attachment and feeding of the adult ectoparasitic digenean <i>Transversotrema patialense</i> (Soparkar, 1924) on the zebra fish <i>Brachydanio rerio</i> (Hamilton-Buchanan). <i>Journal of Fish Diseases</i> , 1979 , 2, 443-447	2.6	3
10	Hybrid Multipixel Array X-Ray Detectors for Real-Time Direct Detection of Hard X-Rays. <i>IEEE Transactions on Nuclear Science</i> , 2020 , 67, 2238-2245	1.7	3
9	Multiplexed Frequency Spectrum Analyzer Instrumentation for the Characterization of Multiple QCM-Based Biosensors 2007 ,		2
8	Structured Thin Organic Active Layers and Their Use in Electrochemical Biosensors. <i>Measurement and Control</i> , 2007 , 40, 88-91	1.5	2
7	All-polymer microfluidic particle size sorter for biomedical applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006 , 203, 1476-1480	1.6	2
6	Continuous In-Line Chromium Coating Thickness Measurement Methodologies: An Investigation of Current and Potential Technology. <i>Sensors</i> , 2021 , 21,	3.8	2

5	Hybrid and nanocomposite materials for flexible organic electronics applications 2015 , 57-84		1
4	Improvement in the Electrical Properties of Nickel-Plated Steel Using Graphitic Carbon Coatings. <i>Advanced Engineering Materials</i> , 2019 , 21, 1900408	3.5	0
3	Impedimetric microanalysis system for deep vein thrombosis point-of-care testing. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2008 , 2008, 1856	0.9	0
2	Effect of solution processed and thermally evaporated interlayers on the performance of backgrated polymer solar cells. <i>Thin Solid Films</i> , 2015 , 591, 159-163	2.2	
1	Hybrid and Nano-composite Carbon Sensing Platforms 2015 , 105-132		