

# Linda L Magnusson Hanson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3788120/publications.pdf>

Version: 2024-02-01

119  
papers

5,115  
citations

94433

37  
h-index

102487

66  
g-index

120  
all docs

120  
docs citations

120  
times ranked

5441  
citing authors

#	ARTICLE	IF	CITATIONS
1	How consistently does sleep quality improve at retirement? Prospective analyses with group-based trajectory models. <i>Journal of Sleep Research</i> , 2022, 31, e13474.	3.2	3
2	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 59-66.	8.6	6
3	It's giving Me the blues: A fixed-effects and G-Formula approach to understanding job insecurity, sleep disturbances, and major depression. <i>Social Science and Medicine</i> , 2022, 297, 114805.	3.8	4
4	Work stress and loss of years lived without chronic disease: an 18-year follow-up of 1.5 million employees in Denmark. <i>European Journal of Epidemiology</i> , 2022, 37, 389-400.	5.7	7
5	Sexual and gender harassment and use of psychotropic medication among Swedish workers: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2022, 79, 507-513.	2.8	10
6	Residential Greenspace Is Associated with Lower Levels of Depressive and Burnout Symptoms, and Higher Levels of Life Satisfaction: A Nationwide Population-Based Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5668.	2.6	9
7	Workplace violence and health in human service industries: a systematic review of prospective and longitudinal studies. <i>Occupational and Environmental Medicine</i> , 2021, 78, 69-81.	2.8	39
8	Technostress operationalised as information and communication technology (ICT) demands among managers and other occupational groups – Results from the Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>Computers in Human Behavior</i> , 2021, 114, 106486.	8.5	23
9	Home and Workplace Neighborhood Socioeconomic Status and Behavior-related Health: A Within-individual Analysis. <i>Annals of Behavioral Medicine</i> , 2021, 55, 779-790.	2.9	5
10	The relationship between onset of workplace violence and onset of sleep disturbances in the Swedish working population. <i>Journal of Sleep Research</i> , 2021, 30, e13307.	3.2	5
11	Interrelationships between job demands, low back pain and depression: A four-way decomposition analysis of direct and indirect effects of job demands through mediation and/or interaction. <i>Journal of Affective Disorders</i> , 2021, 282, 219-226.	4.1	5
12	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100212.	5.6	21
13	1175Work stress and loss of years lived without chronic disease; an 18-year prospective cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	1
14	Commuting distance and behavior-related health: A longitudinal study. <i>Preventive Medicine</i> , 2021, 150, 106665.	3.4	11
15	Global, regional, and national burdens of ischemic heart disease and stroke attributable to exposure to long working hours for 194 countries, 2000–2016: A systematic analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021, 154, 106595.	10.0	155
16	A comparison of the B-spline group-based trajectory model with the polynomial group-based trajectory model for identifying trajectories of depressive symptoms around old-age retirement. <i>Aging and Mental Health</i> , 2020, 24, 445-452.	2.8	8
17	Effort-reward imbalance at work and risk of type 2 diabetes in a national sample of 50,552 workers in Denmark: A prospective study linking survey and register data. <i>Journal of Psychosomatic Research</i> , 2020, 128, 109867.	2.6	17
18	Contribution of income and job strain to the association between education and cardiovascular disease in 1.6 million Danish employees. <i>European Heart Journal</i> , 2020, 41, 1164-1178.	2.2	33

#	ARTICLE	IF	CITATIONS
19	Reciprocal relations between work stress and insomnia symptoms: A prospective study. <i>Journal of Sleep Research</i> , 2020, 29, e12949.	3.2	39
20	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	3.4	29
21	Changes in effort-reward imbalance at work and risk of onset of sleep disturbances in a population-based cohort of workers in Denmark. <i>Sleep Medicine: X</i> , 2020, 2, 100021.	1.5	3
22	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. <i>Obesity</i> , 2020, 28, 2216-2223.	3.0	1
23	High-involvement work practices and conflict management procedures as moderators of the workplace bullyingâ€“wellbeing relationship. <i>Work and Stress</i> , 2020, 34, 386-405.	4.5	10
24	Work related sexual harassment and risk of suicide and suicide attempts: prospective cohort study. <i>BMJ, The</i> , 2020, 370, m2984.	6.0	35
25	Labor market exit around retirement age in Sweden and trajectories of psychotropic drugs in a context of downsizing. <i>BMC Public Health</i> , 2020, 20, 618.	2.9	4
26	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multiâ€“Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	3.7	13
27	The effect of exposure to long working hours on stroke: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2020, 142, 105746.	10.0	78
28	Associations between cognitive and affective job insecurity and incident purchase of psychotropic drugs: A prospective cohort study of Swedish employees. <i>Journal of Affective Disorders</i> , 2020, 266, 215-222.	4.1	7
29	Mind and body exercises (MBE), prescribed antidepressant medication, physical exercise and depressive symptoms â€“ a longitudinal study. <i>Journal of Affective Disorders</i> , 2020, 265, 185-192.	4.1	1
30	Commuting time to work and behaviour-related health: a fixed-effect analysis. <i>Occupational and Environmental Medicine</i> , 2020, 77, 77-83.	2.8	19
31	Effortâ€“reward imbalance at work and weight changes in a nationwide cohort of workers in Denmark. <i>American Journal of Industrial Medicine</i> , 2020, 63, 634-643.	2.1	3
32	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. <i>Psychoneuroendocrinology</i> , 2020, 118, 104706.	2.7	11
33	Psychosocial working characteristics before retirement and depressive symptoms across the retirement transition: a longitudinal latent class analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 488-497.	3.4	8
34	Persistent and changing job strain and risk of coronary heart disease. A population-based cohort study of 1.6 million employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 498-507.	3.4	13
35	Psychosocial job strain and polypharmacy: a national cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 589-598.	3.4	4
36	Does inflammation provide a link between psychosocial work characteristics and diabetes? Analysis of the role of interleukin-6 and C-reactive protein in the Whitehall II cohort study. <i>Brain, Behavior, and Immunity</i> , 2019, 78, 153-160.	4.1	15

#	ARTICLE	IF	CITATIONS
37	Repeated exposure to high ICT demands at work, and development of suboptimal self-rated health: findings from a 4-year follow-up of the SLOSH study. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 717-728.	2.3	15
38	Are there bidirectional relationships between psychosocial work characteristics and depressive symptoms? A fixed effects analysis of Swedish national panel survey data. <i>Occupational and Environmental Medicine</i> , 2019, 76, 455-461.	2.8	22
39	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019, 76, 785-792.	2.8	13
40	Risk and Prognostic Factors of Low Back Pain. <i>Spine</i> , 2019, 44, 1248-1255.	2.0	20
41	Individual and Combined Effects of Job Strain Components on Subsequent Morbidity and Mortality. <i>Epidemiology</i> , 2019, 30, e27-e29.	2.7	12
42	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. <i>European Heart Journal</i> , 2019, 40, 1124-1134.	2.2	82
43	Long working hours, anthropometry, lung function, blood pressure and blood-based biomarkers: cross-sectional findings from the CONSTANCES study. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 130-135.	3.7	16
44	Socio-economic predictors of depressive symptoms around old age retirement in Swedish women and men. <i>Aging and Mental Health</i> , 2019, 23, 558-565.	2.8	17
45	Sleep Duration and Sleep Disturbances as Predictors of Healthy and Chronic Disease—Free Life Expectancy Between Ages 50 and 75: A Pooled Analysis of Three Cohorts. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 204-210.	3.6	32
46	Bi-directional relation between effort-reward imbalance and risk of neck-shoulder pain: assessment of mediation through depressive symptoms using occupational longitudinal data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 126-133.	3.4	6
47	Perseverative Cognition as an Explanatory Mechanism in the Relation Between Job Demands and Sleep Quality. <i>International Journal of Behavioral Medicine</i> , 2018, 25, 231-242.	1.7	17
48	Occupational gender composition and mild to severe depression in a Swedish cohort: The impact of psychosocial work factors. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 425-432.	2.3	10
49	Job demands, control and social support as predictors of trajectories of depressive symptoms. <i>Journal of Affective Disorders</i> , 2018, 235, 535-543.	4.1	12
50	Associations between onset of effort-reward imbalance at work and onset of musculoskeletal pain: analyzing observational longitudinal data as pseudo-trials. <i>Pain</i> , 2018, 159, 1477-1483.	4.2	9
51	Psychosocial working conditions among high-skilled workers: A latent transition analysis.. <i>Journal of Occupational Health Psychology</i> , 2018, 23, 223-236.	3.3	16
52	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , 2018, 61, 75-83.	6.3	74
53	Trajectories of job demands and control: risk for subsequent symptoms of major depression in the nationally representative Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 263-272.	2.3	18
54	Paid and unpaid working hours among Swedish men and women in relation to depressive symptom trajectories: results from four waves of the Swedish Longitudinal Occupational Survey of Health. <i>BMJ Open</i> , 2018, 8, e017525.	1.9	16

#	ARTICLE	IF	CITATIONS
55	Downsizing and purchases of psychotropic drugs: A longitudinal study of stayers, changers and unemployed. PLoS ONE, 2018, 13, e0203433.	2.5	11
56	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. Lancet Public Health, The, 2018, 3, e490-e497.	10.0	241
57	Cohort Profile: The Swedish Longitudinal Occupational Survey of Health (SLOSH). International Journal of Epidemiology, 2018, 47, 691-692i.	1.9	82
58	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on stroke. Environment International, 2018, 119, 366-378.	10.0	44
59	Job strain and atrial fibrillation – Results from the Swedish Longitudinal Occupational Survey of Health and meta-analysis of three studies. European Journal of Preventive Cardiology, 2018, 25, 1142-1149.	1.8	39
60	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. Occupational and Environmental Medicine, 2018, 75, 486-493.	2.8	26
61	Organizational justice and health: Studying mental preoccupation with work and social support as mediators for lagged and reversed relationships.. Journal of Occupational Health Psychology, 2018, 23, 553-567.	3.3	28
62	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. Scandinavian Journal of Work, Environment and Health, 2018, 44, 239-250.	3.4	135
63	Does job promotion affect men’s and women’s health differently? Dynamic panel models with fixed effects. International Journal of Epidemiology, 2017, 46, dyw310.	1.9	11
64	Body mass index as a predictor of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. International Journal of Obesity, 2017, 41, 769-775.	3.4	83
65	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. Psychological Medicine, 2017, 47, 1342-1356.	4.5	314
66	Psychosocial work characteristics, sleep disturbances and risk of subsequent depressive symptoms: a study of time-varying effect modification. Journal of Sleep Research, 2017, 26, 266-276.	3.2	8
67	Associations between systemic pro-inflammatory markers, cognitive function and cognitive complaints in a population-based sample of working adults. Journal of Psychosomatic Research, 2017, 96, 49-59.	2.6	24
68	Accuracy of a Single Item on Mentally Tiring Work as Proxy Measure of Job Demands and Efforts in the Gazel Cohort. Journal of Occupational and Environmental Medicine, 2017, 59, e156-e158.	1.7	1
69	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. Scientific Reports, 2017, 7, 9282.	3.3	38
70	Can volunteering in later life reduce the risk of dementia? A 5-year longitudinal study among volunteering and non-volunteering retired seniors. PLoS ONE, 2017, 12, e0173885.	2.5	40
71	Prevalence of mind and body exercises (MBE) in relation to demographics, self-rated health, and purchases of prescribed psychotropic drugs and analgesics. PLoS ONE, 2017, 12, e0184635.	2.5	2
72	Temporal relationships between job strain and low-back pain. Scandinavian Journal of Work, Environment and Health, 2017, 43, 396-404.	3.4	9

#	ARTICLE	IF	CITATIONS
73	Work, stress and health: Theories and models. , 2017, , .		0
74	Executive Cognitive Functioning and Cardiovascular Autonomic Regulation in a Population-Based Sample of Working Adults. <i>Frontiers in Psychology</i> , 2016, 7, 1536.	2.1	33
75	Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Epidemiology</i> , 2016, 45, 1260-1270.	1.9	114
76	Information and communication technology demands at work: the association with job strain, effort-reward imbalance and self-rated health in different socio-economic strata. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 1049-1058.	2.3	40
77	Change in Workâ€“Time Control and Workâ€“Home Interference Among Swedish Working Men and Women: Findings from the SLOSH Cohort Study. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 670-678.	1.7	10
78	Longitudinal Mediation Modeling of Unhealthy Behaviors as Mediators between Workplace Demands/Support and Depressive Symptoms. <i>PLoS ONE</i> , 2016, 11, e0169276.	2.5	6
79	Purchases of prescription antidepressants in the Swedish population in relation to major workplace downsizing. <i>Epidemiology</i> , 2015, 27, 1.	2.7	15
80	Depressive symptoms as a cause and effect of job loss in men and women: evidence in the context of organisational downsizing from the Swedish Longitudinal Occupational Survey of Health. <i>BMC Public Health</i> , 2015, 15, 1045.	2.9	58
81	Work and Sleepâ€“A Prospective Study of Psychosocial Work Factors, Physical Work Factors, and Work Scheduling. <i>Sleep</i> , 2015, 38, 1129-1136.	1.1	81
82	Do Predictors of Career Success Differ between Swedish Women and Men? Data from the Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>PLoS ONE</i> , 2015, 10, e0140516.	2.5	10
83	Gender differences in psychosocial work factors, workâ€“personal life interface, and well-being among Swedish managers and non-managers. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 1149-1164.	2.3	31
84	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	2.0	97
85	Threats of dismissal and symptoms of major depression: a study using repeat measures in the Swedish working population. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 963-969.	3.7	22
86	The impact of involuntary exit from employment in later life on the risk of major depression and being prescribed anti-depressant medication. <i>Aging and Mental Health</i> , 2015, 19, 381-389.	2.8	36
87	Organizational Downsizing and Depressive Symptoms in the European Recession: The Experience of Workers in France, Hungary, Sweden and the United Kingdom. <i>PLoS ONE</i> , 2014, 9, e97063.	2.5	40
88	Job strain and depressive symptoms in men and women: a prospective study of the working population in Sweden. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 78-82.	3.7	83
89	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 249-256.	2.3	46
90	Does good leadership buffer effects of high emotional demands at work on risk of antidepressant treatment? A prospective study from two Nordic countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1209-1218.	3.1	25

#	ARTICLE	IF	CITATIONS
91	Are subjective cognitive complaints related to memory functioning in the working population?. BMC Psychology, 2014, 2, .	2.1	9
92	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. Diabetes Care, 2014, 37, 2268-2275.	8.6	185
93	The Symptom Checklist-core depression (SCL-CD <sub>6</sub> ) scale: Psychometric properties of a brief six item scale for the assessment of depression. Scandinavian Journal of Public Health, 2014, 42, 82-88.	2.3	87
94	The Role of Sleep Disturbances in the Longitudinal Relationship Between Psychosocial Working Conditions, Measured by Work Demands and Support, and Depression. Sleep, 2014, 37, 1977-1985.	1.1	38
95	Workâ€‘home interference and its prospective relation to major depression and treatment with antidepressants. Scandinavian Journal of Work, Environment and Health, 2014, 40, 66-73.	3.4	25
96	Is cultural activity at work related to mental health in employees?. International Archives of Occupational and Environmental Health, 2013, 86, 281-288.	2.3	27
97	Antidepressant use and associations with psychosocial work characteristics. A comparative study of Swedish and Danish gainfully employed. Journal of Affective Disorders, 2013, 149, 38-45.	4.1	13
98	Work-family conflict and health in Swedish working women and men: a 2-year prospective analysis (the SLOSH study). European Journal of Public Health, 2013, 23, 710-716.	0.3	121
99	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. BMJ, The, 2013, 346, f165-f165.	6.0	112
100	Psychosocial Working Conditions and Cognitive Complaints among Swedish Employees. PLoS ONE, 2013, 8, e60637.	2.5	52
101	Subjective Cognitive Complaints and the Role of Executive Cognitive Functioning in the Working Population: A Case-Control Study. PLoS ONE, 2013, 8, e83351.	2.5	42
102	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. F1000Research, 2013, 2, 233.	1.6	3
103	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. American Journal of Epidemiology, 2012, 176, 1078-1089.	3.4	198
104	Subjective social status: its determinants and association with health in the Swedish working population (the SLOSH study). European Journal of Public Health, 2012, 22, 593-597.	0.3	70
105	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. PLoS ONE, 2012, 7, e35463.	2.5	102
106	Tinnitus Severity Is Reduced with Reduction of Depressive Mood â€‘ a Prospective Population Study in Sweden. PLoS ONE, 2012, 7, e37733.	2.5	72
107	Workplace Bullying, Working Environment and Health. Industrial Health, 2012, 50, 180-188.	1.0	36
108	Job strain in relation to body mass index: pooled analysis of 160â€‘000 adults from 13 cohort studies. Journal of Internal Medicine, 2012, 272, 65-73.	6.0	132



#	ARTICLE	IF	CITATIONS
109	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	2.9	137
110	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	2.5	93
111	Non-Listening and Self Centered Leadership " Relationships to Socioeconomic Conditions and Employee Mental Health. <i>PLoS ONE</i> , 2012, 7, e44119.	2.5	25
112	Sickness Presenteeism Predicts Suboptimal Self-Rated Health and Sickness Absence: A Nationally Representative Study of the Swedish Working Population. <i>PLoS ONE</i> , 2012, 7, e44721.	2.5	136
113	Cross-Lagged Relationships Between Workplace Demands, Control, Support, and Sleep Problems. <i>Sleep</i> , 2011, 34, 1403-1410.	1.1	74
114	Conflicts at Work "The Relationship with Workplace Factors, Work Characteristics and Self-rated Health. <i>Industrial Health</i> , 2011, 49, 501-510.	1.0	20
115	Psychosocial working conditions and depressive symptoms among Swedish employees. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 951-960.	2.3	69
116	Managerial leadership is associated with self-reported sickness absence and sickness presenteeism among Swedish men and women. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 803-811.	2.3	109
117	Demand, control and social climate as predictors of emotional exhaustion symptoms in working Swedish men and women. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 737-743.	2.3	134
118	Work-related sleep disturbances and sickness absence in the Swedish working population, 1993-1999. <i>Sleep</i> , 2008, 31, 1169-77.	1.1	39
119	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 0, 2, 233.	1.6	1