Aage Tverdal

List of Publications by Citations

Source: https://exaly.com/author-pdf/3788791/aage-tverdal-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151	15,572	51	124
papers	citations	h-index	g-index
161	17,481 ext. citations	5.5	5.96
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
151	Estimation of ten-year risk of fatal cardiovascular disease in Europe: the SCORE project. <i>European Heart Journal</i> , 2003 , 24, 987-1003	9.5	3146
150	Body-mass index and cause-specific mortality in 900 000 adults: collaborative analyses of 57 prospective studies. <i>Lancet, The</i> , 2009 , 373, 1083-96	40	3015
149	Homocysteine lowering and cardiovascular events after acute myocardial infarction. <i>New England Journal of Medicine</i> , 2006 , 354, 1578-88	59.2	1058
148	Total plasma homocysteine and cardiovascular risk profile. The Hordaland Homocysteine Study. JAMA - Journal of the American Medical Association, 1995, 274, 1526-33	27.4	559
147	Plasma total homocysteine, pregnancy complications, and adverse pregnancy outcomes: the Hordaland Homocysteine study. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 962-8	7	429
146	The Hordaland Homocysteine Study: a community-based study of homocysteine, its determinants, and associations with disease. <i>Journal of Nutrition</i> , 2006 , 136, 1731S-1740S	4.1	330
145	Health consequences of smoking 1-4 cigarettes per day. <i>Tobacco Control</i> , 2005 , 14, 315-20	5.3	287
144	Cancer incidence and mortality after treatment with folic acid and vitamin B12. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 2119-26	27.4	271
143	Risk factors for hip fracture in middle-aged Norwegian women and men. <i>American Journal of Epidemiology</i> , 1993 , 137, 1203-11	3.8	262
142	Body mass index in adolescence in relation to cause-specific mortality: a follow-up of 230,000 Norwegian adolescents. <i>American Journal of Epidemiology</i> , 2008 , 168, 30-7	3.8	245
141	Tea consumption. relationship to cholesterol, blood pressure, and coronary and total mortality. <i>Preventive Medicine</i> , 1992 , 21, 546-53	4.3	213
140	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012 , 41, 1419-33	7.8	178
139	Dietary factors and the incidence of hip fracture in middle-aged Norwegians. A prospective study. <i>American Journal of Epidemiology</i> , 1997 , 145, 117-23	3.8	167
138	Can vitamin D supplementation reduce the risk of fracture in the elderly? A randomized controlled trial. <i>Journal of Bone and Mineral Research</i> , 2002 , 17, 709-15	6.3	166
137	Obesity in adolescence and adulthood and the risk of adult mortality. <i>Epidemiology</i> , 2004 , 15, 79-85	3.1	161
136	Body mass index in relation to adult asthma among 135,000 Norwegian men and women. <i>American Journal of Epidemiology</i> , 2004 , 160, 969-76	3.8	153
135	Body mass index in adolescence in relation to total mortality: 32-year follow-up of 227,000 Norwegian boys and girls. <i>American Journal of Epidemiology</i> , 2003 , 157, 517-23	3.8	152

134	Plasma total homocysteine and cardiovascular and noncardiovascular mortality: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 130-6	7	150	
133	Mortality in relation to smoking history: 13 yearsRfollow-up of 68,000 Norwegian men and women 35-49 years. <i>Journal of Clinical Epidemiology</i> , 1993 , 46, 475-87	5.7	148	
132	Rapid changes in the prevalence of obesity and known diabetes in an adult Norwegian population. The Nord-TrEdelag Health Surveys: 1984-1986 and 1995-1997. <i>Diabetes Care</i> , 1999 , 22, 1813-20	14.6	146	
131	Coffee intake and mortality from liver cirrhosis. <i>Annals of Epidemiology</i> , 2003 , 13, 419-23	6.4	145	
130	. Epidemiology, 2003 , 14, 293-299	3.1	127	
129	Factors associated with mortality after hip fracture. Osteoporosis International, 2000, 11, 228-32	5.3	121	
128	Homocysteine, cysteine, and body composition in the Hordaland Homocysteine Study: does cysteine link amino acid and lipid metabolism?. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 738-46	7	110	
127	Health consequences of reduced daily cigarette consumption. <i>Tobacco Control</i> , 2006 , 15, 472-80	5.3	105	
126	Heart rate and mortality from cardiovascular causes: a 12 year follow-up study of 379,843 men and women aged 40-45 years. <i>European Heart Journal</i> , 2008 , 29, 2772-81	9.5	99	
125	Mortality following the first hip fracture in Norwegian women and men (1999-2008). A NOREPOS study. <i>Bone</i> , 2014 , 63, 81-6	4.7	98	
124	Prevalence of cardiovascular diseases and associated risk factors in a rural black population of South Africa. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 347-54		94	
123	Cardiovascular risk estimation in older persons: SCORE O.P. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1093-103	3.9	91	
122	Relationships between body mass index, cardiovascular mortality, and risk factors: a report from the SCORE investigators. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011 , 18, 731-42		85	
121	Sex-specific relevance of diabetes to occlusive vascular and other mortality: a collaborative meta-analysis of individual data from 980 793 adults from 68 prospective studies. <i>Lancet Diabetes and Endocrinology,the</i> , 2018 , 6, 538-546	18.1	84	
12 0	Resting heart rate and physical activity as risk factors for lone atrial fibrillation: a prospective study of 309,540 men and women. <i>Heart</i> , 2013 , 99, 1755-60	5.1	84	
119	Can cardiovascular risk factors and lifestyle explain the educational inequalities in mortality from ischaemic heart disease and from other heart diseases? 26 year follow up of 50,000 Norwegian men and women. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 705-9	5.1	84	
118	The effect of coffee on blood lipids and blood pressure. Results from a Norwegian cross-sectional study, men and women, 40-42 years. <i>Journal of Clinical Epidemiology</i> , 1989 , 42, 877-84	5.7	81	
117	Risk factors for hip fracture in a high incidence area: a case-control study from Oslo, Norway. Osteoporosis International, 1995 , 5, 239-46	5.3	78	

116	Re-evaluating the Rose approach: comparative benefits of the population and high-risk preventive strategies. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 541-9		77
115	Smoking and deaths between 40 and 70 years of age in women and men. <i>Annals of Internal Medicine</i> , 2006 , 144, 381-9	8	76
114	Hip fractures in Norway 1999-2008: time trends in total incidence and second hip fracture rates: a NOREPOS study. <i>European Journal of Epidemiology</i> , 2012 , 27, 807-14	12.1	75
113	Breaks and maintenance work in the water distribution systems and gastrointestinal illness: a cohort study. <i>International Journal of Epidemiology</i> , 2007 , 36, 873-80	7.8	73
112	Nonfasting triglycerides and risk of cardiovascular death in men and women from the Norwegian Counties Study. <i>European Journal of Epidemiology</i> , 2010 , 25, 789-98	12.1	69
111	Weight variability, weight change and the incidence of hip fracture: a prospective study of 39,000 middle-aged Norwegians. <i>Osteoporosis International</i> , 1998 , 8, 373-8	5.3	69
110	Height and Body Mass Index in Relation to Total Mortality. <i>Epidemiology</i> , 2003 , 14, 293-299	3.1	66
109	High risk of overdose death following release from prison: variations in mortality during a 15-year observation period. <i>Addiction</i> , 2017 , 112, 1432-1439	4.6	61
108	Food habits, physical activity and body mass index in relation to smoking status in 40-42 year old Norwegian women and men. <i>Preventive Medicine</i> , 2004 , 38, 1-5	4.3	56
107	Combined analyses and extended follow-up of two randomized controlled homocysteine-lowering B-vitamin trials. <i>Journal of Internal Medicine</i> , 2010 , 268, 367-82	10.8	55
106	Sperm DNA damage is related to field fertility of semen from young Norwegian Red bulls. <i>Reproduction, Fertility and Development</i> , 2006 , 18, 781-8	1.8	54
105	A comparative immunopathological study of injection site reactions in salmonids following intraperitoneal injection with oil-adjuvanted vaccines. <i>Vaccine</i> , 2006 , 24, 578-88	4.1	53
104	Serum triglycerides as an independent risk factor for death from coronary heart disease in middle-aged Norwegian men. <i>American Journal of Epidemiology</i> , 1989 , 129, 458-65	3.8	53
103	BODY HEIGHT, BODY MASS INDEX, AND FATAL HIP FRACTURES. <i>Epidemiology</i> , 1995 , 6, 299-305	3.1	52
102	High-density lipoprotein cholesterol and coronary, cardiovascular and all cause mortality among middle-aged Norwegian men and women. <i>European Heart Journal</i> , 1992 , 13, 1155-63	9.5	52
101	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019 , 40, 621-63	19.5	52
100	A longitudinal study on growth and growth variables in dogs of four large breeds raised in domestic environments. <i>Journal of Animal Science</i> , 2007 , 85, 76-83	0.7	47
99	Long-term mental distress, bone mineral density and non-vertebral fractures. The Troms Study. Osteoporosis International, 2005, 16, 887-97	5.3	46

(2005-2010)

98	Body mass index as predictor for asthma: a cohort study of 118,723 males and females. <i>European Respiratory Journal</i> , 2010 , 35, 1235-42	13.6	44
97	Body mass index and mortality: the influence of physical activity and smoking. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 1065-70	1.2	44
96	Treatment outcome of new culture positive pulmonary tuberculosis in Norway. <i>BMC Public Health</i> , 2005 , 5, 14	4.1	43
95	Intimate partner violence and cardiovascular risk in women: a population-based cohort study. Journal of Women& Health, 2013 , 22, 250-8	3	42
94	Use of anxiolytic or hypnotic drugs and total mortality in a general middle-aged population. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 913-8	2.6	42
93	Height and body mass index in Oslo, Norway, compared to other regions of Europe: do they explain differences in the incidence of hip fracture? European Vertebral Osteoporosis Study Group. <i>Bone</i> , 1995 , 17, 347-50	4.7	42
92	Benzodiazepines predict use of opioidsa follow-up study of 17,074 men and women. <i>Pain Medicine</i> , 2010 , 11, 805-14	2.8	41
91	A comparative study of reproductive performance in organic and conventional dairy husbandry. <i>Journal of Dairy Science</i> , 1999 , 82, 2605-10	4	40
90	Body mass index and cardiovascular mortality at different levels of blood pressure: a prospective study of Norwegian men and women. <i>Journal of Epidemiology and Community Health</i> , 1995 , 49, 265-70	5.1	40
89	Male phenotypic quality influences offspring sex ratio in a polygynous ungulate. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007 , 274, 727-33	4.4	39
88	The sales of antidepressants and suicide rates in Norway and its counties 1980-2004. <i>Journal of Affective Disorders</i> , 2007 , 102, 1-9	6.6	38
87	Nicotine dependence predicts repeated use of prescribed opioids. Prospective population-based cohort study. <i>Annals of Epidemiology</i> , 2010 , 20, 890-7	6.4	36
86	Effects of perinatal exposure to low doses of PCB 153 and PCB 126 on lymphocyte proliferation and hematology in goat kids. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2004 , 67, 889-904	3.2	36
85	The increased risk of colon cancer due to cigarette smoking may be greater in women than men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 862-71	4	35
84	The ability of the SCORE high-risk model to predict 10-year cardiovascular disease mortality in Norway. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 501-7		35
83	Ethnic differences in SCORE cardiovascular risk in Oslo, Norway. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 229-34		33
82	A manß heart and a wifeß education: a 12-year coronary heart disease mortality follow-up in Norwegian men. <i>International Journal of Epidemiology</i> , 2002 , 31, 799-805	7.8	33
81	Is birth history the key to highly educated women ß higher breast cancer mortality? A follow-up study of 500,000 women aged 35-54. <i>International Journal of Cancer</i> , 2005 , 117, 1002-6	7.5	31

80	A prospective study of intake of trans-fatty acids from ruminant fat, partially hydrogenated vegetable oils, and marine oils and mortality from CVD. <i>British Journal of Nutrition</i> , 2012 , 108, 743-54	3.6	30
79	Trends in educational inequalities in cardiovascular risk factors: a longitudinal study among 48,000 middle-aged Norwegian men and women. <i>European Journal of Epidemiology</i> , 2006 , 21, 731-9	12.1	30
78	Drug exposure: inclusion of dispensed drugs before pregnancy may lead to underestimation of risk associations. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 964-72	5.7	29
77	Blood pressure changes during 22-year of follow-up in large general population - the HUNT Study, Norway. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 94	2.3	29
76	Alterations of sperm DNA integrity during cryopreservation procedure and in vitro incubation of bull semen. <i>Animal Reproduction Science</i> , 2010 , 117, 34-42	2.1	28
75	Prescription of anti-osteoporosis drugs during 2004-2007-a nationwide register study in Norway. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 299-306	2.8	28
74	The validity of self-reported prescription medication use among adolescents varied by therapeutic class. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 714-7	5.7	28
73	Cohort study of coffee intake and death from coronary heart disease over 12 years. <i>BMJ: British Medical Journal</i> , 1996 , 312, 544-5		28
72	NORRISK 2: A Norwegian risk model for acute cerebral stroke and myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 773-782	3.9	27
71	Self-reported mental health and its gender differences as a predictor of suicide in the middle-aged. <i>American Journal of Epidemiology</i> , 2010 , 172, 160-6	3.8	27
70	Effects of photointensity and photoperiod on milk yield and reproductive performance of Norwegian red cattle. <i>Journal of Dairy Science</i> , 1999 , 82, 810-6	4	26
69	Perinatal exposure to low doses of PCB 153 and PCB 126 affects maternal and neonatal immunity in goat kids. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2006 , 69, 139-58	3.2	25
68	Influence of socioeconomic factors on the adherence of alendronate treatment in incident users in Norway. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 297-304	2.6	24
67	Health consequences of sustained smoking cessation. <i>Tobacco Control</i> , 2009 , 18, 197-205	5.3	24
66	Cohort study of ethnic group and cardiovascular and total mortality over 15 years. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 719-23	5.7	23
65	Cardiovascular mortality in relation to birth weight of children and grandchildren in 500,000 Norwegian families. <i>European Heart Journal</i> , 2013 , 34, 3427-36	9.5	22
64	Cardiovascular disease risk factors among five major ethnic groups in Oslo, Norway: the Oslo Immigrant Health Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 348	8-55	22
63	Statin treatment in a cohort of 20 212 men and women in Norway according to cardiovascular risk factors and level of education. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 355-62	3.8	21

62	Prevalence, incidence and persistence of anti-asthma medication use in 2- to 29-year-olds: a nationwide prescription study. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 399-406	2.8	21
61	Differential gene expression in brain tissues of aggressive and non-aggressive dogs. <i>BMC Veterinary Research</i> , 2010 , 6, 34	2.7	21
60	LOW BLOOD PRESSURE AND MORTALITY IN THE ELDERLY. <i>Epidemiology</i> , 1995 , 6, 70-73	3.1	21
59	Comorbidities in an asthma population 8-29 years old: a study from the Norwegian Prescription Database. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1045-52	2.6	19
58	Boiled coffee intake and subsequent risk for type 2 diabetes. <i>Epidemiology</i> , 2011 , 22, 418-21	3.1	19
57	Cysteine, homocysteine and bone mineral density: a role for body composition?. <i>Bone</i> , 2009 , 44, 954-8	4.7	19
56	Coffee intake and oral-oesophageal cancer: follow-up of 389,624 Norwegian men and women 40-45 years. <i>British Journal of Cancer</i> , 2011 , 105, 157-61	8.7	19
55	Risk factors for recent transmission of Mycobacterium tuberculosis. <i>European Respiratory Journal</i> , 2003 , 22, 637-42	13.6	19
54	The association between smoking and subsequent repeated use of prescribed opioids among adolescents and young adultsa population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 90-8	2.6	17
53	Foetal loss in dairy goats: function of the adrenal glands, corpus luteum and the foetal-placental unit. <i>Animal Reproduction Science</i> , 1999 , 55, 205-22	2.1	17
52	Paediatric Off-Label Use of MelatoninA Register Linkage Study between the Norwegian Prescription Database and Patient Register. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 117, 267-73	3.1	16
51	Coffee consumption and mortality from cardiovascular diseases and total mortality: Does the brewing method matter?. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1986-1993	3.9	15
50	Body mass index, smoking, and risk of death between 40 and 70 years of age in a Norwegian cohort of 32,727 women and 33,475 men. <i>European Journal of Epidemiology</i> , 2013 , 28, 35-43	12.1	14
49	Intimate partner violence and prescription of potentially addictive drugs: prospective cohort study of women in the Oslo Health Study. <i>BMJ Open</i> , 2012 , 2, e000614	3	14
48	Benzodiazepine use in all alcohol consumers predicts use of opioids in patients 20 years latera follow-up study of 13,390 men and women aged 40-42 years. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 926-933	2.6	13
47	Health consequences of smoking 1-4 cigarettes per day: response to G F Cope (eletter to journal). <i>Tobacco Control</i> , 2006 , 15, 71-2	5.3	13
46	The relationship of coffee consumption to various self-reported cardiovascular events in middle-aged Norwegian men and women. <i>Scandinavian Journal of Public Health</i> , 1995 , 23, 103-9		13
45	Deaths from active tuberculosis: can we rely on notification and mortality figures?. <i>Tubercle and Lung Disease</i> , 1996 , 77, 215-9		13

44	Protective effect of BCG vaccination in Norway 1956-73. <i>Tubercle</i> , 1988 , 69, 119-23		13
43	Hip fracture and other predictors of anti-osteoporosis drug use in Norway. <i>Osteoporosis International</i> , 2013 , 24, 1225-33	5-3	12
42	Cigarette smoking and colorectal cancer mortality among 602,242 Norwegian males and females. <i>Clinical Epidemiology</i> , 2014 , 6, 137-45	5.9	12
41	Effects of PCB99 and PCB153 exposure on spermatogenesis in young adult C57BL6 mice. <i>Reproductive Toxicology</i> , 2004 , 19, 169-80	3.4	12
40	Systematic screening with information and home sampling for genital Chlamydia trachomatis infections in young men and women in Norway: a randomized controlled trial. <i>BMC Infectious Diseases</i> , 2013 , 13, 30	4	11
39	Health consequences of pipe versus cigarette smoking. <i>Tobacco Control</i> , 2011 , 20, 123-30	5.3	11
38	Compartments within the lymph node cortex of calves and adult cattle differ in the distribution of leukocyte populations: an immunohistochemical study using computer-assisted morphometric analysis. <i>Developmental and Comparative Immunology</i> , 1998 , 22, 111-23	3.2	11
37	Serum lipids in postmenopausal or perimenopausal women using estrogen alone, estrogen with levonorgestrel, or estrogen with norethisterone, compared with nonusers: results from a cross-sectional study in two Norwegian counties 1985-1988. <i>Journal of Clinical Epidemiology</i> , 1998 ,	5.7	11
36	The SCORE risk model applied to recent population surveys in Norway compared to observed mortality in the general population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 731-7		11
35	Changes in body weight and incidence of hip fracture among middle aged Norwegians. <i>BMJ: British Medical Journal</i> , 1995 , 311, 91-2		10
34	Smoking increases rectal cancer risk to the same extent in women as in men: results from a Norwegian cohort study. <i>BMC Cancer</i> , 2014 , 14, 321	4.8	9
33	The association between prescribed opioid use for mothers and children: a record-linkage study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 111-8	2.8	9
32	Cigarette smoking and risk of subsequent use of antibacterials: a follow-up of 365,117 men and women. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 2159-67	5.1	9
31	Foetal loss in dairy goats: an epidemiological study in 515 individual goats. <i>Animal Reproduction Science</i> , 1997 , 49, 45-53	2.1	9
30	Canine vascular neoplasiaa population-based study of prognosis. <i>Apmis</i> , 2008 , 116, 55-62	3.4	9
29	Sex differences in gamma-glutamyltransferase in people aged 40-42 years in two Norwegian counties. <i>Drug and Alcohol Dependence</i> , 2002 , 67, 95-8	4.9	9
28	Tuberculin status, socioeconomic differences and differences in all-cause mortality: experience from Norwegian cohorts born 1910-49. <i>International Journal of Epidemiology</i> , 2009 , 38, 427-34	7.8	8
27	Effects of bovine oviduct epithelial cells, fetal calf serum and bovine serum albumin on gene expression in single bovine embryos produced in the synthetic oviduct fluid culture system. <i>Reproduction, Fertility and Development</i> , 2005 , 17, 751-7	1.8	8

(2011-2010)

26	Association between clinical signs and histopathologic changes in the synovium of the tarsocrural joint of horses with osteochondritis dissecans of the tibia. <i>American Journal of Veterinary Research</i> , 2010 , 71, 47-54	1.1	7
25	Consumption of alcohol and cardiovascular disease mortality: a 16lyear follow-up of 115,592 Norwegian men and women aged 40-44lyears. <i>European Journal of Epidemiology</i> , 2017 , 32, 775-783	12.1	6
24	Disability pension is associated with the use of benzodiazepines 20 years later: a prospective study. <i>Scandinavian Journal of Public Health</i> , 2009 , 37, 320-6	3	6
23	Coffee and wine consumption is associated with reduced mortality from alcoholic liver disease: follow-up of 219,279 Norwegian men and women aged 30-67 years. <i>Annals of Epidemiology</i> , 2018 , 28, 753-758	6.4	6
22	Changes in synovial fluid biomarker concentrations following arthroscopic surgery in horses with osteochondritis dissecans of the distal intermediate ridge of the tibia. <i>American Journal of Veterinary Research</i> , 2015 , 76, 599-607	1.1	5
21	Calculation of risk for the development of acute myocardial infarction in the normal population based on long-term follow-up studies: smokers compared with non-smokers. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999 , 6, 287-91		5
20	Precision of the Coulter Counter for Routine Assessment of Boar-sperm Concentration in Comparison with the Haemocytometer and Spectrophotometer. <i>Reproduction in Domestic Animals</i> , 1995 , 30, 107-111	1.6	5
19	The association between parity, CVD mortality and CVD risk factors among Norwegian women and men. <i>European Journal of Public Health</i> , 2020 , 30, 1133-1139	2.1	4
18	Mental distress and subsequent use of anxiolytic drugsa prospective population-based cohort study of 16,000 individuals. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 465-73	3	4
17	Comparison of flow cytometry and image morphometry in the quantitative analysis of cell population markers in the lymph node of sheep. <i>Veterinary Immunology and Immunopathology</i> , 2003 , 94, 177-83	2	4
16	Reproduction management of tethered cows on Norwegian dairy farms. <i>Animal Reproduction Science</i> , 1999 , 57, 141-51	2.1	4
15	Disability pension as predictor of later use of benzodiazepines among benzodiazepine users. <i>Social Science and Medicine</i> , 2010 , 70, 921-5	5.1	3
14	Evaluation of piglet blood utilizing the Technicon H*1. Veterinary Clinical Pathology, 1998, 27, 123-128	1	3
13	Erratum to "Sex differences in gamma-glutamyltransferase in people aged 40-42 years in two Norwegian counties". <i>Drug and Alcohol Dependence</i> , 2003 , 69, 103-6	4.9	3
12	Cardiovascular risk factors in Norwegian women using oral contraceptives: results from a cardiovascular health screening 1985-88. <i>Contraception</i> , 1996 , 53, 337-44	2.5	3
11	Is the use of cholesterol in mortality risk algorithms in clinical guidelines valid? Ten years prospective data from the Norwegian HUNT 2 study. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 1219	2.5	2
10	Is the use of cholesterol in mortality risk algorithms in clinical guidelines valid? Ten years prospective data from the Norwegian HUNT 2 study. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 169; author reply 170-1	2.5	2
9	Dispensing of prescribed analgesics in Norway among young people with foreign-or Norwegian-born parents. <i>Scandinavian Journal of Pain</i> , 2011 , 2, 36-44	1.9	2

8	Mortality from stroke, coronary heart disease and all causes related to blood pressure and length of follow-up. <i>Scandinavian Journal of Public Health</i> , 1994 , 22, 273-82		2	
7	Treatment of hypertension as a risk factor in a prospective study. <i>International Journal of Risk and Safety in Medicine</i> , 1990 , 1, 267-77	1.6	2	
6	A prospective study of asthma and subsequent use of hypnotics in young adults. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 370-7	2.6	1	
5	Reduced apoptosis in sheep ileal Peyer® patch is associated with low levels of follicle centre carbonic anhydrase reactivity. <i>Veterinary Immunology and Immunopathology</i> , 2006 , 111, 127-37	2	1	
4	Notification of tuberculosis in the south-west health region of Norway: incidence and trends. <i>British Journal of Diseases of the Chest</i> , 1987 , 81, 140-6		1	
3	Quantifying the contribution of established risk factors to cardiovascular mortality differences between Russia and Norway. <i>Scientific Reports</i> , 2020 , 10, 20796	4.9	1	
2	Alcohol Consumption, HDL-Cholesterol and Incidence of Colon and Rectal Cancer: A Prospective Cohort Study Including 250,010 Participants. <i>Alcohol and Alcoholism</i> , 2021 , 56, 718-725	3.5	1	
1	Biomarker-assessed passive smoking in relation to cause-specific mortality: pooled data from 12 prospective cohort studies comprising 36 584 individuals. <i>Journal of Epidemiology and Community Health</i> 2021, 75, 794-799	5.1	О	