

Aage Tverdal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3788791/aage-tverdal-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151 papers	15,572 citations	51 h-index	124 g-index
161 ext. papers	17,481 ext. citations	5.5 avg, IF	5.96 L-index

#	Paper	IF	Citations
151	Biomarker-assessed passive smoking in relation to cause-specific mortality: pooled data from 12 prospective cohort studies comprising 36 584 individuals. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 794-799	5.1	0
150	Alcohol Consumption, HDL-Cholesterol and Incidence of Colon and Rectal Cancer: A Prospective Cohort Study Including 250,010 Participants. <i>Alcohol and Alcoholism</i> , 2021 , 56, 718-725	3.5	1
149	The association between parity, CVD mortality and CVD risk factors among Norwegian women and men. <i>European Journal of Public Health</i> , 2020 , 30, 1133-1139	2.1	4
148	Coffee consumption and mortality from cardiovascular diseases and total mortality: Does the brewing method matter?. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1986-1993	3.9	15
147	Quantifying the contribution of established risk factors to cardiovascular mortality differences between Russia and Norway. <i>Scientific Reports</i> , 2020 , 10, 20796	4.9	1
146	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019 , 40, 621-631	9.5	52
145	Sex-specific relevance of diabetes to occlusive vascular and other mortality: a collaborative meta-analysis of individual data from 980 793 adults from 68 prospective studies. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 538-546	18.1	84
144	Coffee and wine consumption is associated with reduced mortality from alcoholic liver disease: follow-up of 219,279 Norwegian men and women aged 30-67 years. <i>Annals of Epidemiology</i> , 2018 , 28, 753-758	6.4	6
143	NORRISK 2: A Norwegian risk model for acute cerebral stroke and myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 773-782	3.9	27
142	High risk of overdose death following release from prison: variations in mortality during a 15-year observation period. <i>Addiction</i> , 2017 , 112, 1432-1439	4.6	61
141	Consumption of alcohol and cardiovascular disease mortality: a 16-year follow-up of 115,592 Norwegian men and women aged 40-44 years. <i>European Journal of Epidemiology</i> , 2017 , 32, 775-783	12.1	6
140	Cardiovascular risk estimation in older persons: SCORE O.P. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1093-103	3.9	91
139	Blood pressure changes during 22-year of follow-up in large general population - the HUNT Study, Norway. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 94	2.3	29
138	Changes in synovial fluid biomarker concentrations following arthroscopic surgery in horses with osteochondritis dissecans of the distal intermediate ridge of the tibia. <i>American Journal of Veterinary Research</i> , 2015 , 76, 599-607	1.1	5
137	Paediatric Off-Label Use of Melatonin--A Register Linkage Study between the Norwegian Prescription Database and Patient Register. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 117, 267-73	3.1	16
136	Smoking increases rectal cancer risk to the same extent in women as in men: results from a Norwegian cohort study. <i>BMC Cancer</i> , 2014 , 14, 321	4.8	9
135	Cigarette smoking and colorectal cancer mortality among 602,242 Norwegian males and females. <i>Clinical Epidemiology</i> , 2014 , 6, 137-45	5.9	12

134	Mortality following the first hip fracture in Norwegian women and men (1999-2008). A NOREPOS study. <i>Bone</i> , 2014 , 63, 81-6	4.7	98
133	Hip fracture and other predictors of anti-osteoporosis drug use in Norway. <i>Osteoporosis International</i> , 2013 , 24, 1225-33	5.3	12
132	The association between prescribed opioid use for mothers and children: a record-linkage study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 111-8	2.8	9
131	Intimate partner violence and cardiovascular risk in women: a population-based cohort study. <i>Journal of Women's Health</i> , 2013 , 22, 250-8	3	42
130	Systematic screening with information and home sampling for genital Chlamydia trachomatis infections in young men and women in Norway: a randomized controlled trial. <i>BMC Infectious Diseases</i> , 2013 , 13, 30	4	11
129	Drug exposure: inclusion of dispensed drugs before pregnancy may lead to underestimation of risk associations. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 964-72	5.7	29
128	Cardiovascular mortality in relation to birth weight of children and grandchildren in 500,000 Norwegian families. <i>European Heart Journal</i> , 2013 , 34, 3427-36	9.5	22
127	Resting heart rate and physical activity as risk factors for lone atrial fibrillation: a prospective study of 309,540 men and women. <i>Heart</i> , 2013 , 99, 1755-60	5.1	84
126	Body mass index, smoking, and risk of death between 40 and 70 years of age in a Norwegian cohort of 32,727 women and 33,475 men. <i>European Journal of Epidemiology</i> , 2013 , 28, 35-43	12.1	14
125	The increased risk of colon cancer due to cigarette smoking may be greater in women than men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 862-71	4	35
124	Is the use of cholesterol in mortality risk algorithms in clinical guidelines valid? Ten years prospective data from the Norwegian HUNT 2 study. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 1219	2.5	2
123	Hip fractures in Norway 1999-2008: time trends in total incidence and second hip fracture rates: a NOREPOS study. <i>European Journal of Epidemiology</i> , 2012 , 27, 807-14	12.1	75
122	Comorbidities in an asthma population 8-29 years old: a study from the Norwegian Prescription Database. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1045-52	2.6	19
121	Influence of socioeconomic factors on the adherence of alendronate treatment in incident users in Norway. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 297-304	2.6	24
120	Is the use of cholesterol in mortality risk algorithms in clinical guidelines valid? Ten years prospective data from the Norwegian HUNT 2 study. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 169; author reply 170-1	2.5	2
119	A prospective study of intake of trans-fatty acids from ruminant fat, partially hydrogenated vegetable oils, and marine oils and mortality from CVD. <i>British Journal of Nutrition</i> , 2012 , 108, 743-54	3.6	30
118	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012 , 41, 1419-33	7.8	178
117	Intimate partner violence and prescription of potentially addictive drugs: prospective cohort study of women in the Oslo Health Study. <i>BMJ Open</i> , 2012 , 2, e000614	3	14

116	Dispensing of prescribed analgesics in Norway among young people with foreign-or Norwegian-born parents. <i>Scandinavian Journal of Pain</i> , 2011 , 2, 36-44	1.9	2
115	Boiled coffee intake and subsequent risk for type 2 diabetes. <i>Epidemiology</i> , 2011 , 22, 418-21	3.1	19
114	The association between smoking and subsequent repeated use of prescribed opioids among adolescents and young adults--a population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 90-8	2.6	17
113	A prospective study of asthma and subsequent use of hypnotics in young adults. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 370-7	2.6	1
112	Coffee intake and oral-oesophageal cancer: follow-up of 389,624 Norwegian men and women 40-45 years. <i>British Journal of Cancer</i> , 2011 , 105, 157-61	8.7	19
111	Relationships between body mass index, cardiovascular mortality, and risk factors: a report from the SCORE investigators. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011 , 18, 731-42		85
110	Health consequences of pipe versus cigarette smoking. <i>Tobacco Control</i> , 2011 , 20, 123-30	5.3	11
109	Cigarette smoking and risk of subsequent use of antibacterials: a follow-up of 365,117 men and women. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 2159-67	5.1	9
108	Combined analyses and extended follow-up of two randomized controlled homocysteine-lowering B-vitamin trials. <i>Journal of Internal Medicine</i> , 2010 , 268, 367-82	10.8	55
107	Mental distress and subsequent use of anxiolytic drugs--a prospective population-based cohort study of 16,000 individuals. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 465-73	3	4
106	Self-reported mental health and its gender differences as a predictor of suicide in the middle-aged. <i>American Journal of Epidemiology</i> , 2010 , 172, 160-6	3.8	27
105	Body mass index as predictor for asthma: a cohort study of 118,723 males and females. <i>European Respiratory Journal</i> , 2010 , 35, 1235-42	13.6	44
104	Association between clinical signs and histopathologic changes in the synovium of the tarsocrural joint of horses with osteochondritis dissecans of the tibia. <i>American Journal of Veterinary Research</i> , 2010 , 71, 47-54	1.1	7
103	Alterations of sperm DNA integrity during cryopreservation procedure and in vitro incubation of bull semen. <i>Animal Reproduction Science</i> , 2010 , 117, 34-42	2.1	28
102	Nicotine dependence predicts repeated use of prescribed opioids. Prospective population-based cohort study. <i>Annals of Epidemiology</i> , 2010 , 20, 890-7	6.4	36
101	Benzodiazepines predict use of opioids--a follow-up study of 17,074 men and women. <i>Pain Medicine</i> , 2010 , 11, 805-14	2.8	41
100	Prescription of anti-osteoporosis drugs during 2004-2007-a nationwide register study in Norway. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 299-306	2.8	28
99	Prevalence, incidence and persistence of anti-asthma medication use in 2- to 29-year-olds: a nationwide prescription study. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 399-406	2.8	21

98	Nonfasting triglycerides and risk of cardiovascular death in men and women from the Norwegian Counties Study. <i>European Journal of Epidemiology</i> , 2010 , 25, 789-98	12.1	69
97	Disability pension as predictor of later use of benzodiazepines among benzodiazepine users. <i>Social Science and Medicine</i> , 2010 , 70, 921-5	5.1	3
96	Differential gene expression in brain tissues of aggressive and non-aggressive dogs. <i>BMC Veterinary Research</i> , 2010 , 6, 34	2.7	21
95	Ethnic differences in SCORE cardiovascular risk in Oslo, Norway. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 229-34		33
94	Tuberculin status, socioeconomic differences and differences in all-cause mortality: experience from Norwegian cohorts born 1910-49. <i>International Journal of Epidemiology</i> , 2009 , 38, 427-34	7.8	8
93	Disability pension is associated with the use of benzodiazepines 20 years later: a prospective study. <i>Scandinavian Journal of Public Health</i> , 2009 , 37, 320-6	3	6
92	Health consequences of sustained smoking cessation. <i>Tobacco Control</i> , 2009 , 18, 197-205	5.3	24
91	Re-evaluating the Rose approach: comparative benefits of the population and high-risk preventive strategies. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 541-9		77
90	Statin treatment in a cohort of 20 212 men and women in Norway according to cardiovascular risk factors and level of education. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 355-62	3.8	21
89	Cancer incidence and mortality after treatment with folic acid and vitamin B12. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 2119-26	27.4	271
88	Cysteine, homocysteine and bone mineral density: a role for body composition?. <i>Bone</i> , 2009 , 44, 954-8	4.7	19
87	Body-mass index and cause-specific mortality in 900 000 adults: collaborative analyses of 57 prospective studies. <i>Lancet, The</i> , 2009 , 373, 1083-96	40	3015
86	The validity of self-reported prescription medication use among adolescents varied by therapeutic class. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 714-7	5.7	28
85	Heart rate and mortality from cardiovascular causes: a 12 year follow-up study of 379,843 men and women aged 40-45 years. <i>European Heart Journal</i> , 2008 , 29, 2772-81	9.5	99
84	Body mass index in adolescence in relation to cause-specific mortality: a follow-up of 230,000 Norwegian adolescents. <i>American Journal of Epidemiology</i> , 2008 , 168, 30-7	3.8	245
83	Homocysteine, cysteine, and body composition in the Hordaland Homocysteine Study: does cysteine link amino acid and lipid metabolism?. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 738-46	7	110
82	Benzodiazepine use in all alcohol consumers predicts use of opioids in patients 20 years later--a follow-up study of 13,390 men and women aged 40-42 years. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 926-933	2.6	13
81	Canine vascular neoplasia--a population-based study of prognosis. <i>Apmis</i> , 2008 , 116, 55-62	3.4	9

80	A longitudinal study on growth and growth variables in dogs of four large breeds raised in domestic environments. <i>Journal of Animal Science</i> , 2007 , 85, 76-83	0.7	47
79	Use of anxiolytic or hypnotic drugs and total mortality in a general middle-aged population. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 913-8	2.6	42
78	The sales of antidepressants and suicide rates in Norway and its counties 1980-2004. <i>Journal of Affective Disorders</i> , 2007 , 102, 1-9	6.6	38
77	The ability of the SCORE high-risk model to predict 10-year cardiovascular disease mortality in Norway. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 501-7		35
76	Breaks and maintenance work in the water distribution systems and gastrointestinal illness: a cohort study. <i>International Journal of Epidemiology</i> , 2007 , 36, 873-80	7.8	73
75	Male phenotypic quality influences offspring sex ratio in a polygynous ungulate. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007 , 274, 727-33	4.4	39
74	The SCORE risk model applied to recent population surveys in Norway compared to observed mortality in the general population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 731-7		11
73	Cardiovascular disease risk factors among five major ethnic groups in Oslo, Norway: the Oslo Immigrant Health Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 348-55		22
72	Homocysteine lowering and cardiovascular events after acute myocardial infarction. <i>New England Journal of Medicine</i> , 2006 , 354, 1578-88	59.2	1058
71	Health consequences of smoking 1-4 cigarettes per day: response to G F Cope (eletter to journal). <i>Tobacco Control</i> , 2006 , 15, 71-2	5.3	13
70	Health consequences of reduced daily cigarette consumption. <i>Tobacco Control</i> , 2006 , 15, 472-80	5.3	105
69	Perinatal exposure to low doses of PCB 153 and PCB 126 affects maternal and neonatal immunity in goat kids. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2006 , 69, 139-58	3.2	25
68	Reduced apoptosis in sheep ileal Peyer's patch is associated with low levels of follicle centre carbonic anhydrase reactivity. <i>Veterinary Immunology and Immunopathology</i> , 2006 , 111, 127-37	2	1
67	A comparative immunopathological study of injection site reactions in salmonids following intraperitoneal injection with oil-adjuvanted vaccines. <i>Vaccine</i> , 2006 , 24, 578-88	4.1	53
66	The Hordaland Homocysteine Study: a community-based study of homocysteine, its determinants, and associations with disease. <i>Journal of Nutrition</i> , 2006 , 136, 1731S-1740S	4.1	330
65	Smoking and deaths between 40 and 70 years of age in women and men. <i>Annals of Internal Medicine</i> , 2006 , 144, 381-9	8	76
64	Sperm DNA damage is related to field fertility of semen from young Norwegian Red bulls. <i>Reproduction, Fertility and Development</i> , 2006 , 18, 781-8	1.8	54
63	Trends in educational inequalities in cardiovascular risk factors: a longitudinal study among 48,000 middle-aged Norwegian men and women. <i>European Journal of Epidemiology</i> , 2006 , 21, 731-9	12.1	30

62	Effects of bovine oviduct epithelial cells, fetal calf serum and bovine serum albumin on gene expression in single bovine embryos produced in the synthetic oviduct fluid culture system. <i>Reproduction, Fertility and Development</i> , 2005 , 17, 751-7	1.8	8
61	Treatment outcome of new culture positive pulmonary tuberculosis in Norway. <i>BMC Public Health</i> , 2005 , 5, 14	4.1	43
60	Is birth history the key to highly educated women's higher breast cancer mortality? A follow-up study of 500,000 women aged 35-54. <i>International Journal of Cancer</i> , 2005 , 117, 1002-6	7.5	31
59	Long-term mental distress, bone mineral density and non-vertebral fractures. The Tromsø Study. <i>Osteoporosis International</i> , 2005 , 16, 887-97	5.3	46
58	Prevalence of cardiovascular diseases and associated risk factors in a rural black population of South Africa. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 347-54		94
57	Health consequences of smoking 1-4 cigarettes per day. <i>Tobacco Control</i> , 2005 , 14, 315-20	5.3	287
56	Effects of perinatal exposure to low doses of PCB 153 and PCB 126 on lymphocyte proliferation and hematology in goat kids. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2004 , 67, 889-904	3.2	36
55	Can cardiovascular risk factors and lifestyle explain the educational inequalities in mortality from ischaemic heart disease and from other heart diseases? 26 year follow up of 50,000 Norwegian men and women. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 705-9	5.1	84
54	Body mass index in relation to adult asthma among 135,000 Norwegian men and women. <i>American Journal of Epidemiology</i> , 2004 , 160, 969-76	3.8	153
53	Effects of PCB99 and PCB153 exposure on spermatogenesis in young adult C57BL6 mice. <i>Reproductive Toxicology</i> , 2004 , 19, 169-80	3.4	12
52	Food habits, physical activity and body mass index in relation to smoking status in 40-42 year old Norwegian women and men. <i>Preventive Medicine</i> , 2004 , 38, 1-5	4.3	56
51	Obesity in adolescence and adulthood and the risk of adult mortality. <i>Epidemiology</i> , 2004 , 15, 79-85	3.1	161
50	Height and Body Mass Index in Relation to Total Mortality. <i>Epidemiology</i> , 2003 , 14, 293-299	3.1	66
49	. <i>Epidemiology</i> , 2003 , 14, 293-299	3.1	127
48	Erratum to "Sex differences in gamma-glutamyltransferase in people aged 40-42 years in two Norwegian counties". <i>Drug and Alcohol Dependence</i> , 2003 , 69, 103-6	4.9	3
47	Comparison of flow cytometry and image morphometry in the quantitative analysis of cell population markers in the lymph node of sheep. <i>Veterinary Immunology and Immunopathology</i> , 2003 , 94, 177-83	2	4
46	Coffee intake and mortality from liver cirrhosis. <i>Annals of Epidemiology</i> , 2003 , 13, 419-23	6.4	145
45	Risk factors for recent transmission of Mycobacterium tuberculosis. <i>European Respiratory Journal</i> , 2003 , 22, 637-42	13.6	19

44	Body mass index in adolescence in relation to total mortality: 32-year follow-up of 227,000 Norwegian boys and girls. <i>American Journal of Epidemiology</i> , 2003 , 157, 517-23	3.8	152
43	Estimation of ten-year risk of fatal cardiovascular disease in Europe: the SCORE project. <i>European Heart Journal</i> , 2003 , 24, 987-1003	9.5	3146
42	Can vitamin D supplementation reduce the risk of fracture in the elderly? A randomized controlled trial. <i>Journal of Bone and Mineral Research</i> , 2002 , 17, 709-15	6.3	166
41	A man's heart and a wife's education: a 12-year coronary heart disease mortality follow-up in Norwegian men. <i>International Journal of Epidemiology</i> , 2002 , 31, 799-805	7.8	33
40	Body mass index and mortality: the influence of physical activity and smoking. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 1065-70	1.2	44
39	Sex differences in gamma-glutamyltransferase in people aged 40-42 years in two Norwegian counties. <i>Drug and Alcohol Dependence</i> , 2002 , 67, 95-8	4.9	9
38	Plasma total homocysteine and cardiovascular and noncardiovascular mortality: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 130-6	7	150
37	Plasma total homocysteine, pregnancy complications, and adverse pregnancy outcomes: the Hordaland Homocysteine study. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 962-8	7	429
36	Factors associated with mortality after hip fracture. <i>Osteoporosis International</i> , 2000 , 11, 228-32	5.3	121
35	Rapid changes in the prevalence of obesity and known diabetes in an adult Norwegian population. The Nord-Trøndelag Health Surveys: 1984-1986 and 1995-1997. <i>Diabetes Care</i> , 1999 , 22, 1813-20	14.6	146
34	Effects of photointensity and photoperiod on milk yield and reproductive performance of Norwegian red cattle. <i>Journal of Dairy Science</i> , 1999 , 82, 810-6	4	26
33	A comparative study of reproductive performance in organic and conventional dairy husbandry. <i>Journal of Dairy Science</i> , 1999 , 82, 2605-10	4	40
32	Foetal loss in dairy goats: function of the adrenal glands, corpus luteum and the foetal-placental unit. <i>Animal Reproduction Science</i> , 1999 , 55, 205-22	2.1	17
31	Reproduction management of tethered cows on Norwegian dairy farms. <i>Animal Reproduction Science</i> , 1999 , 57, 141-51	2.1	4
30	Calculation of risk for the development of acute myocardial infarction in the normal population based on long-term follow-up studies: smokers compared with non-smokers. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999 , 6, 287-91		5
29	Weight variability, weight change and the incidence of hip fracture: a prospective study of 39,000 middle-aged Norwegians. <i>Osteoporosis International</i> , 1998 , 8, 373-8	5.3	69
28	Compartments within the lymph node cortex of calves and adult cattle differ in the distribution of leukocyte populations: an immunohistochemical study using computer-assisted morphometric analysis. <i>Developmental and Comparative Immunology</i> , 1998 , 22, 111-23	3.2	11
27	Evaluation of piglet blood utilizing the Technicon H*1. <i>Veterinary Clinical Pathology</i> , 1998 , 27, 123-128	1	3

26	Serum lipids in postmenopausal or perimenopausal women using estrogen alone, estrogen with levonorgestrel, or estrogen with norethisterone, compared with nonusers: results from a cross-sectional study in two Norwegian counties 1985-1988. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 1311-6	5.7	11
25	Dietary factors and the incidence of hip fracture in middle-aged Norwegians. A prospective study. <i>American Journal of Epidemiology</i> , 1997 , 145, 117-23	3.8	167
24	Cohort study of ethnic group and cardiovascular and total mortality over 15 years. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 719-23	5.7	23
23	Foetal loss in dairy goats: an epidemiological study in 515 individual goats. <i>Animal Reproduction Science</i> , 1997 , 49, 45-53	2.1	9
22	Cardiovascular risk factors in Norwegian women using oral contraceptives: results from a cardiovascular health screening 1985-88. <i>Contraception</i> , 1996 , 53, 337-44	2.5	3
21	Deaths from active tuberculosis: can we rely on notification and mortality figures?. <i>Tubercle and Lung Disease</i> , 1996 , 77, 215-9		13
20	Cohort study of coffee intake and death from coronary heart disease over 12 years. <i>BMJ: British Medical Journal</i> , 1996 , 312, 544-5		28
19	Risk factors for hip fracture in a high incidence area: a case-control study from Oslo, Norway. <i>Osteoporosis International</i> , 1995 , 5, 239-46	5.3	78
18	Total plasma homocysteine and cardiovascular risk profile. The Hordaland Homocysteine Study. <i>JAMA - Journal of the American Medical Association</i> , 1995 , 274, 1526-33	27.4	559
17	Body mass index and cardiovascular mortality at different levels of blood pressure: a prospective study of Norwegian men and women. <i>Journal of Epidemiology and Community Health</i> , 1995 , 49, 265-70	5.1	40
16	The relationship of coffee consumption to various self-reported cardiovascular events in middle-aged Norwegian men and women. <i>Scandinavian Journal of Public Health</i> , 1995 , 23, 103-9		13
15	Height and body mass index in Oslo, Norway, compared to other regions of Europe: do they explain differences in the incidence of hip fracture? European Vertebral Osteoporosis Study Group. <i>Bone</i> , 1995 , 17, 347-50	4.7	42
14	LOW BLOOD PRESSURE AND MORTALITY IN THE ELDERLY. <i>Epidemiology</i> , 1995 , 6, 70-73	3.1	21
13	BODY HEIGHT, BODY MASS INDEX, AND FATAL HIP FRACTURES. <i>Epidemiology</i> , 1995 , 6, 299-305	3.1	52
12	Precision of the Coulter [®] Counter for Routine Assessment of Boar-sperm Concentration in Comparison with the Haemocytometer and Spectrophotometer. <i>Reproduction in Domestic Animals</i> , 1995 , 30, 107-111	1.6	5
11	Changes in body weight and incidence of hip fracture among middle aged Norwegians. <i>BMJ: British Medical Journal</i> , 1995 , 311, 91-2		10
10	Mortality from stroke, coronary heart disease and all causes related to blood pressure and length of follow-up. <i>Scandinavian Journal of Public Health</i> , 1994 , 22, 273-82		2
9	Mortality in relation to smoking history: 13 years follow-up of 68,000 Norwegian men and women 35-49 years. <i>Journal of Clinical Epidemiology</i> , 1993 , 46, 475-87	5.7	148

8	Risk factors for hip fracture in middle-aged Norwegian women and men. <i>American Journal of Epidemiology</i> , 1993 , 137, 1203-11	3.8	262
7	High-density lipoprotein cholesterol and coronary, cardiovascular and all cause mortality among middle-aged Norwegian men and women. <i>European Heart Journal</i> , 1992 , 13, 1155-63	9.5	52
6	Tea consumption. relationship to cholesterol, blood pressure, and coronary and total mortality. <i>Preventive Medicine</i> , 1992 , 21, 546-53	4.3	213
5	Treatment of hypertension as a risk factor in a prospective study. <i>International Journal of Risk and Safety in Medicine</i> , 1990 , 1, 267-77	1.6	2
4	Serum triglycerides as an independent risk factor for death from coronary heart disease in middle-aged Norwegian men. <i>American Journal of Epidemiology</i> , 1989 , 129, 458-65	3.8	53
3	The effect of coffee on blood lipids and blood pressure. Results from a Norwegian cross-sectional study, men and women, 40-42 years. <i>Journal of Clinical Epidemiology</i> , 1989 , 42, 877-84	5.7	81
2	Protective effect of BCG vaccination in Norway 1956-73. <i>Tubercle</i> , 1988 , 69, 119-23		13
1	Notification of tuberculosis in the south-west health region of Norway: incidence and trends. <i>British Journal of Diseases of the Chest</i> , 1987 , 81, 140-6		1