

Silvio Sosa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3788841/silvio-sosa-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

1,910
citations

23
h-index

42
g-index

68
ext. papers

2,162
ext. citations

4.8
avg. IF

4.27
L-index

#	Paper	IF	Citations
66	CARBON-BASED nanomaterials and SKIN: An overview. <i>Carbon</i> , 2022 , 196, 683-698	10.4	1
65	Acute Oral Toxicity of Pinnatoxin G in Mice. <i>Toxins</i> , 2020 , 12,	4.9	12
64	Skin irritation potential of graphene-based materials using a non-animal test. <i>Nanoscale</i> , 2020 , 12, 610-627	7.7	21
63	Keratinocytes are capable of selectively sensing low amounts of graphene-based materials: Implications for cutaneous applications. <i>Carbon</i> , 2020 , 159, 598-610	10.4	7
62	Ecotoxicological impact of graphene oxide: toxic effects on the model organism <i>Artemia franciscana</i> . <i>Environmental Science: Nano</i> , 2020 , 7, 3605-3615	7.1	5
61	In Vitro Cell Sensitivity to Palytoxin Correlates with High Gene Expression of the Na/K-ATPase α Subunit Isoform. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
60	Partial Reversibility of the Cytotoxic Effect Induced by Graphene-Based Materials in Skin Keratinocytes. <i>Nanomaterials</i> , 2020 , 10,	5.4	3
59	Massive Occurrence of the Harmful Benthic Dinoflagellate cf. in the Eastern Adriatic Sea. <i>Toxins</i> , 2019 , 11,	4.9	11
58	Azaspiracids Increase Mitochondrial Dehydrogenases Activity in Hepatocytes: Involvement of Potassium and Chloride Ions. <i>Marine Drugs</i> , 2019 , 17,	6	4
57	Occupational exposure to graphene based nanomaterials: risk assessment. <i>Nanoscale</i> , 2018 , 10, 15894-15903	7.7	46
56	Graphene and graphene oxide induce ROS production in human HaCaT skin keratinocytes: the role of xanthine oxidase and NADH dehydrogenase. <i>Nanoscale</i> , 2018 , 10, 11820-11830	7.7	70
55	Toxic equivalency factors (TEFs) after acute oral exposure of azaspiracid 1, -2 and -3 in mice. <i>Toxicology Letters</i> , 2018 , 282, 136-146	4.4	8
54	A Novel Sensitive Cell-Based Immunoenzymatic Assay for Palytoxin Quantitation in Mussels. <i>Toxins</i> , 2018 , 10,	4.9	4
53	Differential cytotoxic effects of graphene and graphene oxide on skin keratinocytes. <i>Scientific Reports</i> , 2017 , 7, 40572	4.9	112
52	Immuno-Modulatory and Anti-Inflammatory Effects of Dihydrogracilin A, a Terpene Derived from the Marine Sponge <i>Dendrilla membranosa</i> . <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	38
51	An aquarium hobbyist poisoning: Identification of new palytoxins in <i>Palythoa</i> cf. <i>toxica</i> and complete detoxification of the aquarium water by activated carbon. <i>Toxicon</i> , 2016 , 121, 41-50	2.8	14
50	Pro-inflammatory effects of palytoxin: an study on human keratinocytes and inflammatory cells. <i>Toxicology Research</i> , 2016 , 5, 1172-1181	2.6	4

49	Ovatoxin-a, A Palytoxin Analogue Isolated from <i>Ostreopsis cf. ovata</i> Fukuyo: Cytotoxic Activity and ELISA Detection. <i>Environmental Science & Technology</i> , 2016 , 50, 1544-51	10.3	23
48	Palytoxins: Toxicological Profile 2016 , 129-145		
47	Palytoxin-Containing Aquarium Soft Corals as an Emerging Sanitary Problem. <i>Marine Drugs</i> , 2016 , 14,	6	27
46	A revisited hemolytic assay for palytoxin detection: Limitations for its quantitation in mussels. <i>Toxicon</i> , 2016 , 119, 225-33	2.8	9
45	Palytoxins: Toxicological Profile 2015 , 1-14		0
44	The marine toxin palytoxin induces necrotic death in HaCaT cells through a rapid mitochondrial damage. <i>Toxicology Letters</i> , 2014 , 229, 440-50	4.4	21
43	N6-isopentenyladenosine affects cytotoxic activity and cytokines production by IL-2 activated NK cells and exerts topical anti-inflammatory activity in mice. <i>Pharmacological Research</i> , 2014 , 89, 1-10	10.2	20
42	Stereoisomers of 42-hydroxy palytoxin from Hawaiian <i>Palythoa toxica</i> and <i>P. tuberculosa</i> : stereostructure elucidation, detection, and biological activities. <i>Journal of Natural Products</i> , 2014 , 77, 351-7	4.9	22
41	In vivo and in vitro effects of 42-hydroxy-palytoxin on mouse skeletal muscle: structural and functional impairment. <i>Toxicology Letters</i> , 2014 , 225, 285-93	4.4	11
40	In Vivo Anti-inflammatory Activity of Some Naturally Occurring O- and N-Prenyl Secondary Metabolites. <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400900	0.9	
39	Topical Anti-Inflammatory Potential of Six <i>Salvia</i> Species Grown in Jordan. <i>Jordan Journal of Pharmaceutical Sciences</i> , 2014 , 7, 153-161		5
38	Toxicity of palytoxin after repeated oral exposure in mice and in vitro effects on cardiomyocytes. <i>Toxicon</i> , 2013 , 75, 3-15	2.8	19
37	Steroids with anti-inflammatory activity from <i>Vernonia nigritiana</i> Oliv. & Hiern. <i>Phytochemistry</i> , 2013 , 96, 288-98	4	11
36	Oxidative stress induced by palytoxin in human keratinocytes is mediated by a H ⁺ -dependent mitochondrial pathway. <i>Toxicology and Applied Pharmacology</i> , 2013 , 266, 1-8	4.6	14
35	Characterization of palytoxin binding to HaCaT cells using a monoclonal anti-palytoxin antibody. <i>Marine Drugs</i> , 2013 , 11, 584-98	6	17
34	New insights on cytological and metabolic features of <i>Ostreopsis cf. ovata</i> Fukuyo (Dinophyceae): a multidisciplinary approach. <i>PLoS ONE</i> , 2013 , 8, e57291	3.7	49
33	The stretch-activated channel blocker Gd(3+) reduces palytoxin toxicity in primary cultures of skeletal muscle cells. <i>Chemical Research in Toxicology</i> , 2012 , 25, 1912-20	4	9
32	Highly sensitive electrochemiluminescent nanobiosensor for the detection of palytoxin. <i>ACS Nano</i> , 2012 , 6, 7989-97	16.7	83

31	Toxicology and diversity of marine toxins 2012 , 896-934		8
30	Sanitary problems related to the presence of <i>Ostreopsis</i> spp. in the Mediterranean Sea: a multidisciplinary scientific approach. <i>Annali Dell'istituto Superiore Di Sanita</i> , 2012 , 48, 407-14	1.6	23
29	Lignan derivatives from <i>Krameria lappacea</i> roots inhibit acute inflammation in vivo and pro-inflammatory mediators in vitro. <i>Journal of Natural Products</i> , 2011 , 74, 1779-86	4.9	49
28	Rimonabant reduces keratinocyte viability by induction of apoptosis and exerts topical anti-inflammatory activity in mice. <i>British Journal of Pharmacology</i> , 2011 , 162, 84-93	8.6	7
27	Anti-inflammatory, antioxidant and antifungal furanosesquiterpenoids isolated from <i>Commiphora erythraea</i> (Ehrenb.) Engl. resin. <i>Phytotherapy Research</i> , 2011 , 82, 654-61	3.2	32
26	Harmful dinoflagellate <i>Ostreopsis</i> cf. <i>ovata</i> Fukuyo: detection of ovatoxins in field samples and cell immunolocalization using antipalytoxin antibodies. <i>Environmental Science & Technology</i> , 2011 , 45, 7051-9	10.3	32
25	Topical anti-inflammatory activity of boropinic acid and its natural and semi-synthetic derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 769-72	2.9	13
24	Chemical composition and biological properties of <i>Rhododendron anthopogon</i> essential oil. <i>Molecules</i> , 2010 , 15, 2326-38	4.8	22
23	Comparative topical anti-inflammatory activity of cannabinoids and cannabivarin. <i>Phytotherapy Research</i> , 2010 , 81, 816-9	3.2	31
22	Antiinflammatory activity of coumarins from <i>Ligusticum lucidum</i> Mill. subsp. <i>cuneifolium</i> (Guss.) Tammaro (Apiaceae). <i>Phytotherapy Research</i> , 2010 , 24, 1697-9	6.7	9
21	The protective ability of Mediterranean dietary plants against the oxidative damage: The role of radical oxygen species in inflammation and the polyphenol, flavonoid and sterol contents. <i>Food Chemistry</i> , 2009 , 112, 587-594	8.5	103
20	Topical anti-inflammatory activity of Eupatilin, a lipophilic flavonoid from mountain wormwood (<i>Artemisia umbelliformis</i> Lam.). <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 7726-30	5.7	19
19	In vivo anti-inflammatory and in vitro antioxidant activities of Mediterranean dietary plants. <i>Journal of Ethnopharmacology</i> , 2008 , 116, 144-51	5	205
18	In vitro effects of yessotoxin on a primary culture of rat cardiomyocytes. <i>Toxicological Sciences</i> , 2008 , 106, 392-9	4.4	25
17	Topical anti-inflammatory activity of extracts and compounds from <i>Hypericum perforatum</i> L. <i>Journal of Pharmacy and Pharmacology</i> , 2007 , 59, 703-9	4.8	69
16	Synthesis and anti-inflammatory activity of 3-(4Rgeranyloxy-3Rmethoxyphenyl)-2-trans propenoic acid and its ester derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 5709-14	2.9	9
15	Topical antiinflammatory activity of an innovative aqueous formulation of actichelated propolis vs two commercial propolis formulations. <i>Phytotherapy Research</i> , 2007 , 21, 823-6	6.7	10
14	Evaluation of the topical anti-inflammatory activity of ginger dry extracts from solutions and plasters. <i>Planta Medica</i> , 2007 , 73, 1525-30	3.1	30

13	Characterization of topical antiinflammatory compounds in Rosmarinus officinalis L. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 1718-23	5.7	112
12	Anti-inflammatory activity of two diterpenes of Hyptis suaveolens from El Salvador. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006 , 61, 165-70	1.7	19
11	Oral administration of yessotoxin stabilizes E-cadherin in mouse colon. <i>Toxicology</i> , 2006 , 227, 145-55	4.4	21
10	Improved anti-inflammatory activity of three new terpenoids derived, by systematic chemical modifications, from the abundant triterpenes of the flowery plant Calendula officinalis. <i>Chemistry and Biodiversity</i> , 2005 , 2, 657-71	2.5	27
9	Topical anti-inflammatory activity of flavonoids and a new xanthone from Santolina insularis. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005 , 60, 63-6	1.7	29
8	New sesquiterpene lactones from Arnica tincture prepared from fresh flowerheads of Arnica montana. <i>Planta Medica</i> , 2005 , 71, 1044-52	3.1	26
7	Anti-inflammatory activity of Leontopodium alpinum and its constituents. <i>Planta Medica</i> , 2004 , 70, 502-8	3.1	27
6	Studies on the anti-inflammatory activity of phytopharmaceuticals prepared from Arnica flowers. <i>Planta Medica</i> , 2002 , 68, 385-91	3.1	80
5	Anti-inflammatory sesquiterpene lactones from Lourteigia ballotaeifolia. <i>Planta Medica</i> , 2002 , 68, 843-5	3.1	3
4	Anti-inflammatory activities of hypocretenolides from Leontodon hispidus. <i>Planta Medica</i> , 1999 , 65, 704-8	3.1	20
3	A protein phosphatase 2A inhibition assay for a fast and sensitive assessment of okadaic acid contamination in mussels. <i>Toxicon</i> , 1996 , 34, 743-52	2.8	125
2	Phytoplankton detection and DSP toxicity: methodological considerations. <i>Journal of Applied Phycology</i> , 1995 , 7, 163-166	3.2	10
1	Diarrhoeic shellfish toxins in Adriatic Sea mussels evaluated by an ELISA method. <i>Toxicon</i> , 1992 , 30, 673-8	3.8	14