Sriram Yennurajalingam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3789373/publications.pdf

Version: 2024-02-01

100 papers 3,077 citations

168829 31 h-index 51 g-index

101 all docs

101 docs citations

times ranked

101

3588 citing authors

#	Article	lF	Citations
1	Anamorelin combined with physical activity, and nutritional counseling for cancer-related fatigue: a preliminary study. Supportive Care in Cancer, 2022, 30, 497-509.	1.0	12
2	Serial frailty assessments following allogeneic stem cell transplant in older adults: A pilot study. Journal of Geriatric Oncology, 2022, 13, 194-199.	0.5	5
3	Sleep disturbance in cancer patients referred to an ambulatory integrative oncology consultation. Supportive Care in Cancer, 2022, 30, 2417-2425.	1.0	7
4	Do Patients Benefit from a Trial of Corticosteroids at the End of Life?. Current Treatment Options in Oncology, 2022, 23, 796-805.	1.3	3
5	Sleep disturbance in patients with cancer: a feasibility study of multimodal therapy. BMJ Supportive and Palliative Care, 2021, 11, 170-179.	0.8	14
6	The development of a nomogram to determine the frequency of elevated risk for non-medical opioid use in cancer patients. Palliative and Supportive Care, 2021, 19, 3-10.	0.6	7
7	Random urine drug testing among patients receiving opioid therapy for cancer pain. Cancer, 2021, 127, 968-975.	2.0	11
8	Optimal Supportive Care for Patients With Metastatic Breast Cancer According to Their Disease Progression Phase. JCO Oncology Practice, 2021, 17, 177-183.	1.4	10
9	Frequency of and Factors Associated With Nonmedical Opioid Use Behavior Among Patients With Cancer Receiving Opioids for Cancer Pain. JAMA Oncology, 2021, 7, 404.	3.4	39
10	Questionable Conceptualizations of Nonmedical Use Can Contribute to Needless Distress—Reply. JAMA Oncology, 2021, 7, 942.	3.4	0
11	Evaluation and Management of Sleep and Circadian Rhythm Disturbance in Cancer. Current Treatment Options in Oncology, 2021, 22, 81.	1.3	16
12	Fixed-Dose Netupitant and Palonosetron for Chronic Nausea in Cancer Patients: A Double-Blind, Placebo Run-in Pilot Randomized Clinical Trial. Journal of Pain and Symptom Management, 2021, 62, 223-232.e1.	0.6	2
13	Genetic Factors Associated With Pain Severity, Daily Opioid Dose Requirement, and Pain Response Among Advanced Cancer Patients Receiving Supportive Care. Journal of Pain and Symptom Management, 2021, 62, 785-795.	0.6	5
14	Impact of "race―as a social variable for screening for the risk of non-medical opioid use using nomogram. Palliative and Supportive Care, 2021, 19, 638-639.	0.6	0
15	Frequency and characteristics of advanced cancer patients with COVID \hat{a} + \hat{a} + \hat{e} %ve status among inpatient supportive care consults during the pandemic: experience from a tertiary cancer center. Supportive Care in Cancer, 2021, , 1.	1.0	2
16	Harmonized Outcome Measures for Use in Non–Small Cell Lung Cancer Patient Registries and Clinical Practice. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, , .	2.3	0
17	Use of Wearable Activity Tracker in Patients With Cancer Undergoing Chemotherapy: Toward Evaluating Risk of Unplanned Health Care Encounters. JCO Clinical Cancer Informatics, 2020, 4, 839-853.	1.0	11
18	Quantified Kinematics to Evaluate Patient Chemotherapy Risks in Clinic. JCO Clinical Cancer Informatics, 2020, 4, 583-601.	1.0	4

#	Article	IF	Citations
19	Frequency of Burnout Among Palliative Care Physicians Participating in a Continuing Medical Education Course. Journal of Pain and Symptom Management, 2020, 60, 80-86.e2.	0.6	21
20	Renal Replacement Therapy in Patients With Stage IV Cancer Admitted to the Intensive Care Unit With Acute Kidney Injury at a Comprehensive Cancer Center Was Not Associated With Survival. American Journal of Hospice and Palliative Medicine, 2020, 37, 707-715.	0.8	5
21	Patient reported outcomes can improve performance status assessment: a pilot study. Journal of Patient-Reported Outcomes, 2019, 3, 41.	0.9	22
22	Preventing chemotherapy-induced nausea and vomiting with netupitant/palonosetron, the first fixed combination antiemetic: current and future perspective. Future Oncology, 2019, 15, 1067-1084.	1.1	10
23	Prokinetics and ghrelin for the management of cancer cachexia syndrome. Annals of Palliative Medicine, 2019, 8, 80-85.	0.5	17
24	Patient's Decisional Control Preferences of a Cohort of Patients With Advanced Cancer Receiving Palliative Care in India. Journal of Palliative Care, 2019, 34, 175-180.	0.4	6
25	Frequency and characteristics of drowsiness, somnolence, or daytime sleepiness in patients with advanced cancer. Palliative and Supportive Care, 2019, 17, 459-463.	0.6	9
26	Letter to the Editor: Chicken Noodle Soup (Capsule) for the Soul?. Journal of the National Comprehensive Cancer Network: JNCCN, 2018, 16, 108-109.	2.3	0
27	Timing of Referral and Characteristics of Uninsured, Medicaid, and Insured Patients Referred to the Outpatient Supportive Care Center at a Comprehensive Cancer Center. Journal of Pain and Symptom Management, 2018, 55, 973-978.	0.6	7
28	Factors associated with patient-reported subjective well-being among advanced lung or non-colonic gastrointestinal cancer patients. Palliative and Supportive Care, 2018, 16, 23-31.	0.6	6
29	Cranial Electrotherapy Stimulation for the Management of Depression, Anxiety, Sleep Disturbance, and Pain in Patients With Advanced Cancer: A Preliminary Study. Journal of Pain and Symptom Management, 2018, 55, 198-206.	0.6	48
30	Perception of Curability Among Advanced Cancer Patients: An International Collaborative Study. Oncologist, 2018, 23, 501-506.	1.9	39
31	Decisional control preferences of patients with advanced cancer receiving palliative care. Palliative and Supportive Care, 2018, 16, 544-551.	0.6	18
32	Decisional control preferences among patients with advanced cancer: An international multicenter cross-sectional survey. Palliative Medicine, 2018, 32, 870-880.	1.3	40
33	Outcomes of a Specialized Interdisciplinary Approach for Patients with Cancer with Aberrant Opioid-Related Behavior. Oncologist, 2018, 23, 263-270.	1.9	51
34	Frequency, Outcomes, and Associated Factors for Opioid-Induced Neurotoxicity in Patients with Advanced Cancer Receiving Opioids in Inpatient Palliative Care. Journal of Palliative Medicine, 2018, 21, 1698-1704.	0.6	26
35	Outcomes of Embedded Palliative Care Outpatients Initial Consults on Timing of Palliative Care Access, Symptoms, and End-of-Life Quality Care Indicators among Advanced Nonsmall Cell Lung Cancer Patients. Journal of Palliative Medicine, 2018, 21, 1690-1697.	0.6	12
36	Predicting the risk for aberrant opioid use behavior in patients receiving outpatient supportive care consultation at a comprehensive cancer center. Cancer, 2018, 124, 3942-3949.	2.0	38

#	Article	IF	CITATIONS
37	Low-dimensional dynamical characterization of human performance of cancer patients using motion data. Clinical Biomechanics, 2018, 56, 61-69.	0.5	5
38	Development and validation of a prognostic nomogram for ambulatory patients with advanced cancer. Cancer Medicine, 2018, 7, 3003-3010.	1.3	10
39	Association between Advanced Cancer Patients' Perception of Curability and Patients' Characteristics, Decisional Control Preferences, Symptoms, and End-of-Life Quality Care Outcomes. Journal of Palliative Medicine, 2018, 21, 1609-1616.	0.6	10
40	Could Objective Tests Be Used to Measure Fatigue in Patients With Advanced Cancer?. Journal of Pain and Symptom Management, 2017, 54, 237-244.	0.6	16
41	Characteristics of patients with advanced lung cancer referred to a rapid-access supportive care clinic. Palliative and Supportive Care, 2017, 15, 197-204.	0.6	4
42	Increased Symptom Expression among Patients with Delirium Admitted to an Acute Palliative Care Unit. Journal of Palliative Medicine, 2017, 20, 638-641.	0.6	20
43	Overall Survival among Cancer Patients Undergoing Opioid Rotation to Methadone Compared to Other Opioids. Journal of Palliative Medicine, 2017, 20, 656-661.	0.6	20
44	Palliative radiation therapy in the last 30 days of life: A systematic review. Radiotherapy and Oncology, 2017, 125, 193-199.	0.3	58
45	The Conversion Ratio From Intravenous Hydromorphone to Oral Opioids in Cancer Patients. Journal of Pain and Symptom Management, 2017, 54, 280-288.	0.6	37
46	The impact of a simplified documentation method for the Edmonton classification system for cancer pain (ECS-CP) on clinician utilization. Supportive Care in Cancer, 2017, 25, 575-580.	1.0	5
47	Association between Daytime Activity, Fatigue, Sleep, Anxiety, Depression, and Symptom Burden in Advanced Cancer Patients: A Preliminary Report. Journal of Palliative Medicine, 2016, 19, 849-856.	0.6	39
48	Effects of Dexamethasone and Placebo on Symptom Clusters in Advanced Cancer Patients: A Preliminary Report. Oncologist, 2016, 21, 384-390.	1.9	21
49	The opioid rotation ratio of strong opioids to transdermal fentanyl in cancer patients. Cancer, 2016, 122, 149-156.	2.0	25
50	Development of a Question Prompt Sheet for Cancer Patients Receiving Outpatient Palliative Care. Journal of Palliative Medicine, 2016, 19, 883-887.	0.6	15
51	Patients' and Family Members' Decision-Making and Information Disclosure Preferences in a Single-Center Survey in China. American Journal of Hospice and Palliative Medicine, 2016, 33, 733-741.	0.8	10
52	The Opioid Rotation Ratio From Transdermal Fentanyl to "Strong―Opioids in Patients With Cancer Pain. Journal of Pain and Symptom Management, 2016, 51, 1040-1045.	0.6	16
53	Use of Palliative Care Services in a Tertiary Cancer Center. Oncologist, 2016, 21, 110-118.	1.9	51
54	A multicenter study of patients decisional control preferences in patients with advanced cancer Journal of Clinical Oncology, 2016, 34, 6578-6578.	0.8	2

#	Article	IF	Citations
55	The Frequency, Characteristics, and Outcomes Among Cancer Patients With Delirium Admitted to an Acute Palliative Care Unit. Oncologist, 2015, 20, 1425-1431.	1.9	60
56	Minimal clinically important differences in the Edmonton Symptom Assessment Scale in cancer patients: A prospective, multicenter study. Cancer, 2015, 121, 3027-3035.	2.0	183
57	What are the best terms in Portuguese to explain the concepts of "fatigue―and "depression―in cancer patients?. Palliative and Supportive Care, 2015, 13, 991-996.	0.6	2
58	Self-reported sleep disturbance in patients with advanced cancer: Frequency, intensity, and factors associated with response to outpatient supportive care consultation $\hat{a} \in \text{``}$ A preliminary report. Palliative and Supportive Care, 2015, 13, 135-143.	0.6	21
59	The routine use of the Edmonton Classification System for Cancer Pain in an outpatient supportive care center. Palliative and Supportive Care, 2015, 13, 1185-1192.	0.6	20
60	The Frequency and Factors Associated With the Use of a Dedicated Supportive Care Center Telephone Triaging Program in Patients With Advanced Cancer at a Comprehensive Cancer Center. Journal of Pain and Symptom Management, 2015, 49, 939-944.	0.6	19
61	Frequency and factors associated with falls in patients with advanced cancer presenting to an outpatient supportive care clinic. Palliative and Supportive Care, 2015, 13, 223-227.	0.6	6
62	High-Dose Asian Ginseng (Panax Ginseng) for Cancer-Related Fatigue. Integrative Cancer Therapies, 2015, 14, 419-427.	0.8	39
63	Venting Gastrostomy at Home for Symptomatic Management of Bowel Obstruction in Advanced/Recurrent Ovarian Malignancy: A Case Series. Journal of Palliative Medicine, 2015, 18, 722-728.	0.6	21
64	Patient-reported sleep disturbance in advanced cancer: frequency, predictors and screening performance of the Edmonton Symptom Assessment System sleep item. BMJ Supportive and Palliative Care, 2015, 7, bmjspcare-2015-000847.	0.8	27
65	Barriers to research in palliative care in France. BMJ Supportive and Palliative Care, 2014, 4, 182-189.	0.8	9
66	Snapshot of an acute palliative care unit in a tertiary cancer hospital. Palliative and Supportive Care, 2014, 12, 331-337.	0.6	3
67	Clinical Signs of Impending Death in Cancer Patients. Oncologist, 2014, 19, 681-687.	1.9	126
68	Review of Clinical Trials of Pharmacologic Interventions for Cancer-Related Fatigue. Cancer Journal (Sudbury, Mass), 2014, 20, 319-324.	1.0	41
69	Role of corticosteroids for fatigue in advanced incurable cancer. Current Opinion in Supportive and Palliative Care, 2014, 8, 346-351.	0.5	30
70	The Opioid Rotation Ratio of Hydrocodone to Strong Opioids in Cancer Patients. Oncologist, 2014, 19, 1186-1193.	1.9	23
71	Patterns of Storage, Use, and Disposal of Opioids Among Cancer Outpatients. Oncologist, 2014, 19, 780-785.	1.9	88
72	Cancer-related fatigue, the role of adrenal suppression and steroids: reply to the comments of Eren et al Supportive Care in Cancer, 2014, 22, 2601-2601.	1.0	2

#	Article	IF	Citations
7 3	Decisional Control Preferences, Disclosure of Information Preferences, and Satisfaction Among Hispanic Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2014, 47, 896-905.	0.6	33
74	Optimal screening for geriatric assessment in older allogeneic hematopoietic cell transplantation candidates. Journal of Geriatric Oncology, 2014, 5, 422-430.	0.5	65
7 5	Characteristics and Outcomes of Patients Admitted to the Acute Palliative Care Unit From the Emergency Center. Journal of Pain and Symptom Management, 2014, 47, 1028-1034.	0.6	29
76	Factors Associated With Survival After Opioid Rotation in Cancer Patients Presenting to an Outpatient Supportive Care Center. Journal of Pain and Symptom Management, 2014, 48, 92-98.	0.6	11
77	Characteristics of Advanced Cancer Patients With Cancer-Related Fatigue Enrolled in Clinical Trials and Patients Referred to Outpatient Palliative Care Clinics. Journal of Pain and Symptom Management, 2013, 45, 534-541.	0.6	13
78	A Prospective Study of Family Conferences: Effects of Patient Presence on Emotional Expression and End-of-life Discussions. Journal of Pain and Symptom Management, 2013, 46, 536-545.	0.6	36
79	Methylphenidate and/or a Nursing Telephone Intervention for Fatigue in Patients With Advanced Cancer: A Randomized, Placebo-Controlled, Phase II Trial. Journal of Clinical Oncology, 2013, 31, 2421-2427.	0.8	100
80	Reduction of Cancer-Related Fatigue With Dexamethasone: A Double-Blind, Randomized, Placebo-Controlled Trial in Patients With Advanced Cancer. Journal of Clinical Oncology, 2013, 31, 3076-3082.	0.8	294
81	Decisional Control Preferences of Hispanic Patients With Advanced Cancer From the United States and Latin America. Journal of Pain and Symptom Management, 2013, 46, 376-385.	0.6	30
82	Consistency of symptom clusters among advanced cancer patients seen at an outpatient supportive care clinic in a tertiary cancer center. Palliative and Supportive Care, 2013, 11, 473-480.	0.6	31
83	Update on interventions focused on symptom clusters. Current Opinion in Supportive and Palliative Care, 2013, 7, 60-66.	0.5	33
84	A multicenter survey of Hispanic caregiver preferences for patient decision control in the United States and Latin America. Palliative Medicine, 2013, 27, 692-698.	1.3	22
85	Fatigue in cancer patients. Clinical Advances in Hematology and Oncology, 2013, 11, 314-6.	0.3	O
86	Palliative Care in Advanced Cancer Patients: How and When?. Oncologist, 2012, 17, 267-273.	1.9	82
87	Clinical Response to an Outpatient Palliative Care Consultation in Patients With Advanced Cancer and Cancer Pain. Journal of Pain and Symptom Management, 2012, 44, 340-350.	0.6	57
88	The Impact of an Outpatient Palliative Care Consultation on Symptom Burden in Advanced Prostate Cancer Patients. Journal of Palliative Medicine, 2012, 15, 20-24.	0.6	64
89	The Role of Thalidomide and Placebo for the Treatment of Cancer-Related Anorexia-Cachexia Symptoms: Results of a Double-Blind Placebo-Controlled Randomized Study. Journal of Palliative Medicine, 2012, 15, 1059-1064.	0.6	65
90	Factors associated with the severity and improvement of fatigue in patients with advanced cancer presenting to an outpatient palliative care clinic. BMC Palliative Care, 2012, 11, 16.	0.8	23

#	Article	IF	CITATIONS
91	Impact of a Palliative Care Consultation Team on Cancer-Related Symptoms in Advanced Cancer Patients Referred to an Outpatient Supportive Care Clinic. Journal of Pain and Symptom Management, 2011, 41, 49-56.	0.6	148
92	Factors Associated with Response to Methylphenidate in Advanced Cancer Patients. Oncologist, 2011, 16, 246-253.	1.9	28
93	Challenges Associated With Spinal Opioid Therapy for Pain in Patients With Advanced Cancer: A Report of Three Cases. Journal of Pain and Symptom Management, 2010, 39, 930-935.	0.6	11
94	Role of Inflammation Gene Polymorphisms on Pain Severity in Lung Cancer Patients. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2636-2642.	1.1	57
95	Genetic and Nongenetic Covariates of Pain Severity in Patients with Adenocarcinoma of the Pancreas: Assessing the Influence of Cytokine Genes. Journal of Pain and Symptom Management, 2009, 38, 894-902.	0.6	38
96	Association between fatigue and other cancer-related symptoms in patients with advanced cancer. Supportive Care in Cancer, 2008, 16, 1125-1130.	1.0	59
97	Characteristics of Family Conferences in a Palliative Care Unit at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2008, 11, 1208-1211.	0.6	26
98	Palliative Management of Fatigue at the Close of Life. JAMA - Journal of the American Medical Association, 2007, 297, 295.	3.8	73
99	The impact of the palliative care mobile team on symptom assessment and medication profiles in patients admitted to a comprehensive cancer center. Supportive Care in Cancer, 2007, 15, 471-475.	1.0	37
100	Recent Developments in Cancer Pain Assessment and Management. Supportive Cancer Therapy, 2004, 1, 97-110.	0.3	5