

Xinliang Su

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/378965/publications.pdf>

Version: 2024-02-01

19
papers

311
citations

1040056

9
h-index

940533

16
g-index

20
all docs

20
docs citations

20
times ranked

328
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative and pathological predictive factors of central lymph node metastasis in papillary thyroid microcarcinoma. <i>Auris Nasus Larynx</i> , 2022, , .	1.2	4
2	Male Gender Is Associated with Lymph Node Metastasis but Not with Recurrence in Papillary Thyroid Carcinoma. <i>International Journal of Endocrinology</i> , 2022, 2022, 1-9.	1.5	4
3	Clinical implications of Delphian lymph node metastasis in papillary thyroid carcinoma. <i>Gland Surgery</i> , 2021, 10, 73-82.	1.1	9
4	Application of Machine Learning Algorithms to Predict Central Lymph Node Metastasis in T1-T2, Non-invasive, and Clinically Node Negative Papillary Thyroid Carcinoma. <i>Frontiers in Medicine</i> , 2021, 8, 635771.	2.6	40
5	Commentary on: Is it possible to intraoperatively modulate the extent of thyroidectomy in small papillary thyroid carcinoma?. <i>Surgery</i> , 2021, 169, 1556.	1.9	1
6	Prediction Model of Pathologic Central Lymph Node Negativity in cNO Papillary Thyroid Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 727984.	2.8	4
7	Multi-gene assay and clinical characteristics research in papillary thyroid carcinoma. <i>Gland Surgery</i> , 2021, 10, 242-251.	1.1	5
8	Risk Factors and a Prediction Model of Lateral Lymph Node Metastasis in CNO Papillary Thyroid Carcinoma Patients With 1â€²2 Central Lymph Node Metastases. <i>Frontiers in Endocrinology</i> , 2021, 12, 716728.	3.5	22
9	Risk Factors for and Prediction Model of Skip Metastasis to Lateral Lymph Nodes in Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2020, 44, 1498-1505.	1.6	18
10	PTC located in the upper pole is more prone to lateral lymph node metastasis and skip metastasis. <i>World Journal of Surgical Oncology</i> , 2020, 18, 188.	1.9	17
11	Development and validation of web-based nomograms for predicting lateral lymph node metastasis in patients with papillary thyroid carcinoma. <i>Gland Surgery</i> , 2020, 9, 172-182.	1.1	7
12	The Recovery of Thyroid Function in Low-Risk Papillary Thyroid Cancer After Lobectomy: A 3-Year Follow-Up Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 619841.	3.5	11
13	Identification of Genes with Prognostic Value in the Breast Cancer Microenvironment Using Bioinformatics Analysis. <i>Medical Science Monitor</i> , 2020, 26, e920212.	1.1	9
14	<p>Individualized Prediction Of Metastatic Involvement Of Lymph Nodes Posterior To The Right Recurrent Laryngeal Nerve In Papillary Thyroid Carcinoma</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 9077-9084.	2.0	9
15	Assessment of the predictive role of pretreatment Ki-67 and Ki-67 changes in breast cancer patients receiving neoadjuvant chemotherapy according to the molecular classification: a retrospective study of 1010 patients. <i>Breast Cancer Research and Treatment</i> , 2018, 170, 35-43.	2.5	33
16	Risk factors of lateral lymph node metastasis in cNO papillary thyroid carcinoma. <i>World Journal of Surgical Oncology</i> , 2018, 16, 30.	1.9	28
17	Co-existence of BRAFV600E</sup> and TERT promoter mutations in papillary thyroid carcinoma is associated with tumor aggressiveness, but not with lymph node metastasis. <i>Cancer Management and Research</i> , 2018, Volume 10, 1005-1013.	1.9	50
18	Livin promotes progression of breast cancer through induction of epithelialâ€²mesenchymal transition and activation of AKT signaling. <i>Cellular Signalling</i> , 2013, 25, 1413-1422.	3.6	33

#	ARTICLE	IF	CITATIONS
19	Main complications and results of treatment with intra-arterial infusion chemotherapy through the subclavian and thoracic arteries for locally advanced breast cancer. <i>Molecular and Clinical Oncology</i> , 2013, 1, 745-748.	1.0	7