Edward R Marcantonio

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3789676/edward-r-marcantonio-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21,883 298 143 73 h-index g-index citations papers 6.2 26,225 6.99 319 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 298 | Association Between Perioperative Medication Use and Postoperative Delirium and Cognition in Older Adults Undergoing Elective Noncardiac Surgery <i>Anesthesia and Analgesia</i> , 2022 , | 3.9 | 2 |
| 297 | Psychometric Properties of a Delirium Severity Score for Older Adults and Association With Hospital and Posthospital Outcomes <i>JAMA Network Open</i> , 2022 , 5, e226129 | 10.4 | |
| 296 | Twelve-Month Cognitive and Functional Outcomes Following Cardiac Surgery: The DEXACET Trial of Intravenous Acetaminophen Versus Placebo <i>Frontiers in Pharmacology</i> , 2022 , 13, 803903 | 5.6 | O |
| 295 | Assessment of potential selection bias in neuroimaging studies of postoperative delirium and cognitive decline: lessons from the SAGES study <i>Brain Imaging and Behavior</i> , 2022 , 1 | 4.1 | 0 |
| 294 | Three-Minute Diagnostic Assessment for Delirium using the Confusion Assessment Method (3D-CAM): French translation and cultural adaptation <i>Canadian Journal of Anaesthesia</i> , 2022 , 1 | 3 | |
| 293 | Association of Diagnosed Dementia with Post-discharge Mortality and Readmission Among Hospitalized Medicare Beneficiaries <i>Journal of General Internal Medicine</i> , 2022 , 1 | 4 | 1 |
| 292 | Delirium after COVID-19 Vaccination in Nursing Home Residents: A Case Series <i>Journal of the American Geriatrics Society</i> , 2022 , | 5.6 | O |
| 291 | Delirium Item Bank: Utilization to Evaluate and Create Delirium Instruments <i>Dementia and Geriatric Cognitive Disorders</i> , 2022 , 1-10 | 2.6 | |
| 290 | Sleep, Pain, and Cognition: Modifiable Targets for Optimal Perioperative Brain Health. <i>Anesthesiology</i> , 2021 , 135, 1132-1152 | 4.3 | 2 |
| 289 | Spinal Anesthesia or General Anesthesia for Hip Surgery in Older Adults. <i>New England Journal of Medicine</i> , 2021 , 385, 2025-2035 | 59.2 | 15 |
| 288 | Intraoperative Oxygen Concentration and Neurocognition after Cardiac Surgery. <i>Anesthesiology</i> , 2021 , 134, 189-201 | 4.3 | 8 |
| 287 | Scheduled Prophylactic 6-Hourly IV AcetaminopheN to Prevent Postoperative Delirium in Older CaRdiac SurgicAl Patients (PANDORA): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e044346 | 3 | 1 |
| 286 | A mobile app for delirium screening. <i>JAMIA Open</i> , 2021 , 4, ooab027 | 2.9 | 1 |
| 285 | Plasma and cerebrospinal fluid inflammation and the blood-brain barrier in older surgical patients: the Role of Inflammation after Surgery for Elders (RISE) study. <i>Journal of Neuroinflammation</i> , 2021 , 18, 103 | 10.1 | 4 |
| 284 | One-Year Medicare Costs Associated With Delirium in Older Patients Undergoing Major Elective Surgery. <i>JAMA Surgery</i> , 2021 , 156, 430-442 | 5.4 | 17 |
| 283 | Engaging patients as partners in a multicentre trial of spinal versus general anaesthesia for older adults. <i>British Journal of Anaesthesia</i> , 2021 , 126, 395-403 | 5.4 | 1 |
| 282 | Machine Learning to Develop and Internally Validate a Predictive Model for Post-operative Delirium in a Prospective, Observational Clinical Cohort Study of Older Surgical Patients. <i>Journal of General Internal Medicine</i> , 2021 , 36, 265-273 | 4 | 8 |

| 281 | Identification of Plasma Proteome Signatures Associated With Surgery Using SOMAscan. <i>Annals of Surgery</i> , 2021 , 273, 732-742 | 7.8 | 17 |
|-----|--|--------------------|----|
| 280 | Association of CSF Alzheimer's disease biomarkers with postoperative delirium in older adults. <i>Alzheimer</i> and Dementia: Translational Research and Clinical Interventions, 2021 , 7, e12125 | 6 | 3 |
| 279 | Development and internal validation of a predictive model of cognitive decline 36 months following elective surgery. <i>Alzheimerg and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12201 | 5.2 | 0 |
| 278 | Targeted metabolomics analysis of postoperative delirium. Scientific Reports, 2021, 11, 1521 | 4.9 | 4 |
| 277 | Implementing a Rapid, Two-Step Delirium Screening Protocol in Acute Care: Barriers and Facilitators. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1349-1356 | 5.6 | 2 |
| 276 | Proteome-Wide Analysis using SOMAscan Identifies and Validates Chitinase-3-Like Protein 1 as a Risk and Disease Marker of Delirium Among Older Adults Undergoing Major Elective Surgery. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, | 6.4 | 4 |
| 275 | Association of Depressive Symptoms With Postoperative Delirium and CSF Biomarkers for Alzheimer's Disease Among Hip Fracture Patients. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 1212-1221 | 6.5 | 2 |
| 274 | Pilot Testing of the UB-CAM Delirium Screening App. Innovation in Aging, 2021, 5, 977-977 | 0.1 | |
| 273 | Delirium READI:(Researching Efficient Approaches for Delirium Identification): Clinician experiences and perspectives when screening for delirium in persons with dementia. <i>Alzheimergs and Dementia</i> , 2020 , 16, e039897 | 1.2 | |
| 272 | Apolipoprotein E genotype and the relationship between chitinase 3-like protein 1 and postoperative delirium: Potential gene-protein interactions. <i>Alzheimers and Dementia</i> , 2020 , 16, e040 | 59 5 .2 | |
| 271 | Older Patients with Alzheimer's Disease-Related Cortical Atrophy Who Develop Post-Operative Delirium May Be at Increased Risk of Long-Term Cognitive Decline After Surgery. <i>Journal of Alzheimerg Disease</i> , 2020 , 75, 187-199 | 4.3 | 6 |
| 270 | A New Severity Scoring Scale for the 3-Minute Confusion Assessment Method (3D-CAM). <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1874-1876 | 5.6 | 2 |
| 269 | New Delirium Severity Indicators: Generation and Internal Validation in the Better Assessment of Illness (BASIL) Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2020 , 49, 77-90 | 2.6 | 3 |
| 268 | International drive to illuminate delirium: A developing public health blueprint for action. <i>Alzheimer</i> and Dementia, 2020 , 16, 711-725 | 1.2 | 14 |
| 267 | Does Alzheimer's Disease and Related Dementias Modify Delirium Severity and Hospital Outcomes?. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1722-1730 | 5.6 | 3 |
| 266 | Anesthesia and surgery induce age-dependent changes in behaviors and microbiota. <i>Aging</i> , 2020 , 12, 1965-1986 | 5.6 | 13 |
| 265 | Ultrabrief Screens for Detecting Delirium in Postoperative Cognitively Intact Older Adults. <i>Journal of Hospital Medicine</i> , 2020 , 15, 544-547 | 2.7 | 0 |
| 264 | Apolipoprotein E Genotype and the Relationship Between Chitinase 3Like Protein 1 and Postoperative Delirium. <i>Innovation in Aging</i> , 2020 , 4, 249-249 | 0.1 | 78 |

| 263 | Clinicians Knowledge and Attitudes About Delirium Detection and Management. <i>Innovation in Aging</i> , 2020 , 4, 519-520 | 0.1 | 78 |
|-----|--|---------------------------|----|
| 262 | Prevention of Early Postoperative Decline: A Randomized, Controlled Feasibility Trial of Perioperative Cognitive Training. <i>Anesthesia and Analgesia</i> , 2020 , 130, 586-595 | 3.9 | 26 |
| 261 | Antipsychotics and the Risk of Mortality or Cardiopulmonary Arrest in Hospitalized Adults. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 544-550 | 5.6 | 7 |
| 260 | Biomarkers of Delirium Duration and Delirium Severity in the ICU. Critical Care Medicine, 2020, 48, 353- | 3 6 1 ₄ | 29 |
| 259 | Apolipoprotein E genotype and the association between C-reactive protein and postoperative delirium: Importance of gene-protein interactions. <i>Alzheimers and Dementia</i> , 2020 , 16, 572-580 | 1.2 | 6 |
| 258 | Comparative Accuracy and Efficiency of Four Delirium Screening Protocols. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2572-2578 | 5.6 | 6 |
| 257 | The Effects of Propofol and Sevoflurane on Postoperative Delirium in Older Patients: A Randomized Clinical Trial Study. <i>Journal of Alzheimerg Disease</i> , 2020 , 76, 1627-1636 | 4.3 | 7 |
| 256 | Delirium Incidence, Duration, and Severity in Critically Ill Patients With Coronavirus Disease 2019 2020 , 2, e0290 | | 16 |
| 255 | National Trends in Potentially Preventable Hospitalizations of Older Adults with Dementia. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2240-2248 | 5.6 | 7 |
| 254 | The Role of Inflammation after Surgery for Elders (RISE) study: Examination of [C]PBR28 binding and exploration of its link to post-operative delirium. <i>NeuroImage: Clinical</i> , 2020 , 27, 102346 | 5.3 | 6 |
| 253 | Neighborhood-Level Social Disadvantage and Risk of Delirium Following Major Surgery. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2863-2871 | 5.6 | 4 |
| 252 | Association of Plasma Neurofilament Light with Postoperative Delirium. <i>Annals of Neurology</i> , 2020 , 88, 984-994 | 9.4 | 11 |
| 251 | Association of Positive Delirium Screening with Incident Dementia in Skilled Nursing Facilities. Journal of the American Geriatrics Society, 2020 , 68, 2931-2936 | 5.6 | 2 |
| 250 | Physical Performance and Risk of Postoperative Delirium in Older Adults Undergoing Aortic Valve Replacement. <i>Clinical Interventions in Aging</i> , 2020 , 15, 1471-1479 | 4 | 2 |
| 249 | Effect of a Mammography Screening Decision Aid for Women 75 Years and Older: A Cluster Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2020 , 180, 831-842 | 11.5 | 21 |
| 248 | A roadmap to advance delirium research: Recommendations from the NIDUS Scientific Think Tank. <i>Alzheimer and Dementia</i> , 2020 , 16, 726-733 | 1.2 | 16 |
| 247 | The Reliability and Validity of the Chinese Version of Confusion Assessment Method Based Scoring System for Delirium Severity (CAM-S). <i>Journal of Alzheimerg Disease</i> , 2019 , 69, 709-716 | 4.3 | 4 |
| 246 | Use of an expert panel to identify domains and indicators of delirium severity. <i>Quality of Life Research</i> , 2019 , 28, 2565-2578 | 3.7 | 7 |

| 245 | One-Year Mortality After Dialysis Initiation Among Older Adults. <i>JAMA Internal Medicine</i> , 2019 , 179, 987 | 7-999 | 19 |
|-------------------|--|--|----------------------|
| 244 | Delirium Incidence and Functional Outcomes After Transcatheter and Surgical Aortic Valve Replacement. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1393-1401 | 5.6 | 16 |
| 243 | Delirium Burden in Patients and Family Caregivers: Development and Testing of New Instruments. <i>Gerontologist, The</i> , 2019 , 59, e393-e402 | 5 | 13 |
| 242 | The Better Assessment of Illness Study for Delirium Severity: Study Design, Procedures, and Cohort Description. <i>Gerontology</i> , 2019 , 65, 20-29 | 5.5 | 7 |
| 241 | Ultra-brief Screeners for Detecting Delirium Superimposed on Dementia. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1391-1396.e1 | 5.9 | 9 |
| 240 | The Caregiver Burden of Delirium in Older Adults With Alzheimer Disease and Related Disorders. Journal of the American Geriatrics Society, 2019 , 67, 2587-2592 | 5.6 | 7 |
| 239 | Effect of Intravenous Acetaminophen vs Placebo Combined With Propofol or Dexmedetomidine on Postoperative Delirium Among Older Patients Following Cardiac Surgery: The DEXACET Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 686-696 | 27.4 | 123 |
| 238 | Delirium and Alzheimer disease: A proposed model for shared pathophysiology. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 781-789 | 3.9 | 23 |
| 237 | Old Habits Die Hard: Antipsychotics for Treatment of Delirium. <i>Annals of Internal Medicine</i> , 2019 , 171, 516-517 | 8 | 1 |
| 236 | AN INFLAMMATORY SIGNATURE OF POSTOPERATIVE DELIRIUM. Innovation in Aging, 2019, 3, S820-S82 | 216.1 | 78 |
| 235 | The Role of Inflammation after Surgery for Elders (RISE) study: Study design, procedures, and | | |
| | cohort profile. Alzheimer g and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019 , 11, 752-7 | 6 2 .2 | 9 |
| 234 | cohort profile. <i>Alzheimerg</i> and <i>Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 752-7 METABOLOMICS OF DELIRIUM: A CASE-CONTROL STUDY. <i>Innovation in Aging</i> , 2019 , 3, S92-S92 | 6 ^{5.2} | 9 78 |
| 234 | cohort profile. Alzheimerg and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 752-7 | | |
| | cohort profile. <i>Alzheimerg</i> and <i>Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 752-7 METABOLOMICS OF DELIRIUM: A CASE-CONTROL STUDY. <i>Innovation in Aging</i> , 2019 , 3, S92-S92 Postoperative Delirium Is Associated with Long-term Decline in Activities of Daily Living. | 0.1 | 78 |
| 233 | cohort profile. <i>Alzheimerg</i> and <i>Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 752-7 METABOLOMICS OF DELIRIUM: A CASE-CONTROL STUDY. <i>Innovation in Aging</i> , 2019 , 3, S92-S92 Postoperative Delirium Is Associated with Long-term Decline in Activities of Daily Living. <i>Anesthesiology</i> , 2019 , 131, 492-500 Postoperative Delirium and Postoperative Cognitive Dysfunction: Overlap and Divergence. | 0.1 | 78 29 |
| 233 | cohort profile. <i>Alzheimerg</i> and <i>Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 752-7 METABOLOMICS OF DELIRIUM: A CASE-CONTROL STUDY. <i>Innovation in Aging</i> , 2019 , 3, S92-S92 Postoperative Delirium Is Associated with Long-term Decline in Activities of Daily Living. <i>Anesthesiology</i> , 2019 , 131, 492-500 Postoperative Delirium and Postoperative Cognitive Dysfunction: Overlap and Divergence. <i>Anesthesiology</i> , 2019 , 131, 477-491 Assessment of Instruments for Measurement of Delirium Severity: A Systematic Review. <i>JAMA</i> | 0.14.34.3 | 78 29 89 |
| 233 232 231 | cohort profile. Alzheimerg and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 752-7 METABOLOMICS OF DELIRIUM: A CASE-CONTROL STUDY. Innovation in Aging, 2019, 3, S92-S92 Postoperative Delirium Is Associated with Long-term Decline in Activities of Daily Living. Anesthesiology, 2019, 131, 492-500 Postoperative Delirium and Postoperative Cognitive Dysfunction: Overlap and Divergence. Anesthesiology, 2019, 131, 477-491 Assessment of Instruments for Measurement of Delirium Severity: A Systematic Review. JAMA Internal Medicine, 2019, 179, 231-239 Does a Year Have 6[Months or 12? Implications for Delirium Detection Among Hospitalized Older | 0.14.34.311.5 | 78 29 89 34 |

| 227 | Perspectives on the Delirium Experience and Its Burden: Common Themes Among Older Patients, Their Family Caregivers, and Nurses. <i>Gerontologist, The</i> , 2019 , 59, 327-337 | 5 | 39 |
|-----|---|------|-----|
| 226 | Development of a Dynamic Multi-Protein Signature of Postoperative Delirium. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 261-268 | 6.4 | 17 |
| 225 | Delirium in Hospitalized Older Adults. New England Journal of Medicine, 2018, 378, 96-97 | 59.2 | 11 |
| 224 | Anesthetic Isoflurane or Desflurane Plus Surgery Differently Affects Cognitive Function in Alzheimer's Disease Transgenic Mice. <i>Molecular Neurobiology</i> , 2018 , 55, 5623-5638 | 6.2 | 18 |
| 223 | Responding to Ten Common Delirium Misconceptions With Best Evidence: An Educational Review for Clinicians. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2018 , 30, 51-57 | 2.7 | 15 |
| 222 | Pilot Study of a Two-Step Delirium Detection Protocol Administered By Certified Nursing Assistants, Physicians, and Registered Nurses. <i>Journal of Gerontological Nursing</i> , 2018 , 44, 18-24 | 1.2 | 6 |
| 221 | Preventability of Early Versus Late Hospital Readmissions in a National Cohort of General Medicine Patients. <i>Annals of Internal Medicine</i> , 2018 , 168, 766-774 | 8 | 59 |
| 220 | Correction for retest effects across repeated measures of cognitive functioning: a longitudinal cohort study of postoperative delirium. <i>BMC Medical Research Methodology</i> , 2018 , 18, 69 | 4.7 | 5 |
| 219 | Dexmedetomidine and intravenous acetaminophen for the prevention of postoperative delirium following cardiac surgery (DEXACET trial): protocol for a prospective randomized controlled trial. <i>Trials</i> , 2018 , 19, 326 | 2.8 | 7 |
| 218 | Longitudinal Trends and Variation in Antipsychotic Use in Older Adults After Cardiac Surgery. Journal of the American Geriatrics Society, 2018 , 66, 1491-1498 | 5.6 | 2 |
| 217 | Recommendations for the nomenclature of cognitive change associated with anaesthesia and surgery-2018. <i>British Journal of Anaesthesia</i> , 2018 , 121, 1005-1012 | 5.4 | 194 |
| 216 | Delirium Severity Post-Surgery and its Relationship with Long-Term Cognitive Decline in a Cohort of Patients without Dementia. <i>Journal of Alzheimerg. Disease</i> , 2018 , 61, 347-358 | 4.3 | 41 |
| 215 | The Diagnostic Yield of Noninvasive Microbiologic Sputum Sampling in a Cohort of Patients with Clinically Diagnosed Hospital-Acquired Pneumonia. <i>Journal of Hospital Medicine</i> , 2018 , 13, 34-37 | 2.7 | 10 |
| 214 | Clinical outcomes in older surgical patients with mild cognitive impairment. <i>Alzheimerg</i> and <i>Dementia</i> , 2018 , 14, 590-600 | 1.2 | 30 |
| 213 | O5-03-01: CONCURRENT DELIRIUM AND MILD COGNITIVE IMPAIRMENT IN OLDER SURGICAL PATIENTS ARE ASSOCIATED WITH GREATER POSTOPERATIVE COGNITIVE DECLINE 2018 , 14, P1643-P | 1645 | |
| 212 | Prevention of Early Postoperative Decline (PEaPoD): protocol for a randomized, controlled feasibility trial. <i>Trials</i> , 2018 , 19, 676 | 2.8 | 9 |
| 211 | P2-142: THE ASSOCIATION BETWEEN C-REACTIVE PROTEIN AND POSTOPERATIVE DELIRIUM DIFFERS BY APOLIPOPROTEIN E GENOTYPE 2018 , 14, P722-P722 | | |
| 210 | Abnormal CSF amyloid-42 and tau levels in hip fracture patients without dementia. <i>PLoS ONE</i> , 2018 , 13, e0204695 | 3.7 | 14 |

| 209 | Harmonization of delirium severity instruments: a comparison of the DRS-R-98, MDAS, and CAM-S using item response theory. <i>BMC Medical Research Methodology</i> , 2018 , 18, 92 | 4.7 | 12 |
|-----|--|---------------|-----|
| 208 | Higher C-Reactive Protein Levels Predict Postoperative Delirium in Older Patients Undergoing Major Elective Surgery: A Longitudinal Nested Case-Control Study. <i>Biological Psychiatry</i> , 2017 , 81, 145- | 1 <i>5</i> 39 | 61 |
| 207 | Predicting Mortality up to 14 Years Among Community-Dwelling Adults Aged 65 and Older. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1310-1315 | 5.6 | 33 |
| 206 | Adverse Events Associated with Antipsychotic Use in Hospitalized Older Adults After Cardiac Surgery. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1229-1237 | 5.6 | 4 |
| 205 | Advancing the Neurophysiological Understanding of Delirium. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1114-1118 | 5.6 | 26 |
| 204 | Weight Loss After Bariatric Surgery: Do Clinical and Behavioral Factors Explain Racial Differences?. <i>Obesity Surgery</i> , 2017 , 27, 2873-2884 | 3.7 | 10 |
| 203 | Evaluation of algorithms to identify delirium in administrative claims and drug utilization database. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 945-953 | 2.6 | 42 |
| 202 | Prediction of Long-term Cognitive Decline Following Postoperative Delirium in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017 , 72, 1697-1702 | 6.4 | 33 |
| 201 | Trajectory of Functional Recovery After Postoperative Delirium in Elective Surgery. <i>Annals of Surgery</i> , 2017 , 265, 647-653 | 7.8 | 62 |
| 200 | Association Between Hospital Readmission and Acute and Sustained Delays in Functional Recovery During 18 Months After Elective Surgery: The Successful Aging after Elective Surgery Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 51-58 | 5.6 | 8 |
| 199 | High C-Reactive Protein Predicts Delirium Incidence, Duration, and Feature Severity After Major Noncardiac Surgery. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, e109-e116 | 5.6 | 57 |
| 198 | The Cognitive Reserve Model in the Development of Delirium: The Successful Aging After Elective Surgery Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017 , 30, 337-345 | 3.8 | 13 |
| 197 | Delirium in Hospitalized Older Adults. New England Journal of Medicine, 2017, 377, 1456-1466 | 59.2 | 355 |
| 196 | Intraoperative oxygen concentration and neurocognition after cardiac surgery: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 600 | 2.8 | 14 |
| 195 | End-of-Life Experience of Older Adults Dying of End-Stage Renal Disease: A Comparison With Cancer. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 789-797 | 4.8 | 17 |
| 194 | Alzheimer's-related cortical atrophy is associated with postoperative delirium severity in persons without dementia. <i>Neurobiology of Aging</i> , 2017 , 59, 55-63 | 5.6 | 22 |
| 193 | Consensus Approaches to Identify Incident Dementia in Cohort Studies: Systematic Review and Approach in the Successful Aging after Elective Surgery Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 1010-1018.e1 | 5.9 | 9 |
| 192 | Longitudinal diffusion changes following postoperative delirium in older people without dementia. <i>Neurology</i> , 2017 , 89, 1020-1027 | 6.5 | 18 |

| 191 | Antipsychotics and the Risk of Aspiration Pneumonia in Individuals Hospitalized for Nonpsychiatric Conditions: A Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2580-2586 | 5.6 | 31 |
|-----|--|------|-----|
| 190 | Methodologic considerations in the design and analysis of nested case-control studies: association between cytokines and postoperative delirium. <i>BMC Medical Research Methodology</i> , 2017 , 17, 88 | 4.7 | 9 |
| 189 | Effects of arterial transit delay on cerebral blood flow quantification using arterial spin labeling in an elderly cohort. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 45, 472-481 | 5.6 | 31 |
| 188 | Cerebral blood flow MRI in the nondemented elderly is not predictive of post-operative delirium but is correlated with cognitive performance. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 1386-1397 | 7.3 | 18 |
| 187 | [P4B57]: THE ASSOCIATION OF POST-OPERATIVE COGNITIVE DECLINE AND POST-OPERATIVE DELIRIUM 2017 , 13, P1426-P1427 | | |
| 186 | The use of dexmedetomidine and intravenous acetaminophen for the prevention of postoperative delirium in cardiac surgery patients over 60 years of age: a pilot study. <i>F1000Research</i> , 2017 , 6, 1842 | 3.6 | 10 |
| 185 | The use of dexmedetomidine and intravenous acetaminophen for the prevention of postoperative delirium in cardiac surgery patients over 60 years of age: a pilot study. <i>F1000Research</i> , 2017 , 6, 1842 | 3.6 | 7 |
| 184 | Preventability of early vs. late readmissions in an academic medical center. <i>PLoS ONE</i> , 2017 , 12, e01787 | 187 | 15 |
| 183 | Detection of Delirium in Hospitalized Older General Medicine Patients: A Comparison of the 3D-CAM and CAM-ICU. <i>Journal of General Internal Medicine</i> , 2016 , 31, 297-303 | 4 | 22 |
| 182 | Derivation and Validation of a Severity Scoring Method for the 3-Minute Diagnostic Interview for Confusion Assessment MethodDefined Delirium. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1684-9 | 5.6 | 14 |
| 181 | Battery of behavioral tests in mice to study postoperative delirium. Scientific Reports, 2016, 6, 29874 | 4.9 | 51 |
| 180 | Preoperative Frailty Assessment and Outcomes at 6 Months or Later in Older Adults Undergoing Cardiac Surgical Procedures: A Systematic Review. <i>Annals of Internal Medicine</i> , 2016 , 165, 650-660 | 8 | 121 |
| 179 | Comparison of Frailty Measures as Predictors of Outcomes After Orthopedic Surgery. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2464-2471 | 5.6 | 58 |
| 178 | Accounting for individualized competing mortality risks in estimating postmenopausal breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2016 , 160, 547-562 | 4.4 | 5 |
| 177 | In response to "Preliminary development of an ultrabrief two-item bedside test for delirium". Journal of Hospital Medicine, 2016 , 11, 155 | 2.7 | 1 |
| 176 | Performance of the Breast Cancer Risk Assessment Tool Among Women Age 75 Years and Older. Journal of the National Cancer Institute, 2016 , 108, | 9.7 | 13 |
| 175 | Neural substrates of vulnerability to postsurgical delirium as revealed by presurgical diffusion MRI. <i>Brain</i> , 2016 , 139, 1282-94 | 11.2 | 62 |
| 174 | Quantifying the Severity of a Delirium Episode Throughout Hospitalization: the Combined Importance of Intensity and Duration. <i>Journal of General Internal Medicine</i> , 2016 , 31, 1164-71 | 4 | 29 |

(2015-2016)

| 173 | Antipsychotic medication utilization in nonpsychiatric hospitalizations. <i>Journal of Hospital Medicine</i> , 2016 , 11, 543-9 | 2.7 | 21 |
|-----|---|----------------|-----|
| 172 | Antipsychotic Use in Hospitalized Adults: Rates, Indications, and Predictors. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 299-305 | 5.6 | 36 |
| 171 | Reply to "Antipsychotics: Mortality Risk Themselves?". <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2400 | 5.6 | |
| 170 | The short-term and long-term relationship between delirium and cognitive trajectory in older surgical patients. <i>Alzheimerg</i> and Dementia, 2016 , 12, 766-75 | 1.2 | 199 |
| 169 | Head circumference as a useful surrogate for intracranial volume in older adults. <i>International Psychogeriatrics</i> , 2016 , 28, 157-62 | 3.4 | 9 |
| 168 | Preoperative Cognitive Performance Dominates Risk for Delirium Among Older Adults. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016 , 29, 320-327 | 3.8 | 22 |
| 167 | The mediating effect of leptin on the relationship between body weight and knee osteoarthritis in older adults. <i>Arthritis and Rheumatology</i> , 2015 , 67, 169-75 | 9.5 | 47 |
| 166 | Improving appropriateness of acid-suppressive medication use via computerized clinical decision support. <i>Journal of Hospital Medicine</i> , 2015 , 10, 41-5 | 2.7 | 12 |
| 165 | Does Apolipoprotein E Genotype Increase Risk of Postoperative Delirium?. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 1029-1037 | 6.5 | 21 |
| 164 | Differences Between Early and Late Readmissions Among Patients. <i>Annals of Internal Medicine</i> , 2015 , 162, 741 | 8 | 65 |
| 163 | Neuropsychological profiles of an elderly cohort undergoing elective surgery and the relationship between cognitive performance and delirium. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 977-8 | 3 2 5.6 | 34 |
| 162 | Effect of Delirium and Other Major Complications on Outcomes After Elective Surgery in Older Adults. <i>JAMA Surgery</i> , 2015 , 150, 1134-40 | 5.4 | 207 |
| 161 | 3D-CAM. Annals of Internal Medicine, 2015 , 162, 527-8 | 8 | |
| 160 | Opportunities and Challenges for Reducing Hospital Revisits. <i>Annals of Internal Medicine</i> , 2015 , 163, 727 | 78 | |
| 159 | Preliminary development of an ultrabrief two-item bedside test for delirium. <i>Journal of Hospital Medicine</i> , 2015 , 10, 645-50 | 2.7 | 51 |
| 158 | Stability of postoperative delirium psychomotor subtypes in individuals with hip fracture. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 970-6 | 5.6 | 33 |
| 157 | The Successful Aging after Elective Surgery (SAGES) Study: Cohort Description and Data Quality Procedures. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2463-2471 | 5.6 | 53 |
| 156 | The Montreal Cognitive Assessment: Creating a Crosswalk with the Mini-Mental State Examination. Journal of the American Geriatrics Society, 2015, 63, 2370-4 | 5.6 | 60 |

| 155 | The Language of Delirium: Keywords for Identifying Delirium from Medical Records. <i>Journal of Gerontological Nursing</i> , 2015 , 41, 34-42 | 1.2 | 22 |
|-----|---|--------------|-----|
| 154 | Surgery plus anesthesia induces loss of attention in mice. Frontiers in Cellular Neuroscience, 2015, 9, 346 | 6.1 | 25 |
| 153 | Different MMSE Score Is Associated with Postoperative Delirium in Young-Old and Old-Old Adults. <i>PLoS ONE</i> , 2015 , 10, e0139879 | 3.7 | 16 |
| 152 | Differences between early and late readmissions among patients: a cohort study. <i>Annals of Internal Medicine</i> , 2015 , 162, 741-9 | 8 | 102 |
| 151 | Brain atrophy and white-matter hyperintensities are not significantly associated with incidence and severity of postoperative delirium in older persons without dementia. <i>Neurobiology of Aging</i> , 2015 , 36, 2122-9 | 5.6 | 38 |
| 150 | Cognitive and Physical Demands of Activities of Daily Living in Older Adults: Validation of Expert Panel Ratings. <i>PM and R</i> , 2015 , 7, 727-735 | 2.2 | 15 |
| 149 | Cytokines and Postoperative Delirium in Older Patients Undergoing Major Elective Surgery. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015 , 70, 1289-95 | 6.4 | 76 |
| 148 | F3-01-01: Cytokines and postoperative delirium in older patients undergoing major elective surgery 2015 , 11, P211-P211 | | O |
| 147 | The CAM-S: development and validation of a new scoring system for delirium severity in 2 cohorts. <i>Annals of Internal Medicine</i> , 2014 , 160, 526-533 | 8 | 169 |
| 146 | Opioid utilization and opioid-related adverse events in nonsurgical patients in US hospitals. <i>Journal of Hospital Medicine</i> , 2014 , 9, 73-81 | 2.7 | 111 |
| 145 | Cognitive and Brain Reserve and the Risk of Postoperative Delirium in Older Patients. <i>Lancet Psychiatry,the</i> , 2014 , 1, 437-443 | 23.3 | 40 |
| 144 | EFFECT OF PREOPERATIVE PAIN AND DEPRESSIVE SYMPTOMS ON THE DEVELOPMENT OF POSTOPERATIVE DELIRIUM. <i>Lancet Psychiatry,the</i> , 2014 , 1, 431-436 | 23.3 | 49 |
| 143 | Delirium risk prediction, healthcare use and mortality of elderly adults in the emergency department. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 462-9 | 5.6 | 108 |
| 142 | Doing Damage in Delirium: The Hazards of Antipsychotic Treatment in Elderly Persons. <i>Lancet Psychiatry,the</i> , 2014 , 1, 312-315 | 23.3 | 49 |
| 141 | 3D-CAM: derivation and validation of a 3-minute diagnostic interview for CAM-defined delirium: a cross-sectional diagnostic test study. <i>Annals of Internal Medicine</i> , 2014 , 161, 554-61 | 8 | 187 |
| 140 | Age-dependent postoperative cognitive impairment and Alzheimer-related neuropathology in mice. <i>Scientific Reports</i> , 2014 , 4, 3766 | 4.9 | 70 |
| 139 | Evaluation of a Mammography Screening Decision Aid for Women Aged 75 and Older: Protocol for a Cluster-randomized Controlled Trial. <i>Journal of Clinical Trials</i> , 2014 , 4, 191 | 1 | 7 |
| 138 | Peripheral surgical wounding and age-dependent neuroinflammation in mice. <i>PLoS ONE</i> , 2014 , 9, e96752 | 2 3.7 | 44 |

(2013-2014)

| 137 | Systemic inflammation impairs attention and cognitive flexibility but not associative learning in aged rats: possible implications for delirium. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 107 | 5.3 | 42 |
|-----|---|------|-----|
| 136 | Using the Chinese version of Memorial Delirium Assessment Scale to describe postoperative delirium after hip surgery. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 297 | 5.3 | 17 |
| 135 | Older women's experience with a benign breast biopsyll mixed methods study. <i>Journal of General Internal Medicine</i> , 2014 , 29, 1631-40 | 4 | 19 |
| 134 | A standardized, bundled approach to providing geriatric-focused acute care. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 936-42 | 5.6 | 10 |
| 133 | A tale of two methods: chart and interview methods for identifying delirium. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 518-24 | 5.6 | 93 |
| 132 | Preoperative cerebrospinal fluid EAmyloid/Tau ratio and postoperative delirium. <i>Annals of Clinical and Translational Neurology</i> , 2014 , 1, 319-328 | 5.3 | 36 |
| 131 | Development and evaluation of a decision aid on mammography screening for women 75 years and older. <i>JAMA Internal Medicine</i> , 2014 , 174, 417-24 | 11.5 | 80 |
| 130 | Selecting optimal screening items for delirium: an application of item response theory. <i>BMC Medical Research Methodology</i> , 2013 , 13, 8 | 4.7 | 13 |
| 129 | Effect of a systems intervention on the quality and safety of patient handoffs in an internal medicine residency program. <i>Journal of General Internal Medicine</i> , 2013 , 28, 986-93 | 4 | 24 |
| 128 | Risk factors for nosocomial gastrointestinal bleeding and use of acid-suppressive medication in non-critically ill patients. <i>Journal of General Internal Medicine</i> , 2013 , 28, 683-90 | 4 | 25 |
| 127 | Increased perioperative b-type natriuretic peptide associates with heart failure hospitalization or heart failure death after coronary artery bypass graft surgery. <i>Anesthesiology</i> , 2013 , 119, 284-94 | 4.3 | 21 |
| 126 | Relationship between the prognostic expectations of seriously ill patients undergoing hemodialysis and their nephrologists. <i>JAMA Internal Medicine</i> , 2013 , 173, 1206-14 | 11.5 | 115 |
| 125 | Expectations for weight loss and willingness to accept risk among patients seeking weight loss surgery. <i>JAMA Surgery</i> , 2013 , 148, 264-71 | 5.4 | 51 |
| 124 | Delirium outcomes in a randomized trial of blood transfusion thresholds in hospitalized older adults with hip fracture. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1286-95 | 5.6 | 42 |
| 123 | The mediating effect of chronic pain on the relationship between obesity and physical function and disability in older adults. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 2079-2086 | 5.6 | 27 |
| 122 | Massage therapy for patients with metastatic cancer: a pilot randomized controlled trial. <i>Journal of Alternative and Complementary Medicine</i> , 2013 , 19, 650-6 | 2.4 | 32 |
| 121 | Cerebrospinal fluid alto tau ratio and postoperative cognitive change. <i>Annals of Surgery</i> , 2013 , 258, 364-9 | 7.8 | 49 |
| 120 | Effects of anesthetic isoflurane and desflurane on human cerebrospinal fluid Aland Ilevel. Anesthesiology, 2013, 119, 52-60 | 4.3 | 48 |

| 119 | Factors noted to affect breast cancer treatment decisions of women aged 80 and older. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 538-44 | 5.6 | 25 |
|--------------------------|--|---------------------|-----|
| 118 | Complications in postacute care are associated with persistent delirium. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1122-7 | 5.6 | 23 |
| 117 | Identifying indicators of important diagnostic features of delirium. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1044-50 | 5.6 | 13 |
| 116 | The effects of isoflurane and desflurane on cognitive function in humans. <i>Anesthesia and Analgesia</i> , 2012 , 114, 410-5 | 3.9 | 81 |
| 115 | Cognitive trajectories after postoperative delirium. New England Journal of Medicine, 2012, 367, 30-9 | 59.2 | 700 |
| 114 | The inhalation anesthetic isoflurane increases levels of proinflammatory TNF-⊞L-6, and IL-1□ <i>Neurobiology of Aging</i> , 2012 , 33, 1364-78 | 5.6 | 196 |
| 113 | Does Life Expectancy Affect Treatment of Women Aged 80 and Older with Early Stage Breast Cancers?. <i>Journal of Geriatric Oncology</i> , 2012 , 3, 8-16 | 3.6 | 11 |
| 112 | Novel risk markers and long-term outcomes of delirium: the successful aging after elective surgery (SAGES) study design and methods. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 818. | .ē1 ² 10 | 92 |
| 111 | Anesthetics isoflurane and desflurane differently affect mitochondrial function, learning, and memory. <i>Annals of Neurology</i> , 2012 , 71, 687-98 | 9.4 | 172 |
| | | | |
| 110 | Cognitive Trajectories After Postoperative Delirium. Survey of Anesthesiology, 2012 , 56, 286-287 | | |
| 110 | Cognitive Trajectories After Postoperative Delirium. <i>Survey of Anesthesiology</i> , 2012 , 56, 286-287 Postoperative Delirium. <i>Survey of Anesthesiology</i> , 2012 , 56, 286 | | |
| | | 27.4 | 149 |
| 109 | Postoperative Delirium. <i>Survey of Anesthesiology</i> , 2012 , 56, 286 Postoperative delirium: a 76-year-old woman with delirium following surgery. <i>JAMA - Journal of the</i> | | 149 |
| 109 | Postoperative Delirium. Survey of Anesthesiology, 2012, 56, 286 Postoperative delirium: a 76-year-old woman with delirium following surgery. JAMA - Journal of the American Medical Association, 2012, 308, 73-81 | | |
| 109 108 107 | Postoperative Delirium. Survey of Anesthesiology, 2012, 56, 286 Postoperative delirium: a 76-year-old woman with delirium following surgery. JAMA - Journal of the American Medical Association, 2012, 308, 73-81 Predictors and correlates of dissatisfaction with intensive care. Critical Care Medicine, 2012, 40, 1554-61 Sustained effectiveness of a primary-team-based rapid response system. Critical Care Medicine, | 1.4 | 48 |
| 109 108 107 | Postoperative Delirium. Survey of Anesthesiology, 2012, 56, 286 Postoperative delirium: a 76-year-old woman with delirium following surgery. JAMA - Journal of the American Medical Association, 2012, 308, 73-81 Predictors and correlates of dissatisfaction with intensive care. Critical Care Medicine, 2012, 40, 1554-61 Sustained effectiveness of a primary-team-based rapid response system. Critical Care Medicine, 2012, 40, 2562-8 Adverse outcomes after hospitalization and delirium in persons with Alzheimer disease. Annals of | 1.4 | 48 |
| 109 108 107 106 | Postoperative Delirium. Survey of Anesthesiology, 2012, 56, 286 Postoperative delirium: a 76-year-old woman with delirium following surgery. JAMA - Journal of the American Medical Association, 2012, 308, 73-81 Predictors and correlates of dissatisfaction with intensive care. Critical Care Medicine, 2012, 40, 1554-61 Sustained effectiveness of a primary-team-based rapid response system. Critical Care Medicine, 2012, 40, 2562-8 Adverse outcomes after hospitalization and delirium in persons with Alzheimer disease. Annals of Internal Medicine, 2012, 156, 848-56, W296 Atrial fibrillation at discharge in older cardiac surgery patients: A prospective study of prevalence | 1.4 | 48 |

(2010-2011)

| 10 | Review articles: postoperative delirium: acute change with long-term implications. <i>Anesthesia and Analgesia</i> , 2011 , 112, 1202-11 | 3.9 | 305 |
|----|---|------|-----|
| 10 | Association of hospice agency profit status with patient diagnosis, location of care, and length of stay. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 472-9 | 27.4 | 73 |
| 99 | Development and validation of a brief cognitive assessment tool: the sweet 16. <i>Archives of Internal Medicine</i> , 2011 , 171, 432-7 | | 30 |
| 98 | RESPONSE LETTER TO DR. PITKEDAND COLLEAGUES. Journal of the American Geriatrics Society, 2011 , 59, 168-169 | 5.6 | 2 |
| 97 | External validation of an index to predict up to 9-year mortality of community-dwelling adults aged 65 and older. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1444-51 | 5.6 | 85 |
| 96 | Vulnerability: the crossroads of frailty and delirium. <i>Journal of the American Geriatrics Society</i> , 2011 , 59 Suppl 2, S262-8 | 5.6 | 91 |
| 95 | Pilot randomized trial of donepezil hydrochloride for delirium after hip fracture. <i>Journal of the American Geriatrics Society</i> , 2011 , 59 Suppl 2, S282-8 | 5.6 | 65 |
| 94 | Acid-suppressive medication use and the risk for nosocomial gastrointestinal tract bleeding. Archives of Internal Medicine, 2011 , 171, 991-7 | | 24 |
| 93 | Different types of distrust in clinical research among whites and African Americans. <i>Journal of the National Medical Association</i> , 2011 , 103, 123-30 | 2.3 | 55 |
| 92 | Causes of death and relative survival of older women after a breast cancer diagnosis. <i>Journal of Clinical Oncology</i> , 2011 , 29, 1570-7 | 2.2 | 93 |
| 91 | Development of a unidimensional composite measure of neuropsychological functioning in older cardiac surgery patients with good measurement precision. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 1041-9 | 2.1 | 39 |
| 90 | Breast cancer among the oldest old: tumor characteristics, treatment choices, and survival. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2038-45 | 2.2 | 301 |
| 89 | Prevalence of delirium on admission to postacute care is associated with a higher number of nursing home deficiencies. <i>Journal of the American Medical Directors Association</i> , 2010 , 11, 253-6 | 5.9 | 14 |
| 88 | Delirium: a cognitive cost of the comfort of procedural sedation in elderly patients?. <i>Mayo Clinic Proceedings</i> , 2010 , 85, 12-4 | 6.4 | 14 |
| 87 | Aging, brain disease, and reserve: implications for delirium. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 117-27 | 6.5 | 76 |
| 86 | Delirium: an independent predictor of functional decline after cardiac surgery. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 643-9 | 5.6 | 225 |
| 85 | Randomized trial of a delirium abatement program for postacute skilled nursing facilities. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1019-26 | 5.6 | 46 |
| 82 | Hospitalization in community-dwelling persons with Alzheimer's disease: frequency and causes. Journal of the American Geriatrics Society, 2010 , 58, 1542-8 | 5.6 | 134 |

| 83 | Comparison of the utility of preoperative versus postoperative B-type natriuretic peptide for predicting hospital length of stay and mortality after primary coronary artery bypass grafting. <i>Anesthesiology</i> , 2010 , 112, 842-51 | 4.3 | 31 |
|----|---|------|-----|
| 82 | Acculturation and cardiovascular risk factor control among Hispanic adults in the United States. <i>Public Health Reports</i> , 2009 , 124, 818-24 | 2.5 | 27 |
| 81 | Derivation and validation of a preoperative prediction rule for delirium after cardiac surgery. <i>Circulation</i> , 2009 , 119, 229-36 | 16.7 | 336 |
| 80 | Weighing the benefits and burdens of mammography screening among women age 80 years or older. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1774-80 | 2.2 | 34 |
| 79 | Microemboli are not associated with delirium after coronary artery bypass graft surgery. <i>Perfusion</i> (United Kingdom), 2009 , 24, 409-15 | 1.9 | 28 |
| 78 | The common inhalational anesthetic sevoflurane induces apoptosis and increases beta-amyloid protein levels. <i>Archives of Neurology</i> , 2009 , 66, 620-31 | | 187 |
| 77 | Acid-suppressive medication use and the risk for hospital-acquired pneumonia. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 2120-8 | 27.4 | 307 |
| 76 | Index to predict 5-year mortality of community-dwelling adults aged 65 and older using data from the National Health Interview Survey. <i>Journal of General Internal Medicine</i> , 2009 , 24, 1115-22 | 4 | 132 |
| 75 | Perceptions of physician recommendations for joint replacement surgery in older patients with severe hip or knee osteoarthritis. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 82-8 | 5.6 | 8 |
| 74 | Persistent delirium predicts greater mortality. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 55-6 | 15.6 | 148 |
| 73 | Telephone interview for cognitive status: Creating a crosswalk with the Mini-Mental State Examination. <i>Alzheimerg</i> and Dementia, 2009 , 5, 492-7 | 1.2 | 107 |
| 72 | Phenomenological subtypes of delirium in older persons: patterns, prevalence, and prognosis. <i>Psychosomatics</i> , 2009 , 50, 248-54 | 2.6 | 106 |
| 71 | Functional recovery after hip fracture: the combined effects of depressive symptoms, cognitive impairment, and delirium. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1075-9 | 5.6 | 167 |
| 70 | Participation in activity and risk for incident delirium. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1479-84 | 5.6 | 36 |
| 69 | Maximizing clinical research participation in vulnerable older persons: identification of barriers and motivators. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1522-7 | 5.6 | 54 |
| 68 | Recruitment and retention of older adults in aging research. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 2340-8 | 5.6 | 209 |
| 67 | Clinical management and prevention of delirium. <i>Psychiatry (Abingdon, England)</i> , 2008 , 7, 42-48 | | 3 |
| 66 | Preventive health care among older women: missed opportunities and poor targeting. <i>American Journal of Medicine</i> , 2008 , 121, 974-81 | 2.4 | 16 |

(2006-2008)

| 65 | Preventive health care among older women in an academic primary care practice. <i>Womeng Health Issues</i> , 2008 , 18, 249-56 | 2.6 | 6 |
|----|--|-----|-----|
| 64 | Cholinergic deficiency hypothesis in delirium: a synthesis of current evidence. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 764-72 | 6.4 | 309 |
| 63 | One-year health care costs associated with delirium in the elderly population. <i>Archives of Internal Medicine</i> , 2008 , 168, 27-32 | | 596 |
| 62 | Statins and postoperative delirium. <i>Cmaj</i> , 2008 , 179, 627-8 | 3.5 | 7 |
| 61 | The value older women in an academic primary care practice place on preventive health care services: implications for counseling. <i>Gerontologist, The</i> , 2008 , 48, 245-50 | 5 | 3 |
| 60 | Chemokines are associated with delirium after cardiac surgery. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 184-9 | 6.4 | 115 |
| 59 | Risk factors for hospitalization among community-dwelling primary care older patients: development and validation of a predictive model. <i>Medical Care</i> , 2008 , 46, 726-31 | 3.1 | 61 |
| 58 | Do medical inpatients who report poor service quality experience more adverse events and medical errors?. <i>Medical Care</i> , 2008 , 46, 224-8 | 3.1 | 40 |
| 57 | Factors influencing elderly women's mammography screening decisions: implications for counseling. <i>BMC Geriatrics</i> , 2007 , 7, 26 | 4.1 | 37 |
| 56 | Genomic expression pathways associated with brain injury after cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 134, 996-1005 | 1.5 | 18 |
| 55 | Association between psychomotor activity delirium subtypes and mortality among newly admitted post-acute facility patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 174-9 | 6.4 | 107 |
| 54 | Risk factors for delirium at discharge: development and validation of a predictive model. <i>Archives of Internal Medicine</i> , 2007 , 167, 1406-13 | | 136 |
| 53 | Deriving a Model of the Necessity to Hospitalize Nursing Home Residents. <i>Research on Aging</i> , 2007 , 29, 606-625 | 3 | 6 |
| 52 | Chapter 12 Delirium. <i>Blue Books of Neurology</i> , 2007 , 30, 285-312 | | |
| 51 | Independent vascular and cognitive risk factors for postoperative delirium. <i>American Journal of Medicine</i> , 2007 , 120, 807-13 | 2.4 | 120 |
| 50 | The association of language with prevalence of undiagnosed hypertension among older Mexican Americans. <i>Ethnicity and Disease</i> , 2007 , 17, 699-706 | 1.8 | 8 |
| 49 | Decision making and counseling around mammography screening for women aged 80 or older. Journal of General Internal Medicine, 2006 , 21, 979-985 | 4 | 58 |
| 48 | C-Reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery. <i>Surgery</i> , 2006 , 140, 221-6 | 3.6 | 80 |

| 47 | Association between delirium resolution and functional recovery among newly admitted postacute facility patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 204 | 1- 8 -4 | 65 |
|------------|--|--------------------|-----|
| 46 | Does educational attainment contribute to risk for delirium? A potential role for cognitive reserve. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 1307-11 | 6.4 | 52 |
| 45 | Derivation and confirmation of scales measuring medical directors' attitudes about the hospitalization of nursing home residents. <i>Journal of Aging and Health</i> , 2006 , 18, 869-84 | 2.6 | 3 |
| 44 | Reliability of a structured assessment for nonclinicians to detect delirium among new admissions to postacute care. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 412-5 | 5.9 | 54 |
| 43 | Serologic markers of brain injury and cognitive function after cardiopulmonary bypass. <i>Transactions of the Meeting of the American Surgical Association</i> , 2006 , 244, 593-601 | | 38 |
| 42 | Serum biomarkers for delirium. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 1281-6 | 6.4 | 96 |
| 41 | Nursing home patients in the intensive care unit: Risk factors for mortality. <i>Critical Care Medicine</i> , 2006 , 34, 2583-7 | 1.4 | 16 |
| 40 | Decision making and counseling around mammography screening for women aged 80 or older. Journal of General Internal Medicine, 2006 , 21, 979-85 | 4 | 40 |
| 39 | Recoverable cognitive dysfunction at hospital admission in older persons during acute illness. Journal of General Internal Medicine, 2006 , 21, 1276-81 | 4 | 70 |
| 3 8 | Nursing home capabilities and decisions to hospitalize: a survey of medical directors and directors of nursing. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 458-65 | 5.6 | 72 |
| 37 | Receipt of exercise counseling by older women. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 619 |)-3.6 | 15 |
| 36 | Impaired executive function is associated with delirium after coronary artery bypass graft surgery. Journal of the American Geriatrics Society, 2006 , 54, 937-41 | 5.6 | 103 |
| 35 | Atherosclerosis is associated with delirium after coronary artery bypass graft surgery. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 462-6 | 5.6 | 78 |
| 34 | Outcomes of older people admitted to postacute facilities with delirium. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 963-9 | 5.6 | 202 |
| 33 | A model for management of delirious postacute care patients. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1817-25 | 5.6 | 32 |
| 32 | Clinical management and prevention of delirium. <i>Psychiatry (Abingdon, England)</i> , 2005 , 4, 68-72 | | O |
| 31 | Characteristics associated with delirium persistence among newly admitted post-acute facility patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 344-9 | 6.4 | 47 |
| 30 | Patient quality of life during the 12 months following joint replacement surgery. <i>Arthritis and Rheumatism</i> , 2004 , 51, 100-9 | | 221 |

(1998-2003)

| 29 | Delirium symptoms in post-acute care: prevalent, persistent, and associated with poor functional recovery. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 4-9 | 5.6 | 164 |
|----|--|------|-------------|
| 28 | Satisfaction with primary care providers of older adults living in senior housing. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 582-3 | 5.6 | |
| 27 | Prevalence and correlates of recognized depression in U.S. nursing homes. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1404-9 | 5.6 | 90 |
| 26 | Delirium among newly admitted postacute facility patients: prevalence, symptoms, and severity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2003, 58, M441-5 | 6.4 | 100 |
| 25 | Delirium severity and psychomotor types: their relationship with outcomes after hip fracture repair. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 850-7 | 5.6 | 239 |
| 24 | Impact of age on perioperative complications and length of stay in patients undergoing noncardiac surgery. <i>Annals of Internal Medicine</i> , 2001 , 134, 637-43 | 8 | 356 |
| 23 | Reducing delirium after hip fracture: a randomized trial. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 516-22 | 5.6 | 1006 |
| 22 | Restricted activity: key indicator of decline or "just having a bad day"?. <i>Annals of Internal Medicine</i> , 2001 , 135, 374-6 | 8 | 6 |
| 21 | Delirium is independently associated with poor functional recovery after hip fracture. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 618-24 | 5.6 | 460 |
| 20 | Derivation and prospective validation of a simple index for prediction of cardiac risk of major noncardiac surgery. <i>Circulation</i> , 1999 , 100, 1043-9 | 16.7 | 3092 |
| 19 | Factors associated with unplanned hospital readmission among patients 65 years of age and older in a Medicare managed care plan. <i>American Journal of Medicine</i> , 1999 , 107, 13-7 | 2.4 | 213 |
| 18 | Atrial natriuretic peptide and the development of congestive heart failure in the oldest old: a seven-year prospective study. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 407-11 | 5.6 | 3 |
| 17 | Diagnosing delirium by telephone. <i>Journal of General Internal Medicine</i> , 1998 , 13, 621-3 | 4 | 27 |
| 16 | The association of intraoperative factors with the development of postoperative delirium. <i>American Journal of Medicine</i> , 1998 , 105, 380-4 | 2.4 | 327 |
| 15 | Delirium in the elderly. Optimal management. <i>Drugs and Aging</i> , 1998 , 13, 119-30 | 4.7 | 32 |
| 14 | The Impact of Postoperative Pain on the Development of Postoperative Delirium. <i>Anesthesia and Analgesia</i> , 1998 , 86, 781-785 | 3.9 | 2 80 |
| 13 | Atrial natriuretic peptide level contributes to a model of future mortality in the oldest old. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 453-7 | 5.6 | 11 |
| 12 | The impact of postoperative pain on the development of postoperative delirium. <i>Anesthesia and Analgesia</i> , 1998 , 86, 781-5 | 3.9 | 295 |

2

Patient experience of pain after elective noncardiac surgery. Anesthesia and Analgesia, 1997, 85, 117-23 3.9 11 10 Body mass index as a correlate of postoperative complications and resource utilization. American 10 2.4 101 Journal of Medicine, **1997**, 102, 277-83 How should clinical care of the aged differ?. Lancet, The, 1997, 350, 1157-8 68 40 9 Health-related quality of life after elective surgery: measurement of longitudinal changes. Journal 167 of General Internal Medicine, 1997, 12, 686-97 Preoperative Prediction of Postoperative Delirium-Reply. JAMA - Journal of the American Medical 27.4 7 Association, 1994, 271, 1574 The Relationship of Postoperative Delirium With Psychoactive Medications. JAMA - Journal of the 6 27.4 333 American Medical Association, 1994, 272, 1518 A Clinical Prediction Rule for Delirium After Elective Noncardiac Surgery. JAMA - Journal of the 5 27.4 532 American Medical Association, 1994, 271, 134 Influence of age on measurement of health status in patients undergoing elective surgery. Journal 5.6 43 of the American Geriatrics Society, 1993, 41, 377-83 Saccharomyces cerevisiae empyema in a patient with esophago-pleural fistula complicating variceal 5.3 24 sclerotherapy. Chest, 1991, 99, 1518-9 Parapharyngeal soft-tissue infection with Aeromonas hydrophila. Head and Neck, 1991, 13, 528-30 4.2 4

Delirium Incidence, Duration and Severity in Critically Ill Patients with COVID-19