
## Laszlo Torday

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3789730/publications.pdf Version: 2024-02-01



Ι λετιο Τορολγ

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Multifocal Urinary Tract Metastasis of Colorectal Carcinoma. Pathobiology, 2022, 89, 56-62.  | 3.8 | 2         |
| 2  | Adenocarcinoma arising from a foregut cyst of the diaphragm: importance of multimodality treatment: a case report. BMC Surgery, 2020, 20, 332.   | 1.3 | 1         |
| 3  | Survival Benefits of Second-line Axitinib Versus Everolimus After First Line Sunitinib Treatment in<br>Metastatic Renal Cell Carcinoma. Pathology and Oncology Research, 2020, 26, 2201-2207.  | 1.9 | 4         |
| 4  | Pharmacoeconomic and clinical implications of sequential therapy for metastatic renal cell<br>carcinoma patients in Central and Eastern Europe. Expert Opinion on Pharmacotherapy, 2016, 17, 93-104.   | 1.8 | 3         |
| 5  | Insights into cancer surveillance in C entral and E astern E urope, I srael and T urkey. European<br>Journal of Cancer Care, 2015, 24, 99-110.   | 1.5 | 7         |
| 6  | Bisphosphonates in patients with renal cell carcinoma and bone metastases: a sunitinib global expanded-access trial subanalysis. Future Oncology, 2015, 11, 2831-2840.   | 2.4 | 7         |
| 7  | Central and Eastern European Experience with Sunitinib in Metastatic Renal Cell Carcinoma: A<br>Sub-analysis of the Global Expanded-Access Trial. Pathology and Oncology Research, 2015, 21, 775-782.  | 1.9 | 8         |
| 8  | Bisphosphonates and vascular endothelial growth factor-targeted drugs in the treatment of patients with renal cell carcinoma metastatic to bone. Anti-Cancer Drugs, 2013, 24, 431-440.   | 1.4 | 13        |
| 9  | Optimizing treatment for patients with metastatic renal cell carcinoma in the central and Eastern<br>European region. Expert Opinion on Pharmacotherapy, 2012, 13, 159-174.  | 1.8 | 14        |
| 10 | Immune responses and association with clinical outcome of advanced colorectal cancer patients treated with the multi-peptide vaccine IMA910 Journal of Clinical Oncology, 2012, 30, 2522-2522.   | 1.6 | 33        |
| 11 | A phase I/II trial of the multipeptide cancer vaccine IMA910 in patients with advanced colorectal cancer<br>(CRC) Journal of Clinical Oncology, 2012, 30, 555-555.   | 1.6 | 2         |
| 12 | Inflammatory Breast Cancer—Comparing the Effectivity of Preoperative Docetaxel-Epirubicine<br>Protocol to Conventional Antracycline-Containing Chemotherapy to Achieve Clinical Benefit and<br>Complete Pathological Response. Pathology and Oncology Research, 2011, 17, 541-550. | 1.9 | 5         |
| 13 | Successful treatment of a primary uterine B-cell lymphoma with rituximab-CHOP immunochemotherapy. Haematologica, 2007, 92, e26-e27.  | 3.5 | 7         |
| 14 | Detection of nanobacteria-like particles in human atherosclerotic plaques. Acta Biologica Hungarica,<br>2005, 56, 233-245.   | 0.7 | 54        |
| 15 | Successful treatment of relapse of an intravascular B-cell lymphoma with rituximab-CHOP polychemotherapy. Annals of Hematology, 2004, 83, 608-610.   | 1.8 | 15        |
| 16 | Vitamin E models. Shortened sidechain models of α, β, γ and δtocopherol and tocotrienol—a density<br>functional study. Computational and Theoretical Chemistry, 2003, 637, 11-26.  | 1.5 | 15        |
| 17 | Vitamin E models. Can the anti-oxidant and pro-oxidant dichotomy of α-tocopherol be related to ionic ring closing and radical ring opening redox reactions?. Computational and Theoretical Chemistry, 2003, 620, 93-106.   | 1.5 | 10        |
| 18 | Conformational dependence of the intrinsic acidity of the aspartic acid residue sidechain in<br>N-acetyl-l-aspartic acid-N′-methylamide. Computational and Theoretical Chemistry, 2003, 620, 231-255.  | 1.5 | 5         |

LASZLO TORDAY

| #  | Article  | IF                | CITATIONS           |
|----|--|-------------------|---------------------|
| 19 | Gas phase conformational basicity of carvedilol Fragment B, 2(S)-1-(ethylamonium)propane-2-ol: An ab<br>initio study on a protonophoretic of oxidative phosphorylation uncoupling. Computational and<br>Theoretical Chemistry, 2003, 631, 251-270.   | 1.5               | 7                   |
| 20 | Molecular Study on the Enantiomeric Relationships of Carvedilol Fragment A,<br>4-(2-Hydroxypropoxy)carbazol, along with Selected Analogues. Journal of Physical Chemistry A, 2003,<br>107, 5594-5610.  | 2.5               | 13                  |
| 21 | Exploration of the Four-Dimensional-Conformational Potential Energy Hypersurface<br>ofN-Acetyl-l-aspartic AcidNâ€~-Methylamide with Its Internally Hydrogen Bonded Side-Chain Orientation.<br>Journal of Physical Chemistry A, 2002, 106, 6999-7009. | 2.5               | 13                  |
| 22 | Density Functional Molecular Study on the Full Conformational Space of the S-4-(2-Hydroxypropoxy)carbazol Fragment of Carvedilol (1-(9Hâ^'Carbazol-4-yloxy)-3-) Tj ETQq0 0 0 rgBT /Overlo  | ck 10 Tf 5<br>2.5 | 0 622 Td ([2-<br>11 |
|    | Physical Chemistry A, 2002, 106, 10423-10436.  |                   |                     |
| 23 | Molecular computations on lipids: a numbering system for phospholipids and triglyceride.<br>Computational and Theoretical Chemistry, 2002, 619, 1-20.  | 1.5               | 3                   |
| 24 | An ab initio and DFT conformational analysis of unsubstituted and ω-substituted ethyl-benzene: (Ph–CH) Tj E  | TQq0 0 0          | rgBT /Overloo       |
| 25 | Conformational effects of one glycine residue on the other glycine residues in the<br>Ac-Gly-Gly-Gly-NHMe tripeptide motif: an ab initio exploratory study. Computational and Theoretical<br>Chemistry, 2002, 588, 187-200.                          | 1.5               | 14                  |
| 26 | Vitamin E models. Conformational analysis and stereochemistry of tetralin, chroman, thiochroman and selenochroman. Computational and Theoretical Chemistry, 2002, 594, 161-172.  | 1.5               | 16                  |
| 27 | How reliable could economic Hartree–Fock computations be in studying large, folded peptides? A comparative HF and DFT case study on N- and C-protected aspartic acid. Computational and Theoretical Chemistry, 2002, 619, 143-194.                   | 1.5               | 9                   |
| 28 | Density functional molecular computations on protonated serotonin in the gas phase and various solvent media. Chemical Physics Letters, 2002, 365, 542-551.  | 2.6               | 18                  |
| 29 | Can NO2+ exist in bent or cyclic forms?. Chemical Physics Letters, 2001, 334, 381-386.   | 2.6               | 3                   |
| 30 | Conformational potential energy surfaces of a Lycopene model. Computational and Theoretical Chemistry, 2001, 571, 7-26.  | 1.5               | 13                  |
| 31 | An ab initio computational study on selected lycopene isomers. Computational and Theoretical Chemistry, 2001, 571, 27-37.  | 1.5               | 82                  |
| 32 | Cationic intermediates in trans- to cis- isomerization reactions of allylic systems. An exploratory ab initio study. Computational and Theoretical Chemistry, 2001, 546, 143-162.  | 1.5               | 9                   |
| 33 | An exploratory conformational analysis of 3-mercapto-propanamide and<br>2-methyl-3-mercapto-propanamide as well as their S -deprotonated conjugate basis: an ab initio study.<br>Computational and Theoretical Chemistry, 2000, 528, 307-317.        | 1.5               | 4                   |
| 34 | Prospects in computational molecular medicine: a millennial mega-project on peptide folding.<br>Computational and Theoretical Chemistry, 2000, 500, 5-58.  | 1.5               | 29                  |
| 35 | Improvement by phosphoramidon of damaged endothelial function in porcine coronary artery. Annals of Thoracic Surgery, 2000, 70, 878-882.   | 1.3               | 6                   |
| 36 | A geometrical algorithm to search the conformational space (GASCOS) of flexible molecules.<br>Computational and Theoretical Chemistry, 1999, 465, 33-67.   | 1.5               | 21                  |

LASZLO TORDAY

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Peptide models XXIV: An ab initio study on N-formyl-L-prolinamide with trans peptide bond. The<br>existence or non-existence of αL and ϵL conformations. Computational and Theoretical Chemistry, 1999,<br>465, 79-91. | 1.5 | 48        |
| 38 | Lewis acidity of NO+ and NO2+ as measured by their affinity to selected bases. An ab initio background study of biological NO release. Computational and Theoretical Chemistry, 1999, 465, 69-78.                      | 1.5 | 7         |
| 39 | Binding between the CD4 receptor and polysulfonated azo-dyes. An exploratory theoretical study on action-mechanism. Computational and Theoretical Chemistry, 1998, 423, 153-159.                                       | 1.5 | 6         |
| 40 | Characteristics of Ramachandran maps of L-alanine diamides as computed by various molecular<br>mechanics, semiempirical and ab initio MO methods Computational and Theoretical Chemistry, 1998,<br>455, 275-301.       | 1.5 | 34        |