

Cristina Brigatti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3790998/publications.pdf>

Version: 2024-02-01

23
papers

972
citations

623188

14
h-index

642321

23
g-index

25
all docs

25
docs citations

25
times ranked

2231
citing authors

#	ARTICLE	IF	CITATIONS
1	A/H1N1 hemagglutinin antibodies show comparable affinity in vaccine-related Narcolepsy type 1 and control and are unlikely to contribute to pathogenesis. <i>Scientific Reports</i> , 2021, 11, 4063.	1.6	5
2	Neutralizing antibody responses to SARS-CoV-2 in symptomatic COVID-19 is persistent and critical for survival. <i>Nature Communications</i> , 2021, 12, 2670.	5.8	297
3	Pre-Existing Diabetes and COVID-Associated Hyperglycaemia in Patients with COVID-19 Pneumonia. <i>Biology</i> , 2021, 10, 754.	1.3	5
4	Intrinsic factor autoantibodies by luminescent immuno-precipitation system in patients with corpus atrophic gastritis. <i>Journal of Translational Autoimmunity</i> , 2021, 4, 100131.	2.0	5
5	Antibody response to multiple antigens of SARS-CoV-2 in patients with diabetes: an observational cohort study. <i>Diabetologia</i> , 2020, 63, 2548-2558.	2.9	85
6	Autoantibodies Toward ATP4A and ATP4B Subunits of Gastric Proton Pump H ⁺ ,K ⁺ -ATPase Are Reliable Serological Pre-endoscopic Markers of Corpus Atrophic Gastritis. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00240.	1.3	13
7	COVID-19 survival associates with the immunoglobulin response to the SARS-CoV-2 spike receptor binding domain. <i>Journal of Clinical Investigation</i> , 2020, 130, 6366-6378.	3.9	97
8	Measurement of Autoantibodies to Gastric H ⁺ ,K ⁺ -ATPase (ATP4A/B) Using a Luciferase Immunoprecipitation System (LIPS). <i>Methods in Molecular Biology</i> , 2019, 1901, 113-131.	0.4	7
9	The first 142 amino acids of glutamate decarboxylase do not contribute to epitopes recognized by autoantibodies associated with Type 1 diabetes. <i>Diabetic Medicine</i> , 2018, 35, 954-963.	1.2	9
10	A novel LIPS assay for insulin autoantibodies. <i>Acta Diabetologica</i> , 2018, 55, 263-270.	1.2	36
11	No evidence of pancreatic ductal adenocarcinoma specific autoantibodies to Ezrin in a liquid phase LIPS immunoassay. <i>Cancer Biomarkers</i> , 2018, 22, 351-357.	0.8	1
12	Luminescent Immunoprecipitation System (LIPS) for Detection of Autoantibodies Against ATP4A and ATP4B Subunits of Gastric Proton Pump H ⁺ ,K ⁺ -ATPase in Atrophic Body Gastritis Patients. <i>Clinical and Translational Gastroenterology</i> , 2017, 8, e215.	1.3	21
13	miR-204 is associated with an endocrine phenotype in human pancreatic islets but does not regulate the insulin mRNA through MAFA. <i>Scientific Reports</i> , 2017, 7, 14051.	1.6	11
14	Autoantibody binding in liquid phase to IL-2 in human sera is not type 1 diabetes specific. <i>Diabetologia</i> , 2017, 60, 1834-1835.	2.9	5
15	Identification of Tetraspanin-7 as a Target of Autoantibodies in Type 1 Diabetes. <i>Diabetes</i> , 2016, 65, 1690-1698.	0.3	93
16	MR Imaging Monitoring of Iron-Labeled Pancreatic Islets in a Small Series of Patients: Islet Fate in Successful, Unsuccessful, and Autotransplantation. <i>Cell Transplantation</i> , 2015, 24, 2285-2296.	1.2	32
17	Reactivity to N-Terminally Truncated GAD65(96-585) Identifies GAD Autoantibodies That Are More Closely Associated With Diabetes Progression in Relatives of Patients With Type 1 Diabetes. <i>Diabetes</i> , 2015, 64, 3247-3252.	0.3	27
18	Detection of Antibodies Directed to the N-Terminal Region of GAD Is Dependent on Assay Format and Contributes to Differences in the Specificity of GAD Autoantibody Assays for Type 1 Diabetes. <i>Diabetes</i> , 2015, 64, 3239-3246.	0.3	44

#	ARTICLE	IF	CITATIONS
19	Concentration and Activity of the Soluble Form of the Interleukin-7 Receptor \hat{A} in Type 1 Diabetes Identifies an Interplay Between Hyperglycemia and Immune Function. <i>Diabetes</i> , 2013, 62, 2500-2508.	0.3	50
20	Autoantibodies to Harmonin and Villin Are Diagnostic Markers in Children with IPEX Syndrome. <i>PLoS ONE</i> , 2013, 8, e78664.	1.1	68
21	Improving the Procedure for Detection of Intrahepatic Transplanted Islets by Magnetic Resonance Imaging. <i>American Journal of Transplantation</i> , 2009, 9, 2372-2382.	2.6	22
22	Disengaging the IL-2 Receptor with Daclizumab Enhances IL-7-Mediated Proliferation of CD4+and CD8+T Cells. <i>American Journal of Transplantation</i> , 2009, 9, 2727-2735.	2.6	24
23	Beta cell chromogranin B is partially segregated in distinct granules and can be released separately from insulin in response to stimulation. <i>Diabetologia</i> , 2008, 51, 997-1007.	2.9	15