

Paul W Sanders

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3791659/paul-w-sanders-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

4,857
citations

43
h-index

64
g-index

165
ext. papers

5,531
ext. citations

5.9
avg, IF

5.65
L-index

#	Paper	IF	Citations
133	TSH receptor specific monoclonal autoantibody K1-70 targeting of the TSH receptor in subjects with Graves disease and Graves orbitopathy - results from a phase I clinical trial: Conclusions.. <i>Clinical Endocrinology</i> , 2022 ,	3.4	7
132	Racial Differences in XO (Xanthine Oxidase) and Mitochondrial DNA Damage-Associated Molecular Patterns in Resistant Hypertension.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118298	8.5	
131	Dietary salt initiates redox signaling between endothelium and vascular smooth muscle through NADPH oxidase 4.. <i>Redox Biology</i> , 2022 , 52, 102296	11.3	
130	Restoration of afferent arteriolar autoregulatory behavior in ischemia-reperfusion injury in rat kidneys. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, F429-F441	4.3	1
129	The Proximal Tubule Toxicity of Immunoglobulin Light Chains. <i>Kidney International Reports</i> , 2021 , 6, 1225-1231	4.1	4
128	UAB-UCSD O'Brien Center for Acute Kidney Injury Research. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, F870-F882	4.3	0
127	Blocking the Thyrotropin Receptor with K1-70 in a Patient with Follicular Thyroid Cancer, Graves Disease, and Graves Ophthalmopathy. <i>Thyroid</i> , 2021 , 31, 1597-1602	6.2	7
126	Cellular antioxidant mechanisms control immunoglobulin light chain-mediated proximal tubule injury. <i>Free Radical Biology and Medicine</i> , 2021 , 171, 80-90	7.8	1
125	Renoprotective effect of deletion in murine aristolochic acid nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, F87-F96	4.3	2
124	Calreticulin is important for the development of renal fibrosis and dysfunction in diabetic nephropathy. <i>Matrix Biology Plus</i> , 2020 , 8, 100034	5.1	6
123	Clinicopathologic predictors of renal outcomes in light chain cast nephropathy: a multicenter retrospective study. <i>Blood</i> , 2020 , 135, 1833-1846	2.2	18
122	Gene knockout of the Na-glucose cotransporter SGLT2 in a murine model of acute kidney injury induced by ischemia-reperfusion. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F1100-F1112	4.3	12
121	Serum free light chain level at diagnosis in myeloma cast nephropathy-a multicentre study. <i>Blood Cancer Journal</i> , 2020 , 10, 28	7	12
120	Free light chains injure proximal tubule cells through the STAT1/HMGB1/TLR axis. <i>JCI Insight</i> , 2020 , 5,	9.9	8
119	Avian erythroblastosis virus E26 oncogene homolog-1 (ETS-1) plays a role in renal microvascular pathophysiology in the Dahl salt-sensitive rat. <i>Kidney International</i> , 2020 , 97, 528-537	9.9	5
118	Impact of autologous stem cell transplantation on long term renal function and associated progression-free and overall survival in multiple myeloma. <i>Leukemia and Lymphoma</i> , 2020 , 61, 3101-3111	1.9	1
117	Plasma xanthine oxidase activity is related to increased sodium and left ventricular hypertrophy in resistant hypertension. <i>Free Radical Biology and Medicine</i> , 2019 , 134, 343-349	7.8	10

116	Sodium and potassium excretion predict increased depression in urban adolescents. <i>Physiological Reports</i> , 2019 , 7, e14213	2.6	9
115	Immunoglobulin light chains generate proinflammatory and profibrotic kidney injury. <i>Journal of Clinical Investigation</i> , 2019 , 129, 2792-2806	15.9	26
114	Crystal structure of a ligand-free stable TSH receptor leucine-rich repeat domain. <i>Journal of Molecular Endocrinology</i> , 2019 , 62, 117-128	4.5	4
113	Preclinical studies on the toxicology, pharmacokinetics and safety of K1-70 a human monoclonal autoantibody to the TSH receptor with TSH antagonist activity. <i>Autoimmunity Highlights</i> , 2019 , 10, 11	3.7	4
112	The evaluation of monoclonal gammopathy of renal significance: a consensus report of the International Kidney and Monoclonal Gammopathy Research Group. <i>Nature Reviews Nephrology</i> , 2019 , 15, 45-59	14.9	189
111	Animal models of monoclonal immunoglobulin-related renal diseases. <i>Nature Reviews Nephrology</i> , 2018 , 14, 246-264	14.9	27
110	Novel Paradigms of Salt and Hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 1362-1369	12.7	50
109	Haploinsufficiency of the Transcription Factor Is Renoprotective in Dahl Salt-Sensitive Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3239-3250	12.7	5
108	Dietary potassium regulates vascular calcification and arterial stiffness. <i>JCI Insight</i> , 2017 , 2,	9.9	38
107	Paraprotein-Related Kidney Disease: Kidney Injury from Paraproteins-What Determines the Site of Injury?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 2288-2294	6.9	49
106	Reply: To PMID 24846806. <i>American Journal of Cardiology</i> , 2015 , 115, 156	3	
105	The use of immunoglobulin light chain assays in the diagnosis of paraprotein-related kidney disease. <i>Kidney International</i> , 2015 , 87, 692-7	9.9	27
104	Transcription factor avian erythroblastosis virus E26 oncogen homolog-1 is a novel mediator of renal injury in salt-sensitive hypertension. <i>Hypertension</i> , 2015 , 65, 813-20	8.5	11
103	Transforming growth factor- β mediates endothelial dysfunction in rats during high salt intake. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 309, F1018-25	4.3	18
102	Dysproteinemias and Amyloidosis 2014 , 235-243		
101	Spironolactone use and higher hospital readmission for Medicare beneficiaries with heart failure, left ventricular ejection fraction . <i>American Journal of Cardiology</i> , 2014 , 114, 79-82	3	19
100	Community mobility among older adults with reduced kidney function: a study of life-space. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 429-36	7.4	36
99	Sodium and potassium regulate endothelial phospholipase C- β and Bmx. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, F58-63	4.3	4

98	Distinct populations of label-retaining cells in the adult kidney are defined temporally and exhibit divergent regional distributions. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, F1274-82	4.3	8
97	Nitric oxide and carbon monoxide antagonize TGF- β through ligand-independent internalization of TR1/ALK5. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, F727-35	4.3	7
96	Changing paradigms in acute kidney injury: from mechanisms to management--proceedings of the 5th annual UAB-UCSD O'Brien Center Symposium (San Diego, Calif., USA, March 4, 2014). <i>Nephron Clinical Practice</i> , 2014 , 127, 117-8		
95	Population-wide sodium reduction: reasons to resist. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 427-8	6.4	
94	Role of dietary salt and potassium intake in cardiovascular health and disease: a review of the evidence. <i>Mayo Clinic Proceedings</i> , 2013 , 88, 987-95	6.4	208
93	Transforming growth factor- β regulates endothelial function during high salt intake in rats. <i>Hypertension</i> , 2013 , 62, 951-6	8.5	20
92	Renin-angiotensin inhibition in diastolic heart failure and chronic kidney disease. <i>American Journal of Medicine</i> , 2013 , 126, 150-61	2.4	27
91	Effects of enalapril in systolic heart failure patients with and without chronic kidney disease: insights from the SOLVD Treatment trial. <i>International Journal of Cardiology</i> , 2013 , 167, 151-6	3.2	42
90	Dietary potassium: a key mediator of the cardiovascular response to dietary sodium chloride. <i>Journal of the American Society of Hypertension</i> , 2013 , 7, 395-400		28
89	KDOQI US commentary on the 2012 KDIGO clinical practice guideline for management of blood pressure in CKD. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 201-13	7.4	133
88	High dietary sodium intake impairs endothelium-dependent dilation in healthy salt-resistant humans. <i>Journal of Hypertension</i> , 2013 , 31, 530-6	1.9	91
87	Enabling innovative translational research in acute kidney injury. <i>Clinical and Translational Science</i> , 2012 , 5, 93-101	4.9	32
86	Mechanisms of light chain injury along the tubular nephron. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 1777-81	12.7	66
85	Effect of dietary salt on regulation of TGF- β in the kidney. <i>Seminars in Nephrology</i> , 2012 , 32, 269-76	4.8	19
84	In vivo effects of a human thyroid-stimulating monoclonal autoantibody (M22) and a human thyroid-blocking autoantibody (K1-70). <i>Autoimmunity Highlights</i> , 2012 , 3, 19-25	3.7	25
83	Pivotal role of apoptosis signal-regulating kinase 1 in monoclonal free light chain-mediated apoptosis. <i>American Journal of Pathology</i> , 2012 , 180, 41-7	5.8	20
82	Renin-angiotensin inhibition in systolic heart failure and chronic kidney disease. <i>American Journal of Medicine</i> , 2012 , 125, 399-410	2.4	55
81	Dietary sodium loading impairs microvascular function independent of blood pressure in humans: role of oxidative stress. <i>Journal of Physiology</i> , 2012 , 590, 5519-28	3.9	73

80	Effect of aging and dietary salt and potassium intake on endothelial PTEN (Phosphatase and tensin homolog on chromosome 10) function. <i>PLoS ONE</i> , 2012 , 7, e48715	3.7	10
79	Similarities and differences in interactions of thyroid stimulating and blocking autoantibodies with the TSH receptor. <i>Journal of Molecular Endocrinology</i> , 2012 , 49, 137-51	4.5	14
78	A reproducible mouse model of chronic allograft nephropathy with vasculopathy. <i>Kidney International</i> , 2012 , 82, 1231-5	9.9	15
77	Mechanism and prevention of acute kidney injury from cast nephropathy in a rodent model. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1777-85	15.9	55
76	The pathogenesis and diagnosis of acute kidney injury in multiple myeloma. <i>Nature Reviews Nephrology</i> , 2011 , 8, 43-51	14.9	178
75	Activation of corticotropin-releasing factor receptor 2 mediates the colonic motor coping response to acute stress in rodents. <i>Gastroenterology</i> , 2011 , 140, 1586-96.e6	13.3	51
74	Downregulation of FIP200 induces apoptosis of glioblastoma cells and microvascular endothelial cells by enhancing Pyk2 activity. <i>PLoS ONE</i> , 2011 , 6, e19629	3.7	21
73	Mechanisms and consequences of salt sensitivity and dietary salt intake. <i>Current Opinion in Nephrology and Hypertension</i> , 2011 , 20, 37-43	3.5	60
72	Immunoglobulin light chains activate nuclear factor- κ B in renal epithelial cells through a Src-dependent mechanism. <i>Blood</i> , 2011 , 117, 1301-7	2.2	56
71	A propensity-matched study of the comparative effectiveness of angiotensin receptor blockers versus angiotensin-converting enzyme inhibitors in heart failure patients age \geq 65 years. <i>American Journal of Cardiology</i> , 2011 , 108, 1443-8	3	9
70	Crystal structure of the TSH receptor (TSHR) bound to a blocking-type TSHR autoantibody. <i>Journal of Molecular Endocrinology</i> , 2011 , 46, 81-99	4.5	78
69	Relationship between stage of kidney disease and incident heart failure in older adults. <i>American Journal of Nephrology</i> , 2011 , 34, 135-41	4.6	9
68	Hyperuricaemia, chronic kidney disease, and outcomes in heart failure: potential mechanistic insights from epidemiological data. <i>European Heart Journal</i> , 2011 , 32, 712-20	9.5	100
67	Association of dietary sodium and potassium intakes with albuminuria in normal-weight, overweight, and obese participants in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1071-8	7	26
66	Light chain-mediated tubulopathies. <i>Contributions To Nephrology</i> , 2011 , 169, 262-269	1.6	16
65	Paracrine effects of mesenchymal stem cells in cisplatin-induced renal injury require heme oxygenase-1. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 300, F254-62	4.3	96
64	Monoclonal autoantibodies to the TSH receptor, one with stimulating activity and one with blocking activity, obtained from the same blood sample. <i>Clinical Endocrinology</i> , 2010 , 73, 404-12	3.4	63
63	Hypokalemia and outcomes in patients with chronic heart failure and chronic kidney disease: findings from propensity-matched studies. <i>Circulation: Heart Failure</i> , 2010 , 3, 253-60	7.6	106

62	Immunoglobulin light chains activate tubular epithelial cells through redox signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 1165-73	12.7	42
61	Association between hyperuricemia and incident heart failure among older adults: a propensity-matched study. <i>International Journal of Cardiology</i> , 2010 , 142, 279-87	3.2	79
60	Mild hyperkalemia and outcomes in chronic heart failure: a propensity matched study. <i>International Journal of Cardiology</i> , 2010 , 144, 383-8	3.2	41
59	Potassium inhibits dietary salt-induced transforming growth factor-beta production. <i>Hypertension</i> , 2009 , 54, 1159-63	8.5	29
58	Dietary salt intake, salt sensitivity, and cardiovascular health. <i>Hypertension</i> , 2009 , 53, 442-5	8.5	51
57	Isolated systolic hypertension and incident heart failure in older adults: a propensity-matched study. <i>Hypertension</i> , 2009 , 53, 458-65	8.5	52
56	Vascular consequences of dietary salt intake. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F237-43	4.3	93
55	Association of chronic kidney disease with outcomes in chronic heart failure: a propensity-matched study. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 186-93	4.3	39
54	Dysproteinemias and Amyloidosis 2009 , 232-241		
53	A human monoclonal autoantibody to the thyrotropin receptor with thyroid-stimulating blocking activity. <i>Thyroid</i> , 2008 , 18, 735-46	6.2	51
52	Contribution of intrarenal cells to cellular repair after acute kidney injury: subcapsular implantation technique. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F310-4	4.3	15
51	Dietary salt activates an endothelial proline-rich tyrosine kinase 2/c-Src/phosphatidylinositol 3-kinase complex to promote endothelial nitric oxide synthase phosphorylation. <i>Hypertension</i> , 2008 , 52, 1134-41	8.5	15
50	Salt sensitivity: it is not always in the genes. <i>Hypertension</i> , 2008 , 51, 823-4	8.5	
49	Mechanism of dietary salt-mediated increase in intravascular production of TGF-beta1. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F406-14	4.3	44
48	Pathogenesis of Paraproteinemic Renal Disease 2008 , 435-440		
47	Myeloma and Secondary Involvement of the Kidney in Dysproteinemias 2008 , 461-468		1
46	Molecular interactions between the TSH receptor and a Thyroid-stimulating monoclonal autoantibody. <i>Thyroid</i> , 2007 , 17, 699-706	6.2	23
45	Chronic kidney disease associated mortality in diastolic versus systolic heart failure: a propensity matched study. <i>American Journal of Cardiology</i> , 2007 , 99, 393-8	3	185

44	Assessment and treatment of hypertension in dialysis: the case for salt restriction. <i>Seminars in Dialysis</i> , 2007 , 20, 408-11	2.5	13
43	Paraproteinemic renal diseases that involve the tubulo-interstitium. <i>Contributions To Nephrology</i> , 2007 , 153, 105-15	1.6	21
42	Immunoglobulin light chains generate hydrogen peroxide. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 1239-45	12.7	56
41	Crystal structure of the TSH receptor in complex with a thyroid-stimulating autoantibody. <i>Thyroid</i> , 2007 , 17, 395-410	6.2	171
40	Detection of early changes in renal function using 99mTc-MAG3 imaging in a murine model of ischemia-reperfusion injury. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, F1408-12	4.3	31
39	EGF receptor activity modulates apoptosis induced by inhibition of the proteasome of vascular smooth muscle cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 131-42	12.7	25
38	Effects of TSH receptor mutations on binding and biological activity of monoclonal antibodies and TSH. <i>Thyroid</i> , 2006 , 16, 1195-206	6.2	44
37	A new twist in myeloma treatment. <i>Blood</i> , 2006 , 107, 413-414	2.2	5
36	Effect of salt intake on progression of chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2006 , 15, 54-60	3.5	31
35	Enhanced expression of EGF receptor in a model of salt-sensitive hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 289, F314-21	4.3	21
34	Management of paraproteinemic renal disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2005 , 14, 97-103	3.5	2
33	Mechanism of hypertensive nephropathy in the Dahl/Rapp rat: a primary disorder of vascular smooth muscle. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 288, F236-42	4.3	16
32	Salt intake, endothelial cell signaling, and progression of kidney disease. <i>Hypertension</i> , 2004 , 43, 142-6	8.5	73
31	AL-amyloidosis is underdiagnosed in renal biopsies. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 3050-3	4.3	67
30	Accelerated ubiquitination and proteasome degradation of a genetic variant of inducible nitric oxide synthase. <i>Biochemical Journal</i> , 2003 , 376, 789-94	3.8	13
29	The interrelationship between TGF-beta1 and nitric oxide is altered in salt-sensitive hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 285, F902-8	4.3	54
28	Mitochondrial targets of oxidative stress during renal ischemia/reperfusion. <i>Archives of Biochemistry and Biophysics</i> , 2003 , 412, 27-33	4.1	100
27	Dietary salt intake activates MAP kinases in the rat kidney. <i>FASEB Journal</i> , 2002 , 16, 1683-4	0.9	26

26	Activation of the Fas/Fas ligand pathway in hypertensive renal disease in Dahl/Rapp rats. <i>BMC Nephrology</i> , 2002 , 3, 1	2.7	12
25	Increased dietary salt activates rat aortic endothelium. <i>Hypertension</i> , 2002 , 39, 239-44	8.5	29
24	Cytochrome c mediates apoptosis in hypertensive nephrosclerosis in Dahl/Rapp rats. <i>Kidney International</i> , 2001 , 59, 662-72	9.9	23
23	Increased dietary salt accelerates chronic allograft nephropathy in rats. <i>Kidney International</i> , 2001 , 59, 1149-57	9.9	28
22	Mitochondrial tyrosine nitration precedes chronic allograft nephropathy. <i>Free Radical Biology and Medicine</i> , 2001 , 31, 1603-8	7.8	86
21	Nitric oxide synthase (NOS2) mutation in Dahl/Rapp rats decreases enzyme stability. <i>Circulation Research</i> , 2001 , 89, 317-22	15.7	22
20	Mapping the binding domain of immunoglobulin light chains for Tamm-Horsfall protein. <i>American Journal of Pathology</i> , 2001 , 158, 1859-66	5.8	92
19	Induction of apoptosis during development of hypertensive nephrosclerosis. <i>Kidney International</i> , 2000 , 58, 2007-17	9.9	21
18	Induction of apoptosis during development of hypertensive nephrosclerosis. <i>Kidney International</i> , 2000 , 58, 2007-2017	9.9	28
17	Dietary salt increases endothelial nitric oxide synthase and TGF-beta1 in rat aortic endothelium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 277, H1293-8	5.2	43
16	Dietary salt regulates expression of Tamm-Horsfall glycoprotein in rats. <i>Kidney International</i> , 1998 , 54, 1150-6	9.9	45
15	Studies of arginine metabolism and salt sensitivity in the Dahl/Rapp rat models of hypertension. <i>Molecular Genetics and Metabolism</i> , 1998 , 64, 80-3	3.7	10
14	Vascular smooth muscle nitric oxide synthase anomalies in Dahl/Rapp salt-sensitive rats. <i>Hypertension</i> , 1998 , 31, 918-24	8.5	47
13	In vitro modulation of AL-amyloid formation by human mesangial cells exposed to amyloidogenic light chains. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1998 , 5, 238-46	2.7	24
12	Inverse relationship of urinary cyclic GMP to blood pressure reactivity in the CARDIA study: vasodilatory regulation of sympathetic vasoconstriction. <i>Coronary Artery Risk Development in Young Adults. Psychosomatic Medicine</i> , 1998 , 60, 319-26	3.7	4
11	Dietary salt modulates renal production of transforming growth factor-beta in rats. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 274, F635-41	4.3	65
10	Dietary salt enhances glomerular endothelial nitric oxide synthase through TGF-beta1. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 275, F18-24	4.3	43
9	Relationship of diastolic blood pressure with cyclic GMP excretion among young adults (the CARDIA Study): influence of a family history of hypertension. <i>Coronary Artery Risk Development in Young Adults. Journal of Hypertension</i> , 1997 , 15, 955-62	1.9	6

8	Calciophylaxis mimicking skin lesions of connective tissue diseases. <i>Southern Medical Journal</i> , 1996 , 89, 1099-100	0.6	9
7	Ultrastructural immunolabeling: a unique diagnostic tool in monoclonal light chain-related renal diseases. <i>Ultrastructural Pathology</i> , 1994 , 18, 401-16	1.3	43
6	Growth factors in monoclonal light-chain--related renal diseases. <i>Human Pathology</i> , 1994 , 25, 883-92	3.7	39
5	Morphologic alterations of the proximal tubules in light chain-related renal disease. <i>Kidney International</i> , 1988 , 33, 881-9	9.9	38
4	Differential toxicity of human Bence-Jones proteins in the rat proximal convoluted tubule in vivo. <i>Contributions To Nephrology</i> , 1988 , 68, 198-202	1.6	5
3	Human Bence Jones protein toxicity in rat proximal tubule epithelium in vivo. <i>Kidney International</i> , 1987 , 32, 851-61	9.9	79
2	Effect of urinary pH and diatrizoate on Bence Jones protein nephrotoxicity in the rat. <i>Kidney International</i> , 1985 , 27, 46-50	9.9	47
1	The Influence of Dietary Salt Intake on Endothelial Cell Function1287-1293		