

David W Lamb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3792488/publications.pdf>

Version: 2024-02-01

72
papers

2,203
citations

236925

25
h-index

233421

45
g-index

72
all docs

72
docs citations

72
times ranked

2454
citing authors

#	ARTICLE	IF	CITATIONS
1	Airborne LiDAR and high resolution multispectral data integration in Eucalyptus tree species mapping in an Australian farmscape. <i>Geocarto International</i> , 2022, 37, 70-90.	3.5	7
2	Investigating the potential of Sentinel-1 to detect varying spatial heterogeneity in pasture cover in grasslands. <i>International Journal of Remote Sensing</i> , 2021, 42, 274-285.	2.9	3
3	The Segmented Colour Feature Extreme Learning Machine: Applications in Agricultural Robotics. <i>Agronomy</i> , 2021, 11, 2290.	3.0	5
4	Discrimination of species composition types of a grazed pasture landscape using Sentinel-1 and Sentinel-2 data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 84, 101978.	2.8	16
5	Frost Monitoring Cyber-Physical System: A Survey on Prediction and Active Protection Methods. <i>IEEE Internet of Things Journal</i> , 2020, 7, 6514-6527.	8.7	18
6	A Preliminary Investigation of the Potential of Sentinel-1 Radar to Estimate Pasture Biomass in a Grazed, Native Pasture Landscape. <i>Remote Sensing</i> , 2019, 11, 872.	4.0	20
7	A Non-Reference Temperature Histogram Method for Determining Tc from Ground-Based Thermal Imagery of Orchard Tree Canopies. <i>Remote Sensing</i> , 2019, 11, 714.	4.0	10
8	Discriminating between C3, C4, and Mixed C3/C4 Pasture Grasses of a Grazed Landscape Using Multi-Temporal Sentinel-1a Data. <i>Remote Sensing</i> , 2019, 11, 253.	4.0	9
9	In-situ partitioning of evaporation and transpiration components using a portable evapotranspiration dome—A case study in Tall Fescue (<i>Festuca arundinacea</i>). <i>Agricultural Water Management</i> , 2019, 213, 352-357.	5.6	7
10	A refined method for rapidly determining the relationship between canopy NDVI and the pasture evapotranspiration coefficient. <i>Computers and Electronics in Agriculture</i> , 2018, 147, 12-17.	7.7	21
11	Categorising sheep activity using a tri-axial accelerometer. <i>Computers and Electronics in Agriculture</i> , 2018, 145, 289-297.	7.7	108
12	Real-time object detection in agricultural/remote environments using the multiple-expert colour feature extreme learning machine (MEC-ELM). <i>Computers in Industry</i> , 2018, 98, 183-191.	9.9	27
13	Predicting Lameness in Sheep Activity Using Tri-Axial Acceleration Signals. <i>Animals</i> , 2018, 8, 12.	2.3	56
14	Quantifying the Severity of Phytophthora Root Rot Disease in Avocado Trees Using Image Analysis. <i>Remote Sensing</i> , 2018, 10, 226.	4.0	53
15	Fast object detection in pastoral landscapes using a Colour Feature Extreme Learning Machine. <i>Computers and Electronics in Agriculture</i> , 2017, 139, 204-212.	7.7	16
16	A Combination of Plant NDVI and LiDAR Measurements Improve the Estimation of Pasture Biomass in Tall Fescue (<i>Festuca arundinacea</i> var. Fletcher). <i>Remote Sensing</i> , 2016, 8, 109.	4.0	83
17	Comparison of Canopy Volume Measurements of Scattered Eucalypt Farm Trees Derived from High Spatial Resolution Imagery and LiDAR. <i>Remote Sensing</i> , 2016, 8, 388.	4.0	33
18	Ultrahigh Dimensional Variable Selection for Interpolation of Point Referenced Spatial Data: A Digital Soil Mapping Case Study. <i>PLoS ONE</i> , 2016, 11, e0162489.	2.5	9

#	ARTICLE	IF	CITATIONS
19	The use of shadows in high spatial resolution, remotely sensed, imagery to estimate the height of individual Eucalyptus trees on undulating land. <i>Rangeland Journal</i> , 2015, 37, 467.	0.9	3
20	Winter Wheat Genotype Effect on Canopy Reflectance: Implications for Using NDVI for In-season Nitrogen Topdressing Recommendations. <i>Agronomy Journal</i> , 2015, 107, 2097-2106.	1.8	15
21	Understanding the role of monolayers in retarding evaporation from water storage bodies. <i>Chemical Physics Letters</i> , 2015, 623, 37-41.	2.6	5
22	A novel protocol for assessment of aboveground biomass in rangeland environments. <i>Rangeland Journal</i> , 2015, 37, 157.	0.9	8
23	Sequential application of hyperspectral indices for delineation of stripe rust infection and nitrogen deficiency in wheat. <i>Precision Agriculture</i> , 2015, 16, 477-491.	6.0	42
24	The impact of solar illumination angle when using active optical sensing of NDVI to infer fAPAR in a pasture canopy. <i>Agricultural and Forest Meteorology</i> , 2015, 202, 39-43.	4.8	31
25	Spatial variability in pH and key soil nutrients: is this an opportunity to increase fertiliser and lime-use efficiency in grazing systems?. <i>Crop and Pasture Science</i> , 2014, 65, 817.	1.5	23
26	Methodology for measuring fAPAR in crops using a combination of active optical and linear irradiance sensors: a case study in Triticale (X Triticosecale Wittmack). <i>Precision Agriculture</i> , 2014, 15, 532-542.	6.0	16
27	Combination active optical and passive thermal infrared sensor for low-level airborne crop sensing. <i>Precision Agriculture</i> , 2014, 15, 523-531.	6.0	6
28	An allometric model for estimating DBH of isolated and clustered Eucalyptus trees from measurements of crown projection area. <i>Forest Ecology and Management</i> , 2014, 326, 125-132.	3.2	33
29	A comparison of two ranging approaches in an active, optical plant canopy sensor. , 2014, , .		1
30	Apparent electrical conductivity (ECa) as a surrogate for neutron probe counts to measure soil moisture content in heavy clay soils (Vertosols). <i>Soil Research</i> , 2014, 52, 373.	1.1	12
31	Effect of stripe rust on the yield response of wheat to nitrogen. <i>Crop Journal</i> , 2014, 2, 201-206.	5.2	47
32	Effect of Aluminum Neutron Probe Access Tubes on the Apparent Electrical Conductivity Recorded by an Electromagnetic Soil Survey Sensor. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 333-336.	3.1	7
33	Use of proximal sensors to evaluate at the sub-paddock scale a pasture growth-rate model based on light-use efficiency. <i>Crop and Pasture Science</i> , 2014, 65, 400.	1.5	13
34	A Comparative Study of Land Cover Classification Techniques for "Farmscapes" Using Very High Resolution Remotely Sensed Data. <i>Photogrammetric Engineering and Remote Sensing</i> , 2014, 80, 461-470.	0.6	4
35	An intrinsic exposed core optical fiber sensor as a quantitative surface crystallization monitoring sensor. <i>Sensors and Actuators B: Chemical</i> , 2013, 177, 964-969.	7.8	15
36	Tree cover extraction from 50 cm worldview2 imagery: A comparison of image processing techniques. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
37	A relationship between faecal egg counts and the distance travelled by sheep. Small Ruminant Research, 2013, 111, 171-174.	1.2	26
38	Farming the Web of Things. IEEE Intelligent Systems, 2013, 28, 12-19.	4.0	59
39	Ground truthing protocols for biomass estimation in rangeland environments. , 2013, , .		2
40	Evaluating a novel application of optical fibre evanescent field absorbance: rapid measurement of red colour in winegrape homogenates. , 2013, , .		0
41	Integrating MODIS satellite imagery and proximal vegetation sensors to enable precision livestock management. , 2012, , .		1
42	The Dynamic Aerial Survey Algorithm Architecture and Its Potential Use in Airborne Fertilizer Applications. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2012, 5, 1772-1779.	4.9	4
43	Radiometry of Proximal Active Optical Sensors (AOS) for Agricultural Sensing. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2012, 5, 1793-1802.	4.9	55
44	GPS observation of shelter utilisation by Merino ewes. Animal Production Science, 2011, 51, 724.	1.3	28
45	Extended-altitude, aerial mapping of crop NDVI using an active optical sensor: A case study using a Raptorâ,¢ sensor over wheat. Computers and Electronics in Agriculture, 2011, 77, 69-73.	7.7	15
46	Litterfall and associated nutrient pools extend beyond the canopy of scattered eucalypt trees in temperate pastures. Plant and Soil, 2011, 345, 339-352.	3.7	8
47	Within-season temporal variation in correlations between vineyard canopy and winegrape composition and yield. Precision Agriculture, 2011, 12, 103-117.	6.0	111
48	Estimation of vertical distribution of chlorophyll concentration by bi-directional canopy reflectance spectra in winter wheat. Precision Agriculture, 2011, 12, 165-178.	6.0	43
49	Monitoring the effects of longwall mine-induced subsidence on vineyards. Environmental Earth Sciences, 2011, 62, 973-984.	2.7	7
50	The patterns of grazed pasture associated with scattered trees across an Australian temperate landscape: an investigation of pasture quantity and quality. Rangeland Journal, 2011, 33, 121.	0.9	17
51	EM38 for volumetric soil water content estimation in the root-zone of deep vertosol soils. Computers and Electronics in Agriculture, 2010, 74, 100-109.	7.7	24
52	Monitoring distances travelled by horses using GPS tracking collars. Australian Veterinary Journal, 2010, 88, 176-181.	1.1	64
53	Evaluating an active optical sensor for quantifying and mapping green herbage mass and growth in a perennial grass pasture. Crop and Pasture Science, 2010, 61, 389.	1.5	55
54	Detecting and Monitoring Industrial Scale Formation Using an Intrinsic Exposed-Core Optical Fiber Sensor. Industrial & Engineering Chemistry Research, 2010, 49, 4682-4686.	3.7	12

#	ARTICLE	IF	CITATIONS
55	Guided-mode refraction model for optical fiber sensing of surface crystal growth. Optics Letters, 2010, 35, 3625.	3.3	4
56	Global navigation satellite system livestock tracking: system development and data interpretation. Animal Production Science, 2010, 50, 616.	1.3	44
57	Ultra low-level airborne (ULLA) sensing of crop canopy reflectance: A case study using a CropCircle sensor. Computers and Electronics in Agriculture, 2009, 69, 86-91.	7.7	24
58	Evaluating ten spectral vegetation indices for identifying rust infection in individual wheat leaves. Precision Agriculture, 2009, 10, 459-470.	6.0	167
59	Improving pathways to adoption: Putting the right P's in precision agriculture. Computers and Electronics in Agriculture, 2008, 61, 4-9.	7.7	70
60	Low-resolution remotely sensed images of winegrape vineyards map spatial variability in planimetric canopy area instead of leaf area index. Australian Journal of Grape and Wine Research, 2008, 14, 9-17.	2.1	56
61	Assessment of an Intrinsic Optical Fiber Sensor for in Situ Monitoring of Scale-Forming Salts. Industrial & Engineering Chemistry Research, 2008, 47, 1066-1070.	3.7	10
62	Progress in the application of exposed core, optical fibre sensors for detecting and monitoring surface crystallization processes. Proceedings of SPIE, 2008, , .	0.8	0
63	PMMA optical fibers as intrinsic sensors of surface crystal growth. Proceedings of SPIE, 2008, , .	0.8	0
64	Monitoring surface crystal growth using an intrinsic exposed-core optical fiber sensor (IECOFS). Proceedings of SPIE, 2008, , .	0.8	0
65	The Effect and Mitigation of Vine Trellising on EM38 Soil Conductivity Measurements. , 2007, , .		1
66	Identification of yellow rust in wheat using in-situ spectral reflectance measurements and airborne hyperspectral imaging. Precision Agriculture, 2007, 8, 187-197.	6.0	292
67	Laser-optical fiber Bragg grating anemometer for measuring gas flows: application to measuring the electric wind. Optics Letters, 2006, 31, 1035.	3.3	16
68	Vineyard trellising with steel posts distorts data from EM soil surveys. Australian Journal of Grape and Wine Research, 2005, 11, 24-32.	2.1	27
69	Fibre evanescent field absorption (FEFA): an optical fibre technique for measuring light absorption in turbid water samples. Marine and Freshwater Research, 2004, 55, 533.	1.3	9
70	Characterising and mapping vineyard canopy using high-spatial-resolution aerial multispectral images. Computers and Geosciences, 2003, 29, 813-822.	4.2	102
71	The use of qualitative airborne multispectral imaging for managing agricultural crops - a case study in south-eastern Australia. Australian Journal of Experimental Agriculture, 2000, 40, 725.	1.0	57
72	Energy transfer in positive streamers. Journal Physics D: Applied Physics, 1989, 22, 1497-1503.	2.8	11